(19) World Intellectual Property Organization International Bureau



| 1844 | 1870)| 7 MAY 1884 | 140 | 1894 | 1894 | 1894 | 1894 | 1894 | 1895 | 1896 | 1896 | 1896 | 1896 | 1896

(43) International Publication Date 7 December 2000 (07.12.2000)

PCT

(10) International Publication Number WO 00/73469 A2

- (51) International Patent Classification7: C12N 15/54, 9/12, 15/11, 5/12, C07K 16/40, A61K 38/00, G01N 33/68
- (21) International Application Number: PCT/US00/14842
- (22) International Filing Date: 26 May 2000 (26.05.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 60/136,503

28 May 1999 (28.05.1999) US

- (71) Applicant (for all designated States except US): SUGEN, INC. [US/US]; 230 East Grand Avenue, South San Francisco, CA 94080 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): PLOWMAN, Gregory, D. [US/US]; 4 Honeysuckle Lane, San Carlos, CA 94070 (US). MARTINEZ, Ricardo [US/US]; 984 Cartier Lane, Foster City, CA 94404 (US). WHYTE, David [US/US]; 2623 Barclay Way, Belmont, CA 94002 (US). SUDERSANAM, Sucha [US/US]; 20 Corte Patencio, Greenbrae, CA 94904 (US).

- (74) Agents: WARBURG, Richard, J. et al.; Brobeck, Phleger & Harrison LLP, 12390 El Camino Real, San Diego, CA 92130 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

00/73469 A2

(54) Title: PROTEIN KINASES

(57) Abstract: The present invention relates to novel kinase polypeptides, nucleotide sequences encoding the novel kinase polypeptides, as well as various products and methods useful for the diagnosis and treatment of various kinase-related diseases and conditions.

1

DESCRIPTION PROTEIN KINASES

FIELD OF THE INVENTION

5

The present invention relates to novel kinase polypeptides, nucleotide sequences encoding the novel kinase polypeptides, as well as various products and methods useful for the diagnosis and treatment of various kinase-related diseases and conditions.

BACKGROUND OF THE INVENTION

10

15

The following description of the background of the invention is provided to aid in understanding the invention, but is not admitted to be or to describe prior art to the invention.

Cellular signal transduction is a fundamental mechanism whereby external stimuli that regulate diverse cellular processes are relayed to the interior of cells. One of the key biochemical mechanisms of signal transduction involves the reversible phosphorylation of proteins, which enables regulation of the activity of mature proteins by altering their structure and function.

20

25

30

Protein phosphorylation plays a pivotal role in biological signal transduction.

Among the biological functions controlled by protein phosphorylation are the following: cell division; differentiation and death (apoptosis); cell motility and cytoskeletal structure; control of DNA replication, transcription, splicing and translation; protein translocation events from the endoplasmic reticulum and Golgi apparatus to the membrane and extracellular space; protein nuclear import and export; regulation of metabolic reactions, etc. Abnormal protein phosphorylation is widely recognized to be causally linked to the etiology of many diseases including cancer as well as immunologic, neuronal and metabolic disorders.

The most common phospho-acceptor amino acid residues are serine, threonine and tyrosine. Phosphorylation in histidine has also been observed in bacteria. The presence of a phosphate moeity modulates protein function in multiple ways. A common mechanism includes changes in the catalytic properties (V_{max} and K_m) of an enzyme leading to its activation or inactivation. A second widely recognized mechanism involves promoting protein-protein interactions. An example of this is the tyrosine autophosphorylation of the

ligand-activated EGF receptor tyrosine kinase. This event triggers the high-affinity binding to the phosphotyrosine residue on the receptor's C-terminal intracellular domain to the SH2 motif of the adaptor molecule Grb2. Grb2 in turn binds through its SH3 motif to a second adaptor molecule, such as SHC. The formation of this ternary complex activates the signaling events that are responsible for the biological effects of EGF. Serine and threonine phosphorylation events have also being recently recognized to exert their biological function through protein-protein interaction events mediated by the high-affinity binding of phosphoserine and phosphothreonine to WW motifs present in a large variety of proteins (Lu, P.J. et al. (1999) Science 283:1325-1328). A third important outcome of protein phosphorylation is changes in the subcellular localization of the substrate. As an example, nuclear import and export events in a large diversity of proteins are regulated by protein phosphorylation (Drier E.A. et al. (1999) Genes Dev 13: 556-568).

Protein kinases are one of the largest families of eukaryotic proteins with several hundred known members. These proteins share a 250-300 amino acid domain that can be subdivided into 12 distinct subdomains that comprise the common catalytic core structure. These conserved protein motifs have recently been exploited using PCR-based and bioinformatic strategies leading to a significant expansion of the known kinases. Multiple alignment of the sequences in the catalytic domain of protein kinases and subsequent parsimony analysis permits their segregation into a dendrogram reflecting the relatedness of their catalytic domains (Fig. 1). In this manner, related kinases are clustered into distinct branches or subfamilies including: tyrosine kinases, cyclic-nucleotide-dependent kinases, calcium/calmodulin kinases, cyclin-dependent kinases and MAP-kinases, serine-threonine kinase receptors, and several other less defined subfamilies.

We have recently completed a systematic analysis of the protein kinases present in *C. elegans*, the multicellular organism whose entire DNA sequence has been determined. We identified 473 unique kinase profiles including 398 full-length conventional kinases, and 20 additional proteins that may function as atypical protein kinases. (Plowman G.D. *et al.* (1999), Proc. Natl. Acad. Sci. 96:13603-13610).

Using parsimony analysis, the protein kinases may be divided into 4 major groups: AGC, CAMK, CMGC and tyrosine kinases. In addition, there are a number of minor yet distinct families, including the STE and casein kinase 1, families related to worm- or

15

5

10

20

25

30

WO 00/73469

5

10

15

20

25

30

fungal-specific kinases, and a family designated "other" to represent several smaller families. In addition, we designate an "atypical" family to represent protein kinases whose catalytic domain has little or no primary sequence homology to conventional kinases, including the A6 kinases and PI3 kinases.

The AGC kinases are basic amino acid-directed enzymes that phosphorylate residues found proximal to Arg and Lys. Examples of this group are the cyclic nucleotide-dependent kinases, G protein kinases, NDR or DBF2 and the ribosomal S6 kinases.

The CAMK group kinases are also basic amino acid-directed kinases. They include the Ca2+/calmodulin-regulated and AMP-dependent protein kinases, myosin light chain kinases, checkpoint 2 kinases (CHK2) and EMK-related protein kinases. The EMK family of STK are involved in the control of cell polarity, micotubule stability and cancer. One member of the EMK family, C-TAK1 has been reported to control entry into mitosis by activating Cdc25C which in turn dephosphorylates Cdc2.

CMGC group kinases are "proline-directed" enzymes phosphorylating residues that exist in a proline-rich context. They include the cyclin-dependent kinases (CDKs), mitogen-activated kinases (MAPKs), GSK3s and CLKs. Most CMGC kinases have larger-than-average kinase domains owing to the presence of insertions within subdomains X and XI.

The tyrosine kinase group encompass both cytoplasmic (i.e. src) as well as transmembrane receptor tyrosine kinases (i.e. EGF receptor). These kinases play a pivotal role in the signal transduction processes that mediate cell proliferation, differentiation and apoptotis.

Group members that define smaller, yet distinct phylogenetic branches of conventional kinases include the elongation factor 2 kinases (EIFKs); homologues of the yeast sterile family kinases (STE) which refers to 3 classes of kinases which lie sequentially upstream of the MAPKs; mixed lineage kinases (MLKs); Lim-domain containing kinases (LIMKs); Calcium-calmodulin kinase kinases (CAMKK), dual-specific tyrosine kinases (DYRK), integrin receptor associated kinase (IRAK); testis-specific kinases (TSK); UNC-51 related kinases (UNC); several families that are close homologues to worm (C26C2.1, YQ09, ZC581.9, YFL033c, C24A1.3), Drosophila (SLOB), or yeast (YDOD_sp, YGR262_sc) kinases, and others that are "unique" and don't cluster into any obvious family.

4

SUMMARY OF THE INVENTION

Through a search of the EST database for homologies to the conserved catalytic kinase domain of protein kinases, hundreds of mammalian members of known and previously unidentified protein kinase families and groups have been identified as part of the present invention. Multiple alignment and parsimony analysis of the catalytic domain reveals that approximately half of these protein kinases cluster into 10 known groups, with the other half perhaps defining novel groups. Classification in this manner has proven highly accurate not only in predicting motifs present in the remaining non-catalytic portion of each protein, but also in their regulation, substrates, and signaling pathways. The present invention includes the partial or complete sequence of new protein kinases, their classification, predicted or deduced protein structure, and a strategy for elucidating their biologic and therapeutic relevance.

5

10

15

20

25

30

Thus, a first aspect of the invention features an isolated, enriched, or purified nucleic acid molecule encoding a kinase polypeptide selected from the group consisting SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEO ID NO:147, SEO ID NO:148, SEO ID NO:149, SEO ID NO:150, SEO ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEO ID NO:207, SEO ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEQ ID NO:211,

WO 00/73469

5

10

15

20

25

30

SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242.

By "isolated" in reference to nucleic acid is meant a polymer of nucleotides conjugated to each other, including DNA and RNA, that is isolated from a natural source or that is synthesized. The isolated nucleic acid of the present invention is unique in the sense that it is not found in a pure or separated state in nature. Use of the term "isolated" indicates that a naturally occurring sequence has been removed from its normal cellular (i.e., chromosomal) environment. Thus, the sequence may be in a cell-free solution or placed in a different cellular environment. The term does not imply that the sequence is the only nucleotide chain present, but that it is essentially free (about 90 - 95% pure at least) of non-nucleotide material naturally associated with it, and thus is distinguished from isolated chromosomes.

By the use of the term "enriched" in reference to nucleic acid is meant that the specific DNA or RNA sequence constitutes a significantly higher fraction (2 - 5 fold) of the total DNA or RNA present in the cells or solution of interest than in normal or diseased cells or in the cells from which the sequence was taken. This could be caused by a person by preferential reduction in the amount of other DNA or RNA present, or by a preferential increase in the amount of the specific DNA or RNA sequence, or by a combination of the two. However, it should be noted that enriched does not imply that there are no other DNA or RNA sequences present, just that the relative amount of the sequence of interest has been significantly increased. The term "significant" is used to indicate that the level of increase is useful to the person making such an increase, and generally means an increase relative to other nucleic acids of about at least 2 fold, more preferably at least 5 to 10 fold or even more. The term also does not imply that there is no DNA or RNA from other sources. The other source DNA may, for example, comprise DNA from a yeast or bacterial genome, or a cloning vector such as pUC19. This term distinguishes from naturally occurring events, such as viral infection, or tumor type

WO 00/73469

5

10

15

20

25

30

6

PCT/US00/14842

growths, in which the level of one mRNA may be naturally increased relative to other species of mRNA. That is, the term is meant to cover only those situations in which a person has intervened to elevate the proportion of the desired nucleic acid.

It is also advantageous for some purposes that a nucleotide sequence be in purified form. The term "purified" in reference to nucleic acid does not require absolute purity (such as a homogeneous preparation). Instead, it represents an indication that the sequence is relatively more pure than in the natural environment (compared to the natural level this level should be at least 2-5 fold greater, e.g., in terms of mg/mL). Individual clones isolated from a cDNA library may be purified to electrophoretic homogeneity. The claimed DNA molecules obtained from these clones could be obtained directly from total DNA or from total RNA. The cDNA clones are not naturally occurring, but rather are preferably obtained via manipulation of a partially purified naturally occurring substance (messenger RNA). The construction of a cDNA library from mRNA involves the creation of a synthetic substance (cDNA) and pure individual cDNA clones can be isolated from the synthetic library by clonal selection of the cells carrying the cDNA library. Thus, the process which includes the construction of a cDNA library from mRNA and isolation of distinct cDNA clones yields an approximately 10⁶-fold purification of the native message. Thus, purification of at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated.

By a "kinase polypeptide" is meant 10 (preferably 20, more preferably 40, most preferably 75) or more contiguous amino acids set forth in an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173,

10

15

20

25

30

WO 00/73469 PCT/US00/14842

SEO ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEO ID NO:179, SEO ID NO:180, SEO ID NO:181, SEO ID NO:182, SEO ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEO ID NO:190, SEO ID NO:191, SEO ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEO ID NO:199, SEO ID NO:200, SEO ID NO:201, SEO ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEO ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEO ID NO:224, SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEO ID NO:239, SEO ID NO:240, SEO ID NO:241, and SEQ ID NO:242, or functional derivatives thereof as described herein. For sequences for which the full-length sequence is not given, the remaining sequences can be determined using methods well-known to those in the art and are intended to be included in the invention. In certain aspects, polypeptides of 100, 200, 300 or more amino acids are preferred. The kinase polypeptide can be encoded by a full-length nucleic acid sequence or any portion of the full-length nucleic acid sequence, so long as a functional activity of the polypeptide is retained. By "functional" domain is meant any region of the polypeptide that may play a regulatory or catalytic role as predicted from amino acid sequence homology to other proteins or by the presence of amino acid sequences that may give rise to specific structural conformations (i.e., coiled-coils). For some purposes, polypeptide domains are preferred, including, but not limited to, N-terminal, catalytic/kinase and C-terminal.

The amino acid sequence will be substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID

NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID 5 NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID 10 NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID 15 NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially 20 similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID 25 NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID 30 NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID

10

15

20

25

30

9

NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEO ID NO:194, SEO ID NO:195, SEO ID NO:196, SEO ID NO:197, SEO ID NO:198, SEO ID NO:199, SEO ID NO:200, SEO ID NO:201, SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEO ID NO:209, SEO ID NO:210, SEO ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEO ID NO:239, SEO ID NO:240, SEO ID NO:241, and SEO ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEO ID NO:137, SEO ID NO:138, SEO ID NO:139, SEO ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155. SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEO ID NO:174, SEO ID NO:175, SEO ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205. SEQ

WO 00/73469

ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 or portions of or the entire corresponding full-length amino acid sequences.

10

15

5

By "identity" is meant a property of sequences that measures their similarity or relationship. Identity is measured by dividing the number of identical residues between two sequences (either full-length or a defined domain) by the total number of residues in the known sequence, or the domain of the known sequence, and multiplying the product by 100. Thus, two copies of exactly the same sequence have 100% identity, but sequences that are less highly conserved, and have replacements and substitutions, have a lower degree of identity. "Gaps" are spaces in an alignment that can result from aligning a novel sequence with a known sequence when the novel sequence has additions or deletions of amino acids in comparison with the known sequence. These gaps do not factor into the assessment of % identity using the sbove calculation.

20

Those skilled in the art will recognize that several computer programs are also available for determining sequence identity using standard parameters, for example, Blast (Altschul, et al. (1997) Nucleic Acids Res. 25:3389-3402), Blast2 (Altschul, et al. (1990) J. Mol. Biol. 215:403-410), and Smith-Waterman (Smith, et al. (1981) J. Mol. Biol. 147:195-197).

25

30

In preferred embodiments, the invention features isolated, enriched, or purified nucleic acid molecules encoding a kinase polypeptide comprising a nucleotide sequence that: (a) encodes a polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ

WO 00/73469

5

10

15

20

25

30

ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEO ID NO:179, SEO ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEO ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEO ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEO ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEO ID NO:214. SEO ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEO ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEO ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEO ID NO:152, SEO ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID

10

15

20

25

30

WO 00/73469 PCT/US00/14842

NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEO ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEO ID NO:227, SEO ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEO ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID

10

15

20

25

30

WO 00/73469 PCT/US00/14842

NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEO ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) is the complement of the nucleotide sequence of (a); (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide; (d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEO ID NO:123, SEO ID NO:124, SEO ID NO:125, SEO ID NO:126, SEO ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEO ID NO:168, SEO ID NO:169, SEO ID NO:170, SEO ID NO:171, SEO ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEO ID NO:194, SEO ID NO:195, SEO ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID

NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEO ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. 5 A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEO ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, 10 SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. 15 SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEO ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEO ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, 20 SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, 25 SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, 30 SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence of SEQ ID

NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEO ID NO:138, SEO ID NO:139, SEO ID NO:140, SEO ID NO:141, SEO ID 5 NO:142, SEO ID NO:143, SEO ID NO:144, SEO ID NO:145, SEO ID NO:146, SEO ID NO:147, SEO ID NO:148, SEO ID NO:149, SEO ID NO:150, SEO ID NO:151, SEO ID NO:152, SEO ID NO:153, SEO ID NO:154, SEO ID NO:155, SEO ID NO:156, SEO ID NO:157, SEO ID NO:158, SEO ID NO:159, SEO ID NO:160, SEO ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID 10 NO:172, SEO ID NO:173, SEO ID NO:174, SEO ID NO:175, SEO ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEO ID NO:183, SEO ID NO:184, SEO ID NO:185, SEO ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID 15 NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEO ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEO ID NO:214, SEO ID NO:215, SEO ID NO:216, SEO ID 20 NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEO ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of a domain selected from the 25 group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a Cterminal tail; (e) is the complement of the nucleotide sequence of (d); (f) encodes a polypeptide having an amino acid sequence selected from the group consisting of those set 30 forth in SEO ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID

10

15

20

25

30

NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEO ID NO:147, SEO ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEO ID NO:151, SEO ID NO:152, SEO ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEO ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEO ID NO:203, SEO ID NO:204, SEO ID NO:205, SEO ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. (The domain demarcations of the polypeptides of the invention are indicated in Table 2 by reference to the kinase domain.) A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEO ID NO:134, SEO ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID

17

5

10

15

20

25

30

NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEO ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ

10

15

20

25

30

WO 00/73469 PCT/US00/14842

ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) is the complement of the nucleotide sequence of (a); (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide; (d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID

10

15

20

25

30

NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEO ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235,

SEO ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEO ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to a domain of a polypeptide selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, 5 SEO ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, 10 SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, 15 SEO ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, 20 SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, 25 SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, where the domain is selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, 30 an insert, and a C-terminal tail; (g) is the complement of the nucleotide sequence of (f); (h) encodes a polypeptide having an amino acid sequence selected from the group consisting

of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID 5 NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID 10 NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID 15 NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:200, SEQ ID NO:20 NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:21 20 NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:224, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:22 NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino 25 acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, 30 SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148,

SEO ID NO:149, SEO ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEO ID NO:154, SEO ID NO:155, SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, 5 SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, 10 SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, 15 SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEO ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-20 100%) to the sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEO ID NO:138, SEO ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID 25 NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID 30 NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID

NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID 5 NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID 10 NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) is the complement of the nucleotide sequence of (a); (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally 15 occurring kinase polypeptide; (d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID 20 NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID 25 NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID 30 NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID

10

15

20

25

30

WO 00/73469 PCT/US00/14842

NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEO ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218. SEO ID NO:219. SEO ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEO ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEO ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226,

SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEO ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEO ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence of SEQ ID NO:122, SEQ ID 5 NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID 10 NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEO ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID 15 NO:173, SEO ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID 20 NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID 25 NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEO ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEO ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more of the domains selected from the group consisting of a N-30 terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail; or (i) is the

26

complement of the nucleotide sequence of (h). The domain demarcations of the polypeptides of the invention are indicated in Table 2 by reference to the kinase domain.

The term "complement" refers to two nucleotides that can form multiple favorable interactions with one another. For example, adenine is complementary to thymine as they can form two hydrogen bonds. Similarly, guanine and cytosine are complementary since they can form three hydrogen bonds. A nucleotide sequence is the complement of another nucleotide sequence if all of the nucleotides of the first sequence are complementary to all of the nucleotides of the second sequence.

5

10

15

20

25

30

The term "domain" refers to a region of a polypeptide that contains a particular function. For instance, N-terminal or C-terminal domains of signal transduction proteins can serve functions including, but not limited to, binding molecules that localize the signal transduction molecule to different regions of the cell or binding other signaling molecules directly responsible for propagating a particular cellular signal. Some domains can be expressed separately from the rest of the protein and function by themselves, while others must remain part of the intact protein to retain function. The latter are termed functional regions of proteins and also relate to domains.

The term "N-terminal domain" refers to the extracatalytic region located between the initiator methionine and the catalytic domain of the protein kinase. The N-terminal domain can be identified following a Smith-Waterman alignment of the protein sequence against the non-redundant protein database to define the N-terminal boundary of the catalytic domain. Depending on its length, the N-terminal domain may or may not play a regulatory role in kinase function. An example of a protein kinase whose N-terminal domain has been shown to play a regulatory role is PAK65, which contains a CRIB motif used for Cdc42 and rac binding (Burbelo, P.D. *et al.* (1995) J. Biol. Chem. 270, 29071-29074). The N-terminal domain of a protein kinase of the invention is that portion of the protein kinase to the amino-terminal side of the kinase domain where the kinase domain is identified in Table 2, herein. Further, in some cases, portions of the N-terminal domains of the protein kinases of the invention have not been identified since the entire sequence is not available. However, with the methods described herein, the full-length sequences of the kinases of the invention can be determined and using the approaches described herein the N-terminal domain can be identified.

The term "catalytic domain" or "kinase domain" refers to a region of the protein kinase that is typically 25-300 amino acids long and is responsible for carrying out the phosphate transfer reaction from a high-energy phosphate donor molecule such as ATP or GTP to itself (autophosphorylation) or to other proteins (exogenous phosphorylation). The catalytic domain of protein kinases is made up of 12 subdomains that contain highly conserved amino acid residues, and are responsible for proper polypeptide folding and for catalysis. The catalytic domain can be identified following a Smith-Waterman alignment of the protein sequence against the non-redundant protein database. The catalytic/kinase domains of the protein kinases of the invention are identified in Table 2, herein. Further, in some cases, the complete sequence of the catalytic/kinase domains of the protein kinases of the invention may not have been provided since the entire sequence is not available. However, with the methods described herein, the full-length sequences of the kinases of the invention can be determined, and using the approaches described herein, the catalytic/kinase domain can be identified.

5

10

15

20

25

30

The term "catalytic activity", as used herein, defines the rate at which a kinase catalytic domain phosphorylates a substrate. Catalytic activity can be measured, for example, by determining the amount of a substrate converted to a phosphorylated product as a function of time. Catalytic activity can be measured by methods of the invention by holding time constant and determining the concentration of a phosphorylated substrate after a fixed period of time. Phosphorylation of a substrate occurs at the active-site of a protein kinase. The active-site is normally a cavity in which the substrate binds to the

The term "substrate" as used herein refers to a molecule phosphorylated by a kinase of the invention. Kinases phosphorylate substrates on serine/threonine or tyrosine amino acids. The molecule may be another protein or a polypeptide.

protein kinase and is phosphorylated.

The term "C-terminal domain" refers to the region located between the catalytic domain and the carboxy-terminal amino acid residue of the protein kinase. The C-terminal domain can be identified by using a Smith-Waterman alignment of the protein sequence against the non-redundant protein database to define the C-terminal boundary of the catalytic domain or of any functional C-terminal extracatalytic domain. Depending on its length and amino acid composition, the C-terminal domain may or may not play a regulatory role in kinase function. An example of a protein kinase whose C-terminal

domain may play a regulatory role is PAK3 which contains a heterotrimeric G_b subunit-binding site near its C-terminus (Leeuw, T. et al. (1998) Nature, 391, 191-195). The C-terminal domain of a protein kinase of the invention is that portion of the protein kinase to the carboxy-terminal side of the kinase domain where the kinase domain is identified in Table 2, herein. In some cases, the C-terminal domains of the protein kinases of the invention have not been provided since the entire sequence is not available. However, with the methods described herein, the full-length sequences of the kinases of the invention can be determined, and using the approaches described herein, the C-terminal domain can be identified.

10

5

The term "signal transduction pathway" refers to the molecules that propagate an extracellular signal through the cell membrane to become an intracellular signal. This signal can then stimulate a cellular response. The polypeptide molecules involved in signal transduction processes are typically receptor and non-receptor protein tyrosine kinases, receptor and non-receptor protein phosphatases, SRC homology 2 and 3 domains, phosphotyrosine binding proteins (SRC homology 2 (SH2) and phosphotyrosine binding (PTB and PH) domain containing proteins), proline-rich binding proteins (SH3 domain containing proteins), nucleotide exchange factors, and transcription factors.

20

15

The term "coiled-coil structure region" as used herein, refers to a polypeptide sequence that has a high probability of adopting a coiled-coil structure as predicted by computer algorithms such as COILS (Lupas, A. (1996) Meth. Enzymology 266:513-525). Coiled-coils are formed by two or three amphipathic α-helices in parallel. Coiled-coils can bind to coiled-coil domains of other polypeptides resulting in homo- or heterodimers (Lupas, A. (1991) Science 252:1162-1164). Coiled-coil-dependent oligomerization has been shown to be necessary for protein function including catalytic activity of serine/threonine kinases (Roe, J. et al. (1997) J. Biol. Chem. 272:5838-5845). Coiled-coil regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

30

25

The term "proline-rich region" as used herein, refers to a region of a protein kinase whose proline content over a given amino acid length is higher than the average content of this amino acid found in proteins (i.e., >10%). Proline-rich regions are easily discernable by visual inspection of amino acid sequences and quantitated by standard computer

sequence analysis programs such as the DNAStar program EditSeq. Proline-rich regions have been demonstrated to participate in regulatory protein -protein interactions. Among these interactions, those that are most relevant to this invention involve the "PxxP" proline rich motif found in certain protein kinases (i.e., human PAK1) and the SH3 domain of the adaptor molecule Nck (Galisteo, M.L. et al. (1996) J. Biol. Chem. 271:20997-21000). Other regulatory interactions involving "PxxP" proline-rich motifs include the WW domain (Sudol, M. (1996) Prog. Biophys. Mol. Bio. 65:113-132). Proline rich regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

5

10

15

20

25

30

The term "spacer region" as used herein, refers to a region of the protein kinase located between predicted functional domains. The spacer region has no detectable homology to any amino acid sequence in the database, and can be identified by using a Smith-Waterman alignment of the protein sequence against the non-redundant protein database to define the C- and N-terminal boundaries of the flanking functional domains. Spacer regions may or may not play a fundamental role in protein kinase function. Precedence for the regulatory role of spacer regions in kinase function is provided by the role of the src kinase spacer in inter-domain interactions (Xu, W. et al. (1997) Nature 385:595-602). Spacer regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

The term "insert" as used herein refers to a portion of a protein kinase that is absent from a close homolog. Inserts may or may not by the product alternative splicing of exons. Inserts can be identified by using a Smith-Waterman sequence alignment of the protein sequence against the non-redundant protein database, or by means of a multiple sequence alignment of homologous sequences using the DNAStar program Megalign. Inserts may play a functional role by presenting a new interface for protein-protein interactions, or by interfering with such interactions. Insert regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

WO 00/73469

The term "C-terminal tail" as used herein, refers to a C-terminal domain of a protein kinase, that by homology extends or protrudes past the C-terminal amino acid of its closest homolog. C-terminal tails can be identified by using a Smith-Waterman sequence alignment of the protein sequence against the non-redundant protein database, or by means of a multiple sequence alignment of homologous sequences using the DNAStar program Megalign. Depending on its length, a C-terminal tail may or may not play a regulatory role in kinase function. C-terminal tail regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

10

15

5

Various low or high stringency hybridization conditions may be used depending upon the specificity and selectivity desired. These conditions are well-known to those skilled in the art. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 20 contiguous nucleotides, more preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 50 contiguous nucleotides, most preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 100 contiguous nucleotides. In some instances, the conditions may prevent hybridization of nucleic acids having more than 5 mismatches in the full-length sequence.

20

25

30

By stringent hybridization assay conditions is meant hybridization assay conditions at least as stringent as the following: hybridization in 50% formamide, 5X SSC, 50 mM NaH₂PO₄, pH 6.8, 0.5% SDS, 0.1 mg/mL sonicated salmon sperm DNA, and 5X Denhart solution at 42 °C overnight; washing with 2X SSC, 0.1% SDS at 45 °C; and washing with 0.2X SSC, 0.1% SDS at 45 °C. Under some of the most stringent hybridization assay conditions, the second wash can be done with 0.1X SSC at a temperature up to 70 °C (pg. 421, Berger et al. (1987) Guide to Molecular Cloning Techniques, Meth. Enzym. vol. 152, hereby incorporated by reference herein including any figures, tables, or drawings.). However, other applications may require the use of conditions falling between these sets of conditions. Methods of determining the conditions required to achieve desired hybridizations are well-known to those with ordinary skill in the art, and are based on several factors, including but not limited to, the sequences to be hybridized and the samples to be tested.

10

15

20

25

30

In other preferred embodiments, the invention features isolated, enriched, or purified nucleic acid molecules encoding kinase polypeptides, further comprising a vector or promoter effective to initiate transcription in a host cell. The invention also features recombinant nucleic acid, preferably in a cell or an organism. The recombinant nucleic acid may contain a sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEO ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEO ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEO ID NO:45, SEO ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEO ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEO ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or a functional derivative thereof and a vector or a promoter effective to initiate transcription in a host cell. The recombinant nucleic acid can alternatively contain a transcriptional initiation region functional in a cell, a sequence complementary to an RNA sequence encoding a kinase polypeptide and a transcriptional termination region functional in a cell. Specific

WO 00/73469

5

10

15

20

25

30

32

vectors and host cell combinations are discussed herein. The recombinant nucleic acid can also contain the full-length sequence encoding the protein kinase, or a domain, for example.

The term "vector" relates to a single or double-stranded circular nucleic acid molecule that can be transfected into cells and replicated within or independently of a cell genome. A circular double-stranded nucleic acid molecule can be cut and thereby linearized upon treatment with restriction enzymes. An assortment of nucleic acid vectors, restriction enzymes, and the knowledge of the nucleotide sequences cut by restriction enzymes are readily available to those skilled in the art. A nucleic acid molecule encoding a kinase can be inserted into a vector by cutting the vector with restriction enzymes and ligating the two pieces together.

The term "transfecting" defines a number of methods to insert a nucleic acid vector or other nucleic acid molecules into a cellular organism. These methods involve a variety of techniques, such as treating the cells with high concentrations of salt, an electric field, detergent, or DMSO to render the outer membrane or wall of the cells permeable to nucleic acid molecules of interest or use of various viral transduction strategies.

The term "promoter" as used herein, refers to nucleic acid sequence needed for gene sequence expression. Promoter regions vary from organism to organism, but are well known to persons skilled in the art for different organisms. For example, in prokaryotes, the promoter region contains both the promoter (which directs the initiation of RNA transcription) as well as the DNA sequences which, when transcribed into RNA, will signal synthesis initiation. Such regions will normally include those 5'-non-coding sequences involved with initiation of transcription and translation, such as the TATA box, capping sequence, CAAT sequence, and the like.

In preferred embodiments, the isolated nucleic acid comprises, consists essentially of, or consists of a nucleic acid sequence set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:31, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35,

33

5

10

15

20

25

30

SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEO ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109. SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequence, encodes an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEO ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID

10

15

20

25

30

WO 00/73469 PCT/US00/14842

NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEO ID NO:203, SEO ID NO:204, SEO ID NO:205, SEO ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, a functional derivative thereof, or at least 10, 20, 40, 50, 75, 100, 200, 300 or 500 contiguous amino acids of a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEO ID NO:124, SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128. SEO ID NO:129, SEO ID NO:130, SEO ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEO ID NO:139, SEO ID NO:140, SEO ID NO:141, SEO ID NO:142, SEO ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEO ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEO ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID

10

15

20

25

30

NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length sequences or derivatives thereof. The nucleic acid may be isolated from a natural source by cDNA cloning or by subtractive hybridization. The natural source may be mammalian, preferably human, blood, semen, or tissue, and the nucleic acid may be synthesized by the triester method or by using an automated DNA synthesizer.

The term "mammal" refers preferably to such organisms as mice, rats, rabbits, guinea pigs, sheep, and goats, more preferably to cats, dogs, monkeys, and apes, and most preferably to humans.

In yet other preferred embodiments, the nucleic acid is a conserved or unique region, for example those useful for: the design of hybridization probes to facilitate identification and cloning of additional polypeptides, the design of PCR probes to facilitate cloning of additional polypeptides, obtaining antibodies to polypeptide regions, and designing antisense oligonucleotides.

By "conserved nucleic acid regions", are meant regions present on two or more nucleic acids encoding a kinase polypeptide, to which a particular nucleic acid sequence can hybridize under lower stringency conditions. Examples of lower stringency conditions suitable for screening for nucleic acid encoding kinase polypeptides are provided in Berger et al. (1987) Guide to Molecular Cloning Techniques, Meth. Enzym. vol. 152, hereby incorporated by reference herein in its entirety, including any drawings, figures, or tables. Preferably, conserved regions differ by no more than 5 out of 20 nucleotides, even more preferably 2 out of 20 nucleotides or most preferably 1 out of 20 nucleotides.

By "unique nucleic acid region" is meant a sequence present in a nucleic acid coding for a kinase polypeptide that is not present in a sequence coding for any other naturally occurring polypeptide. Such regions preferably encode 10 (preferably 25, more preferably 50, most preferably 75) or more contiguous amino acids selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124,

10

15

20

25

30

SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or functional derivatives thereof. In particular, a unique nucleic acid region is preferably of mammalian origin and preferably human.

A second aspect of the invention features a nucleic acid probe for the detection of nucleic acid encoding a kinase polypeptide in a sample, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139,

WO 00/73469 PCT/US00/14842

37

SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, 5 SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, 10 SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, 15 SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, 20 SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. Preferably, the nucleic acid probe encodes a kinase polypeptide that is a fragment of the protein encoded by an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, 25 SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, 30 SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167,

SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEO ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, 5 SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, 10 SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID 15 NO:242, or the corresponding full-length amino acid sequences. The nucleic acid probe contains a nucleotide base sequence that will hybridize to a sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ 20 ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, 25 SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEO ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID 30 NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ

10

15

20

25

30

ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequence, or a functional derivative thereof.

In preferred embodiments, the nucleic acid probe hybridizes to nucleic acid encoding at least 6, 12, 75, 90, 105, 120, 150, 200, 250, 300 or 350 contiguous amino acids of a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:14 NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:17 NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:201, SEQ ID NO:20 NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID

10

15

20

25

30

NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or functional derivatives thereof.

Methods for using the probes include detecting the presence or amount of kinase RNA in a sample by contacting the sample with a nucleic acid probe under conditions such that hybridization occurs and detecting the presence or amount of the probe bound to kinase RNA. The nucleic acid duplex formed between the probe and a nucleic acid sequence coding for a kinase polypeptide may be used in the identification of the sequence of the nucleic acid detected (Nelson et al., in Nonisotopic DNA Probe Techniques, Academic Press, San Diego, Kricka, ed., p. 275, 1992, hereby incorporated by reference herein in its entirety, including any drawings, figures, or tables). Kits for performing such methods may be constructed to include a container means having disposed therein a nucleic acid probe.

In a third aspect, the invention describes a recombinant cell or tissue comprising a nucleic acid molecule encoding a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:177, SEQ ID NO:173, SEQ ID NO:179, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:177, SEQ ID NO:173, SEQ ID NO:179, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:1

10

15

20

25

30

SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211. SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. In such cells, the nucleic acid may be under the control of the genomic regulatory elements, or may be under the control of exogenous regulatory elements including an exogenous promoter. By "exogenous" it is meant a promoter that is not normally coupled in vivo transcriptionally to the coding sequence for the kinase polypeptides.

The polypeptide is preferably a fragment of the protein encoded by an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEO ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEO ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID

NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEO ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEO ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID 5 NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEO ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the 10 corresponding full-length amino acid sequence. By "fragment," is meant an amino acid sequence present in a kinase polypeptide. Preferably, such a sequence comprises at least 10, 20, 40, 50, 75, 100, 200, or 300 contiguous amino acids a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEO ID NO:125, SEO ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, 15 SEO ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEO ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEO ID NO:150, SEO ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, 20 SEO ID NO:155, SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEO ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, 25 SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEO ID NO:190, SEO ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, 30 SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214,

10

15

20

25

30

SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or of the corresponding full-length amino acid sequence, or a functional derivative thereof.

In a fourth aspect, the invention features an isolated, enriched, or purified kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ

10

15

20

25

30

ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

By "isolated" in reference to a polypeptide is meant a polymer of amino acids (2 or more amino acids) conjugated to each other, including polypeptides that are isolated from a natural source or that are synthesized. The isolated polypeptides of the present invention are unique in the sense that they are not found in a pure or separated state in nature. Use of the term "isolated" indicates that a naturally occurring sequence has been removed from its normal cellular environment. Thus, the sequence may be in a cell-free solution or placed in a different cellular environment. The term does not imply that the sequence is the only amino acid chain present, but that it is essentially free (about 90 - 95% pure at least) of non-amino acid material naturally associated with it.

By the use of the term "enriched" in reference to a polypeptide is meant that the specific amino acid sequence constitutes a significantly higher fraction (2 - 5 fold) of the total amino acid sequences present in the cells or solution of interest than in normal or diseased cells or in the cells from which the sequence was taken. This could be caused by a person by preferential reduction in the amount of other amino acid sequences present, or by a preferential increase in the amount of the specific amino acid sequence of interest, or by a combination of the two. However, it should be noted that enriched does not imply that there are no other amino acid sequences present, just that the relative amount of the sequence of interest has been significantly increased. The term significant here is used to indicate that the level of increase is useful to the person making such an increase, and generally means an increase relative to other amino acid sequences of about at least 2-fold, more preferably at least 5- to 10-fold or even more. The term also does not imply that there is no amino acid sequence from other sources. The other source of amino acid sequences may, for example, comprise amino acid sequence encoded by a yeast or bacterial genome, or a cloning vector such as pUC19. The term is meant to cover only those situations in which man has intervened to increase the proportion of the desired amino acid sequence.

It is also advantageous for some purposes that an amino acid sequence be in purified form. The term "purified" in reference to a polypeptide does not require absolute purity (such as a homogeneous preparation); instead, it represents an indication that the sequence is relatively purer than in the natural environment. Compared to the natural level

this level should be at least 2-5 fold greater (e.g., in terms of mg/mL). Purification of at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated. The substance is preferably free of contamination at a functionally significant level, for example 90%, 95%, or 99% pure.

5

10

15

20

25

30

In preferred embodiments, the kinase polypeptide is a fragment of the protein encoded by an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEO ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEO ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEO ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequences. Preferably, the kinase polypeptide contains at least 10, 20, 40, 50, 75, 100, 200, or 300 contiguous

10

15

20

25

30

amino acids a sequence selected from the group consisting of those set forth in SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or a functional derivative thereof.

In preferred embodiments, the kinase polypeptide comprises an amino acid sequence having (a) an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ

10

15

20

25

30

WO 00/73469 PCT/US00/14842

ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEO ID NO:143, SEO ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEO ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEO ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEO ID NO:227, SEO ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242; (b) an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEO ID NO:131, SEO ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEO ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ

ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ 5 ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ 10 ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but 15 not all, of a domain selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail; (c) an amino acid sequence of a domain of a polypeptide selected from the group consisting of those set forth in SEQ ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, 20 SEO ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, 25 SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEO ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, 30 SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187,

SEO ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, 5 SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, 10 SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 where the domain is selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail; or (d) an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, 15 SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, 20 SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, 25 SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, 30 SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208,

WO 00/73469 PCT/US00/14842

SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of the domains selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, an insert, and a C-terminal tail. (The domain demarcations of the polypeptides of the invention are indicated in Table 2 by reference to the kinase domain.)

5

10

15

20

25

30

The polypeptide can be isolated from a natural source by methods well-known in the art. The natural source may be mammalian, preferably human, blood, semen, or tissue, and the polypeptide may be synthesized using an automated polypeptide synthesizer. The isolated, enriched, or purified kinase polypeptide is preferably selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ

ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242A.

In some embodiments the invention includes a recombinant kinase polypeptide

10

15

20

25

30

5

selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEO ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEO ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEO ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEO ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEO ID NO:215, SEO ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEO ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229,

WO 00/73469

5

10

15

20

25

30

52

PCT/US00/14842

SEO ID NO:230, SEO ID NO:231, SEO ID NO:232, SEO ID NO:233, SEO ID NO:234, SEO ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. By "recombinant kinase polypeptide" is meant a polypeptide produced by recombinant DNA techniques such that it is distinct from a naturally occurring polypeptide either in its location (e.g., present in a different cell or tissue than found in nature), purity or structure. Generally, such a recombinant polypeptide will be present in a cell in an amount different from that normally observed in nature.

In a fifth aspect, the invention features an antibody (e.g., a monoclonal or polyclonal antibody) having specific binding affinity to a kinase polypeptide or a kinase polypeptide domain or fragment where the polypeptide is selected from the group consisting of SEO ID NO:122, SEO ID NO:123, SEO ID NO:124, SEO ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEO ID NO:128, SEO ID NO:129, SEO ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEO ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEO ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEO ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEO ID NO:222, SEO ID NO:223, SEO ID NO:224, SEQ ID NO:225, SEQ

10

15

20

25

30

ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. In preferred embodiments, the antibody binds specifically to domains of kinase polypeptides, that are defined *supra*.

By "specific binding affinity" is meant that the antibody binds to the target kinase polypeptide with greater affinity than it binds to other polypeptides under specified conditions. Antibodies or antibody fragments are polypeptides that contain regions that can bind other polypeptides. The term "specific binding affinity" describes an antibody that binds to a kinase polypeptide with greater affinity than it binds to other polypeptides under specified conditions.

The term "polyclonal" refers to antibodies that are heterogenous populations of antibody molecules derived from the sera of animals immunized with an antigen or an antigenic functional derivative thereof. For the production of polyclonal antibodies, various host animals may be immunized by injection with the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species.

"Monoclonal antibodies" are substantially homogenous populations of antibodies to a particular antigen. They may be obtained by any technique which provides for the production of antibody molecules by continuous cell lines in culture. Monoclonal antibodies may be obtained by methods known to those skilled in the art (Kohler *et al.*, Nature 256:495-497, 1975, and U.S. Patent No. 4,376,110, both of which are hereby incorporated by reference herein in their entirety including any figures, tables, or drawings).

The term "antibody fragment" refers to a portion of an antibody, often the hyper variable region and portions of the surrounding heavy and light chains, that displays specific binding affinity for a particular molecule. A hyper variable region is a portion of an antibody that physically binds to the polypeptide target.

Antibodies or antibody fragments having specific binding affinity to a kinase polypeptide or domains of a kinase polypeptide of the invention may be used in methods for detecting the presence and/or amount of kinase polypeptide in a sample by probing the sample with the antibody under conditions suitable for kinase-antibody immunocomplex formation and detecting the presence and/or amount of the antibody conjugated to the

WO 00/73469

54

PCT/US00/14842

kinase polypeptide. Diagnostic kits for performing such methods may be constructed to include antibodies or antibody fragments specific for the kinase as well as a conjugate of a binding partner of the antibodies or the antibodies themselves.

An antibody or antibody fragment with specific binding affinity to a kinase polypeptide of the invention can be isolated, enriched, or purified from a prokaryotic or eukaryotic organism. Routine methods known to those skilled in the art enable production of antibodies or antibody fragments, in both prokaryotic and eukaryotic organisms. Purification, enrichment, and isolation of antibodies, which are polypeptide molecules, are described above.

10

15

5

Antibodies having specific binding affinity to a kinase polypeptide of the invention may be used in methods for detecting the presence and/or amount of kinase polypeptide in a sample by contacting the sample with the antibody under conditions such that an immunocomplex forms and detecting the presence and/or amount of the antibody conjugated to the kinase polypeptide. Diagnostic kits for performing such methods may be constructed to include a first container containing the antibody and a second container having a conjugate of a binding partner of the antibody and a label, such as, for example, a radioisotope. The diagnostic kit may also include notification of an FDA approved use and instructions therefor.

20

25

30

In a sixth aspect, the invention features a hybridoma which produces an antibody having specific binding affinity to a kinase polypeptide or a kinase polypeptide domain, where the polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:177, SEQ ID NO:177

WO 00/73469 PCT/US00/14842

NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; and where the domains are defined as above. By "hybridoma" is meant an immortalized cell line that is capable of secreting an antibody, for example an antibody to a kinase of the invention. In preferred embodiments, the antibody to the kinase comprises a sequence of amino acids that is able to specifically bind a kinase polypeptide of the invention.

5

10

15

20

25

30

In a seventh aspect, the invention features a kinase polypeptide binding agent able to bind to a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187,

10

15

20

25

30

WO 00/73469 PCT/US00/14842

56

SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. The binding agent is preferably a purified antibody that recognizes an epitope present on a kinase polypeptide of the invention. Other binding agents include molecules that bind to kinase polypeptides and analogous molecules that bind to a kinase polypeptide. Such binding agents may be identified by using assays that measure kinase binding partner activity, such as those that measure PDGFR activity.

The invention also features a method for screening for human cells containing a kinase polypeptide of the invention or an equivalent sequence. The method involves identifying the novel polypeptide in human cells using techniques that are routine and standard in the art, such as those described herein for identifying the kinases of the invention (e.g., cloning, Southern or Northern blot analysis, in situ hybridization, PCR amplification, etc.).

In an eighth aspect, the invention features methods for identifying a substance that modulates kinase activity comprising the steps of: (a) contacting a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159,

SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 with a test substance; (b) measuring the activity of said polypeptide; and (c) determining whether said substance modulates the activity of said polypeptide.

20

5

10

15

The term "modulates" refers to the ability of a compound to alter the function of a kinase of the invention. A modulator preferably activates or inhibits the activity of a kinase of the invention.

The term "activates" refers to increasing the cellular activity of the kinase. The term inhibit refers to decreasing the cellular activity of the kinase. Kinase activity is preferably the interaction with a natural binding partner.

25

30

The term "modulates" also refers to altering the function of kinases of the invention by increasing or decreasing the probability that a complex forms between the kinase and a natural binding partner. A modulator preferably increases the probability that such a complex forms between the kinase and the natural binding partner, more preferably increases or decreases the probability that a complex forms between the kinase and the natural binding partner depending on the concentration of the compound exposed to the

WO 00/73469

kinase, and most preferably decreases the probability that a complex forms between the kinase and the natural binding partner.

The term "complex" refers to an assembly of at least two molecules bound to one another. Signal transduction complexes often contain at least two protein molecules bound to one another. For instance, a protein tyrosine receptor protein kinase, GRB2, SOS, RAF, and RAS assemble to form a signal transduction complex in response to a mitogenic ligand.

The term "natural binding partner" refers to polypeptides, lipids, small molecules, or nucleic acids that bind to kinases in cells. A change in the interaction between a kinase and a natural binding partner can manifest itself as an increased or decreased probability that the interaction forms, or an increased or decreased concentration of kinase/natural binding partner complex.

The term "contacting" as used herein refers to mixing a solution comprising the test compound with a liquid medium bathing the cells of the methods. The solution comprising the compound may also comprise another component, such as dimethyl sulfoxide (DMSO), which facilitates the uptake of the test compound or compounds into the cells of the methods. The solution comprising the test compound may be added to the medium bathing the cells by utilizing a delivery apparatus, such as a pipet-based device or syringe-based device.

20

25

30

5

10

15

In a ninth aspect, the invention features methods for identifying a substance that modulates kinase activity in a cell comprising the steps of: (a) expressing a kinase polypeptide in a cell, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171,

10

15

20

25

30

WO 00/73469 PCT/US00/14842

59

SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEO ID NO:218, SEO ID NO:219, SEO ID NO:220, SEO ID NO:221, SEO ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEO ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEO ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) adding a test substance to said cell; and (c) monitoring a change in cell phenotype or the interaction between said polypeptide and a natural binding partner.

The term "expressing" as used herein refers to the production of kinases of the invention from a nucleic acid vector containing kinase genes within a cell. The nucleic acid vector is transfected into cells using well known techniques in the art as described herein.

In a tenth aspect, the invention provides methods for treating a disease or abnormal condition by administering to a patient in need of such treatment a substance that modulates the activity of a polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID

10

15

20

25

30

NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. Preferably, the disease is selected from the group consisting of immunerelated diseases and disorders, cardiovascular disease, neurodegenerative disorders, and cancer. Also included are metabolic disorders, such as diabetes mellitus, and reproductive disorders, such as infertility.

Preferably, the disease or disorder is selected from the group consisting of rheumatoid arthritis, artherosclerosis, autoimmune disorders, and organ transplantation. Preferably the disease or disorder is selected from the group consisting of immune-related diseases and disorders, myocardial infarction, cardiomyopathies, stroke, renal failure, and oxidative stress-related neurodegenerative disorders. Most preferably, the immune-related diseases and disorders are selected from the group consisting of rheumatoid arthritis, chronic inflammatory bowel disease, chronic inflammatory pelvic disease, multiple sclerosis, asthma, osteoarthritis, psoriasis, atherosclerosis, rhinitis, autoimmunity, and organ transplantation.

Substances useful for treatment of disorders or diseases preferably show positive results in one or more in vitro assays for an activity corresponding to treatment of the disease or disorder in question Substances that modulate the activity of the polypeptides

WO 00/73469 PCT/US00/14842

61

preferably include, but are not limited to, antisense oligonucleotides and inhibitors of protein kinases.

The term "preventing" refers to decreasing the probability that an organism contracts or develops an abnormal condition.

The term "treating" refers to having a therapeutic effect and at least partially alleviating or abrogating an abnormal condition in the organism.

5

10

15

20

25

30

The term "therapeutic effect" refers to the inhibition or activation factors causing or contributing to the abnormal condition. A therapeutic effect relieves to some extent one or more of the symptoms of the abnormal condition. In reference to the treatment of abnormal conditions, a therapeutic effect can refer to one or more of the following: (a) an increase in the proliferation, growth, and/or differentiation of cells; (b) inhibition (i.e., slowing or stopping) of cell death; (c) inhibition of degeneration; (d) relieving to some extent one or more of the symptoms associated with the abnormal condition; and (e) enhancing the function of the affected population of cells. Compounds demonstrating efficacy against abnormal conditions can be identified as described herein.

The term "abnormal condition" refers to a function in the cells or tissues of an organism that deviates from their normal functions in that organism. An abnormal condition can relate to cell proliferation, cell differentiation or cell survival. An abnormal condition may also include irregularities in cell cycle progression, i.e., irregularities in normal cell cycle progression through mitosis and meiosis.

Abnormal cell proliferative conditions include cancers such as fibrotic and mesangial disorders, abnormal angiogenesis and vasculogenesis, wound healing, psoriasis, diabetes mellitus, and inflammation.

Abnormal differentiation conditions include, but are not limited to neurodegenerative disorders, slow wound healing rates, and slow tissue grafting healing rates.

Abnormal cell survival conditions relate to conditions in which programmed cell death (apoptosis) pathways are activated or abrogated. A number of protein kinases are associated with the apoptosis pathways. Aberrations in the function of any one of the protein kinases could lead to cell immortality or premature cell death.

WO 00/73469

5

10

15

20

25

30

PCT/US00/14842

")

The term "aberration", in conjunction with the function of a kinase in a signal transduction process, refers to a kinase that is over- or under-expressed in an organism, mutated such that its catalytic activity is lower or higher than wild-type protein kinase activity, mutated such that it can no longer interact with a natural binding partner, is no longer modified by another protein kinase or protein phosphatase, or no longer interacts with a natural binding partner.

62

The term "administering" relates to a method of incorporating a compound into cells or tissues of an organism. The abnormal condition can be prevented or treated when the cells or tissues of the organism exist within the organism or outside of the organism. Cells existing outside the organism can be maintained or grown in cell culture dishes. For cells harbored within the organism, many techniques exist in the art to administer compounds, including (but not limited to) oral, parenteral, dermal, injection, and aerosol applications. For cells outside of the organism, multiple techniques exist in the art to administer the compounds, including (but not limited to) cell microinjection techniques, transformation techniques, and carrier techniques.

The abnormal condition can also be prevented or treated by administering a compound to a group of cells having an aberration in a signal transduction pathway to an organism. The effect of administering a compound on organism function can then be monitored. The organism is preferably a mouse, rat, rabbit, guinea pig, or goat, more preferably a monkey or ape, and most preferably a human.

In an eleventh aspect, the invention features methods for detection the expression of a polypeptide in a sample as a diagnostic tool for diseases or disorders, wherein the method comprises the steps of: (a) contacting the sample with a nucleic acid probe which hybridizes under hybridization assay conditions to a nucleic acid target region of a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ

10

15

20

25

30

ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, said probe comprising the nucleic acid sequence encoding the polypeptide, fragments thereof, and the complements of the sequences and fragments; and (b) detecting the presence or amount of the probe:target region hybrid as an indication of the disease.

In preferred embodiments of the invention, the disease or disorder is selected from the group consisting of rheumatoid arthritis, artherosclerosis, autoimmune disorders, organ transplantation, myocardial infarction, cardiomyopathies, stroke, renal failure, oxidative stress-related neurodegenerative disorders, metabolic disorder including diabetes, reproductive disorders including infertility, and cancer.

The kinase "target region" is a nucleotide base sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID

10

15

20

25

30

NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEO ID NO:37, SEO ID NO:38, SEO ID NO:39, SEO ID NO:40, SEO ID NO:41, SEO ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEO ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEO ID NO:69, SEO ID NO:70, SEO ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEO ID NO:80, SEO ID NO:81, SEO ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEO ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEO ID NO:101, SEO ID NO:102, SEO ID NO:103, SEO ID NO:104, SEO ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEO ID NO:111, SEO ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequences, a functional derivative thereof, or a fragment thereof to which the nucleic acid probe will specifically hybridize. Specific hybridization indicates that in the presence of other nucleic acids the probe only hybridizes detectably with the kinase of the invention's target region. Putative target regions can be identified by methods well known in the art consisting of alignment and comparison of the most closely related sequences in the database.

In preferred embodiments the nucleic acid probe hybridizes to a kinase target region encoding at least 6, 12, 75, 90, 105, 120, 150, 200, 250, 300 or 350 contiguous amino acids of the sequence set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEO ID NO:150, SEO ID NO:151, SEO ID NO:152, SEO ID NO:153, SEQ ID

NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or a functional derivative thereof. Hybridization conditions should be such that hybridization occurs only with the kinase genes in the presence of other nucleic acid molecules. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 20 contiguous nucleotides. Such conditions are defined supra.

25

5

10

15

20

Hybridization conditions should be such that hybridization occurs only with the genes in the presence of other nucleic acid molecules. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having 1 or 2 mismatches out of 20 contiguous nucleotides. Such conditions are defined *supra*.

30

The diseases for which detection of kinase genes in a sample could be diagnostic include diseases in which kinase nucleic acid (DNA and/or RNA) is amplified in comparison to normal cells. By "amplification" is meant increased numbers of kinase

WO 00/73469

5

10

15

20

25

30

PCT/US00/14842

DNA or RNA in a cell compared with normal cells. In normal cells, kinases are typically found as single copy genes. In selected diseases, the chromosomal location of the kinase genes may be amplified, resulting in multiple copies of the gene, or amplification. Gene amplification can lead to amplification of kinase RNA, or kinase RNA can be amplified in the absence of kinase DNA amplification.

"Amplification" as it refers to RNA can be the detectable presence of kinase RNA in cells, since in some normal cells there is no basal expression of kinase RNA. In other normal cells, a basal level of expression of kinase exists, therefore in these cases amplification is the detection of at least 1-2-fold, and preferably more, kinase RNA, compared to the basal level.

The diseases that could be diagnosed by detection of kinase nucleic acid in a sample preferably include cancers. The test samples suitable for nucleic acid probing methods of the present invention include, for example, cells or nucleic acid extracts of cells, or biological fluids. The samples used in the above-described methods will vary based on the assay format, the detection method and the nature of the tissues, cells or extracts to be assayed. Methods for preparing nucleic acid extracts of cells are well known in the art and can be readily adapted in order to obtain a sample that is compatible with the method utilized.

Another aspect of the invention involves a method of agonizing (stimulating) or antagonizing a target of the invention and a natural binding partner associated activity in a mammal comprising administering to said mammal an agonist or antagonist to one of the above disclosed polypeptides in an amount sufficient to effect said agonism or antagonism. A method of treating diseases in a mammal with an agonist or antagonist of the protein of the present invention activity comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize associated functions is also encompassed in the present application.

In an effort to discover novel treatments for diseases, biomedical researchers and chemists have designed, synthesized, and tested molecules that inhibit the function of protein polypeptides. Some small organic molecules form a class of compounds that modulate the function of protein polypeptides. Examples of molecules that have been reported to inhibit the function of protein kinases include, but are not limited to, bis monocyclic, bicyclic or heterocyclic aryl compounds (PCT WO 92/20642, published

November 26, 1992 by Maguire et al.), vinylene-azaindole derivatives (PCT WO 94/14808, published July 7, 1994 by Ballinari et al.), 1-cyclopropyl-4-pyridyl-quinolones (U.S. Patent No. 5,330,992), styryl compounds (U.S. Patent No. 5,217,999), styryl-substituted pyridyl compounds (U.S. Patent No. 5,302,606), certain quinazoline derivatives (EP Application No. 0 566 266 A1), seleoindoles and selenides (PCT WO 94/03427, published February 17, 1994 by Denny et al.), tricyclic polyhydroxylic compounds (PCT WO 92/21660, published December 10, 1992 by Dow), and benzylphosphonic acid compounds (PCT WO 91/15495, published October 17, 1991 by Dow et al), all of which are incorporated by reference herein, including any drawings.

10

5

Compounds that can traverse cell membranes and are resistant to acid hydrolysis are potentially advantageous as therapeutics as they can become highly bioavailable after being administered orally to patients. However, many of these protein inhibitors only weakly inhibit function. In addition, many inhibit a variety of protein kinases and will therefore cause multiple side-effects as therapeutics for diseases.

15

20

25

30

Some indolinone compounds, however, form classes of acid resistant and membrane permeable organic molecules. WO 96/22976 (published August 1, 1996 by Ballinari et al.) describes hydrosoluble indolinone compounds that harbor tetralin, naphthalene, quinoline, and indole substituents fused to the oxindole ring. These bicyclic substituents are in turn substituted with polar groups including hydroxylated alkyl. phosphate, and ether substituents. U.S. Patent Application Serial Nos. 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187) and 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298) and International Patent Publication WO 96/22976, published August 1, 1996 by Ballinari et al., all of which are incorporated herein by reference in their entirety, including any drawings, describe indolinone chemical libraries of indolinone compounds harboring other bicyclic moieties as well as monocyclic moieties fused to the oxindole ring. Applications 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187), 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon

& Lyon Docket No. 223/298), and WO 96/22976, published August 1, 1996 by Ballinari et al. teach methods of indolinone synthesis, methods of testing the biological activity of indolinone compounds in cells, and inhibition patterns of indolinone derivatives, both of which are incorporated by reference herein, including any drawings.

5

10

15

Other examples of substances capable of modulating kinase activity include, but are not limited to, tyrphostins, quinazolines, quinoxolines, and quinolines. The quinazolines, tyrphostins, quinolines, and quinoxolines referred to above include well known compounds such as those described in the literature. For example, representative publications describing quinazolines include Barker et al., EPO Publication No. 0 520 722 A1: Jones et al., U.S. Patent No. 4,447,608; Kabbe et al., U.S. Patent No. 4,757,072; Kaul and Vougioukas, U.S. Patent No. 5, 316,553; Kreighbaum and Comer, U.S. Patent No. 4,343,940; Pegg and Wardleworth, EPO Publication No. 0 562 734 A1; Barker et al., Proc. of Am. Assoc. for Cancer Research 32:327 (1991); Bertino, J.R., Cancer Research 3:293-304 (1979); Bertino, J.R., Cancer Research 9(2 part 1):293-304 (1979); Curtin et al., Br. J. Cancer 53:361-368 (1986); Fernandes et al., Cancer Research 43:1117-1123 (1983); Ferris et al. J. Org. Chem. 44(2):173-178; Fry et al., Science 265:1093-1095 (1994); Jackman et al., Cancer Research 51:5579-5586 (1981); Jones et al. J. Med. Chem. 29(6):1114-1118; Lee and Skibo, Biochemistry 26(23):7355-7362 (1987); Lemus et al., J. Org. Chem. 54:3511-3518 (1989); Ley and Seng, Synthesis 1975:415-522 (1975); Maxwell et al., Magnetic Resonance in Medicine 17:189-196 (1991); Mini et al., Cancer Research 45:325-330 (1985); Phillips and Castle, <u>J. Heterocyclic Chem.</u> 17(19):1489-1596 (1980); Reece et al., Cancer Research 47(11):2996-2999 (1977); Sculier et al., Cancer Immunol. and Immunother. 23:A65 (1986); Sikora et al., Cancer Letters 23:289-295 (1984); and Sikora et al., Analytical Biochem. 172:344-355 (1988), all of which are incorporated herein by reference in their entirety, including any drawings.

25

30

20

Quinoxaline is described in Kaul and Vougioukas, U.S. Patent No. 5,316,553, incorporated herein by reference in its entirety, including any drawings.

Quinolines are described in Dolle et al., <u>J. Med. Chem.</u> 37:2627-2629 (1994); MaGuire, <u>J. Med. Chem.</u> 37:2129-2131 (1994); Burke et al., <u>J. Med. Chem.</u> 36:425-432 (1993); and Burke et al. <u>BioOrganic Med. Chem. Letters</u> 2:1771-1774 (1992), all of which are incorporated by reference in their entirety, including any drawings.

10

15

20

25

30

Tyrphostins are described in Allen et al., Clin. Exp. Immunol. 91:141-156 (1993); Anafi et al., Blood 82:12:3524-3529 (1993); Baker et al., J. Cell Sci. 102:543-555 (1992); Bilder et al., Amer. Physiol. Soc. pp. 6363-6143:C721-C730 (1991); Brunton et al., Proceedings of Amer. Assoc. Cancer Rsch. 33:558 (1992); Bryckaert et al., Experimental Cell Research 199:255-261 (1992); Dong et al., J. Leukocyte Biology 53:53-60 (1993); Dong et al., J. Immunol. 151(5):2717-2724 (1993); Gazit et al., J. Med. Chem. 32:2344-2352 (1989); Gazit et al., "J. Med. Chem. 36:3556-3564 (1993); Kaur et al., Anti-Cancer Drugs 5:213-222 (1994); Kaur et al., King et al., Biochem. J. 275:413-418 (1991); Kuo et al., Cancer Letters 74:197-202 (1993); Levitzki, A., The FASEB J. 6:3275-3282 (1992); Lyall et al., J. Biol. Chem. 264:14503-14509 (1989); Peterson et al., The Prostate 22:335-345 (1993); Pillemer et al., Int. J. Cancer 50:80-85 (1992); Posner et al., Molecular Pharmacology 45:673-683 (1993); Rendu et al., Biol. Pharmacology 44(5):881-888 (1992); Sauro and Thomas, Life Sciences 53:371-376 (1993); Sauro and Thomas, J. Pharm, and Experimental Therapeutics 267(3):119-1125 (1993); Wolbring et al., J. Biol. Chem. 269(36):22470-22472 (1994); and Yoneda et al., Cancer Research 51:4430-4435 (1991); all of which are incorporated herein by reference in their entirety, including any drawings.

Other compounds that could be used as modulators include oxindolinones such as those described in U.S. patent application Serial No. 08/702,232 filed August 23, 1996, incorporated herein by reference in its entirety, including any drawings.

Methods of Treating a Disease (Enablement - i.e., Dosing)

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996 and International patent publication number WO 96/22976, published August 1 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be

•

5

10

15

20

25

30

The term "aberration", in conjunction with the function of a kinase in a signal transduction process, refers to a kinase that is over- or under-expressed in an organism, mutated such that its catalytic activity is lower or higher than wild-type protein kinase activity, mutated such that it can no longer interact with a natural binding partner, is no longer modified by another protein kinase or protein phosphatase, or no longer interacts with a natural binding partner.

The term "administering" relates to a method of incorporating a compound into cells or tissues of an organism. The abnormal condition can be prevented or treated when the cells or tissues of the organism exist within the organism or outside of the organism. Cells existing outside the organism can be maintained or grown in cell culture dishes. For cells harbored within the organism, many techniques exist in the art to administer compounds, including (but not limited to) oral, parenteral, dermal, injection, and aerosol applications. For cells outside of the organism, multiple techniques exist in the art to administer the compounds, including (but not limited to) cell microinjection techniques, transformation techniques, and carrier techniques.

The abnormal condition can also be prevented or treated by administering a compound to a group of cells having an aberration in a signal transduction pathway to an organism. The effect of administering a compound on organism function can then be monitored. The organism is preferably a mouse, rat, rabbit, guinea pig, or goat, more preferably a monkey or ape, and most preferably a human.

In an eleventh aspect, the invention features methods for detection the expression of a polypeptide in a sample as a diagnostic tool for diseases or disorders, wherein the method comprises the steps of: (a) contacting the sample with a nucleic acid probe which hybridizes under hybridization assay conditions to a nucleic acid target region of a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:158, SEQ

10

15

20

25

30

ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEO ID NO:190, SEO ID NO:191, SEO ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEO ID NO:205, SEO ID NO:206, SEO ID NO:207, SEO ID NO:208, SEO ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEO ID NO:215, SEO ID NO:216, SEO ID NO:217, SEO ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEO ID NO:230, SEO ID NO:231, SEO ID NO:232, SEO ID NO:233, SEO ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, said probe comprising the nucleic acid sequence encoding the polypeptide, fragments thereof, and the complements of the sequences and fragments; and (b) detecting the presence or amount of the probe:target region hybrid as an indication of the disease.

In preferred embodiments of the invention, the disease or disorder is selected from the group consisting of rheumatoid arthritis, artherosclerosis, autoimmune disorders, organ transplantation, myocardial infarction, cardiomyopathies, stroke, renal failure, oxidative stress-related neurodegenerative disorders, metabolic disorder including diabetes, reproductive disorders including infertility, and cancer.

The kinase "target region" is a nucleotide base sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID

10

15

20

25

30

NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEO ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEO ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequences, a functional derivative thereof, or a fragment thereof to which the nucleic acid probe will specifically hybridize. Specific hybridization indicates that in the presence of other nucleic acids the probe only hybridizes detectably with the kinase of the invention's target region. Putative target regions can be identified by methods well known in the art consisting of alignment and comparison of the most closely related sequences in the database.

In preferred embodiments the nucleic acid probe hybridizes to a kinase target region encoding at least 6, 12, 75, 90, 105, 120, 150, 200, 250, 300 or 350 contiguous amino acids of the sequence set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:153, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID

WO 00/73469

NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEO ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEO ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEO ID NO:215, SEO ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEO ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or a functional derivative thereof. Hybridization conditions should be such that hybridization occurs only with the kinase genes in the presence of other nucleic acid molecules. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 20 contiguous nucleotides. Such conditions are defined supra.

25

5

10

15

20

Hybridization conditions should be such that hybridization occurs only with the genes in the presence of other nucleic acid molecules. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having 1 or 2 mismatches out of 20 contiguous nucleotides. Such conditions are defined *supra*.

30

The diseases for which detection of kinase genes in a sample could be diagnostic include diseases in which kinase nucleic acid (DNA and/or RNA) is amplified in comparison to normal cells. By "amplification" is meant increased numbers of kinase

10

15

20

25

30

DNA or RNA in a cell compared with normal cells. In normal cells, kinases are typically found as single copy genes. In selected diseases, the chromosomal location of the kinase genes may be amplified, resulting in multiple copies of the gene, or amplification. Gene amplification can lead to amplification of kinase RNA, or kinase RNA can be amplified in the absence of kinase DNA amplification.

"Amplification" as it refers to RNA can be the detectable presence of kinase RNA in cells, since in some normal cells there is no basal expression of kinase RNA. In other normal cells, a basal level of expression of kinase exists, therefore in these cases amplification is the detection of at least 1-2-fold, and preferably more, kinase RNA, compared to the basal level.

The diseases that could be diagnosed by detection of kinase nucleic acid in a sample preferably include cancers. The test samples suitable for nucleic acid probing methods of the present invention include, for example, cells or nucleic acid extracts of cells, or biological fluids. The samples used in the above-described methods will vary based on the assay format, the detection method and the nature of the tissues, cells or extracts to be assayed. Methods for preparing nucleic acid extracts of cells are well known in the art and can be readily adapted in order to obtain a sample that is compatible with the method utilized.

Another aspect of the invention involves a method of agonizing (stimulating) or antagonizing a target of the invention and a natural binding partner associated activity in a mammal comprising administering to said mammal an agonist or antagonist to one of the above disclosed polypeptides in an amount sufficient to effect said agonism or antagonism. A method of treating diseases in a mammal with an agonist or antagonist of the protein of the present invention activity comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize associated functions is also encompassed in the present application.

In an effort to discover novel treatments for diseases, biomedical researchers and chemists have designed, synthesized, and tested molecules that inhibit the function of protein polypeptides. Some small organic molecules form a class of compounds that modulate the function of protein polypeptides. Examples of molecules that have been reported to inhibit the function of protein kinases include, but are not limited to, bis monocyclic, bicyclic or heterocyclic aryl compounds (PCT WO 92/20642, published

November 26, 1992 by Maguire et al.), vinylene-azaindole derivatives (PCT WO 94/14808, published July 7, 1994 by Ballinari et al.), 1-cyclopropyl-4-pyridyl-quinolones (U.S. Patent No. 5,330,992), styryl compounds (U.S. Patent No. 5,217,999), styryl-substituted pyridyl compounds (U.S. Patent No. 5,302,606), certain quinazoline derivatives (EP Application No. 0 566 266 A1), seleoindoles and selenides (PCT WO 94/03427, published February 17, 1994 by Denny et al.), tricyclic polyhydroxylic compounds (PCT WO 92/21660, published December 10, 1992 by Dow), and benzylphosphonic acid compounds (PCT WO 91/15495, published October 17, 1991 by Dow et al), all of which are incorporated by reference herein, including any drawings.

10

5

Compounds that can traverse cell membranes and are resistant to acid hydrolysis are potentially advantageous as therapeutics as they can become highly bioavailable after being administered orally to patients. However, many of these protein inhibitors only weakly inhibit function. In addition, many inhibit a variety of protein kinases and will therefore cause multiple side-effects as therapeutics for diseases.

15

20

Some indolinone compounds, however, form classes of acid resistant and membrane permeable organic molecules. WO 96/22976 (published August 1, 1996 by Ballinari et al.) describes hydrosoluble indolinone compounds that harbor tetralin, naphthalene, quinoline, and indole substituents fused to the oxindole ring. These bicyclic substituents are in turn substituted with polar groups including hydroxylated alkyl, phosphate, and ether substituents. U.S. Patent Application Serial Nos. 08/702.232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187) and 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298) and International Patent Publication WO 96/22976, published August 1, 1996 by Ballinari et al., all of which are incorporated herein by reference in their entirety. including any drawings, describe indolinone chemical libraries of indolinone compounds harboring other bicyclic moieties as well as monocyclic moieties fused to the oxindole ring. Applications 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187), 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon

30

25

& Lyon Docket No. 223/298), and WO 96/22976, published August 1, 1996 by Ballinari et al. teach methods of indolinone synthesis, methods of testing the biological activity of indolinone compounds in cells, and inhibition patterns of indolinone derivatives, both of which are incorporated by reference herein, including any drawings.

5

10

15

Other examples of substances capable of modulating kinase activity include, but are not limited to, tyrphostins, quinazolines, quinoxolines, and quinolines. The quinazolines, tyrphostins, quinolines, and quinoxolines referred to above include well known compounds such as those described in the literature. For example, representative publications describing quinazolines include Barker et al., EPO Publication No. 0 520 722 A1; Jones et al., U.S. Patent No. 4,447,608; Kabbe et al., U.S. Patent No. 4,757,072; Kaul and Vougioukas, U.S. Patent No. 5, 316,553; Kreighbaum and Comer, U.S. Patent No. 4,343,940; Pegg and Wardleworth, EPO Publication No. 0 562 734 A1; Barker et al., Proc. of Am. Assoc. for Cancer Research 32:327 (1991); Bertino, J.R., Cancer Research 3:293-304 (1979); Bertino, J.R., Cancer Research 9(2 part 1):293-304 (1979); Curtin et al., Br. J. Cancer 53:361-368 (1986); Fernandes et al., Cancer Research 43:1117-1123 (1983); Ferris et al. J. Org. Chem. 44(2):173-178; Fry et al., Science 265:1093-1095 (1994); Jackman et al., Cancer Research 51:5579-5586 (1981); Jones et al. J. Med. Chem. 29(6):1114-1118; Lee and Skibo, Biochemistry 26(23):7355-7362 (1987); Lemus et al., J. Org. Chem. 54:3511-3518 (1989); Ley and Seng, Synthesis 1975:415-522 (1975); Maxwell et al., Magnetic Resonance in Medicine 17:189-196 (1991); Mini et al., Cancer Research 45:325-330 (1985); Phillips and Castle, <u>J. Heterocyclic Chem.</u> 17(19):1489-1596 (1980); Reece et al., Cancer Research 47(11):2996-2999 (1977); Sculier et al., Cancer Immunol. and Immunother. 23:A65 (1986); Sikora et al., Cancer Letters 23:289-295 (1984); and Sikora et al., Analytical Biochem. 172:344-355 (1988), all of which are incorporated herein by reference in their entirety, including any drawings.

25

30

20

Quinoxaline is described in Kaul and Vougioukas, U.S. Patent No. 5,316,553, incorporated herein by reference in its entirety, including any drawings.

Quinolines are described in Dolle et al., <u>J. Med. Chem.</u> 37:2627-2629 (1994); MaGuire, <u>J. Med. Chem.</u> 37:2129-2131 (1994); Burke et al., <u>J. Med. Chem.</u> 36:425-432 (1993); and Burke et al. <u>BioOrganic Med. Chem. Letters</u> 2:1771-1774 (1992), all of which are incorporated by reference in their entirety, including any drawings.

10

15

20

25

30

Tyrphostins are described in Allen et al., Clin. Exp. Immunol. 91:141-156 (1993); Anafi et al., Blood 82:12:3524-3529 (1993); Baker et al., J. Cell Sci. 102:543-555 (1992); Bilder et al., Amer. Physiol. Soc. pp. 6363-6143:C721-C730 (1991); Brunton et al., Proceedings of Amer. Assoc. Cancer Rsch. 33:558 (1992); Bryckaert et al., Experimental Cell Research 199:255-261 (1992); Dong et al., J. Leukocyte Biology 53:53-60 (1993); Dong et al., J. Immunol. 151(5):2717-2724 (1993); Gazit et al., J. Med. Chem. 32:2344-2352 (1989); Gazit et al., "J. Med. Chem. 36:3556-3564 (1993); Kaur et al., Anti-Cancer Drugs 5:213-222 (1994); Kaur et al., King et al., Biochem. J. 275:413-418 (1991); Kuo et al., Cancer Letters 74:197-202 (1993); Levitzki, A., The FASEB J. 6:3275-3282 (1992); Lyall et al., J. Biol. Chem. 264:14503-14509 (1989); Peterson et al., The Prostate 22:335-345 (1993); Pillemer et al., Int. J. Cancer 50:80-85 (1992); Posner et al., Molecular Pharmacology 45:673-683 (1993); Rendu et al., Biol. Pharmacology 44(5):881-888 (1992); Sauro and Thomas, Life Sciences 53:371-376 (1993); Sauro and Thomas, J. Pharm. and Experimental Therapeutics 267(3):119-1125 (1993); Wolbring et al., J. Biol. Chem. 269(36):22470-22472 (1994); and Yoneda et al., Cancer Research 51:4430-4435 (1991); all of which are incorporated herein by reference in their entirety, including any drawings.

Other compounds that could be used as modulators include oxindolinones such as those described in U.S. patent application Serial No. 08/702,232 filed August 23, 1996, incorporated herein by reference in its entirety, including any drawings.

Methods of Treating a Disease (Enablement - i.e., Dosing)

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996 and International patent publication number WO 96/22976, published August 1 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be

10

15

20

25

30

formulated in animal models to achieve a circulating concentration range that initially takes into account the IC $_{50}$ as determined in cell culture assays. The animal model data can be used to more accurately determine useful doses in humans.

Plasma half-life and biodistribution of the drug and metabolites in the plasma, tumors and major organs can also be determined to facilitate the selection of drugs most appropriate to inhibit a disorder. Such measurements can be carried out. For example, HPLC analysis can be performed on the plasma of animals treated with the drug and the location of radiolabeled compounds can be deter-mined using detection methods such as X-ray, CAT scan and MRI. Compounds that show potent inhibitory activity in the screening assays, but have poor pharmacokinetic characteristics, can be optimized by altering the chemical structure and retesting. In this regard, compounds displaying good pharmacokinetic characteristics can be used as a model.

Toxicity studies can also be carried out by measuring the blood cell composition. For example, toxicity studies can be carried out in a suitable animal model as follows:

1) the compound is administered to mice (an untreated control mouse should also be used); 2) blood samples are periodically obtained via the tail vein from one mouse in each treatment group; and 3) the samples are analyzed for red and white blood cell counts, blood cell composition and the percent of lymphocytes versus polymorphonuclear cells. A comparison of results for each dosing regime with the controls indicates if toxicity is present.

At the termination of each toxicity study, further studies can be carried out by sacrificing the animals (preferably, in accordance with the American Veterinary Medical Association guidelines Report of the American Veterinary Medical Assoc. Panel on Euthanasia, Journal of American Veterinary Medical Assoc., 202:229-249, 1993). Representative animals from each treatment group can then be examined by gross necropsy for immediate evidence of metastasis, unusual illness or toxicity. Gross abnormalities in tissue are noted and tissues are examined histologically. Compounds causing a reduction in body weight or blood components are less preferred, as are compounds having an adverse effect on major organs. In general, the greater the adverse effect the less preferred the compound.

10

15

20

25

30

For the treatment of cancers the expected daily dose of a hydrophobic pharmaceutical agent is between 1 to 500 mg/day, preferably 1 to 250 mg/day, and most preferably 1 to 50 mg/day. Drugs can be delivered less frequently provided plasma levels of the active moiety are sufficient to maintain therapeutic effectiveness.

Plasma levels should reflect the potency of the drug. Generally, the more potent the compound the lower the plasma levels necessary to achieve efficacy.

In a final aspect, the invention features a method for detection of a kinase polypeptide in a sample as a diagnostic tool for a disease or disorder, wherein the method comprises: (a) comparing a nucleic acid target region encoding the kinase polypeptide in a sample, where the kinase polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID

10

15

20

25

NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or one or more fragments thereof, with a control nucleic acid target region encoding the kinase polypeptide, or one or more fragments thereof; and (b) detecting differences in sequence or amount between the target region and the control target region, as an indication of the disease or disorder. Preferably, the disease or disorder is selected from the group consisting of immune-related diseases and disorders, organ transplantation, myocardial infarction, cardiovascular disease, stroke, renal failure, oxidative stress-related neurodegenerative disorders, and cancer. Immune-related diseases and disorders include, but are not limited to, those discussed previously.

The term "comparing" as used herein refers to identifying discrepancies between the nucleic acid target region isolated from a sample, and the control nucleic acid target region. The discrepancies can be in the nucleotide sequences, e.g. insertions, deletions, or point mutations, or in the amount of a given nucleotide sequence. Methods to determine these discrepancies in sequences are well-known to one of ordinary skill in the art. The "control" nucleic acid target region refers to the sequence or amount of the sequence found in normal cells, e.g. cells that are not diseased as discussed previously.

The term also includes anti-sense molecules drawn thereto.

The invention has been described broadly and generically herein. Each of the narrower species and subgeneric groupings falling within the generic disclosure also form part of the invention. This includes the generic description of the invention with a proviso or negative limitation removing any subject matter from the genus, regardless of whether or not the excised material is specifically recited herein. For example, in some instances the nucleotide sequence of particular kinase polypeptides may not be part of a preferred embodiment.

The summary of the invention described above is not limiting and other features and advantages of the invention will be apparent from the following detailed description of the invention, and from the claims.

10

15

20

25

30

BRIEF DESCRIPTION OF THE FIGURES

Figures 1A to 1BB shows the amino acid sequences of SEQ ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

Figures 2A to 2MMMM shows the nucleic acid sequences of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID

NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121.

20

25

30

15

5

10

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates in part to kinase polypeptides, nucleic acids encoding such polypeptides, cells containing such nucleic acids, antibodies to such polypeptides, assays utilizing such polypeptides, and methods relating to all of the foregoing. The present invention is based upon the isolation and characterization of new kinase polypeptides. The polypeptides and nucleic acids may be produced using well-known and standard synthesis techniques when given the sequences presented herein.

I. The Nucleic Acids of the Invention

Included within the scope of this invention are the functional equivalents of the herein-described isolated nucleic acid molecules. The degeneracy of the genetic code permits substitution of certain codons by other codons that specify the same amino acid and hence would give rise to the same protein. The nucleic acid sequence can vary

10

15

20

25

30

substantially since, with the exception of methionine and tryptophan, the known amino acids can be coded for by more than one codon. Thus, portions or all of the kinase genes of the invention could be synthesized to give a nucleic acid sequence significantly different from one selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34. SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEO ID NO:65, SEO ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76. SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEO ID NO:112, SEO ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEO ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121. The encoded amino acid sequence thereof would, however, be preserved.

In addition, the nucleic acid sequence may comprise a nucleotide sequence which results from the addition, deletion or substitution of at least one nucleotide to the 5'-end and/or the 3'-end of the nucleic acid sequence shown in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEO ID NO:7, SEO ID

10

15

20

25

30

NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEO ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEO ID NO:78, SEO ID NO:79, SEO ID NO:80, SEO ID NO:81, SEO ID NO:82, SEO ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93. SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO: NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or a derivative thereof. Any nucleotide or polynucleotide may be used in this regard, provided that its addition, deletion or substitution does not alter the amino acid sequence of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163,

10

15

20

25

30

SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208. SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223. SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, that is encoded by the nucleotide sequence. For example, the present invention is intended to include any nucleic acid sequence resulting from the addition of ATG as an initiation codon at the 5'end of the inventive nucleic acid sequence or its derivative, or from the addition of TTA, TAG or TGA as a termination codon at the 3'-end of the inventive nucleotide sequence or its derivative. Moreover, the nucleic acid molecule of the present invention may, as necessary, have restriction endonuclease recognition sites added to its 5'-end and/or 3'end.

Such functional alterations of a given nucleic acid sequence afford an opportunity to promote secretion and/or processing of heterologous proteins encoded by foreign nucleic acid sequences fused thereto, for example. All variations of the nucleotide sequence of the kinase genes of the invention and fragments thereof permitted by the genetic code are, therefore, included in this invention.

Further, it is possible to delete codons or to substitute one or more codons with codons other than degenerate codons to produce a structurally modified polypeptide, but one which has substantially the same utility or activity as the polypeptide produced by the unmodified nucleic acid molecule. As recognized in the art, the two polypeptides are

functionally equivalent, as are the two nucleic acid molecules that give rise to their production, even though the differences between the nucleic acid molecules are not related to the degeneracy of the genetic code. This is discussed further in the "Functional Derivatives" section, herein.

5

Finally, many of the nucleic acid molecules of the invention are provided as a partial sequence only (Fig. 2A through 2QQ). However, it is standard for one of ordinary skill in the art to obtain a full-length sequence when provided with a partial sequence. Similarly, when provided with a partial or full-length sequence it is standard for one of ordinary skill in the art to obtain nucleic acid sequence coding for homologous proteins. Therefore, these nucleic acid molecules are also part of the invention.

10

The characteristics of the protein kinase nucleic acid sequences of the invention are provided in Table 1. The protein kinases fall into 10 known groups: AGC, CAMK, CKI, CMGC, dsPK, EIFK, LIMK, MLK, STE and TK. In addition, there are a significant number of protein kinases that do not belong to any of the known groups, and therefore presumably define new protein kinase groups.

15

Additional characteristics may be found, *inter alia*, in the tables, namely Table 1, Table 2, Table 3 and Table 4, shown below.

II. Nucleic Acid Probes, Methods, and Kits for Detection of Protein Kinases.

20

A nucleic acid probe of the present invention may be used to probe an appropriate chromosomal or cDNA library by usual hybridization methods to obtain other nucleic acid molecules of the present invention. A chromosomal DNA or cDNA library may be prepared from appropriate cells according to recognized methods in the art (cf. "Molecular Cloning: A Laboratory Manual", second edition, Cold Spring Harbor Laboratory, Sambrook, Fritsch, & Maniatis, eds., 1989).

25

In the alternative, chemical synthesis can be carried out in order to obtain nucleic acid probes having nucleotide sequences that correspond to N-terminal, kinase or C-terminal portions, for example, of the amino acid sequence of the polypeptide of interest. The synthesized nucleic acid probes may be used as primers in a polymerase chain reaction (PCR) carried out in accordance with recognized PCR techniques, essentially according to PCR Protocols, "A Guide to Methods and Applications", Academic Press,

30

10

15

20

25

30

Michael, et al., eds., 1990, utilizing the appropriate chromosomal or cDNA library to obtain the fragment of the present invention.

One skilled in the art can readily design such probes based on the sequence disclosed herein using methods of computer alignment and sequence analysis known in the art ("Molecular Cloning: A Laboratory Manual", 1989, supra). The hybridization probes of the present invention can be labeled by standard labeling techniques such as with a radiolabel, enzyme label, fluorescent label, biotin-avidin label, chemiluminescence, and the like. After hybridization, the probes may be visualized using known methods.

The nucleic acid probes of the present invention include RNA, as well as DNA probes, such probes being generated using techniques known in the art. The nucleic acid probe may be immobilized on a solid support. Examples of such solid supports include, but are not limited to, plastics such as polycarbonate, complex carbohydrates such as agarose and sepharose, and acrylic resins, such as polyacrylamide and latex beads. Techniques for coupling nucleic acid probes to such solid supports are well known in the art.

The test samples suitable for nucleic acid probing methods of the present invention include, for example, cells or nucleic acid extracts of cells, or biological fluids. The samples used in the above-described methods will vary based on the assay format, the detection method and the nature of the tissues, cells or extracts to be assayed. Methods for preparing nucleic acid extracts of cells are well known in the art and can be readily adapted in order to obtain a sample that is compatible with the method utilized.

One method of detecting the presence of nucleic acids of the invention in a sample comprises (a) contacting said sample with the above-described nucleic acid probe under conditions such that hybridization occurs, and (b) detecting the presence of said probe bound to said nucleic acid molecule. One skilled in the art would select the nucleic acid probe according to techniques known in the art as described above. Samples to be tested include but should not be limited to RNA samples of human tissue.

A kit for detecting the presence of nucleic acids of the invention in a sample comprises at least one container means having disposed therein the above-described nucleic acid probe. The kit may further comprise other containers comprising one or more of the following: wash reagents and reagents capable of detecting the presence of bound nucleic acid probe. Examples of detection reagents include, but are not limited to

10

15

20

25

30

radiolabelled probes, enzymatic labeled probes (horseradish peroxidase, alkaline phosphatase), and affinity labeled probes (biotin, avidin, or steptavidin).

In detail, a compartmentalized kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allow the efficient transfer of reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated and the agents or solutions of each container can be added in a quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the probe or primers used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, and the like), and containers which contain the reagents used to detect the hybridized probe, bound antibody, amplified product, or the like. One skilled in the art will readily recognize that the nucleic acid probes described in the present invention can readily be incorporated into one of the established kit formats that are well known in the art.

III. <u>DNA Constructs Comprising a Protein Kinase Nucleic Acid Molecule and Cells Containing These Constructs.</u>

The present invention also relates to a recombinant DNA molecule comprising, 5' to 3', a promoter effective to initiate transcription in a host cell and the above-described nucleic acid molecules. In addition, the present invention relates to a recombinant DNA molecule comprising a vector and an above-described nucleic acid molecule. The present invention also relates to a nucleic acid molecule comprising a transcriptional region functional in a cell, a sequence complementary to an RNA sequence encoding an amino acid sequence corresponding to the above-described polypeptide, and a transcriptional termination region functional in said cell. The above-described molecules may be isolated and/or purified DNA molecules.

The present invention also relates to a cell or organism that contains an abovedescribed nucleic acid molecule and thereby is capable of expressing a polypeptide. The polypeptide may be purified from cells that have been altered to express the polypeptide. A cell is said to be "altered to express a desired polypeptide" when the cell, through genetic manipulation, is made to produce a protein which it normally does not produce or WO 00/73469

5

10

15

20

25

30

which the cell normally produces at lower levels. One skilled in the art can readily adapt procedures for introducing and expressing either genomic, cDNA, or synthetic sequences into either eukaryotic or prokaryotic cells.

A nucleic acid molecule, such as DNA, is said to be "capable of expressing" a polypeptide if it contains nucleotide sequences which contain transcriptional and translational regulatory information and such sequences are "operably linked" to nucleotide sequences which encode the polypeptide. An operable linkage is a linkage in which the regulatory DNA sequences and the DNA sequence sought to be expressed are connected in such a way as to permit gene sequence expression. The precise nature of the regulatory regions needed for gene sequence expression may vary from organism to organism, but shall in general include a promoter region which, in prokaryotes, contains both the promoter (which directs the initiation of RNA transcription) as well as the DNA sequences which, when transcribed into RNA, will signal synthesis initiation. Such regions will normally include those 5'-non-coding sequences involved with initiation of transcription and translation, such as the TATA box, capping sequence, CAAT sequence, and the like.

If desired, the non-coding region 3' to the sequence encoding a kinase of the invention may be obtained by the above-described methods. This region may be retained for its transcriptional termination regulatory sequences, such as termination and polyadenylation. Thus, by retaining the 3'-region naturally contiguous to the DNA sequence encoding a kinase of the invention, the transcriptional termination signals may be provided. Where the transcriptional termination signals are not satisfactorily functional in the expression host cell, then a 3' region functional in the host cell may be substituted.

Two DNA sequences (such as a promoter region sequence and a sequence encoding a kinase of the invention) are said to be operably linked if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region sequence to direct the transcription of a gene sequence encoding a kinase of the invention, or (3) interfere with the ability of the gene sequence of a kinase of the invention to be transcribed by the promoter region sequence. Thus, a promoter region would be operably linked to a DNA sequence if the promoter were capable of effecting transcription of that DNA sequence.

Thus, to express a gene encoding a kinase of the invention, transcriptional and translational signals recognized by an appropriate host are necessary.

The present invention encompasses the expression of a gene encoding a kinase of the invention (or a functional derivative thereof) in either prokaryotic or eukaryotic cells. Prokaryotic hosts are, generally, very efficient and convenient for the production of recombinant proteins and are, therefore, one type of preferred expression system for kinases of the invention. Prokaryotes most frequently are represented by various strains of *E. coli*. However, other microbial strains may also be used, including other bacterial strains.

10

5

In prokaryotic systems, plasmid vectors that contain replication sites and control sequences derived from a species compatible with the host may be used. Examples of suitable plasmid vectors may include pBR322, pUC118, pUC119 and the like; suitable phage or bacteriophage vectors may include γ gt10, γ gt11 and the like; and suitable virus vectors may include pMAM-neo, pKRC and the like. Preferably, the selected vector of the present invention has the capacity to replicate in the selected host cell.

15

Recognized prokaryotic hosts include bacteria such as *E. coli*, *Bacillus*, *Streptomyces*, *Pseudomonas*, *Salmonella*, *Serratia*, and the like. However, under such conditions, the polypeptide will not be glycosylated. The prokaryotic host must be compatible with the replicon and control sequences in the expression plasmid.

20

To express a kinase of the invention (or a functional derivative thereof) in a prokaryotic cell, it is necessary to operably link the sequence encoding the kinase of the invention to a functional prokaryotic promoter. Such promoters may be either constitutive or, more preferably, regulatable (i.e., inducible or derepressible). Examples of constitutive promoters include the *int* promoter of bacteriophage λ , the *bla* promoter of the β -lactamase gene sequence of pBR322, and the *cat* promoter of the chloramphenical acetyl transferase gene sequence of pPR325, and the like. Examples of inducible prokaryotic promoters include the major right and left promoters of bacteriophage λ (P_L and P_R), the *trp*, recA, λ acZ, λ acI, and gal promoters of E. coli, the α -amylase (Ulmanen et al., J. Bacteriol. 162:176-182, 1985) and the ς -28-specific promoters of B. subtilis (Gilman et al., Gene Sequence 32:11-20, 1984), the promoters of the bacteriophages of Bacillus (Gryczan, In: The Molecular Biology of the Bacilli, Academic Press, Inc., NY, 1982), and Streptomyces promoters (Ward et al., Mol. Gen. Genet. 203:468-478, 1986). Prokaryotic

30

25

10

15

20

25

30

promoters are reviewed by Glick (Ind. Microbiot. 1:277-282, 1987), Cenatiempo (Biochimie 68:505-516, 1986), and Gottesman (Ann. Rev. Genet. 18:415-442, 1984).

Proper expression in a prokaryotic cell also requires the presence of a ribosome-binding site upstream of the gene sequence-encoding sequence. Such ribosome-binding sites are disclosed, for example, by Gold *et al.* (Ann. Rev. Microbiol. 35:365-404, 1981). The selection of control sequences, expression vectors, transformation methods, and the like, are dependent on the type of host cell used to express the gene. As used herein, "cell", "cell line", and "cell culture" may be used interchangeably and all such designations include progeny. Thus, the words "transformants" or "transformed cells" include the primary subject cell and cultures derived therefrom, without regard to the number of transfers. It is also understood that all progeny may not be precisely identical in DNA content, due to deliberate or inadvertent mutations. However, as defined, mutant progeny have the same functionality as that of the originally transformed cell.

Host cells which may be used in the expression systems of the present invention are not strictly limited, provided that they are suitable for use in the expression of the kinase polypeptide of interest. Suitable hosts may often include eukaryotic cells. Preferred eukaryotic hosts include, for example, yeast, fungi, insect cells, mammalian cells either *in vivo*, or in tissue culture. Mammalian cells which may be useful as hosts include HeLa cells, cells of fibroblast origin such as VERO or CHO-K1, or cells of lymphoid origin and their derivatives. Preferred mammalian host cells include SP2/0 and J558L, as well as neuroblastoma cell lines such as IMR 332, which may provide better capacities for correct post-translational processing.

In addition, plant cells are also available as hosts, and control sequences compatible with plant cells are available, such as the cauliflower mosaic virus 35S and 19S, and nopaline synthase promoter and polyadenylation signal sequences. Another preferred host is an insect cell, for example the *Drosophila* larvae. Using insect cells as hosts, the *Drosophila* alcohol dehydrogenase promoter can be used (Rubin, Science 240:1453-1459, 1988). Alternatively, baculovirus vectors can be engineered to express large amounts of kinases of the invention in insect cells (Jasny, Science 238:1653, 1987; Miller *et al.*, In: Genetic Engineering, Vol. 8, Plenum, Setlow *et al.*, eds., pp. 277-297, 1986).

10

15

20

25

30

Any of a series of yeast expression systems can be utilized which incorporate promoter and termination elements from the actively expressed sequences coding for glycolytic enzymes that are produced in large quantities when yeast are grown in mediums rich in glucose. Known glycolytic gene sequences can also provide very efficient transcriptional control signals. Yeast provides substantial advantages in that it can also carry out post-translational modifications. A number of recombinant DNA strategies exist utilizing strong promoter sequences and high copy number plasmids which can be utilized for production of the desired proteins in yeast. Yeast recognizes leader sequences on cloned mammalian genes and secretes peptides bearing leader sequences (i.e., prepeptides). Several possible vector systems are available for the expression of kinases of the invention in a mammalian host.

A wide variety of transcriptional and translational regulatory sequences may be employed, depending upon the nature of the host. The transcriptional and translational regulatory signals may be derived from viral sources, such as adenovirus, bovine papilloma virus, cytomegalovirus, simian virus, or the like, where the regulatory signals are associated with a particular gene sequence which has a high level of expression. Alternatively, promoters from mammalian expression products, such as actin, collagen, myosin, and the like, may be employed. Transcriptional initiation regulatory signals may be selected which allow for repression or activation, so that expression of the gene sequences can be modulated. Of interest are regulatory signals which are temperature-sensitive so that by varying the temperature, expression can be repressed or initiated, or are subject to chemical (such as metabolite) regulation.

Expression of kinases of the invention in eukaryotic hosts requires the use of eukaryotic regulatory regions. Such regions will, in general, include a promoter region sufficient to direct the initiation of RNA synthesis. Preferred eukaryotic promoters include, for example, the promoter of the mouse metallothionein I gene sequence (Hamer et al., J. Mol. Appl. Gen. 1:273-288, 1982); the TK promoter of Herpes virus (McKnight, Cell 31:355-365, 1982); the SV40 early promoter (Benoist et al., Nature (London) 290:304-31, 1981); and the yeast gal4 gene sequence promoter (Johnston et al., Proc. Natl. Acad. Sci. (USA) 79:6971-6975, 1982; Silver et al., Proc. Natl. Acad. Sci. (USA) 81:5951-5955, 1984).

10

15

20

25

30

Translation of eukaryotic mRNA is initiated at the codon that encodes the first methionine. For this reason, it is preferable to ensure that the linkage between a eukaryotic promoter and a DNA sequence which encodes a kinase of the invention (or a functional derivative thereof) does not contain any intervening codons which are capable of encoding a methionine (i.e., AUG). The presence of such codons results either in the formation of a fusion protein (if the AUG codon is in the same reading frame as the kinase of the invention coding sequence) or a frame-shift mutation (if the AUG codon is not in the same reading frame as the kinase of the invention coding sequence).

A nucleic acid molecule encoding a kinase of the invention and an operably linked promoter may be introduced into a recipient prokaryotic or eukaryotic cell either as a nonreplicating DNA or RNA molecule, which may either be a linear molecule or, more preferably, a closed covalent circular molecule. Since such molecules are incapable of autonomous replication, the expression of the gene may occur through the transient expression of the introduced sequence. Alternatively, permanent expression may occur through the integration of the introduced DNA sequence into the host chromosome.

A vector may be employed which is capable of integrating the desired gene sequences into the host cell chromosome. Cells which have stably integrated the introduced DNA into their chromosomes can be selected by also introducing one or more markers which allow for selection of host cells which contain the expression vector. The marker may provide for prototrophy to an auxotrophic host, biocide resistance, e.g., antibiotics, or heavy metals, such as copper, or the like. The selectable marker gene sequence can either be directly linked to the DNA gene sequences to be expressed, or introduced into the same cell by co-transfection. Additional elements may also be needed for optimal synthesis of mRNA. These elements may include splice signals, as well as transcription promoters, enhancers, and termination signals. cDNA expression vectors incorporating such elements include those described by Okayama (Mol. Cell. Biol. 3:280-, 1983).

The introduced nucleic acid molecule can be incorporated into a plasmid or viral vector capable of autonomous replication in the recipient host. Any of a wide variety of vectors may be employed for this purpose. Factors of importance in selecting a particular plasmid or viral vector include: the ease with which recipient cells that contain the vector may be recognized and selected from those recipient cells which do not contain the vector;

10

15

20

25

30

the number of copies of the vector which are desired in a particular host; and whether it is desirable to be able to "shuttle" the vector between host cells of different species.

Preferred prokaryotic vectors include plasmids such as those capable of replication in *E. coli* (such as, for example, pBR322, ColEl, pSC101, pACYC 184, πVX; "Molecular Cloning: A Laboratory Manual", 1989, *supra*). Bacillus plasmids include pC194, pC221, pT127, and the like (Gryczan, In: The Molecular Biology of the Bacilli, Academic Press, NY, pp. 307-329, 1982). Suitable *Streptomyces* plasmids include p1J101 (Kendall *et al.*, J. Bacteriol. 169:4177-4183, 1987), and streptomyces bacteriophages such as φC31 (Chater *et al.*, In: Sixth International Symposium on Actinomycetales Biology, Akademiai Kaido, Budapest, Hungary, pp. 45-54, 1986). *Pseudomonas* plasmids are reviewed by John *et al.* (Rev. Infect. Dis. 8:693-704, 1986), and Izaki (Jpn. J. Bacteriol. 33:729-742, 1978).

Preferred eukaryotic plasmids include, for example, BPV, vaccinia, SV40, 2-micron circle, and the like, or their derivatives. Such plasmids are well known in the art (Botstein *et al.*, Miami Wntr. Symp. 19:265-274, 1982; Broach, In: "The Molecular Biology of the Yeast Saccharomyces: Life Cycle and Inheritance", Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, p. 445-470, 1981; Broach, Cell 28:203-204, 1982; Bollon *et al.*, J. Clin. Hematol. Oncol. 10:39-48, 1980; Maniatis, In: Cell Biology: A Comprehensive Treatise, Vol. 3, Gene Sequence Expression, Academic Press, NY, pp. 563-608, 1980).

Once the vector or nucleic acid molecule containing the construct(s) has been prepared for expression, the DNA construct(s) may be introduced into an appropriate host cell by any of a variety of suitable means, *i.e.*, transformation, transfection, conjugation, protoplast fusion, electroporation, particle gun technology, calcium phosphate-precipitation, direct microinjection, and the like. After the introduction of the vector, recipient cells are grown in a selective medium, which selects for the growth of vector-containing cells. Expression of the cloned gene(s) results in the production of a kinase of the invention, or fragments thereof. This can take place in the transformed cells as such, or following the induction of these cells to differentiate (for example, by administration of bromodeoxyuracil to neuroblastoma cells or the like). A variety of incubation conditions can be used to form the peptide of the present invention. The most preferred conditions are those which mimic physiological conditions.

IV. The Proteins of the Invention

A variety of methodologies known in the art can be utilized to obtain the polypeptides of the present invention. The polypeptides may be purified from tissues or cells that naturally produce the polypeptides. Alternatively, the above-described isolated nucleic acid fragments could be used to express the kinases of the invention in any organism. The samples of the present invention include cells, protein extracts or membrane extracts of cells, or biological fluids. The samples will vary based on the assay format, the detection method, and the nature of the tissues, cells or extracts used as the sample.

10

5

Any eukaryotic organism can be used as a source for the polypeptides of the invention, as long as the source organism naturally contains such polypeptides. As used herein, "source organism" refers to the original organism from which the amino acid sequence of the subunit is derived, regardless of the organism the subunit is expressed in and ultimately isolated from.

15

One skilled in the art can readily follow known methods for isolating proteins in order to obtain the polypeptides free of natural contaminants. These include, but are not limited to: size-exclusion chromatography, HPLC, ion-exchange chromatography, and immuno-affinity chromatography.

20

Further, the polypeptides of the invention include the full-length polypeptides that can be identified from the full-length or partial sequences encoded by SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:175, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:181, SEQ ID NO:182,

30

25

10

15

20

25

30

SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:204, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 (Figure 1). In addition, the polypeptides of the invention include the domains of these polypeptides, including, but not limited to, the N-terminal, kinase/catalytic, and C-terminal domains.

The characteristics of the protein kinase nucleic acid sequences of the invention are provided in Table 1. The protein kinases fall into 10 known groups: AGC, CAMK, CKI, CMGC, dsPK, EIFK, LIMK, MLK, STE and TK. In addition, there are a significant number of protein kinases that do not belong to any of the known groups, and therefore presumably define new protein kinase groups.

Additional characteristics are shown in, *inter alia*, the tables, namely Table 1, Table 2, Table 3 and Table 4, provided below.

V. Antibodies, Hybridomas, Methods of Use and Kits for Detection of Protein Kinases

The present invention relates to an antibody having binding affinity to a kinase of the invention. The polypeptide may have an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEO

10

15

20

25

30

ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or a functional derivative thereof, or at least 9 contiguous amino acids thereof (preferably, at least 20, 30, 35, or 40 or more contiguous amino acids thereof). Alternatively, the antibody may bind to a part of the polypeptide not provided in the sequences above, but that is present in the full-length sequence of the polypeptide and that is easily obtained using methods standard in the art. Further, the antibody may bind specifically to particular domains of one or more of the kinases of the invention, including, but not limited to, the N-terminal, kinase/catalytic, or C-terminal domains.

The present invention also relates to an antibody having specific binding affinity to a kinase or kinase domain of the invention. Such an antibody may be isolated by comparing its binding affinity to a kinase of the invention with its binding affinity to other polypeptides. Those that bind selectively to a kinase of the invention would be chosen for use in methods requiring a distinction between a kinase of the invention and other

10

15

20

25

30

polypeptides. Such methods could include, but should not be limited to, the analysis of altered kinase expression in tissue containing other polypeptides.

The kinases of the present invention can be used in a variety of procedures and methods, such as for the generation of antibodies, for use in identifying pharmaceutical compositions, and for studying DNA/protein interaction.

The kinases of the present invention can be used to produce antibodies or hybridomas. One skilled in the art will recognize that if an antibody is desired, such a peptide could be generated as described herein and used as an immunogen. The antibodies of the present invention include monoclonal and polyclonal antibodies, as well fragments of these antibodies, and humanized forms. Humanized forms of the antibodies of the present invention may be generated using one of the procedures known in the art such as chimerization or CDR grafting.

The present invention also relates to a hybridoma that produces the abovedescribed monoclonal antibody, or binding fragment thereof. A hybridoma is an immortalized cell line that is capable of secreting a specific monoclonal antibody.

In general, techniques for preparing monoclonal antibodies and hybridomas are well known in the art (Campbell, "Monoclonal Antibody Technology: Laboratory Techniques in Biochemistry and Molecular Biology," Elsevier Science Publishers, Amsterdam, The Netherlands, 1984; St. Groth *et al.*, J. Immunol. Methods 35:1-21, 1980). Any animal (mouse, rabbit, and the like) which is known to produce antibodies can be immunized with the selected polypeptide. Methods for immunization are well known in the art. Such methods include subcutaneous or intraperitoneal injection of the polypeptide. One skilled in the art will recognize that the amount of polypeptide used for immunization will vary based on the animal that is immunized, the antigenicity of the polypeptide and the site of injection.

The polypeptide may be modified or administered in an adjuvant in order to increase the peptide antigenicity. Methods of increasing the antigenicity of a polypeptide are well known in the art. Such procedures include coupling the antigen with a heterologous protein (such as globulin or β -galactosidase) or through the inclusion of an adjuvant during immunization.

WO 00/73469

5

10

15

20

25

30

For monoclonal antibodies, spleen cells from the immunized animals are removed, fused with myeloma cells, such as SP2/0-Agl4 myeloma cells, and allowed to become monoclonal antibody producing hybridoma cells. Any one of a number of methods well known in the art can be used to identify the hybridoma cell that produces an antibody with the desired characteristics. These include screening the hybridomas with an ELISA assay, western blot analysis, or radioimmunoassay (Lutz et al., Exp. Cell Res. 175:109-124, 1988). Hybridomas secreting the desired antibodies are cloned and the class and subclass are determined using procedures known in the art (Campbell, "Monoclonal Antibody Technology: Laboratory Techniques in Biochemistry and Molecular Biology", supra, 1984).

For polyclonal antibodies, antibody-containing antisera is isolated from the immunized animal and is screened for the presence of antibodies with the desired specificity using one of the above-described procedures. The above-described antibodies may be detectably labeled. Antibodies can be detectably labeled through the use of radioisotopes, affinity labels (such as biotin, avidin, and the like), enzymatic labels (such as horse radish peroxidase, alkaline phosphatase, and the like) fluorescent labels (such as FITC or rhodamine, and the like), paramagnetic atoms, and the like. Procedures for accomplishing such labeling are well-known in the art, for example, see Stemberger et al., J. Histochem. Cytochem. 18:315, 1970; Bayer et al., Meth. Enzym. 62:308-, 1979; Engval et al., Immunol. 109:129-, 1972; Goding, J. Immunol. Meth. 13:215-, 1976. The labeled antibodies of the present invention can be used for in vitro, in vivo, and in situ assays to identify cells or tissues that express a specific peptide.

The above-described antibodies may also be immobilized on a solid support. Examples of such solid supports include plastics such as polycarbonate, complex carbohydrates such as agarose and sepharose, acrylic resins and such as polyacrylamide and latex beads. Techniques for coupling antibodies to such solid supports are well known in the art (Weir et al., "Handbook of Experimental Immunology" 4th Ed., Blackwell Scientific Publications, Oxford, England, Chapter 10, 1986; Jacoby et al., Meth. Enzym. 34, Academic Press, N.Y., 1974). The immobilized antibodies of the present invention can be used for in vitro, in vivo, and in situ assays as well as in immunochromotography.

WO 00/73469

5

10

15

20

25

30

Furthermore, one skilled in the art can readily adapt currently available procedures, as well as the techniques, methods and kits disclosed herein with regard to antibodies, to generate peptides capable of binding to a specific peptide sequence in order to generate rationally designed antipeptide peptides (Hurby et al., "Application of Synthetic Peptides: Antisense Peptides", In Synthetic Peptides, A User's Guide, W.H. Freeman, NY, pp. 289-307, 1992; Kaspczak et al., Biochemistry 28:9230-9238, 1989).

92

PCT/US00/14842

Anti-peptide peptides can be generated by replacing the basic amino acid residues found in the peptide sequences of the kinases of the invention with acidic residues, while maintaining hydrophobic and uncharged polar groups. For example, lysine, arginine, and/or histidine residues are replaced with aspartic acid or glutamic acid and glutamic acid residues are replaced by lysine, arginine or histidine.

The present invention also encompasses a method of detecting a kinase polypeptide in a sample, comprising: (a) contacting the sample with an above-described antibody, under conditions such that immunocomplexes form, and (b) detecting the presence of said antibody bound to the polypeptide. In detail, the methods comprise incubating a test sample with one or more of the antibodies of the present invention and assaying whether the antibody binds to the test sample. Altered levels of a kinase of the invention in a sample as compared to normal levels may indicate disease.

Conditions for incubating an antibody with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the antibody used in the assay. One skilled in the art will recognize that any one of the commonly available immunological assay formats (such as radioimmunoassays, enzyme-linked immunosorbent assays, diffusion based Ouchterlony, or rocket immunofluorescent assays) can readily be adapted to employ the antibodies of the present invention. Examples of such assays can be found in Chard ("An Introduction to Radioimmunoassay and Related Techniques" Elsevier Science Publishers, Amsterdam, The Netherlands, 1986), Bullock *et al.* ("Techniques in Immunocytochemistry," Academic Press, Orlando, FL Vol. 1, 1982; Vol. 2, 1983; Vol. 3, 1985), Tijssen ("Practice and Theory of Enzyme Immunoassays: Laboratory Techniques in Biochemistry and Molecular Biology," Elsevier Science Publishers, Amsterdam, The Netherlands, 1985).

The immunological assay test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as blood, serum, plasma, or urine. The test samples used in the above-described method will vary based on the assay format, nature of the detection method and the tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is testable with the system utilized.

A kit contains all the necessary reagents to carry out the previously described methods of detection. The kit may comprise: (i) a first container means containing an above-described antibody, and (ii) second container means containing a conjugate comprising a binding partner of the antibody and a label. In another preferred embodiment, the kit further comprises one or more other containers comprising one or more of the following: wash reagents and reagents capable of detecting the presence of bound antibodies.

15

20

25

30

10

5

Examples of detection reagents include, but are not limited to, labeled secondary antibodies, or in the alternative, if the primary antibody is labeled, the chromophoric, enzymatic, or antibody binding reagents that are capable of reacting with the labeled antibody. The compartmentalized kit may be as described above for nucleic acid probe kits. One skilled in the art will readily recognize that the antibodies described in the present invention can readily be incorporated into one of the established kit formats that are well known in the art.

VI. Isolation of Compounds That Interact With Protein Kinases

The present invention also relates to a method of detecting a compound capable of binding to a protein kinase of the invention, comprising incubating the compound with a kinase of the invention and detecting the presence of the compound bound to the kinase. The compound may be present within a complex mixture, for example, serum, body fluid, or cell extracts.

The present invention also relates to a method of detecting an agonist or antagonist of kinase activity or kinase binding partner activity comprising incubating cells that produce a kinase of the invention in the presence of a compound and detecting changes in the level of kinase activity or kinase binding partner activity. The compounds thus identified would produce a change in activity indicative of the presence of the compound.

WO 00/73469

5

10

15

20

25

30

The compound may be present within a complex mixture, for example, serum, body fluid, or cell extracts. Once the compound is identified it can be isolated using techniques well known in the art.

The present invention also encompasses a method of agonizing (stimulating) or antagonizing kinase associated activity in a mammal comprising administering to said mammal an agonist or antagonist to a kinase of the invention in an amount sufficient to effect said agonism or antagonism. A method of treating diseases in a mammal with an agonist or antagonist of kinase activity comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize kinase associated functions is also encompassed in the present application.

In an effort to discover novel treatments for diseases, biomedical researchers and chemists have designed, synthesized, and tested molecules that inhibit the function of protein kinases. Some small organic molecules form a class of compounds that modulate the function of protein kinases. Examples of molecules that have been reported to inhibit the function of protein kinases include, but are not limited to, bis monocyclic, bicyclic or heterocyclic aryl compounds (PCT WO 92/20642, published November 26, 1992 by Maguire et al.), vinylene-azaindole derivatives (PCT WO 94/14808, published July 7, 1994 by Ballinari et al.), 1-cyclopropyl-4-pyridyl-quinolones (U.S. Patent No. 5,330,992), styryl compounds (U.S. Patent No. 5,217,999), styryl-substituted pyridyl compounds (U.S. Patent No. 5,302,606), certain quinazoline derivatives (EP Application No. 0 566 266 A1), seleoindoles and selenides (PCT WO 94/03427, published February 17, 1994 by Denny et al.), tricyclic polyhydroxylic compounds (PCT WO 92/21660, published December 10, 1992 by Dow), and benzylphosphonic acid compounds (PCT WO 91/15495, published October 17, 1991 by Dow et al).

Compounds that can traverse cell membranes and are resistant to acid hydrolysis are potentially advantageous as therapeutics as they can become highly bioavailable after being administered orally to patients. However, many of these protein kinase inhibitors only weakly inhibit the function of protein kinases. In addition, many inhibit a variety of protein kinases and will cause multiple side-effects as therapeutics for diseases.

Some indolinone compounds, however, form classes of acid resistant and membrane permeable organic molecules. WO 96/22976 (published August 1, 1996 by Ballinari *et al.*) describes hydrosoluble indolinone compounds that harbor tetralin,

10

15

20

25

30

naphthalene, quinoline, and indole substituents fused to the oxindole ring. These bicyclic substituents are in turn substituted with polar moieties including hydroxylated alkyl, phosphate, and ether moieties. U.S. Patent Application Serial Nos. 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187) and 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298) and International Patent Publication WO 96/22976, published August 1, 1996 by Ballinari et al., all of which are incorporated herein by reference in their entirety, including any drawings, describe indolinone chemical libraries of indolinone compounds harboring other bicyclic moieties as well as monocyclic moieties fused to the oxindole ring. Applications 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187), 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298), and WO 96/22976, published August 1, 1996 by Ballinari et al. teach methods of indolinone synthesis, methods of testing the biological activity of indolinone compounds in cells, and inhibition patterns of indolinone derivatives.

Other examples of substances capable of modulating kinase activity include, but are not limited to, tyrphostins, quinazolines, quinoxolines, and quinolines. The quinazolines, tyrphostins, quinolines, and quinoxolines referred to above include well known compounds such as those described in the literature. For example, representative publications describing quinazolines include Barker et al., EPO Publication No. 0 520 722 A1; Jones et al., U.S. Patent No. 4,447,608; Kabbe et al., U.S. Patent No. 4,757,072; Kaul and Vougioukas, U.S. Patent No. 5, 316,553; Kreighbaum and Comer, U.S. Patent No. 4,343,940; Pegg and Wardleworth, EPO Publication No. 0 562 734 A1; Barker et al., Proc. of Am. Assoc. for Cancer Research 32:327 (1991); Bertino, J.R., Cancer Research 3:293-304 (1979); Bertino, J.R., Cancer Research 9(2 part 1):293-304 (1979); Curtin et al., Br. J. Cancer 53:361-368 (1986); Fernandes et al., Cancer Research 43:1117-1123 (1983); Ferris et al. J. Org. Chem. 44(2):173-178; Fry et al., Science 265:1093-1095 (1994); Jackman et al., Cancer Research 51:5579-5586 (1981); Jones et al. J. Med. Chem. 29(6):1114-1118; Lee and Skibo, Biochemistry 26(23):7355-7362 (1987); Lemus et al., J.

10

Org. Chem. 54:3511-3518 (1989); Ley and Seng, Synthesis 1975:415-522 (1975); Maxwell et al., Magnetic Resonance in Medicine 17:189-196 (1991); Mini et al., Cancer Research 45:325-330 (1985); Phillips and Castle, J. Heterocyclic Chem. 17(19):1489-1596 (1980); Reece et al., Cancer Research 47(11):2996-2999 (1977); Sculier et al., Cancer Immunol. and Immunother. 23:A65 (1986); Sikora et al., Cancer Letters 23:289-295 (1984); Sikora et al., Analytical Biochem. 172:344-355 (1988); all of which are incorporated herein by reference in their entirety, including any drawings.

Quinoxaline is described in Kaul and Vougioukas, U.S. Patent No. 5,316,553, incorporated herein by reference in its entirety, including any drawings.

Quinolines are described in Dolle et al., J. Med. Chem. 37:2627-2629 (1994); MaGuire, J. Med. Chem. 37:2129-2131 (1994); Burke et al., J. Med. Chem. 36:425-432 (1993); and Burke et al. BioOrganic Med. Chem. Letters 2:1771-1774 (1992), all of which are incorporated by reference in their entirety, including any drawings.

Tyrphostins are described in Allen et al., Clin. Exp. Immunol, 91:141-156 (1993): 15 Anafi et al., Blood 82:12:3524-3529 (1993); Baker et al., J. Cell Sci. 102:543-555 (1992); Bilder et al., Amer. Physiol. Soc. pp. 6363-6143:C721-C730 (1991); Brunton et al., Proceedings of Amer. Assoc. Cancer Rsch. 33:558 (1992); Bryckaert et al., Experimental Cell Research 199:255-261 (1992); Dong et al., J. Leukocyte Biology 53:53-60 (1993); Dong et al., J. Immunol. 151(5):2717-2724 (1993); Gazit et al., J. Med. Chem. 32:2344-20 2352 (1989); Gazit et al., "J. Med. Chem. 36:3556-3564 (1993); Kaur et al., Anti-Cancer Drugs 5:213-222 (1994); Kaur et al., King et al., Biochem. J. 275:413-418 (1991); Kuo et al., Cancer Letters 74:197-202 (1993); Levitzki, A., The FASEB J. 6:3275-3282 (1992); Lyall et al., J. Biol. Chem. 264:14503-14509 (1989); Peterson et al., The Prostate 22:335-345 (1993); Pillemer et al., Int. J. Cancer 50:80-85 (1992); Posner et al., Molecular Pharmacology 45:673-683 (1993); Rendu et al., Biol. Pharmacology 44(5):881-888 25 (1992); Sauro and Thomas, Life Sciences 53:371-376 (1993); Sauro and Thomas, J. Pharm. and Experimental Therapeutics 267(3):119-1125 (1993); Wolbring et al., J. Biol. Chem. 269(36):22470-22472 (1994); and Yoneda et al., Cancer Research 51:4430-4435 (1991); all of which are incorporated herein by reference in their entirety, including any 30 drawings.

10

15

20

25

30

Other compounds that could be used as modulators include oxindolinones such as those described in U.S. patent application Serial No. 08/702,232 filed August 23, 1996, incorporated herein by reference in its entirety, including any drawings.

VII. <u>Biological Significance, Applications and Clinical Relevance of Novel Protein</u>
Kinases

For each protein kinase in this application, we provide a classification of the protein class and family to which it belongs, a summary of non-cataltyic protein motifs, a profile of its expression in several hundred tissue and cell sources, and a chromosomal location. This information can be used to suggest potential function, regulation or therapeutic utility for each of the proteins.

The kinase classification and protein domains often reflect pathways, cellular roles, or mechanisms of up- or down-stream regulation. Also disease-relevant genes often occur in families of related genes. For example if one member of a kinase family functions as an oncogene, a tumor suppressor, or has been found to be disrupted in an immune, neurologic, cardiovascular, or metabolic disorder, frequently other family members may play a related role.

The expression analysis organizes kinases into groups that are transcriptionally upregulated in tumors and those that are more restricted to specific tumor types such as melanoma or prostate. This analysis also identifies genes that are regulated in a cell cycle dependent manner, and are therefore likely to be involved in maintaining cell cycle checkpoints, entry, progression, or exit from mitosis, oversee DNA repair, or are involved in cell proliferation and genome stability. Expression data also can identify genes expressed in endothelial sources or other tissues that suggest a role in angiogenesis, thereby implicating them as targets for control of diseases that have an angiogenic component, such as cancer, endometriosis, retinopathy and macular degeneration, and various ischemic or vascular pathologies. A proteins' role in cell survival can also be suggested based on restricted expression in cells subjected to external stress such as oxidative damage, hypoxia, drugs such as cisplatinum, or irradiation. Metastases-associated genes can be implicated when expression is restricted to invading regions of a tumor, or is only seen in local or distant metastases compared to the primary tumor, or when a gene is upregulated during cell culture models of invasion, migration, or motility.

10

15

20

25

30

Chromosomal location can identify candidate targets for a tumor amplicon or a tumor-suppressor locus. Summaries of prevelant tumor amplicons are available in the literature, and can identify tumor types to experimentally be confirmed to contain amplified copies of a kinase gene which localizes to an adjacent region.

Based on these criteria several kinases immediately stand out as being of potential therapeutic relevance. The protein kinases can be divided into the following disease-relevant categories (nucleotide Seq ID #s in parentheses):

Tumor associated: Mok (SEQ ID NO:NO:57), EPK2, AA316804 (SEQ ID NO:11), AA435956 (SEQ ID NO:NO:48), AA278842 (SEQ ID NO:88), AA599286 (SEQ ID NO:89), AA826850 (SEQ ID NO:3), HRI (SEQ ID NO:73), MLK4 AA232253 (SEQ ID NO:82), AA883975 SGK 235 (SEQ ID NO:95), AA311714 (SEQ ID NO:101), MPSK1 (SEQ ID NO:110), R19609 (Seq ID111), AA383293 (SEO ID NO:26).

Prostate-specific: AA234451 (SEQ ID NO:47), TSK4 (SEQ ID NO:93), RIP4 (SEQ ID NO:84), KIAA0965 (SEQ ID NO:8).

Oncogenic or proliferation associated: KIAA0781 (SEQ ID NO:38), AA789239 (SEQ ID NO:52), CCRK (SEQ ID NO:54), CLK4 (SEQ ID NO:55), H85389 (SEQ ID NO:97).

Neuronal restricted: CAMKKB (SEQ ID NO:66)

Hematopoietic expressed: PTK9L (SEQ ID NO:22), DRAK2 (SEQ ID NO:29), AI025291 (SEQ ID NO:94)

Angiogenic or endothelial expressed: DRAK1 (SEQ ID NO:31), MAK-V (SEQ ID NO:40), TRAD (SEQ ID NO:44), MOK (SEQ ID NO:57), AA08847 (SEQ ID NO:78), HGP 66444466 (SEQ ID NO:79), RSK4 (SEQ ID NO:16).

Cell cycle regulated: AA454060 (SEQ ID NO:45), KIAA0999 (Mitotic – SEQ ID NO:32), AA579641 (Mitotic – SEQ ID NO:60), AA305176 (Mitotic – SEQ ID NO:6), AA018361 (S1 phase – SEQ ID NO:100).

VIII. <u>Transgenic Animals.</u>

A variety of methods are available for the production of transgenic animals associated with this invention. DNA can be injected into the pronucleus of a fertilized egg before fusion of the male and female pronuclei, or injected into the nucleus of an embryonic cell (e.g., the nucleus of a two-cell embryo) following the initiation of cell division (Brinster et al., Proc. Nat. Acad. Sci. USA 82: 4438-4442, 1985). Embryos can

10

15

20

25

30

be infected with viruses, especially retroviruses, modified to carry inorganic-ion receptor nucleotide sequences of the invention.

Pluripotent stem cells derived from the inner cell mass of the embryo and stabilized in culture can be manipulated in culture to incorporate nucleotide sequences of the invention. A transgenic animal can be produced from such cells through implantation into a blastocyst that is implanted into a foster mother and allowed to come to term. Animals suitable for transgenic experiments can be obtained from standard commercial sources such as Charles River (Wilmington, MA), Taconic (Germantown, NY), Harlan Sprague Dawley (Indianapolis, IN), etc.

The procedures for manipulation of the rodent embryo and for microinjection of DNA into the pronucleus of the zygote are well known to those of ordinary skill in the art (Hogan et al., supra). Microinjection procedures for fish, amphibian eggs and birds are detailed in Houdebine and Chourrout (Experientia 47: 897-905, 1991). Other procedures for introduction of DNA into tissues of animals are described in U.S. Patent No.,

4,945,050 (Sanford et al., July 30, 1990).

By way of example only, to prepare a transgenic mouse, female mice are induced to superovulate. Females are placed with males, and the mated females are sacrificed by CO₂ asphyxiation or cervical dislocation and embryos are recovered from excised oviducts. Surrounding cumulus cells are removed. Pronuclear embryos are then washed and stored until the time of injection. Randomly cycling adult female mice are paired with vasectomized males. Recipient females are mated at the same time as donor females. Embryos then are transferred surgically. The procedure for generating transgenic rats is similar to that of mice (Hammer et al., Cell 63:1099-1112, 1990).

Methods for the culturing of embryonic stem (ES) cells and the subsequent production of transgenic animals by the introduction of DNA into ES cells using methods such as electroporation, calcium phosphate/DNA precipitation and direct injection also are well known to those of ordinary skill in the art (Teratocarcinomas and Embryonic Stem Cells, A Practical Approach, E.J. Robertson, ed., IRL Press, 1987).

In cases involving random gene integration, a clone containing the sequence(s) of the invention is co-transfected with a gene encoding resistance. Alternatively, the gene encoding neomycin resistance is physically linked to the sequence(s) of the invention.

10

15

20

25

30

Transfection and isolation of desired clones are carried out by any one of several methods well known to those of ordinary skill in the art (E.J. Robertson, supra).

DNA molecules introduced into ES cells can also be integrated into the chromosome through the process of homologous recombination (Capecchi, Science 244: 1288-1292, 1989). Methods for positive selection of the recombination event (i.e., neo resistance) and dual positive-negative selection (i.e., neo resistance and gancyclovir resistance) and the subsequent identification of the desired clones by PCR have been described by Capecchi, supra and Joyner et al. (Nature 338: 153-156, 1989), the teachings of which are incorporated herein in their entirety including any drawings. The final phase of the procedure is to inject targeted ES cells into blastocysts and to transfer the blastocysts into pseudopregnant females. The resulting chimeric animals are bred and the offspring are analyzed by Southern blotting to identify individuals that carry the transgene. Procedures for the production of non-rodent mammals and other animals have been discussed by others (Houdebine and Chourrout, supra; Pursel et al., Science 244:1281-1288, 1989; and Simms et al., Bio/Technology 6:179-183, 1988).

Thus, the invention provides transgenic, nonhuman mammals containing a transgene encoding a kinase of the invention or a gene effecting the expression of the kinase. Such transgenic nonhuman mammals are particularly useful as an *in vivo* test system for studying the effects of introduction of a kinase, or regulating the expression of a kinase (*i.e.*, through the introduction of additional genes, antisense nucleic acids, or ribozymes).

A "transgenic animal" is an animal having cells that contain DNA which has been artificially inserted into a cell, which DNA becomes part of the genome of the animal which develops from that cell. Preferred transgenic animals are primates, mice, rats, cows, pigs, horses, goats, sheep, dogs and cats. The transgenic DNA may encode human STE20-related kinases. Native expression in an animal may be reduced by providing an amount of anti-sense RNA or DNA effective to reduce expression of the receptor.

IX. Gene Therapy

Protein kinases of the invention, or their genetic sequences will also be useful in gene therapy (reviewed in Miller, Nature 357:455-460, 1992). Miller states that advances have resulted in practical approaches to human gene therapy that have demonstrated

10

15

20

25

30

positive initial results. The basic science of gene therapy is described in Mulligan (Science 260:926-931, 1993).

In one preferred embodiment, an expression vector containing protein kinase coding sequence is inserted into cells, the cells are grown *in vitro*, and then are infused in large numbers into patients. In another preferred embodiment, a DNA segment containing a promoter of choice (for example a strong promoter) is transferred into cells containing an endogenous gene encoding kinases of the invention in such a manner that the promoter segment enhances expression of the endogenous kinase gene (for example, the promoter segment is transferred to the cell such that it becomes directly linked to the endogenous kinase gene).

The gene therapy may involve the use of an adenovirus containing kinase cDNA targeted to a tumor, systemic kinase increase by implantation of engineered cells, injection with kinase-encoding virus, or injection of naked kinase DNA into appropriate tissues.

Target cell populations may be modified by introducing altered forms of one or more components of the protein complexes in order to modulate the activity of such complexes. For example, by reducing or inhibiting a complex component activity within target cells, an abnormal signal transduction event(s) leading to a condition may be decreased, inhibited, or reversed. Deletion or missense mutants of a component, that retain the ability to interact with other components of the protein complexes but cannot function in signal transduction may be used to inhibit an abnormal, deleterious signal transduction event.

Expression vectors derived from viruses such as retroviruses, vaccinia virus, adenovirus, adeno-associated virus, herpes viruses, several RNA viruses, or bovine papilloma virus, may be used for delivery of nucleotide sequences (e.g., cDNA) encoding recombinant kinase of the invention protein into the targeted cell population (e.g., tumor cells). Methods which are well known to those skilled in the art can be used to construct recombinant viral vectors containing coding sequences (Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, N.Y., 1989; Ausubel et al., Current Protocols in Molecular Biology, Greene Publishing Associates and Wiley Interscience, N.Y., 1989). Alternatively, recombinant nucleic acid molecules encoding protein sequences can be used as naked DNA or in a reconstituted system e.g., liposomes or other lipid systems for delivery to target cells (e.g., Felgner et al., Nature 337:387-8,

10

15

20

25

30

1989). Several other methods for the direct transfer of plasmid DNA into cells exist for use in human gene therapy and involve targeting the DNA to receptors on cells by complexing the plasmid DNA to proteins (Miller, supra).

In its simplest form, gene transfer can be performed by simply injecting minute amounts of DNA into the nucleus of a cell, through a process of microinjection (Capecchi, Cell 22:479-88, 1980). Once recombinant genes are introduced into a cell, they can be recognized by the cell's normal mechanisms for transcription and translation, and a gene product will be expressed. Other methods have also been attempted for introducing DNA into larger numbers of cells. These methods include: transfection, wherein DNA is precipitated with CaPO₄ and taken into cells by pinocytosis (Chen *et al.*, Mol. Cell Biol. 7:2745-52, 1987); electroporation, wherein cells are exposed to large voltage pulses to introduce holes into the membrane (Chu *et al.*, Nucleic Acids Res. 15:1311-26, 1987); lipofection/liposome fusion, wherein DNA is packaged into lipophilic vesicles which fuse with a target cell (Felgner *et al.*, Proc. Natl. Acad. Sci. USA. 84:7413-7417, 1987); and particle bombardment using DNA bound to small projectiles (Yang *et al.*, Proc. Natl. Acad. Sci. 87:9568-9572, 1990). Another method for introducing DNA into cells is to couple the DNA to chemically modified proteins.

It has also been shown that adenovirus proteins are capable of destabilizing endosomes and enhancing the uptake of DNA into cells. The admixture of adenovirus to solutions containing DNA complexes, or the binding of DNA to polylysine covalently attached to adenovirus using protein crosslinking agents substantially improves the uptake and expression of the recombinant gene (Curiel *et al.*, Am. J. Respir. Cell. Mol. Biol., 6:247-52, 1992).

As used herein "gene transfer" means the process of introducing a foreign nucleic acid molecule into a cell. Gene transfer is commonly performed to enable the expression of a particular product encoded by the gene. The product may include a protein, polypeptide, anti-sense DNA or RNA, or enzymatically active RNA. Gene transfer can be performed in cultured cells or by direct administration into animals. Generally gene transfer involves the process of nucleic acid contact with a target cell by non-specific or receptor mediated interactions, uptake of nucleic acid into the cell through the membrane or by endocytosis, and release of nucleic acid into the cytoplasm from the plasma membrane or endosome. Expression may require, in addition, movement of the nucleic

10

15

20

25

30

acid into the nucleus of the cell and binding to appropriate nuclear factors for transcription.

As used herein "gene therapy" is a form of gene transfer and is included within the definition of gene transfer as used herein and specifically refers to gene transfer to express a therapeutic product from a cell in vivo or in vitro. Gene transfer can be performed ex vivo on cells which are then transplanted into a patient, or can be performed by direct administration of the nucleic acid or nucleic acid-protein complex into the patient.

In another preferred embodiment, a vector having nucleic acid sequences encoding a protein kinase polypeptide of the invention is provided in which the nucleic acid sequence is expressed only in specific tissue. Methods of achieving tissue-specific gene expression are set forth in International Publication No. WO 93/09236, filed November 3, 1992 and published May 13, 1993.

In all of the preceding vectors set forth above, a further aspect of the invention is that the nucleic acid sequence contained in the vector may include additions, deletions or modifications to some or all of the sequence of the nucleic acid, as defined above.

In another preferred embodiment, a method of gene replacement is set forth. "Gene replacement" as used herein means supplying a nucleic acid sequence which is capable of being expressed *in vivo* in an animal and thereby providing or augmenting the function of an endogenous gene that is missing or defective in the animal.

X. Administration of Substances

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996 and International patent publication number WO 96/22976, published August 1 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures, or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used, and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be formulated in animal models to achieve a circulating concentration range that initially

10

15

20

25

takes into account the IC_{50} as determined in cell culture assays. The animal model data can be used to more accurately determine useful doses in humans.

Plasma half-life and biodistribution of the drug and metabolites in the plasma, tumors, and major organs can be also be determined to facilitate the selection of drugs most appropriate to inhibit a disorder. Such measurements can be carried out. For example, HPLC analysis can be performed on the plasma of animals treated with the drug and the location of radiolabeled compounds can be determined using detection methods such as X-ray, CAT scan, and MRI. Compounds that show potent inhibitory activity in the screening assays, but have poor pharmacokinetic characteristics, can be optimized by altering the chemical structure and retesting. In this regard, compounds displaying good pharmacokinetic characteristics can be used as a model.

Toxicity studies can also be carried out by measuring the blood cell composition. For example, toxicity studies can be carried out in a suitable animal model as follows: 1) the compound is administered to mice (an untreated control mouse should also be used); 2) blood samples are periodically obtained via the tail vein from one mouse in each treatment group; and 3) the samples are analyzed for red and white blood cell counts, blood cell composition, and the percent of lymphocytes versus polymorphonuclear cells. A comparison of results for each dosing regime with the controls indicates if toxicity is present.

At the termination of each toxicity study, further studies can be carried out by sacrificing the animals (preferably, in accordance with the American Veterinary Medical Association guidelines Report of the American Veterinary Medical Assoc. Panel on Euthanasia, Journal of American Veterinary Medical Assoc., 202:229-249, 1993). Representative animals from each treatment group can then be examined by gross necropsy for immediate evidence of metastasis, unusual illness, or toxicity. Gross abnormalities in tissue are noted, and tissues are examined histologically. Compounds causing a reduction in body weight or blood components are less preferred, as are compounds having an adverse effect on major organs. In general, the greater the adverse effect the less preferred the compound.

10

15

20

25

30

For the treatment of cancers the expected daily dose of a hydrophobic pharmaceutical agent is between 1 to 500 mg/day, preferably 1 to 250 mg/day, and most preferably 1 to 50 mg/day. Drugs can be delivered less frequently provided plasma levels of the active moiety are sufficient to maintain therapeutic effectiveness.

Plasma levels should reflect the potency of the drug. Generally, the more potent the compound the lower the plasma levels necessary to achieve efficacy.

EXAMPLES

The examples below are not limiting and are merely representative of various aspects and features of the present invention. The examples below demonstrate the isolation and characterization of the protein kinases of the invention.

EXAMPLE 1: Isolation of cDNA clones Encoding Novel Mammalian Protein Kinases Materials and Methods Identification from cDNA databases and isolation of clones encoding novel protein kinases

Novel kinases were identified from the public EST databases using a Hidden Markov model, abbreviated HMM (Krogh, A., Brown, M., Mian, I. S., Sjolander, K., and Haussler, D. 1994. Hidden Markov models in computational biology: Applications to protein modeling. *J. Mol. Biol.*, 235:1501-1531). The model was built with 70 mammalian and yeast kinase catalytic domain sequences. These sequences were chosen from a comprehensive collection of kinases such that no two sequences had more than 50% sequence identity. ESTs were translated in six open reading frames and were searched against the model. ESTs that had a score of at least 10 against the HMM were then masked for repetitive sequences and vectors and were clustered using MSA. The resulting contigs were searched against known kinases to identify EST clones that encode novel kinases.

Approximately 40% of the ESTs encoding potentially novel kinases did not correspond to the correct EST upon sequence analysis. Most of these discrepancies were resolved by ordering additional clones, however, 14 remained unavailable. These 14 ESTs were amplified from a variety of single-stranded cDNA sources with primers derived from the corresponding EST entry as shown on Table 5. The PCR product was subcloned into a bluescript vector, digested to confirm the presence of a correct size insert and sequenced. Full sequencing of EST and PCR was carried out using a cycle sequencing Big-dye kit

with AmpliTaq DNA Polymerase, FS (ABI, Foster City, CA). Sequencing reaction products were run on an ABI Prism 377 DNA Sequencer.

Table 5: Primers used to clone PCR products corresponding to novel kinases

	ID#	ID#	Parent	5' primer	3' primer
sp	na	aa	Sequence	Sequence*	Sequence*
Н	33	153	2R22-5-11	GAGATCGRNTTYAARGA	TGTCACNCCNAGNSWCCAN
ŀ	l			RTTYGA	AYRTT
M	81	200	5R57_10_2_	GCTGCTGGACAGTGACT	GAAAGCAAAGCCTTCACAC
			m TESK2_m	TGTATTT	СТТ
H	67	187	5R69_17_2_h	CTCTCACCTCAGGAACT	GCTTGCGGATCTTCTCA
				GG	
H	46	166	SGK309_h	GACATCCTGCCGGCCAA	CGGCCCTGGAGCTGCATCA
				CTACG	СТА
M	67	228	5R72_16_2_h	TGCGCGACACCATTGAC	CTCAGGGCTTACATACAGA
				CAG	G
Н	45	165	5R72_8_2_h	AAAGGAGAACTACATTT	CTTCATCATCTCTAATACAT
				TGAAAAT	TGGTTGG
Н	41	161	Z36720	CAAATTAAGATCATTGA	GGAAACAAAGTCCTTGGCC
				CTTTGGG	TC
Н	115	234	AL031652 -	GTGGACATCTGGTCCCT	GTAGGTCCTTCACTCTTGG
			Pak6	CG	AG

• degenerate oligonucleotide residue designation:

5 N=A,C,G ot T

R = A or G

Y = C or T

S = C or G

W=A or T

10

15

Full-length sequence extension of protein kinases using cDNA and genomic databases

Extension of partial cDNA sequences to encompass the full-length open-reading frame was carried out by iterative blastn searching of the cDNA databases listed in Table 6. All blastn searches were conducted using a blosum62 matrix, a penalty for a nucleotide mismatch of -3 and reward for a nucleotide match of 1. The gapped blast algorithm is described in: (Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schaffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and

PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402).

Table 6. Databases used for cDNA-based sequence extensions

Database	Database Date
LifeGold templates	Feb 2000
LifeGold compseqs	Feb 2000
LifeGold compseqs	Mar 2000
LifeGold compseqs	Apr 2000
LifeGold fl	Feb 2000
LifeGold flft	Apr 2000
NCBI human Ests	May 2000
NCBI murine Ests	May 2000
NCBI nonredundant	May 2000

5

10

15

20

Extension of partial cDNA sequences to encompass the full-length open-reading frame was also carried out by iterative searches of genomic databases. Three methods were used. The first method made use of the Smith-Waterman algorithm to carry out protein-protein searches of the closest homologue or orthologue to the partial kinase. The target databases consisted of Genescan and open-reading frame (ORF) predictions of all human genomic sequence derived from the human genome project (HGP) as well as from Celera. The complete set of genomic databases searched is shown in Table 7 below. Genomic sequences encoding potential extensions were further assessed by blastp analysis against the NCBI nonredundant to confirm the novelty of the hit. The extending genomic sequences were incorporated into the cDNA sequence after removal of potential introns using the Seqman program from DNAStar. The default parameters used for Smith-Waterman searches were as shown next. Matrix: blosum 62; gap-opening penalty: 12; gap extension penalty: 2. Genescan predictions were made using the Genescan program as detailed in (Chris Burge and Sam Karlin "Prediction of Complete Gene Structures in Human Genomic DNA", JMB (1997) 268(1):78-94). ORF predictions from genomic DNA were made using a standard 6-frame translation.

The second method for genomic sequence-based extensions made use of tBlastn searches of the homologue or orthologue to the partial kinase against the cDNA databases listed in Table 7. The recognition of significant hits in these databases made possible to identify bridging partial cDNA clones. The iterative application of the two methods made possible the assemblage of the virtual full-length sequence for a large number of the kinases presented in this application. All tblastn searches were conducted using a blosum62 matrix, a penalty for a nucleotide mismatch of -3 and reward for a nucleotide match of 1.

The last method for defining cDNA extensions from genomic sequence used iterative searches of genomic databases through the Genescan program to predict exon splicing and the Genewise program (http://www.sanger.ac.uk/Software/Wise2/) to predict potential ORFs based on homology to the closest orthologue/homologue.

Table 7. Databases used for genomic-based sequence extensions

Database	Number of entries	Database Date
Celera v. 1-5	5,306,158	Jan 19/00
Celera v. 6-10	4,209,980	Mar 24/00
Celera v. 11-14	7,222,425	Apr 24/00
Celera v. 15	243,044	May 14/00
HGP all Genescan	25,885	Apr 04/00
HGP; Phase 0	4,944	May 04/00
HGP; Phase 1	28,478	May 05/00
HGP; Phase 2	1,508	May 04/00
HGP; Phase 3	9,971	May 05/00

15

20

5

10

Virtual Extensions

Human AA826850 (SEQ ID NO: 3, SEQ ID NO:124)

Blastn analysis of the partial AA826850 sequence revealed an extension to encompass the complete ORF in the Incyte EST 238299.1. A frame-shift correction at position 595 of this EST (marked by X in NA sequence) generated an uninterrupted ORF.

Human AA960957 (SEQ ID NO: 4, SEQ ID NO:125)

10

15

20

25

30

Since the initial filing of this application, the partial AA960957 sequence appeared in the public database as the full-length gene for a protein kinase encoded by a gene that maps adjacent to the evc (AJ250839) (ellis-van creveld syndrome and weyers acrodental dysostosis) gene from 4p16.1.

Human 5R79-46-1_h (SEQ ID NO: 5, SEQ ID NO:126)

Blastn analysis of the partial 5R79-46-1 sequence revealed an extension to encompass the complete ORF in the Incyte EST 463894.6. Since the initial filing of this application, the full-length virtual 5R79-46-1 appeared in the public database as the full-length gene for the TANK-binding kinase (TBK1) (Pomerantz, J.L. and Baltimore, D. (1999) EMBO J. 18 (23), 6694-6704). TBK1 participates in NF-kB activation through the formation of a signaling complex with TRAF2 and TANK.

Human AA305176 (SEQ ID NO: 6, SEQ ID NO:127)

Blastn analysis of the partial AA305176 sequence revealed an extension to encompass the complete ORF in the Incyte EST 220937.1.

Human AA256100 (SEQ ID NO: 8, SEQ ID NO:129)

Blastn analysis of the partial AA256100 sequence revealed an extension to encompass the complete ORF through the assembly of three partial clones: Incyte EST 480815.6, KIAA0965 (BAA76809) and AA256100.

Human AA210825 (SEQ ID NO: 9, SEQ ID NO: 130)

Blastn analysis of the partial AA210825 sequence revealed an extension to encompass the nearly complete ORF through the assembly of three partial clones: Incyte EST 014721.7, and the NCBI EST's AW01158 and AA210825. An insertion of two "N's" at positions 1915 and 1916 generated an uninterrupted ORF. Blastx analysis indicated the possibility of a start Met in the range of 400-450 nucleotides (i.e. compared to the closest homolog, human PKCmu (CAA53384.1). However, no Met was found in this region; rather ORF ends in an in-frame stop preceeded by the sequence "RGLLAPGDPPCPPPNPAPATPPSSRLPTELFSNFCDS". It is possible that part of the sequence covered by nucleotide positions 1-400 derived from AW01158 comes from an intron, explaining the absence of a start Met.

Human AA127299 (SEQ ID NO:10, SEQ ID NO:131)

No entries in the database extended this sequence. The 1684 bp insert of this EST contains a 1369 bp intron at the 3' end. Blastx and SW analysis of the 315 bp coding

10

15

20

25

30

region revealed homology to the extracatalytic C2 domain of PKC. This EST, may or may not encode a kinase.

Human AA316804 (SEQ ID NO:11, SEQ ID NO:132)

Since the initial filing of this application, the partial AA316804 sequence appeared in the public database as the full-length gene for the PKC family protein kinase EPK2 or PKCnu (AB015982).

Human H19102 (SEQ ID NO:14, SEQ ID NO:135)

Genewise and Genescan analyses of the partial H19102 sequence revealed an extension from the HGP phase 3 contig 3810672 to encompass the complete catalytic domain of this EST. Blastn analysis against the non-redundant database revealed that this gene is found in the cosmid AC005726 from chromosome 17. H19102 may encode a dual catalytic kinase given the homology to S6 kinase. Analysis of genomic sequence upstream of the 5' end of H19102 revealed a non-kinase gene oriented in the same polarity as H19102 suggestive of the start Met for H19102 being close to the 5' end of the H19102 sequence. From this analysis it is deduced that the second catalytic domain of H19102, if present, is most likely located within the 47334-185,215 bp region of the genomic sequence of AC005726.

Human AA476563 (SEQ ID NO:15, SEQ ID NO:136)

Since the initial filing of this application, the partial AA476563 sequence appeared in the public database as the full-length gene for the protein kinase RPS6KC1 (NM_012424) (Zhang, H. et al Genomics (1999) 61, 314-318), which is an S6 kinase mapping to 12q12-q13.1.

Human AA626690 (SEQ ID NO:16, SEQ ID NO:137)

Since the initial filing of this application, the partial AA626690 sequence appeared in the public database as the full-length gene for the protein kinase RPS6KA6 (AF184965) (Yntema, H.G et al (1999) Genomics 62, 332-343), an S6 kinase commonly deleted in patients with complex X-linked (Xq21.1) mental retardation.

Human AI215680 (SEQ ID NO: 17, SEQ ID NO:138)

Since the initial filing of this application, the partial AI215680 sequence appeared in the public database as the full-length gene encoding a hypothetical protein (AAD30182) from the locus AC006530.4 from chromosome 14.

Human AA887783 (SEQ ID NO:21, SEQ ID NO:142)

10

15

20

25

30

Blastn analysis of the partial AA887783 sequence revealed an extension to encompass the nearly complete ORF through the assembly of three partial clones: Incyte 415390R6 and the NCBI EST's AA887783 and N94726. Since the initial filing of this application, the nearly full-length virtual AA887783 sequence appeared in the public database as the full-length gene encoding SGK3 (AF169035), a serum- and glucocorticoid-induced protein kinase (Kobayashi, T. et al (1999) Biochemical J. 344, 189-197.

Human R47805 (SEQ ID NO:22, SEQ ID NO:143)

A cDNA clone encoding the full-length ORF of R47805 was isolated using R47805 as a screening probe. A full-length form for R47805 has also appeared in the public database as

PTK9L (NM_007284), an A6-related protein kinase.

Human H60215 (SEQ ID NO:23, SEQ ID NO:144)

Blastn analysis of the partial H60215 sequence revealed an extension to encompass the complete ORF in the public EST AI275726. This was confirmed through the full insert sequencing of this EST (2,310 bp) which corresponds to the sequence under SEQ ID NO:144.

A different stop codon was predicted for AI275726 compared to H60215 due to a single nucleotide insertion at position 1586 in AI275726. Evidence for the extra nucleotide comes from EST AI191922.

SGK324_h orthologue of W30246_m (SEQ ID NO:24, SEQ ID NO:145)

Blastn, blastx and Smith-Waterman analyses of genomic databases revealed an extension to encompass the complete ORF corresponding to the human orthologue of murine W30246. Exons predicted from the following sequences were used for contig construction: Celera 17000189645083, 17000057549105 and 11000501939981; Incyte142404.1, HGP_7249119, Incyte 7196489H1, Celera 11000501939981, 17000028165594; Incyte 7249119_3, Celera 17000035772368, 11000502081575 and 17000140274329. The latter Celera sequence provides the N-terminus.

Human AA383293 (SEQ ID NO:26, SEQ ID NO:147)

Blastn, blastx and Smith-Waterman analyses of genomic databases revealed an extension to encompass the complete ORF corresponding for AA383293. Exons predicted from the following sequences were used for contig construction: (numbers in parenthesis

10

15

20

25

30

refer to the aa sequence of the closest homolog (RU2S, NP_057440) used for the Smith-Waterman query): N-term from Incyte 6010175_2 (14-97), Incyte 6981981 (134-184) 7596749 (186-232) Celera 17000020789545 (243-301) CAB75619.1 (310-341)-(56-145 DCX homology) 6010175_2, Celera 17000030058129 (241-262 DCX homology).

Human AA021445 (SEQ ID NO:32, SEQ ID NO:152)

Blastn analysis revealed an extension to encompass the nearly complete ORF corresponding for AA021445. Contig reconstruction was as follows: nucleotides1-802 from KIAA0999 (AB023216); nucleotides 803-4321 from full-insert sequence of AA021445. A pairwise alignment between the AA021445 and KIAA0999 revealed three inserts in the extracatalytic C-terminus of 48, 48 and 161 aminoacids. In addition, both AA021445 and KIAA0999 have 15 copies of a CAG repeat. Trinucleotide repeats are often found in genes that linked to neurodegenerative diseases.

Human 2R22-55-1 (SEQ ID NO:33, SEQ ID NO:153)

Blastn analysis revealed an extension in the Incyte EST clone 321074.1 to encompass the complete ORF corresponding to 2R22-55-1.

Human orthologue of AA544838_m (SEQ ID NO:36, SEQ ID NO:156)
tBlastn analysis identified the partial human KIAA0135 (U79240) clone as the human orthologue of murine AA544838. Blastn revealed an extension KIAA0135_h (U79240) to encompass the complete ORF. The full ORF was reconstructed from Incyte406786.5, KFZp430051 and KIAA0135 (U79240).

Human orthologue of AI785735_m (SEQ ID NO:38, SEQ ID NO:158)
tBlastn analysis identified the partial human KIAA0781 (AB018324) clone as the human orthologue of murine AI785735. Blastn revealed an extension KIAA0135_h (U79240) to encompass the complete ORF. The full ORF was reconstructed from Incyte 986123.37 KIAA0781 (AB018324).

Human AA207220 (SEQ ID NO: 39, SEQ ID NO:159)

Blastn analysis revealed an extension to encompass the nearly complete ORF corresponding for AA021445. The full ORF was reconstructed from Incyte 402740.1 and AA207220. Frame corrections: deletion of 441 and 595 over Inc402740.1 seq based on blastx to keep frame open; two n insertions 940, 941 over AA207220 to keep frame open. Human AA426580 (SEQ ID NO:40, SEQ ID NO:160)

10

15

20

Since the initial filing of this application, the partial AA426580 sequence appeared in the public database as the full-length gene encoding MAK-V (AJ271722) from chromosome 21q22.1.

Human 5R79-54-1 (SEQ ID NO: 41, SEQ ID NO:161)

Genewise and Genescan analyses of the partial 5R79-54-1 sequence revealed an extension from genomic sequence to encode the full ORF for 5R79-54-1.

Human orthologue of AA542015_m (SEQ ID NO: 42, SEQ ID NO:162) tBlastn analysis identified KIAA1297 (AB037718). Blastn extended the KIAA1297 sequence to provide the C-terminus through the Incyte 224074.1 EST. The partial ORF consists of a dual catalytic domain flanked by 6 Ig domains and 2 fibronectin repeats. Based on homology to the bt drosophila protein (AAF59316.1), the human form of AA542015 is expected to be missing 16 Ig domains.

Human R19772 (SEQ ID NO:44, SEQ ID NO:164)

The full-length ORF for R19772 was isolated by screening a cDNA library using a probe derived from R19772. Since the initial filing of this application, the R19772 sequence appeared in the public database as the full-length gene encoding Trio (Duet) (AB011422). CDNA library screening revealed multiple isoforms for this gene which are summarized in the Table below.

Table 8. Isoforms for R19772

Kestrl Name	Kestrl AA Acc #	Isoform type	Source	Description*
Trad (Duet)	R19772	В	Skeletal muscle	Deletion of K at 124
				Deletion of Q at 616
				Substitution of E for G at 762
		С	Skeletal muscle	Deletion of K at 124
				Deletion of Q at 616
				Substitution of E for G at 762

		Deletion of 32 aa (160-191)
D	Lung tumor	Deletion of Q at 616
		Deletion of 32 aa (160-191)
E	Lung tumor	Deletion of Q at 616
		Deletion of 32 aa (160-191)

^{*} reference amino acid position are with respect to sequence of Trad (AB011422)

Human AA435956 (SEQ ID NO:48, SEQ ID NO:168)

Blastn analysis revealed an extension to encompass the nearly complete catalytic region of AA435956. 5' end sequence extension was provided by genomic locus AC007242.3 h (range 44880-43801). Based on blastx analysis, the extended sequence

encodes is full-length at the C-terminus.

Human AA397553 (SEQ ID NO: 51, SEQ ID NO:171)

10

15

20

25

Since the initial filing of this application, the partial AA397553 sequence appeared in the public database as the full-length gene encoding CRK7 (AF227198), a novel CDC2-related protein kinase that colocalizes with interchromatin granule clusters.

Human AA789239 (SEQ ID NO: 52, SEQ ID NO:172)

Since the initial filing of this application, the partial AA789239 sequence appeared in the public database as the full-length gene encoding NKIAMRE (AF130372), a novel kinase deleted in human leukemia.

Human AA631990 (SEQ ID NO:55, SEQ ID NO:175)

Blastn analysis revealed an extension to encompass the full-length ORF for AA631990. The full ORF was reconstructed from 253847.5 and AA631990 and AA207220. Frame corrections: delete 1 C at 1380, delete 2N's at 2033/2034.

Human AA557536 (SEQ ID NO:56, SEQ ID NO:176)

Blastn analysis revealed an extension to encompass full-length ORF for AA557536. The full ORF was reconstructed from AA557536, celera 11000504061899 and the Incyte 097089.1 EST. An 85bp intron was removed from AA557536.

Human N34132 (SEQ ID NO: 63, SEQ ID NO:183)

Full sequencing of EST N34132 (1.3 kb) confirmed that this cDNA encodes a novel NEK-subfamily kinase. Blast analysis against the EST database showed that four

10

15

20

25

30

EST sequences (AA283140, AA283140, AA282911 and N53011) extended the sequence of N34132 at the 3' end to form a 2.31 kb contig. Blast analysis of the new contig against the nonredunat public database showed that the N34132 extended contig overlapped (100% identity) over 228 bp at its 3' end with human KIAA0344 (AB002342), a 5, 787 bp cDNA encoding a 1246 aa polypeptide. The 5' 790 bp of the KIAA0344 cDNA (encoding the 58 N-terminal protein sequence) were found to be divergent with respect to the extended 2.32 kb N34132 contig. Evidence that the extended N34132 contig (2.31kb) and KIAA0344 (AB002342) belong to the same gene is the following. First, blast analysis of the nucleotide sequences for N34132 and KIAA0344 against the NRN database confirmed that these cDNA's are transcribed from the same genomic locus defined by two overlapping BACs (AC004765 and AC004803) from chromosome 12p13.3. Second, full sequence determination of a PCR fragment amplified from single-stranded cDNA confirmed the junction between the extended N34132 contig and KIAA0344_h (AB002342). The 462 PCR product was amplified with primers

CTCCTCAACAGACAGTGCAG (5' primer) and GACATTCTACTCCGGTCTC (3' primer) designed from the N34132 extended contig and KIAA0344 sequences

CTCCTCAACAGACAGTGCAG (5' primer) and GACATTCTACTACTCGGTCTC (3' primer) designed from the N34132 extended contig and KIAA0344 sequences, respectively. The region of N34132 containing the start Met was isolated by PCR from a testis cDNA library (Clontech).

Human 5R69-17-2 (SEQ ID NO:67, SEQ ID NO:187)

The full-length ORF for 5R69-17-2 was isolated by screening a cDNA library using a probe derived from 5R69-17-2.

Human H85811 (SEQ ID NO:68, SEQ ID NO:188)

Tblastn, Smith-Waterman and blastn analyses using cDNA databases revealed an extension to encompass full-length ORF for H85811. The full ORF was reconstructed from Incyte ESTs 202971.8, 034583.3 and 034583.1 and public ESTs H85811 and AI570599.

Human R43524 (SEQ ID NO:73, SEQ ID NO:192)

Blastn analysis revealed an extension to encompass the complete catalytic region and the C-terminus of R43524. Since the initial filing of this application, the partial R43524 sequence appeared in the public database as the full-length gene encoding the heme-regulated initiation factor 2-alpha kinase (HRI) (AF181071).

Human AA088547 (SEQ ID NO:78, SEQ ID NO:197)

10

15

25

Genewise and Genescan analyses of genomic databases revealed an extension to encompass the complete ORF for AA088547.

Human orthologue of AA139478_m (SEQ ID NO:80, SEQ ID NO:199)

Tblastn identified the Incyte 211475.1 as the potential full-length human orthologue of murine AA139478

Human AA232253 (SEQ ID NO:82, SEQ ID NO:201)

The full-length ORF for AA232253 was isolated by screening a cDNA library using a probe derived from AA232253. Since the initial filing of this application, the AA232253 sequence appeared in the public database as the full-length gene encoding SLK (AB011422). SLK is a stress-regulated mixed lineage kinase-like protein that activation of Rac and induction of apoptosis. cDNA library screening revealed multiple isoforms for this gene which are summarized in the Table below.

Table 9. Isoforms for AA232253

Kestrl Name	Kestrl AA Acc #	Isoform type	Description*
MLK4	AA232253	MLK4	Substitution of C for W at 346
		MLK4B	Different Cterm (332-800); seq in MLK4B is as shown in *

* C-terminus specific to MLK4B

20 KTTSKRRGKKVNMALGFSDFDLSEGDDDDDDDGEEEDNDMDNSE

Human H97685 (SEQ ID NO:84, SEQ ID NO:203)

Blastn analysis revealed an extension to encompass the full-length ORF for H97685. The full ORF was reconstructed from Incyte 474824.1 and the public ESTs H97685 and M62021.

Human AI052250 (SEQ ID NO:87, SEQ ID NO:206)

10

15

20

25

30

Blastn analysis revealed an extension to encompass the full-length ORF for Al052250. The full ORF was reconstructed from Incyte 396868.1, the public partial cDNA FLJ10074 (minus intron) and the public ESTs and the public ESTs Al052250 and H97685, Al499220 and M62021.

Human AA278842 (SEQ ID NO:88, SEQ ID NO:206)

A nearly full-length cDNA (FL4F12) for AA278842 was isolated by screening a cDNA library using a probe derived from AA278842. A full-length virtual ORF was generated using FL4F12 and AA278842.

Human AA599286 (SEQ ID NO:89, SEQ ID NO:208)

Since the initial filing of this application, the partial AA599286 sequence appeared in the public database as a full-length ORF (AK000342).

Human AA425725 (SEQ ID NO:90, SEQ ID NO:209)

Since the initial filing of this application, the partial AA425725 sequence appeared in the public database as MSSK1, a serine kinase gene located from human chromosome Xq28.

Human SGK022 orthologue of AA060026_m (SEQ ID NO:91, SEQ ID NO:210)

Tblastn, Smith-Waterman and blastn analyses of cDNA and genomic databases
databases revealed a potential human orthologue for murine AA060026. The full-length
ORF for SGK022 was reconstructed from genomic locus AC022307.

Human AA399669 (SEQ ID NO:93, SEQ ID NO:212)

Blastn analysis revealed an extension to encompass the full-length ORF for AA399669. The full ORF was reconstructed as follows: sequence 1-1007 from AL136295.2; sequence1008-2319 from AA399669 and Incyte 428177.1.

Human AA883975 (SEQ ID NO:95, SEQ ID NO:214)

Genescan and Genewise analyses of the genomic databases revealed an extension for AA883975 to encompass the full-length ORF

Human AA905446 (SEQ ID NO:96, SEQ ID NO:215)

Tblastn, Smith-Waterman and blastn analyses of cDNA and genomic databases databases revealed an extension for AA905446 to encompass the full-length ORF. For the Smith-Waterman analysis murine STK22 (NP_033462) was used as the closest orthologue. Contig formation: range 162133-163687 from HGP_h 6921333_9; removed intron (146-893) predicted from blastx analysis.

Human H29974 (SEQ ID NO: 97 SEQ ID NO:216)

Blastn analysis revealed an extension to encompass a complete catalytic ORF for AA399669. The nearly full-length ORF was reconstructed using Incyte 213829.1 and H29974.

Human AA215311 (SEQ ID NO:99, SEQ ID NO:218)

Blastn analysis revealed an extension to encompass the full-length ORF for AA21531. The full ORF was reconstructed from Incyte 067584.1, 022456.1, AA215311 and the reverse complement of CPG_043208.

Human AA018361 (SEQ ID NO:100, SEQ ID NO:219)

10

15

20

25

5

The full-length ORF for AA018361 was isolated by screening a cDNA library using a probe derived from AA018361. This yielded clone Sug4-30. Clone Sug4-30, like multiple, independent cDNA clones contained a 181bp intron. The existence of intron-less RNA's was confirmed by a PCR reaction that generated a product that upon sequence analysis skipped the intron region. The full-length virtual ORF for AA018361 was generated through a contig between AL117482 (seq 1-367) and the sequence for clone Sug4-30.

Human orthologue of AA396601_m (SEQ ID NO:106, SEQ ID NO:225)

tBlastn and Smith-Waterman analyses of genomic sequence revealed an extension to encompass the full catalytic region for the human orthologue of AA396601. The ORF was reconstructed from Incyte 018653.9 (7261449H1, 6891740J1) and genomic sequence CPG 040010.

Human orthologue of AA671275 m (SEQ ID NO:108, SEQ ID NO:227)

Since the initial filing of this application, a potential human orthologue for murine AA671275 appeared in the public database as the full-length ORF for vaccinia related kinase 3 (BAA90769).

Human H05721 (SEQ ID NO:111, SEQ ID NO:230)

Genescan and Genewise analyses of genomic sequence revealed an extension to encompass the full-length ORF for H05721.

Human AI086865 (SEQ ID NO:112, SEQ ID NO:231)

30

Genescan and Genewise analyses of genomic sequence revealed an extension to encompass the full-length ORF for AI086865. The full-length ORF was reconstructed from Celera 17000102901516, Incyte 243269.1 and public AL1377531.

Human AA836348 (SEQ ID NO:113, SEQ ID NO:232)

Genescan and Genewise analyses of genomic sequence revealed an extension to encompass the full-length ORF for AA836348.

Human R86668 (SEQ ID NO:14, SEQ ID NO:233)

5

The full-length ORF for R86668 was isolated by screening a cDNA library using a probe derived from R86668. Since the initial filing of this application, the R8668 sequence appeared in the public database as the full-length gene mitogen-activated protein kinase kinase 6 (MAP3K6) (NM_00467).

Human 2R41-9-4 (SEQ ID NO: 16, SEQ ID NO:235)

10

The full-length virtual ORF for 2R41-9-4 was generated using genomic sequence to provide the Nterminus for the partial ORF predicted from clone 2R41-9-4

Table 10. Sequences deleted from the provisional patent due to duplication with other genes in the patent

Prov. SEQ ID NO: (na)	Prov. SEQ ID NO: (aa)
160	196
213	214
215	216
122	126
119	123
148	184
4	20
7	23
205	206
14	30
15	31
35	56
42	63
51	72
44	65
77	91

78	92
79	93
80	94
157	193

Results

5

10

15

20

25

Table 1 documents the results from the analysis of the nucleic acid sequence data. From left to right the data presented is as follows. "Gene name" refers to the EST or PCR fragment that defined the novel kinase. "Species" refers to the organism the sequence was derived from. "ID#" refers to the nucleic acid and amino acid sequence ID number designation from this patent. "Kinase family "and "Kinase group" refers to the protein kinase classification defined by sequence homology and based on previously established phylogenetic analysis [Hardie, G. and Hanks S. The Protein Kinase Book, Academic Press (1995) and Hunter T. and Plowman, G. Trends in Biochemical Sciences (1977) 22:18-22 and Plowman G.D. et al. (1999) Proc. Natl. Acad. Sci. 96:13603-13610)]. "ORF Start", "ORF End", "ORF Length" refer to the open reading frame range and length as calculated by standard nucleic acid translation programs such as MapDraw (DNAStar). "DNA Repeats" refers to regions of low complexity sequence or repetitive elements such as Alu, LINE, SINE, and LTR sequences. The chromosomal location (CHR localization) for 37 of the 110 novel protein kinases is shown on Table 1 (NA, not available). The methods for determining chromosomal position are outlined below, in Example 2.

Table 2 documents the results from the analysis of the amino acid sequence data. From left to right the data presented is as follows. "Gene name" refers to the EST or PCR fragment that defined the novel kinase. "Species" refers to the organism the sequence was derived from. "ID#" refers to the nucleic acid and amino acid sequence ID number designation from this patent. "Kinase family "and "Kinase group" refers to the protein kinase classification defined by sequence homology and based on previously established phylogenetic analysis [Hardie, G. and Hanks S. The Protein Kinase Book, Academic Press (1995) and Hunter T. and Plowman, G. Trends in Biochemical Sciences (1977) 22:18-22 and Plowman G.D. et al. (1999) Proc. Natl. Acad. Sci. 96:13603-13610)]. "nraa Score", "ID match aa", "Identity", "Similar", "nraa Match Acc#", Description" refer to the data obtained using a Smith-Waterman search of the amino acid sequence against the non-

RTK

5

redundant protein database (Matrix: Pam100; gap open/extension penalties 14/1). "Kinase Domain Start", "Kinase Domain End", "Profile Start" and "Profile End" refer to data obtained using a Hidden-Markov Model to define catalytic range boundaries. The profile has a length of 261 amino acids, corresponding to the complete protein kinase catalytic domain. Proteins in which the profile recognizes a full length catalytic domain have a "Profile Start" of 1 and a "Profile End" of 261. The boundaries of the catalytic domain within the overall protein are noted in the "Kinase Domain Start" and "Kinase Domain End" columns.

The following abbreviations were used for kinases:

ASK	Apoptosis signal-regulating kinase
CaMK	Ca2+/calmodulin-dependent protein kinase
CCRK	Cell cycle-related kinase
CDK	Cyclin-dependent kinase
CK	Casein kinase
DAPK	Death-associated protein kinase
DM	myotonic dystrophy kinase
Dyrk	dual-specificity-tyrosine phosphorylating-regulated kinase
GAK	Cyclin G-associated kinase
GRK	G-protein coupled receptor
GuC	Guanylate cyclase
HIPK	Homeodomain-interacting protein
IRAK	Interleukin-1 receptor-associated kin
MAPK	Mitogen activated protein kinase
MAST	Micotubule-associated STK
MLCK	Myosin-light chain kinase
MLK	Mixed lineage kinase
NIMA	NimA-related protein kinase
PKA	cAMP-dependent protein kinase
RSK	Ribosomal protein S6 kinase

Receptor tyrosine kinase

SGK Serum and glucocorticoid-regulated kinase

STK serine threonine kinase

ULK UNC-51-like kinase

The following abbreviations were used for species

Human Η M Murine R Rat Fowlpox virus FV M. thermoautotrophicum MT CE Caenorhabditis elegans DM Drosophila melanogaster Oryza sativa OS Schizosaccharomyces pombe SP Tetrahymena pyriformis TP ΡI Petunia inflata

NC Neurospora crassa

MSV Medicago sativa

MSV Moloney murine sarcoma virus

SA Squalus acanthias
CS Cucumis sativus

GM Glycine max

LL Lilium longiflorum

TV Trichomonas vaginalis

MP Mycoplasma pneumoniae

DD Dictyostelium discoideum

SC Saccharomyces cerevisiae

MT Methanobacterium thermoautotrophicum

10

15

20

25

Domain and Motif Identification

A Hidden Markov model (HMM) (Krogh, A., Brown, M., Mian, I. S., Sjolander, K., and Haussler, D. (1994). Hidden Markov models in computational biology:

Applications to protein modeling. J. Mol. Biol., 235:1501-1531) was used to identify, both catalytic and extracatalytic domains. Table 4 shows extra-catalytic domains that were identified using the HMM program. Other domains such as coiled-coil and pest motifs were identified as described next.

Potential coiled-coil domains were identified using the COILS program (www.ch.embnet.org/software/COILS_form.html). The matrix used was MTIDK with windows of 14, 21, 28 amino acids. Only regions scoring 0.5 or higher were considered to have potential coiled-coil domain region.

Protein sequences containing potential pest motifs were identified using the program PESTfind (www.at.embnet.org/embnet/tools/bio/PESTfind/). PEST regions in proteins are by definition sequences that tend to be rich in proline, glutamic or aspartic acid, argininine and histidine; they have been associated with increased protein turnover rates (Rogers S. et al. (1986) Science 234, 364-368. The algorithm defines PEST sequences as hydrophilic stretches of amino acids greater than or equal to 12 residues in length. Such regions contain at least one P, one E or D and one S or T. They are flanked by lysine (K), arginine (R) or histidine (H) residues, but positively charged residues are disallowed within the PEST sequence. PESTfind produces a score ranging form about -50 to +50. By definition, a score above zero denotes a possible PEST region; a value greater than +5 defines a high probability that there is a PEST domain.

Identification of potential coiled-coil domains and PEST domains in N34132

Potential coiled-coil domains were identified in N34132 (SEQ ID NO:183) using the COILS program. Only regions scoring 0.5 or higher were considered to have potential coiled-coil domain region. The amino acid positions within N34231 scoring for potential coil-coil regions are shown below.

10

15

20

Table 11 coiled-coil domains predicted for N34132

Coiled-coil Region	Amino acid range	Length (aa)
1	124-147	24
2	437-451	15
3	495-526	32
4	1,723-1,749	27

Potential PEST domains were identified in N34132 using PESTfind, a value greater than +5 defines a high probability that there is a PEST domain. The amino acid positions within N34132 scoring for potential PEST regions are shown below.

Table 12 Potential Pest domains identified in N34132

PEST Region	Score	Amino acid range	Amino Acid Length
1	+ 4.91	54-95	42
2	+11.4	537-570	34
3	+31.08	1293-1304	12
4	+10.15	1543-1565	23
5	+ 6.17	1698-1732	35

EXAMPLE 2. Chromosomal Localization of Novel Mammalian Protein Kinases Materials and Methods

Several sources were used to find information about the chromosomal localization of each of the genes described in this patent. First, the accession number for the nucleic acid sequence was used to query the Unigene database. The site containing the Unigene search engine is: http://www.ncbi.nlm.nih.gov/UniGene/Hs.Home.html. Information on map position within the Unigene database is imported from several sources, including the Online Mendelian Inheritance in Man (OMIM, http://www.ncbi.nlm.nih.gov/Omim/searchomim.html), The Genome Database (http://gdb.infobiogen.fr/gdb/simpleSearch.html), and the Whitehead Institute human physical map (http://carbon.wi.mit.edu:8000/cgi-bin/contig/sts_info?database=release). For example, searching Unigene with W56561, an EST for a MAK-like kinase, the

following information is retrieved: Chr.14, D14S65-qTEL. The location of this gene on an "ideogram" of the cytogenetic map of chromosome 14 is also provided, showing that W56561 maps to the bottom of chromosome 14, between 14q31 and 14qTel. If Unigene has not mapped the EST, then the nucleic acid for the gene of interest is used as a query against databases, such as dbsts and htgs (described at http://www.ncbi.nlm.nih.gov/BLAST/blast databases.html) containing sequences that have been mapped already. The nucleic acid sequence is searched using BLAST-2 at NCBI (http://www.ncbi.nlm.nih.gov/cgi-bin/BLAST/nph-newblast) and is used to query either dbsts or htgs. In addition to the Whitehead and GDB sites mentioned above, Stanford University maintains a useful site for chromosomal mapping from STS data (http://www-shgc.stanford.edu/RH/rhserverformnew.html). Matches in htgs are often resolved immediately because the genomic region hit is annotated in the htgs entry. If an exact match match is found (defined roughly as 99% identity over a region of about 100 base pairs or longer, excluding any repetitive sequence), then the mapped position of the entry in the database is assigned to the original kinase query. Once a cytogenetic region has been identified by one of these approaches, disease association is established by searching OMIM (see above for URL) with the cytogenetic location. OMIM maintains a searchable catalog of cytogenetic map locations organized by disease. A thorough search of available literature for the cytogenetic region is alo made using Medline (http://www.ncbi.nlm.nih.gov/PubMed/medline.html). References for association of the mapped sites with chromosomal abnormalities found in human cancer can be found in: Knuutila, et al., Am J Pathol, 1998, 152:1107-1123.

Results

25

30

5

10

15

20

The chromosomal location for 37 of the 110 novel protein kinases is shown on Table 1. Three of the novel protein kinases were mapped to regions associated with cancer amplicons, as shown on this table. The regions were also cross-checked with the Mendelian Inheritance in Man database, which tracks genetic information for many human diseases, including cancer. References for association of the mapped sites with chromosomal abnormalities found in human cancer can be found in: Knuutila, et al., Am J Pathol, 1998, 152:1107-1123. Association of these mapped regions with other diseases is

documented in the Online Mendelian Inheritance in Man (OMIM) (http://www.ncbi.nlm.nih.gov/htbin-post/Omim).

EXAMPLE 3: Generation of Specific Immunoreagents

Materials and Methods

5

10

Peptide sequences to extra-catalytic regions of novel kinases are chosen which are not homologous to other known kinases based on a Smith Waterman homology search against the non-redundant protein database and predicted to be antigenic based on the DNAStar Protean program. These peptides are conjugated to KLH using Glutaraldehyde.

Rabbits are immunized with the KLH-peptide conjugates by four injections three weeks apart. The rabbits are bled ten and fourteen days following the third injection and bled out ten days after the fourth. The serum is checked against the peptide by ELISA.

Table 13. Peptides to be used as immunogens for raising antibodies

Clone	SEQ ID	Peptide Sequence	Amino Location
Name	NO (aa)		
AA8256850	124	KSRDNSRDSSQSEND	339-353
		TEKLKRSQDLPREPLP	372-386
		RGWRPYDIHS	223-232
5R79-46-1	126	FEGPRRNKEVMYK	224-236
		KDDYNETVHKKTE	451-463
		GTHPKDRNVEKLQ	541-553
		EVSKYQEYTNELQET	643-657
AA256100	129	IDDTSNFDDFPESDI	405-419
		TEPDYKSKDWVFL	427-439
		EEKKLRRSQHARKET	61-75
AA210825	130	SNKDTLRKRHYWRLD	507-521
		RHTTRKSSTTLRE	488-500
		FQNNTTNRYYKEIPL	528-542
		GKHRKTGRDVAVK	668-680
		FPTKQESQLRNE	687-698

AA316804	132	ESHVHQEPSKRIPS	239-252
		HTKRKSSTMVKEGW	409-422
		PSDLDVERDEEAVK	375-388
		SPGQGKDHKDLSTSI	543-557
R47805	143	EPVGRWDQDYDRAVL	44-58
		KPKGPGGKRGHKRLI	325-339
		PTDVAQLPSRVPRDA	219-233
AA234451	167	DPFDWEKTGNDGSLT	293-307
		HPRPQEKDVWEE	374-385
	-	RENTDEVFPDEQLSD	340-354
		RSEITQPDRDIPLVR	427-441
AA460132	180	LKSYSTSSKKARPVL	222-236
		KKLDEVRLRGRKRSM	237-251
		ETEKTAQGLSNLAKT	131-145
N34132	183	SGRRRRPTKSKGSKS	1848-1862
		PGTAPSKPPLTKAPV	1474-1488
		VDSDTQPKAPGIDD	1365-1378
		AHSLDKTSHSSTTGL	1253-1267
5R69-17-2	187	GTTREKTDRVKST	178-190
		HSEAPELHGKIRSSN	138-152
		DETVTPPQFSIV	87-98
		QYDVKSEIYS	204-213
AA278842	206	TVDPEKSVRDQAFKA	515-529
		DSSTADRWDDEDWGS	637-651
		SVSEDPTQLEEVEKD	539-553
AA836348	232	NAPTKRPRSSTVTEA	323-337
		LDSEEDYYTPQKVDV	514-528
	,	GDKASYRQPKHVEKL	409-423
. <u> </u>			

EXAMPLE 4. Expression analysis of Novel Mammalian Protein Kinases GENE EXPRESSION ANALYSIS

Tissue Arrays

5

10

15

20

25

30

"cDNA libraries" derived from a variety of sources were immobilized onto nylon membranes and probed with 32P-labeled cDNA fragments derived from the gene(s) of interest.

Total RNA or mRNA was used as template in a reverse transcription reaction to generate single-stranded cDNAs (ss cDNA) that were tagged with specific sequences at each end. An oligo dT primer containing a specific sequence (CDS:

AAGCAGTGGTAACAACGCAGAGTACT30VN (V=A,G,C N=A,G,C,T)) anneals at the polyA track at the 3' end of the mRNA and the reverse transcriptase (MMLV RnaseH-) transcribes the antisense strand until it reaches the end of the RNA strand when it adds additional C residues. If a primer (SMII:

AAGCAGTGGTAACAACGCAGAGTACGCGGG or ML2G:

AAGTGGCAACAGAGATAACGCGTACGCGGG) ending with 3 Gs is added, it anneals to the added Cs and the MMLV recognizes the rest of the primer sequence as template and continues transcription. As a result, the synthesized cDNAs contain specific sequence tags at both the 5' and the 3' end. When the 5' and the 3' ends are tagged with the same sequence (CDS and SMII) it is referred to as "symmetric." When the 5' end is tagged with a different sequence than the 3' end (CDS and ML2G) is referred to as "asymmetric" A double-stranded "cDNA library" is then generated by PCR amplification using the 3'PCR and ML2 primers (3' PCR: AAGCAGTGGTAACAACGCAGAGT and ML2: AAGTGGCAACAGAGATAACGCGT) that anneal to the added sequence tags.

The amplified "cDNA libraries" were manually arrayed onto nylon membranes with a 384 pin replicator. The DNA was denatured by alkali treatment, neutralized and cross-linked by UV light. The arrays were pre-hybridized with Express Hyb (Clontech) and hybridized with 32P labeled probes generated by random hexamer priming of cDNA fragments corresponding to the genes of interest. After washing, the blots were exposed to phosphorimaging cassettes and the intensity of the signal was quantified. The amount of the DNA on the arrays was also quantified by treating non-denatured or denatured arrays with Syber Green I or Syber Green II respectively (1:100,000 in 50mM Tris, pH8.0) for 2 minutes. After washing with 50mM Tris, pH8.0, the fluorescent emission was detected

with a phosphorimager (Molecular Dynamics) and quantified. The amount of the arrayed DNA was used to normalize the hybridization signal and the corrected values are tabulated in Table 3.

5 Results

10

15

20

25

30

The results of the microarray expression analysis of the protein kinases presented in this application is shown in Table 3. Data presentation from left to right is as follows: "Tissue": tissue type of the cDNA; "Tumor sym", indicates that the tissue is derived from a tumor, "sym" refers to the fact that the 5' and 3' primers used to make the sample are the same: "Normal Sym", indicates normal tissue was used to make the sample, with symmetric primers as described above; "Tumor 10", indicates that primary tumor tissue was used to make the cDNA; "Tumor cells", indicates that these cDNA samples were made from cultured tumor cells; "Normal", indicates that these samples are derived from normal tissue or cell lines; "Endos", indicates that these samples are derived from endothelium-related tissue sources; "p53" refers to the status, mutant or wild-type, of the p53 gene in the source samples. Normalized expression values are presented for each gene referred to by its SEQ ID# on the subsequent columns. Genes represented in expression Table 3 are: SEO ID NO:3 (AA826850), SEO ID NO:5 (TBK1), SEO ID NO:6 (AA305176), SEO ID NO:8 (AA256100), SEO ID NO:9 (CAB43292), SEO ID NO:11 (EPK2), SEQ ID NO:12 (PKNbeta), SEQ ID NO:14 (H19102), SEQ ID NO:16 (RSK4), SEO ID NO:17 (AAD30182), SEO ID NO:20 (SGK2), SEO ID NO:22 (PTK9L), SEO ID NO:26 (AA383293), SEQ ID NO:29 (DRAK2), SEQ ID NO:31 (DRAK1), SEQ ID NO:032 (AA015726), SEQ ID NO:40 (MAK-V), SEQ ID NO:044 (TRAD), SEQ ID NO:044 (TRAD), SEO ID NO:45 (AA454060), SEO ID NO:47 (AA234451), SEO ID NO:48 (AA436054), SEQ ID NO:49 (AA626859), SEQ ID NO:51 (KIAA0904), SEQ ID NO:52 (AA789239), SEQ ID NO:54 (CCRK), SEQ ID NO:55 (CLK4), SEQ ID NO:56 (AA557536), SEQ ID NO:57 (W56561), SEQ ID NO:60 (AA579641), SEQ ID NO:63 (NEK7), SEQ ID NO:66 (CAMKKB), SEQ ID NO:68 (HIPK2), SEQ ID NO:72 (R19609), SEO ID NO:73 (HRI), SEO ID NO:78 (AA088547), SEO ID NO:79 (AA449542), SEQ ID NO:082a (MLK4), SEQ ID NO:82 (MLK4b), SEQ ID NO:84 (RIP4), SEQ ID NO:88 (AA278842), SEQ ID NO:89 (AA195964), SEQ ID NO:90 (MSSK1), SEQ ID NO:93 (TSK4), SEQ ID NO:94 (AI025291), SEQ ID NO:95

(AA948538), SEQ ID NO:96 (AA905446), SEQ ID NO:97 (H85389), SEQ ID NO:100 (AA018361), SEQ ID NO:101 (AA311714), SEQ ID NO:110 (AA452647), SEQ ID NO:111 (AA310219), SEQ ID NO:112 (AI086865), SEQ ID NO:114 (MEKK6), and SEQ ID NO:116 (SuRTK106).

5

10

15

20

25

EXAMPLE 5. Kinase assays for Erk, JNK1 and p38 MAP kinases

293T cells were transiently transfected with HA-p38 or co-transfected with Flagtagged wt MLK4A, kinase-dead MLK4A, wild-type MLK4B or kinase-dead MLK4B using Lipofectamine 2000 (Lifetech). Cells were lysed 36 hr post-transfection. Cell lysates normalized to contain equivalent amounts of HA-p38 were immunoprecipitated with anti-HA antibody (Mab HA-11, Babco). Immunoprecipitates were split in two portions, one portion was Western-blotted with anti- HA antibody and the other with a phospho-specific p38 antibody (Promega) to detect activated levels of p38. Activation of Erk1 and Jnk1 was measured similarly. (This example applies to AA232253 (SEQ ID NO:82, SEQ ID NO:201).)

Results:

In transient assays wild-type MLK4A and MLK4B (but not kinase-inactive MLK4A(K45M) or MLK4B(K45M)) activate Erk, JNK1 and p38 MAP kinases.

EXAMPLE 6. RAC1 guanine-exchange factor assay

293T cells were transiently transfected with HA-Rac1 or co-transfected with Flag-tagged Duet C, Duet E, Dbl and HA-Tiam-1. Cells were lysed 36 hour post-transfection. Cell lysates normalized to contain equivalent amounts of Rac1 were affinity precipitated with immobilized GST-PBD (p21-binding domain of Pak3). Bound proteins were Western blotted and probed with anti-HA antibody to detect levels of activated Rac1. ((This example applies to R199772 (Trad/Duet)(SEQ ID NO:44, SEQ ID NO:164).)

Results:

Duet C and Duet E both act as guanine nucleotide exchange factors on Rac1.

CONCLUSION

One skilled in the art would readily appreciate that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those inherent therein. The molecular complexes and the methods, procedures, treatments, molecules, specific compounds described herein are presently representative of preferred embodiments are exemplary and are not intended as limitations on the scope of the invention. Changes therein and other uses will occur to those skilled in the art which are encompassed within the spirit of the invention are defined by the scope of the claims.

10

5

It will be readily apparent to one skilled in the art that varying substitutions and modifications may be made to the invention disclosed herein without departing from the scope and spirit of the invention.

All patents and publications mentioned in the specification are indicative of the levels of those skilled in the art to which the invention pertains.

15

20

The invention illustratively described herein suitably may be practiced in the absence of any element or elements, limitation or limitations which is not specifically disclosed herein. Thus, for example, in each instance herein any of the terms "comprising", "consisting essentially of" and "consisting of" may be replaced with either of the other two terms. The terms and expressions which have been employed are used as terms of description and not of limitation, and there is no intention that in the use of such terms and expressions of excluding any equivalents of the features shown and described or portions thereof, but it is recognized that various modifications are possible within the scope of the invention claimed.

25

In particular, although some formulations described herein have been identified by the excipients added to the formulations, the invention is meant to also cover the final formulation formed by the combination of these excipients. Specifically, the invention includes formulations in which one to all of the added excipients undergo a reaction during formulation and are no longer present in the final formulation, or are present in modified forms.

30

In addition, where features or aspects of the invention are described in terms of Markush groups, those skilled in the art will recognize that the invention is also thereby described in terms of any individual member or subgroup of members of the Markush group. For example, if X is described as selected from the group consisting of bromine, chlorine, and iodine, claims for X being bromine and claims for X being bromine and chlorine are fully described.

Other embodiments are within the following claims.

What is claimed is:

5

10

15

20

25

CLAIMS

An isolated, enriched, or purified nucleic acid molecule encoding a kinase 1. polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEO ID NO:158. SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEO ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEO ID NO:188, SEO ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

- 2. The nucleic acid molecule of claim 1, wherein said nucleic acid molecule comprises a nucleotide sequence that:
- (a) encodes a polypeptide comprising the amino acid sequence set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID 5 NO:126, SEQ ID NO:127, SEQ ID NO:128, SEO ID NO:129, SEO ID NO:130, SEO ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID 10 NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID 15 NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID 20 NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID 25 NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242;
 - (b) is the complement of the nucleotide sequence of (a);
 - (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide;

(d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134. 5 SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144. SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149. SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, 10 SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEO ID NO:164. SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174. SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, 15 SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEO ID NO:204. SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, 20 SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219. SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, 25 SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of a domain selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail;

(e) is the complement of the nucleotide sequence of (d);

30

- encodes a domain of an amino acid sequence selected from the **(f)** group set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEO ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, 5 SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149, SEO ID NO:150. SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, 10 SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174, SEO ID NO:175. SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, 15 SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190. SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195. SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEO ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, 20 SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEO ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, wherein said domain is selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail:
 - (g) is the complement of the nucleotide sequence of (f):
 - encodes a polypeptide comprising an amino acid sequence selected (h) from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID

NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID 5 NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID 10 NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEO ID NO:196, SEO ID NO:197, SEO ID NO:198, SEO ID NO:199, SEO ID 15 NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID 20 NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of the domains selected from the group consisting of an N-terminal domain, a catalytic 25 domain, a C-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail; or

- (i) is the complement of the nucleotide sequence of (h).
- 3. The nucleic acid molecule of claim 1, further comprising a vector or promoter effective to initiate transcription in a host cell.

WO 00/73469 PCT/US00/14842

138

- 4. The nucleic acid molecule of claim 1, wherein said nucleic acid molecule is isolated, enriched, or purified from a mammal.
 - 5. The nucleic acid molecule of claim 4, wherein said mammal is a human.
- 6. A nucleic acid probe for the detection of nucleic acid encoding a kinase 5 polypeptide in a sample, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEO ID NO:125, SEO ID NO:126. SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131. SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, 10 SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146. SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156. SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEO ID NO:161. SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, 15 SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEO ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEO ID NO:191. 20 SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEO ID NO:201. SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216. 25 SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEO ID NO:221. SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEO ID NO:241. and SEQ ID NO:242.

The probe of claim 6, wherein said polypeptide is a fragment of the protein 7. encoded by an amino acid sequence selected from the group consisting of SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID 5 NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID 10 NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID 15 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEO ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID 20 NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEO ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEO ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID 25 NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

8. A recombinant cell comprising a nucleic acid molecule encoding a kinase polypeptide selected from the group consisting of SEO ID NO:122, SEO ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ 5 ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ 10 ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEO ID NO:177, SEO ID NO:178, SEO ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ 15 ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEO ID NO:188, SEO ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ 20 ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEO ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEO ID NO:222, SEO ID NO:223, SEO ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ 25 ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

WO 00/73469

5

10

15

20

25

The cell of claim 8, wherein said polypeptide is a fragment of a protein 9. encoded by an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEO ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEO ID NO:209, SEO ID NO:210, SEO ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

10

15

20

25

An isolated, enriched, or purified kinase polypeptide selected from the 10. group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEO ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEO ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEO ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEO ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEO ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEO ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEO ID NO:241, and SEQ ID NO:242.

WO 00/73469

- 11. The polypeptide of claim 10, wherein said polypeptide is a fragment of the protein encoded by an amino acid sequence selected from the group consisting of SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID 5 NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEO ID NO:136, SEO ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151. SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEO ID 10 NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEO ID NO:181, SEO ID 15 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEO ID NO:206, SEO ID 20 NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID 25 NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 12. The polypeptide of claim 10, wherein said polypeptide comprises:
- (a) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ

10

15

20

25

30

ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242;

(b) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:1666, SEO

10

15

20

25

30

ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all of the domains selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail

(c) a domain of an amino acid sequence selected from the group set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:185, SEQ I

10

15

20

25

30

NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:234, SEQ ID NO:230, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 wherein said domain is selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail.

- 13. The kinase polypeptide of claim 10, wherein said polypeptide is isolated, purified, or enriched from a mammal.
 - 14. The kinase polypeptide of claim 13, wherein said mammal is a human.
- 15. The kinase polypeptide of claim 10, wherein said polypeptide is a AA144574, AA116841, AA256100, AA305176, AA210825, AA316804, AA980090, N42050, AA476563, AA626690, AA960957, H19102, AA045601, AA107515, AA109508 or AA887783 polypeptide.
- 16. The kinase polypeptide of claim 10, wherein said polypeptide is a H60215, AA197883, AA297313, W30246, AA172300, AA383293, AA542015, H01248, N23936, W44160, 2R22-5-11, 5R72-18-1, AA021445, AA207220, AA426580, AA544838, W90839, 5R79-54-1, AA839940, R19772 or 5R72-8-2 polypeptide.
- 17. The kinase polypeptide of claim 10, wherein said polypeptide is a AA234451 polypeptide.
- 18. The kinase polypeptide of claim 10, wherein said polypeptide is a 5R65-16-1, AA061797, AA065538, AA124976, AA397553, AA435956, AA575635, AA626859, AA789239, AI086865, H17727, H29974, AA557536 or N28606 polypeptide.
- 19. The kinase polypeptide of claim 10, wherein said polypeptide is a AA631990 or W08549 polypeptide.

- 20. The kinase polypeptide of claim 10, wherein said polypeptide is a 5R72-16-2, R19927 or R43524 polypeptide.
- 21. The kinase polypeptide of claim 10, wherein said polypeptide is a 5R57-10-2 polypeptide.
- 5 22. The kinase polypeptide of claim 10, wherein said polypeptide is a AA232253 polypeptide.
 - 23. The kinase polypeptide of claim 10, wherein said polypeptide is a AA430250, AA836348, R86668 or N34132 polypeptide.
 - 24. The kinase polypeptide of claim 10, wherein said polypeptide is a AA098024or SuRTK106 polypeptide.
 - 25. The kinase polypeptide of claim 10, wherein said polypeptide is a R47805, AA099102, AA589241, H85811, AA013524, AA452647, AA840598, AA088547, AA139478, AA826850, R87679, W65887, H97685, W20810, AA599286, AA425725, AA103218, AA711829, AA060026, AA399669, AA758539, AA883975, AA948538, AA018361, AA215311, AA311714, AA498104, 5R69-17-2, 5R69-23-3, 5R69-26-2, AA118352, AA396601, AA671275, AA278842, AA460132 or H05721 polypeptide.

- An antibody or antibody fragment having specific binding affinity to a 26. kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:127, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:12 NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID 5 NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID 10 NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID 15 NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:197, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:19 NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID 20 NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID 25 NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 27. The antibody or antibody fragment of claim 26, wherein said polypeptide comprises:
- (a) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ

10

15

20

25

30

ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and **SEQ ID NO:242;**

(b) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ

10

15

20

25

30

ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEO ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEO ID NO:201, SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEO ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEO ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEO ID NO:226, SEO ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of the domains selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail.

(c) a domain of an amino acid sequence selected from the group set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ I

10

NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:230, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 wherein said domain is selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail.

- A hybridoma which produces an antibody having specific binding affinity 28. to a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID 5 NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID 10 NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID 15 NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEO ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID 20 NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID 25 NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 29. A method for identifying a substance that modulates kinase activity comprising:
- (a) contacting a kinase polypeptide selected from the group consisting

 SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126,

 SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131,

 SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEO ID NO:135, SEO ID NO:136.

SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, 5 SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176. SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, 10 SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, 15 SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, 20 SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 with a test substance;

- (b) measuring the activity of said polypeptide; and
- (c) determining whether said substance modulates the activity of said polypeptide.
- 30. A method for identifying a substance that modulates kinase activity in a cell comprising:
- (a) expressing a kinase polypeptide in a cell, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEO ID

NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID 5 NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEO ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEO ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID 10 NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID 15 NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID 20 NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEO ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242;

- (b) adding a test substance to said cell; and
- (c) monitoring a change in cell phenotype or the interaction between said polypeptide and a natural binding partner.

- 31. A method for treating a disease or disorder by administering to a patient in need of such treatment a substance that modulates the activity of a kinase selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID 5 NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149, SEO ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID 10 NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEO ID 15 NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEO ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEO ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID 20 NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEO ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID 25 NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 32. The method of claim 31, wherein said disease or disorder is selected from the group consisting of immune-related diseases and disorders, cardiovascular disease, neurodegenerative disorders, and cancer.
 - 33. The method of claim 31, wherein said substance modulates kinase activity in vitro.

10

15

20

25

- 34. The method of claim 33, wherein said substance is a kinase inhibitor.
- 35. A method for detection of a kinase polypeptide in a sample as a diagnostic tool for a disease or disorder, wherein said method comprises:
- contacting said sample with a nucleic acid probe which hybridizes (a) under hybridization assay conditions to a nucleic acid target region of a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEO ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129. SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEO ID NO:134. SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEO ID NO:139. SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144. SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149. SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEO ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164. SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEO ID NO:168, SEO ID NO:169. SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174. SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189. SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, said probe comprising the nucleic acid sequence encoding said polypeptide, fragments thereof, or the complements of said sequences and fragments; and

10

15

20

25

- (b) detecting the presence or amount of the probe:target region hybrid as an indication of said disease.
- 36. The method of claim 35, wherein said disease or disorder is selected from the group consisting of immune-related diseases and disorders, cardiovascular disease, neurodegenerative disorders, and cancer.
- 37. A method for detection of a kinase polypeptide in a sample as a diagnostic tool for a disease or disorder, wherein said method comprises:
- (a) comparing a nucleic acid target region encoding said kinase polypeptide in a sample, wherein said kinase polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEO ID NO:129, SEO ID NO:130, SEO ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEO ID NO:139, SEO ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEO ID NO:222, SEO ID NO:223, SEO ID NO:224, SEO ID NO:225, SEO ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ

ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or one or more fragments thereof, with a control nucleic acid target region encoding said kinase polypeptide, or one or more fragments thereof; and

- (b) detecting differences in sequence or amount between said target region and said control target region, as an indication of said disease or disorder.
- 38. The method of claim 37, wherein said disease or disorder is selected from the group consisting of immune-related diseases and disorders, cardiovascular disease, neurodegenerative disorders, and cancer.

	à	Sec 0 75	Prov. Seq. 10 AA SEQ	SEO ID # TE	SEQ ID # 22	Family	Group	Length_HA	Length AA	ORF Start	ORF and	ORF Lands	DNA Beneate	Tub for the state of
AA144674 TI BADYO TI	I 3	*	×		122	Yec	GRK		989	-	2024	2064	¥	22011
+	2 2	- 5	11.	7	123	VGC :	SAK	1366	378	2	1135	1134	Ħ	NA.
+	1	2 =	6	,	200	AGC	Ma3C11.1 ce	1	418	10	1264	1257	285-304	XX.
+-	1	202	308		62	NGC.	M03C11.1 00	1	414	\$	1306	1242	}	4016.1
!-	I	4.2	18.20			200	MOSC 11.	1	62/	8	2279	2187	×	1
i-	3	4.2	18.20	,	128	204	YOU WANTED		328	23	1030	1987	×	10011.2
Н	I	-	9	-	200	2 5	2 2 2	1	200	-	266	20.0	×	₹
	I	57	25		5	204	2		3	8	1477	1392	×	12011
Н	¥	203	707	9	131	V V	E à	ı	818	44	3550	2934	×	19q13-q13.3
П	I	•	22	=	5	S V	200	ı	9 8		315	315	×	≨
	I	8	24	12	133	Yes	Ž	1	3		2870	2670	×	2p21
┪	3	×	-	5	134	Age	D D D		200	- -	2007	2067	2221-2280	NA
Н	I	12	82	=	136	AGC	SAL	1	93	2	910	615	×	¥.×
AA478583 h RPS6KC1	I	ch.	25	5	25	AGC	SAK		5	-	251	1152	599-638	CHR17
	Ĩ	10	28	9	137	700	à		2	-	1407	1407	1	12q12-q13.1
	Ŧ	227	228	1.1	138	J. D.	260		2		2235	2235	×	Xq21.1
	I	×	×	=	139	AGC A	300	ĺ	7		1847	1647	767-788	14924.3
	2	*	×	9	240	J.	Š	ı	2	- -	1283	1293	656-663	0021-022
-	2	ū	28	2	17.	254	Š		9	2	1364	1280	1804-1830	¥
-	I	9	32	21	142	P V	100	1	1	7	733	732	×	2
R47805 h PTKBL	I	131	167	72	143	Aboles		0000	9	2	1373	1338	×	*
$\overline{}$	I	2	3	23	797	CALLK	7000	969	2		100	1947	×	3014.3
-	I	-	*	24	1	1		200	9	420	1739	1320	ĺ	1031.1-1032.3
	Σ	96	57	25	1	No.	1	200	780		2082	2078	208-227	₹
	ī	8	59	28	19	TAIL S	4	1248	282	-	991	801		₹
Г	3	3	3	28	87		5	2424	3	-	2068	2058	43B-456	2
	I	37	59	29	9	SALES OF	200	747	8	-	2418	2418	×	¥
	2	×	×	8	3	Calde		9701	2	292	1380	1110	×	2031-2024.3
	Í	40	20	5	3	CAME	200	100	3/2	E	1286	1150	×	NA
寸	I	9	8	32	152	Š	EMK	133		-	1242	1242	91-110	7011-011
7	되	5	3	33	153	ž	EVK	2111	2	24.0	2/0	3633	×	11922.1-11922.5
7	I.	×	×	3	154	ž	EW	2180	720		21/8	1308	31-2281, 1258-12	2
7	X.	\$	70	35	155	CAMK	EN.	1504	25	-	7917	2187	×	¥.
7	r	×	×	36	156	SME	EVK	4130	915	. ;	200	8	×	¥¥
AA344838 m 406788 m	Σ:	48	\$	37	157	CAMK	EX	1350	230		4000	2000	N .	2934-937
+		*	×	2	158	CAMK	EMK	5163	928	1	202	200	1002-1022	₹
+			16	9	159	CAMK	EMK	2291	629	3	1980	1487	×	≨ :
+		5	8	Ş	9	CAMK	EMK	2145	714	-	2162	2162	۲,	≱
+-	1	8 .	,	5	181	CAMK	MCCK	2625	874	-	282	2622	*	21013
+		, 2	* 4	2	102	ž	Tro C	7710	2286	-	8888	8864	,	£ 3
т-	1	2	3 2	2	3	ZYK	Ę.	1251	127		- - -	R	,	5 2
†-	1		2	\$	\$	XX.	된	3864	1287		3861	3861	,	1016 9 001
1-	i.	150	ş		2	ZAMA	Chique	2588	514	408	1947	1542	*	finite tatate 2
Ť-	L	22	2		8	3 8	8	1620	ŝ	26	1620	1524	843-862	¥
-	Ŧ	28	8	4	9	3	3 8	2452	478	8	1839	1434	*	2
_	Ξ.	3	3	2	9	2010	5 2	//0	2	-	8	798	=	2
-	3	•	=	8	170	Chic	5 6	2016	247	2	742	141	84-119	
	:	18	58	5	Ē	CMGC	Š	2473	R	2	880	689	×	¥
- †	ΞÌ	28	8	62	172	CMGC	ž	1888	323	1	4470	4470	1210-123B	
т.	3	*	=	63	173	CMGC	ğ	1688			io.	1802	×	5q23-q23.3
÷	∑i	*		3	174	CMGC	ğ	1380	1	†	5	101	×	
AA631990 h CLK4	II:	5	107	SS	175	CMGC	Š	2488	8		023	200	163-101	¥.
_	r !:	8	20	28	176	CMGC	Š	1831	246	8	38	AN		¥
_	Els	3	20	57	111	CWGC	Š	1260	614	Ť	1257	3 2	0.0-010	4
-;-	:	× ,	×	33	178	CMGC	Š	1869	532	-	98	1804	,	14932
AA460132 h	E I	* **	×	8 8	178	Sec	ğ	1776	5	 -	1239	1230		
			×	3 2	180	E S	YGR282 sc	1428	252	199	957	759	*	20012 Amorican
_		157	183	200	182	3 2	2007	200	28	-	1386	1366	*	*
	-	122	126	20	183	3 6	2000	0757	783	2	3	25.3	×	
							******	, akb	704	2	2482	5850	- 	12013,33

_
Ę
8
-
<u>o</u>
Ω
Œ

× 1	× Ž	2 2	₹ 3	8	C28C2 cs	2164	536	113	1717	1608	246-267	A.0
	1	3	2	-						200	200	
			В	4	C26C2 08	1568	378	-	1134	7511		A
	8 6	8	28	og e	CARK	1787	588	-	1784	1764	AS.RA	12021-014
		8	187	ğ	CTR1	3387	241	1850	2572	723	100.621	NA ANA
	2,	8	2	à de	OYRK	3993	1171	Ē	3665	3513	1478.1448	Cub.
Ш		2	180	ğ	OYRK	2141	653	22	1911	1659		V.
		2 ;	8	ě	S.	741	168	•	906	ğ		V.
		+	ā	è	Ž.	5163	1649	2	989	187	,	
	,	2	22) per	Ë	1803	630	-	1890	1890	,	Trop 209 4
36			82	O.Per	Endap	3055	253	219	22.5	750	2207.5166	1,044,046,0
,	5	27	Ž	Other	Endop	956	216	-	879	AAA	2002	£ 12
	* !	9	22	eşe O	IRAK	1821	985	-	1788	1788		¥ :
) (C	2	1	196	Other	RAK	2243	ğ	-	36.55	00/	×	ž
	2	78	187	- Pare	E.	278B	3			11/0	*	¥ Z
	×	2	88	Pare	SAC #	1867	5		8	98/2	×	ž
	175	8	8	à	33			2	1144	3	-	¥
115 M	116	=	ž	Į.	3	9	8	7	ž	2	602-621	2
H 117	118	82	500	1	1	2	•	2	124	123	*	2
	210	1		2	1 P	2403	8		2400	2400	¥	₹
L	170	3 2	200		Y.	2506	88 88	-	2505	2505	2219-2238	2
77.	ş		3	965	N. N.	2364	ž	181	2002	1902	*	1031
	8	3	Š	ghệ	O.	1073	588	5	989	AG?	,	
3	717	98	38	Otte	SCY1 sc	2067	3	-	2064	2064	,	100
	077	4	8	Que e	SCY1 BC	1739	205	1	1688	1		1
	3	3	201	Other	SCY1_sc	2868	808	Ē	26.38		¥	1
		8	802	Other	SLOB?	200	670	-	P.	1040	104-1103	11012-013 Amplicon
	162	8	200	Other	SRPK	282	533	-	450	2000	4	4
	×		210	Other	8TK22A	1038	268	2	780	800	×	XqZ8
	88	85	211	Other	STK22A	200	268	43	Se	3	-	Y.
	8	2	212	Other	STK22A	1637	282	32	1364			4
6	187	a	213	Other	STK22A	1322	350	į	74.57	720	- , 	14011-013
	86	28	214	Other	TSK	228	273	-	0.2	0.0		¥ :
l	122	8	218	ògé	19K	1066	218	365	2012	44		1
	B	20	218	Other	CNC	1636	333	2	٤	900		*
	*	8	217	Other	UNC	480	412	-	1216	42.00	X 104	4
	<u> </u>	8	218	Other	CNC	2011	2	8	132	200	47-164	¥
6	2	8	218	Officer	285	2759	199	=	1			5
	25	101	220	Ocher	285	1876	586	18	3	200	-	19923
×	×	និ	122	Ogher	Chique	413	2	3	2	365	-	Y.
	20	103	222	- Person	Union	27.21	92	-	ì	1	×	¥
	×	ğ	522	Oche	Chibve	2115	2		100	1	2251-2286	MA
161	197	58	224	Other	Johnson	1720	1		2112	1	57-76, 318-337	Z.A
	8	50	225	ă	- July	2484	200		7822	83	×	NA
	-	107	226	ă	Union	1884	186			1829	240-250	AA.
28	- 86	108	227	ğ	Š	1628	15		100	2	-	¥
		8	228	ğ	XX	400	20.0		77.	27.	-	19013
138	172	-10	525	Other	VB 778 65		320		3	202	937-957	¥
	202	Ξ	230	, and		2000	Big	-	810	915	-	3cen-3q21
	8	112	231	STE	MEK	24.62		2	1637	7453	-	1p32.3-31 Amplicon
E (30	124	133	22	315	MEK		000		2100	208	=	Y.
H 129	125	=	233	1	0.00		2		2208	2508	×	KA.
H 219	220	1	120		01010	2000		-	ŝ	3033	×	1032.3-031.1
L	120,130			+	S EZOUZ	200	719	-	2157	2157	×	20p12
L	90	1	200	= }	KIN-20	2600	ŝ	-	14.85	1486		12012.3
Ц	×	118	21.2	104	200	200	201	-	2	248	1362-1382	¥
18 H	Ę	120	2	3	200	7,015	, ge	3	1188	101	=	¥.
L	-	1	1	3	3	ACEL	452	-	1356	1356		8921.1-021.3

	1	Profile	end	281	281	261	281	281	261	261	261	281	261	261	281	261	261	281	261	281	261	281	281	261	181	201	107	700	261	281	281	281	261	261		281	201	28.0	28.	28.	281	261	281	281	281	92	281	1 2	27
		Profile	E E	-	121	-	-	1	-	242	-	-	256	-	1	128	-	-	-	-	-	-	24	-	3	- -	- -		-	-	-	-	-	-		- -	-	- 2	-	-	-	-	-	186	-	-	- -	- 5	3
Kinese	Towns of the last	Domain (s)	eug •	453	143	288	283	304	310	44	383	907	24	832	818	134	333	459	330 & 883	539	355	354	169	388	7.00	333	297	873	25.5	293	293	321	258	325		307	1258	158	271	304	320	825	873 & 1356	78	1239	381	471	218	01.9
Kinace		Domain(s)	right.			8 2	23	0	35	24	08	651	19	578	559	-	-60	225	2	153	86	88	-	20 5	2 5	388	28	415	514	33	32	61	a 0	74	2	8 8	000	-	20	53	19	_ 1	620 & 108B	6	985	138	2.5	+	†
		Description	RARKO (Homo esplane)	Adresemble aspiens	Corboth marging section kingse, Deta Z (G-protein-linked receptor kin	Comment of the protein Kingse Inomo sapiens	7	7	CO2740	ViAAnnes	Nickauso protein Homo sapiens	Protein Knase C, mu (Homo saplens)	Protein kingse C, BEIA-II TYPE (PKC-BETA-2) (Homo saplens)	Protein Kinase C, nu Homo sapiens	Design Character 1 Lange	Piocest Amase N Deta Homo sapiens	Obcommentation of kingse 5 Homo sepiens	Phoening protein So kingse, 52KD, polypeptide 1 Homo saplen	Highoun Home seeing!	NOK (Homo conject)	Sentimobicodorida Adiabat Mara Data	Protein kinase (Homo services)	SGK-like profein SGKI Thoma esplanei	Protein (vrosine kinasa 9-like (A8-related protein) IHomo sanien	Phosphoprotein [Homo saplens]	DCAMKL1 (DOUBLECORTIN-LIKE AND CAM KINASE-1 IKE 11	CPG18 [Mus musculus]	DCAMKL1 (DOUBLECORTIN-LIKE AND CAM KINASE-LIKE 1)	CPG16 [Mus musculus]	Death-associated protein kinase-related 2	Death-associated protein kinase-related 2	Via Accounted protein Kinase-related 1	Nicolada protein (Homo sapiens)	CACASC associated and the Cacasta Cacasta Cacasta	Cdc25C associated protein kinase C-TAK+ Home sapiens	R31237 1, partial CDS [Homo saplens]	KIAA0135 gene is related to pim-1 oncogene. [Homo sapiens]	KIAA0135 gene, related to pim-1 oncogene. [Homo saplens]	KIAA0781 protein [Homo sapiens]	KIAA0537 gene product [Homo saplens]	Hormonally upregulated neu tumor-associated kinase (Homo sa	kinase [Gallus gallus]		CTK With Orl Could Suprems	MI CK (Dictionalism discolder m)	CG11533 gene product (Drosonbila melanonaster)	CG11533 gene product [Drosophila metanogaster]	PFTAIRE protein kinase 1 [Homo sapiens]	Cyclin-denendent kinase, like 1 / COC2, related blocks 11
nraa	Match	ACC#	CAB45857 1	NP 037020 4	CAR78471 1	CARTRATA	INP DATARA	RAA76877	AAFSESOA 4	BAA76800 4	ND OCCUPANT	DOE 133.1	AD OUR PAR	ND 0374874	ICZ083	AAC82495 1	NP D38558 1	NP 055311 4	AAD30182 1	AAD41081.1	NP 035491.1	AAF12757.2	AAF27051.1	NP 009215.1	CAA04119.1	015075	AAF28875.1	015075	AAF26675.1	NP 004217.1	ND 004217.1	BAA78843 1	T22427	AAC15083 1	AAC15093.1	AAC33487.1	BAA09484.1	BAA09484.1	BAA34501.1	NP 055655.1	AAA72460 4	RAAG2535 4	BAA92535 1	NP OOROOS 1	P25323	AAF 59340.1	AAF59340.1	NP 038527.1	NP 004187.1
	×	Similar	8	8	88	5	9	5	1	9	2 6	2	5	3 5	2	55	2	Ş	ē	9	88	5	88	100	-6	11	23	8	2	3 8	2 5	3 8	2	9	9	90	휭	92	- 일	8 5	3 4	3 5	8	Ę	18	65	8	62	_
	*	Identity	ã	8	7	8	5	48	9	5	2	62	Ę	9	9	88	8	5	8	5	8	9	88	5	e e	8	67	\$	200	2 2	5	2	25	84	100	8	8	6,	3 5	à	3 2	5	8	2	2	53	57	62	20
٥	match		687	371	282	414	729	73	42	483	818	42	890	888	28	84	489	745	88	430	428	244	375	320	88	488	180	5	373	3/2	414	1053	153	122	728	462	1235	183	987	714	211	2227	67	1284	114	181	188	200	146
	Length	23	688	378	419	414	720	328	88	484	978	105	880	889	205	384	489	745	549	431	430	244	448	349	9	600	287	9 8	37.5	373	414	1311	436	436	729	482	200	200	820	714	874	2288	127	1287	514	508	478	€ 3	247
	Dras	Pscore	2.76-314	1.30E-190	5.80E-106	1.40E-137	0	1.20E-09	1.30E-19	6.10E-181	8.80E-160	1.10E-10	0	9.48-319	1.20E-108	3.80E-12	2.90E-257	7.00E-178	9.80E-222	9.20E-103	2.B0E-157	2.00E-78	4.10E-211	5.80E-218	1.40E-19	1.50E-165	7.00E-62	2 000 2	3.10F-121	7 90F-B3	1.20E-113	5.90E-185	1.20E-45	1,40E-32	1.30E-184	3.50E-128	200	3 DOE-114	7.30F.40	1.40E-244	8.20E-76	0	7.80E-37	0	5.00E-20	3.30E-89	8.60E-98	800E-38	1.10E-48
		Group	GRK	GRK	03C11.1 ce	03C11.1 ct	03C11.1 ce	NDR	NOR	NOR	PKC	PKC	PKC	PKC	PKC	S6K	Sex	SBK	SBK	SGK	SGK	SGK	SGK	AB	AMP	CAMA	S S S S S S S S S S S S S S S S S S S	200	DAPK	DAPK	DAPK	EMK	EMK	EMK	+	T W	Care	EMK	EAK	EMK	Z CĶ	Trio	Trio	Trio	Unidae	7	3 3	5 6	455
			AGC	AGC			Т	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	Atypical	S S S S S S S S S S S S S S S S S S S	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAME	CAME	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	8	CMGC	CMC	25.22
200		=1	122	123	124	125	128	127	128	129	55	13	132	133	134	135	138	137	8	8	9	-	745	2	14	2 5	147	148	148	150	151	152	53	53	154	15.0	5	158	159	160	161	182	£	184	165	99	168	g	
	200	SP TO	1	_	e I	4	4	φ I	1	4	4	4	ᆛ	4	4	4	4	E :	4	4	+	4	5 E	33 7	Ļ	7	↓.	╁.	\perp	30	-+	-4	4	4	700	+	╀	↓_	н 39	9	4	4	Σ.	4	45	9 1	+	2	4

2.0.E.G.13 3.2.5 2.2.5 6.2.5 1.0.0	CMGC	7 1	ŠŠ	1.10E-284	1490	1480	\$ 5	£ 5	NP 004187.	Cyclin-dependent kinase-like 1 (CDC2-related kinase) [Homo sa	-	240	24	26.4
1,000E-202 211 1529 22	CMGC	4	Š	9.20E-101		377	82	82	AAF38509 1	CUCZ-related protein kinase 7 [Homo saplens]	21	1020	-	261
1, 200.000 1, 11 150 1	S C	+	Š	1.40E-128	-	225	82	8	AAF348711	NKIATRE John (Daties concentral)	4	385	-	261
1.5 1.5	CMGC	_	ğ	3.00E-88	21.	159	79	84	NP 038251.1	Cell cycle related kinase (Home seplens)	-	28	235	261
2.00E-10. CHANDOLISTO II. Enterechinal large in the patients of the pa	CMGC		ğ	9.10E-80	8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	438	<u>.</u>	83	NP 031740.1	Cyclin-dependent kinase-like 1 (CDC2-related kinase) [Homo sa	- 1	163	134	281
1.00E-29 1.32 1.02 1.03 1.05 1.0	CMGC		Š	2.30E-189		419	100	\$ 5	ND 055044	Extracellular signal-regulated kinase 7; ERK7 [Rattus norvegicus	13	305		2 2
1,000-10, 1,00	S		ŠČ	1.50E-180		632	5	8	AAE37278 1	Infection Coll. Line	4	285	-	2 2
2.00E-164 5.05 1.00 1.00 CARZIOGARIA (CORREST) CORRESTOR (CORREST) 1.00 1.00 CARZIOGARIA (MACREAT PROTECTION ESPERIAL) 1.00	CMG		RCK	ᆚ	4	198	9	11	P20889	M. OK Dathe notes in the septens	4	284	-	28.
6.07 E-200 (2.68) 6.08 (2.68) 6.09 (2.68) 6.09 (2.68) 6.00 (2.68)	Other	-1	CORCO SE	ᅩ	253	102	48	67	AAF50799.1	CG10673 gene graduat [Diseabile malanassata]	100	384	-	281
Page 2019 1823 1813 1819 18	Ö	1	2002		8	258	9	5	CAB70864.1	Hypothetical protein [Homo sapiene]	5	187	65	147
1.00E-221 515 515 517 619 420 0.20E-220 518 519 100 NPD 2032-31 Muldast meaplor befring portein Home salebral 73 327 416 0.20E-220 518 100 ND A0372-31 Muldast meaplor befring portein Home salebral 73 327 416 100 AD375-30 Control of the salebral Home salebral 73 327 416 100 AD375-30 Control of the salebral Home salebral 74 417 417 417 417 418 </td <td>Q.</td> <td>1</td> <td>C28C2 C8</td> <td></td> <td>1952</td> <td>243</td> <td>2 8</td> <td>8</td> <td>CAB70864.1</td> <td>Hypothetical protein [Homo sapiens]</td> <td>2 2</td> <td>267</td> <td>-</td> <td>261</td>	Q.	1	C28C2 C8		1952	243	2 8	8	CAB70864.1	Hypothetical protein [Homo sapiens]	2 2	267	-	261
CARCACA CASONER, 2016 271 CASTACA NO. CASTACA NO. No. 2015/24.01 Model in those appears) 77 287 1 2 2 </td <td>Other</td> <td>П</td> <td>C28C2 ce</td> <td>1.10E-254</td> <td>535</td> <td>535</td> <td>2 5</td> <td>3 5</td> <td>NP 055638.1</td> <td>KIAA0344 gene product [Homo sapiens]</td> <td>22.</td> <td>479</td> <td>£50</td> <td>197</td>	Other	П	C28C2 ce	1.10E-254	535	535	2 5	3 5	NP 055638.1	KIAA0344 gene product [Homo sapiens]	22.	479	£50	197
CAMARK 2.06 3.7 3.0 4.00 100 M.D.031001-1. CACRATION SERVISE BEEN FROM THE PROPER INTERIOR STATES BEEN FROM THE PROPER INTERIOR	Sperior Control	. 1	CZBC2 ce	2.50E-208	378	372	8	5	ND 037524	Nuclear receptor binding protein (Homo sapiens)	73	327		384
CIRT 900E-24 287 87 32 2014 147 1171 <	S C	.[CAMKK	3.80E-148	588	588	5	5	AAD31507 1	Ce24/Arimod III 4	-	170	85	281
O'TRK 2.00 117		J.	CIR	9.90E-24	287	87	33	52	JO1743	Hynothetral 12 BY needle	165	448	-	261
DeTRIX 2.10E-200 653 653 100 100 NP 00325711 Outs-specifictly Structured Type Deptrix (1.20E-200 653 653 100 100 NP 00325711 Outs-specificitly Worstern (Type) Deptrix (1.20E-200 650 610 6		١.	מאַמ	0	13	1137	87	8	AAD52566.1	Nuclear both pescoleted kings 4-25	2	285	-	261
EFFEX 1.20E-201 1948 1419 100		١.	X 20 C	2.10E-280	553	553	ş	100	NP 003573.1	Dual-apacificity browns / Anthrophochala	180	527	-	261
EFIX 6 1.50E-220 1594 1489 1489 1480 149 1481 1480 149 1480 140	Other		בובע	Z.30E-85	2	149	8	96	NP 003573.1	Dual-specificity tyrosing-(Y)-phosphorytoing required kingse 3	77	487	-	261
Enrop 2.05E-16 2.35 1.02 1.00 NP 05222.1 How regulated reliation feature 2-alpha kinase [Homo saplema] 1.01 1.87 0.55 Enrop 2.05E-26 2.16 1.00 4.5 6.4 AAP-0079-1 CC1 (00773 gare a product) Control 2-alpha kinase [Homo saplema] 1.01 1.87 1.65 IRAK 1.02E-170 382 283 1.0 1.00	Other	Ι.	EFK	150F.220	830	1483	8	8	NP 038747.1	۲.	9 600	103	235	3
Endago 3.70E-45 216 100 45	Other		Endop	2.50E-45	25	3 5	3	2	NP 055228.1	+-	187	1001 a 800	-	38.
IRAM Co. See 566 100 100 100 INCATOR INCATOR 100 100 INCATOR	Other		Endop	3.70E-45	218	9	15	6	AAF50799.1	CG 10873 gene product [Drosophila melanogaster]	5	187	- A	197
HANK 1.00E+170 392 283 75 85 No. P. 009130 Internatural Presedent-alexage M Horno Leaphenal 165 443 1 1	g Page	Ţ	RAK	٥	296	598	ş	Ş	ND COOKED 4		116	150	118	147
NYKYZ 64 82 69 NP 036148.1 Institutorius 51 239 19 239 19 24 62 AAF48758.1 CG8173 gene product [Drasophila melanogaster] 31 77 1 77 1 1 77 1 1 7 1 1 1 229 10 10 AAF48758.1 CG8173 gene product [Drasophila melanogaster] 32 25 10 100 AAF48758.1 CG8173 gene product [Drasophila melanogaster] 12 259 101 MLK 2.560E-15 835 100 100 AAF63400.1 Melanogaster] 12 259 101 100 AAF63400.1 Melanogaster] 12 259 101 100 AAF63400.1 Melanogaster] 12 259 101 100 AAF63400.1 Melanogaster] 16 259 101 100 AAF63400.1 Melanogaster] 16 259 101 100 AAF63400.1 Melanogaster] 16 16 AAF63400.1 Melanogaster] 10		J.	RAK	1.20E-170	392	293	75	8	NP 009130.1	Interieukin-1 receptor-associated kinase M (Homo sapiens)	165	443	-	261
KYYK2 dd 50E-22 102 45 82 AAF487841 CG6473 gene producti Drasophila melanogasteri 215 266 1 1 1 1 1 1 1 1 1		J.	VVV2	1.58-323	922	746	82	88	NP 036148.1	+	-	239	6	281
LIMIX 2.50E-274 280 799 92 80 APF-81269.1 Colorida molemogenesis 12 2.66 1 1 1 1 1 1 2 2.66 1 1 1 2 2.66 1 2 2.66 1 2 2.66 1 2 2.66 1 2 2.66 1 2 2.66 1 2 2.66 2 2 2 2 2 2 2 2 2	ğ	Γ.	KYK2 dd	6.70E-40	225	102	45	62	AAF48758.1	+	216	777	-	201
MLK 2.50E-282 800 789 92 95 170 100 AAC28480.1 Maked Integer kinese get Homo saplens 12 2.50 101 100 AAC28480.1 Miked Integer kinese get Homo saplens 16 2.50 101 100 AAC28480.1 Miked Integer kinese get Homo saplens 16 2.50 1 2.50 100 100 AAC2863.2.1 Putative profession from saplens 16 2.50 1 1 2.50 1 1 2.50 1 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 1 2.50 1 2.50 1 2.50 1 1 2.50 1 2.50 1 2.50 1 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 1 2.50 2.50 <td>Other</td> <td></td> <td>LIME</td> <td>2.80E-17</td> <td>200</td> <td>100</td> <td>35</td> <td>S 5</td> <td>AAF48758.1</td> <td>CG8173 gene product [Drosophila melanogaster]</td> <td>3 5</td> <td>318</td> <td></td> <td>281</td>	Other		LIME	2.80E-17	200	100	35	S 5	AAF48758.1	CG8173 gene product [Drosophila melanogaster]	3 5	318		281
MLK 8.0E_251 835 100 100 AAC20387171 KIAAO472 protein kinase (Homo saplens) 16 259 17 RIP 2.20E-186 634 365 100 100 BAA223171 KIAAO472 protein kinase (Homo saplens) 357 259 1 SCY1 sc 0 688 100 100 CAB532301.1 KIAAO472 protein Brown saplens) 7 27 27 151 SCY1 sc 1.0E-208 505 100 100 CAB53200.1 Hypothetic protein Product Informations and Protein Brown saplens) 7 2 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	Other		MLK	2.50E-282	8	. 687	50	2 5	AAE82200 -	testis-specific kinase 2 [Homo saplens]	2	39	- 5	128
RIP 2.20E-156 634 365 100 100 BAA32317.1 KIAA0472 protein Home seplens 483 723 1 SCY1 sc 5.30E-166 286 288 100 100 AAF59333.1 Receptor Interacting protein 3 Mus musculus 7 27 1 SCY1 sc 1.70E-209 505 364 86 100 100 CAB55300.1 Module protein Browness and septens 57 27 141 SCY1 sc 1.70E-209 505 364 86 61 AAF56933.1 CG1873 gene product Home saplens 57 87 83 50 SCY1 sc 1.70E-209 508 366 61 AAF56933.1 CG1873 gene product Home saplens 57 87 <td< td=""><td></td><td></td><td>ΣĽΚ</td><td>8.60E-251</td><td>835</td><td>835</td><td>8</td><td>8</td><td>AAD208324</td><td></td><td>18</td><td>259</td><td>-</td><td>284</td></td<>			ΣĽΚ	8.60E-251	835	835	8	8	AAD208324		18	259	-	284
RIP 5.30E-166 289 286 100 100 AAF03133.1 Richard College (Mustace Log Follows) 7 27 181 SCY1 sc 1.00E-209 688 688 100 100 CAB53300.1 Hypothetical protein [Homo saplens] 57 27 181 SCY1 sc 1.00E-209 505 354 98 BAA82589.1 H/A1360 protein [Homo saplens] 57 27 67 SCY1 sc 2.20E-157 808 364 45 61 AAF58289.1 H/A1360 protein [Homo saplens] 37 37 47 SCY1 sc 2.20E-157 808 100 100 NP 05185.1 GORDON PORTION PORT		1	료	2.20E-158	634	365	100	5	BAA32317 1		463	723	-	281
SCY1 sc 0 688 688 100 100 CAB55300.1 Mypotherical protein [Homo saplens] 7 27 181 SCY1 sc 1.76E-157 608 566 46 88 BAA92580.1 IK/A41360 protein [Homo saplens] 57 83 50 SCY1 sc 2.20E-157 608 364 46 AAF5693.1 CG1013 gene product [Drosophila melanogaster] 65 137 41 SLOB? 7.40E-196 649 649 100 100 BAA91091.1 Unnamed protein [Homo saplens] 230 305 81 SRPK 5.6E-252 533 100 100 NP 035185.1 Simple product [Homo saplens] 230 305 81 STK22A 3.6E-252 533 100 100 NP 035481.1 Seminal melanogaster] 76 81 STK22A 4.6DE-252 56 10 100 100 NP 033461.1 Seminal/melanome kinase 228 (spermioganesis associated) 10 265 10 10 10 10 10 <td>2</td> <td></td> <td>d R</td> <td>5.30E-158</td> <td>289</td> <td>288</td> <td>100</td> <td>2</td> <td>AAF03133 1</td> <td></td> <td>357</td> <td>620</td> <td>-</td> <td>284</td>	2		d R	5.30E-158	289	288	100	2	AAF03133 1		357	620	-	284
SCY1 sc 1.70E-209 565 354 98 BAA82598.1 KIAA1300 protein (Homo saplens) 57 63 50 SCV1 sc 2.20E-187 808 396 45 61 AAF56933.1 CG1873 gene product [Drosophila melanogaster] 65 137 47 SLOB7 7.40E-186 69 69 100 100 BAA91097.1 Jinhamed product [Homo saplens] 230 305 81 SRPK 5.80E-252 533 500 100 NP 055185.1 Selected [Homo saplens] 230 305 81 STRZZA 2.80E-53 168 170 NP 055185.1 Selected [Homo saplens] 70		1	SCY1 sc	0	888	688	100	\$	CAB55300.1		7	27	181	202
SLOW		1.	SC 1 SC	1.70E-209	505	354	88	98	BAA92598.1	[8]	22	83	20	78
SRK22A 5.002-252 533 533 100 100 BAA\$1097.1 Unnamed protein product [Homo saplens] 230 313 47 47 47 47 47 47 47 4	Č	1.	0000	7.20E-157	808	398	42	61	AAF58933.1		25	327	-	261
STK22A 3.06-30 3.03 100 NO 55(85.1 Serine/threonine kinase 22 (Homg saperal) 7.0 5.0 6.1 1.0 No 103461.1 Serine/threonine kinase 22A (spermiogenesis associated) (Mus. 10 2.0 3.0 6.1 1.0 No 103462.1 Serine/threonine kinase 22A (spermiogenesis associated) (Mus. 10 2.0 1.0 2.0 1.0	Other	1.	SRPK	5 ROE-252	623	648	8	8	BAA91097.1		2 6	131	47	9
STK22 2.70E-52 268 127 46 69 NP 033461 Serinet/Inconine klases 22A (Spermlogenesis associated) Most 265 1	Other		STK22A	3.80E-53	268	35	3	3	NP 055185.1	L	3 2	524	5 -	143
STK22A 4.60E-16 282 112 45 64 NP 033461.1 Serinethreonine kinase 228 (spermiogenesis associated) 10 265 1 260 1 265 1 260 1 265 1 260 1 265 1 260 1 265 1 260 1 265 1 260 1 265 1 260 2 2 2 2 2 2 2 2 2	Q.he		STK22	2.70E-52	268	127	3	2 8	NP 033481 1	L	2	265	-	200
STK22A 5.10E-123 356 322 90 96 NP 033462.1 Seminatrinaconine kinase 228 (spermiogenesis associated) 25 280 1 1	S. Per	7	STK22A	4.60E-16	282	112	\$	3	NP 033484 4		무	285	-	28
TSK 2.10E-33 273 122 46 62 NP 033461.1 Serinchtheonine khase 228 (spermiogenesis associated) Nustra	S P	1	STK22A	5.10E-123	358	322	8	98	NP OTTAR		25	280	-	281
15K 2.50E-32 216 93 41 58 NP 033462.1 Serinethreorine kinase 228 (spermogenesis associated) 12 267 1	E C	+	TSK	2.10E-33	273	122	\$	62	NP 033481 1		12	272	-	38
UNC 0.000022 3.33 57 3.6 AAD32787.1 Purative months and control sparting pictures. Purple control spartines. Purple control sparting pictures.		+	TSK	2.50E-32	218	83	14	89	NP 033462.1		12	267	-	261
UNC 0.002492 412 53 37 52 BAA77341.1 UNC-51 Re kinase UASIOVOPSS Infallaria 1 329 1 UNC 0.001096 341 56 38 56 BAA77341.1 UNC-51-like kinase (ULK) Z [Mus musculus] 80 408 1 UNC 1.50E-206 565 468 96 BAA81720.1 UNC-51-like kinase (ULK) Z [Mus musculus] 8 340 1 UNC 1.50E-206 565 468 96 BAA81270.1 Unique 6.70E-10 57 313 1 UNC 6.70E-10 39 27 69 90 AAD00575.1 Sentim-inducible kinase (Homo saplens) 4 265 1		+	ONC.	0.000062	333	25	36	88	AAD32787.1	Putative protein three (Arctid	_	213	~	261
0.001096 341 50 36 58 BAA77347.1 UNC-51-like kinase (ULK)2 [Mus musculus] 80 408 1 1.50E-86 480 247 100 100 T17265 HYpothetical protein DRZEQ434C131.1 - human (fragment) 57 313 1 1.50E-208 565 468 96 BAA91270.1 Unnamed protein product (Homo saplens) 4 265 1 6.70E-10 39 27 69 90 AAD00575.1 Serum-inductible kinase (Homo saplens) 4 265 1	5 6	+	ON COL	0.002482	412	53	37	52	BAA77341.1		-	329	-	281
1.90E-68		+	2 2	0.001098	341	S	38	58	BAA77341.1		2	408	-	261
1.50C-205 305 468 96 96 BAA91270.1 Unnamed protein product [Homo sapiens] 4 265 1 6.70E-10 39 27 69 90 AAD00575.1 Serum-inductible kinase [Homo sapiens] 4 265 1		+	2 2	1.90E-88	480	247	100	\$	T17265	(franciscon)	œ !	340	-	381
COCTO 39 27 B9 90 AAD00575.1 Serum-inducible kinase (Homo espiens)	og Pe	+	Unique	8 70E 40	818	\$ 100 m	8	88	BAA91270.1	מוופוו לוופאיוופנווי		313	-	261
		1			3	13	à	AU.	AAD00575.1	Serum-inducible kinase [Homo sapiens]	+	200	- ;	281

Table 2 (cont'd)

88	281	261	23	7	136	136	261	281	281	261	281	281	281	261	281	281	281
1	25	168	18	42	63	63	+	1	1	1	9	,	-	123	~	~	2
159	248	104	272	98	318	7.8	290	507	251	308	629	700	453	143	292	287	293
80	-	0		88	247	7	20	156	7	52	376	448	187	•	35	4	62
Serine threonine protein kinase like protein (Arabidopsis thalland	KIAA1264 protein [Homp saplens]	Tie gene product (Drosophila melanogaster)	SALIVARY PROLINE-RICH PROTEIN PO (ALLELE K) [Homo &	Γ.	Vaccinia related kinase 3 [Homo sapiens]	(AB031052) vaccinia related kinase 3 (Homo saplens)	MPSK [Homo saplans]	CG4523 gene product [Drosophila melanogaster]	NEX1 (NIMA-RELATED PROTEIN KINASE 1) [Mus musculus]	(AC007055) unknown [Homo saplens]	mitogen-activated protein kinase kinase kinase 8 [Homo sapiens	(AB040812) protein kinase PAK5 [Homo saplens]	(U40827) protein tyrosine kinase [Mus musculus]	(fibroblast growth factor receptor 3 (Mus musculus)	SGK2alpha protein kinase [Horno sapiens]	[Cell cycle related kinase [Homo saplens]	Testis-specific kinase 2 [Homo sapiens]
CAA18116.1	BAA88578.1	AAF47918.1	P10162	NP 006276.1	BAA80769.1	BAA90789.1	AAC28337.1	AAF46188.1	P51954	AAD31939.1	NP 004663.1	BAA94194.1	AAA98485.1	NP 032038.1	AAF12757.2	NP 038251.1	NP 009101.1
8	4.5	20	42	57	100	8	5	2	19	86	5	9	38	25	ā	\$	100
g	8	42	30	34	5	82	ē	5	48	8	9	5	8	e	9	5	5
2	3	25	52	25	474	181	304	135	122	367	101	718	11	83	387	452	555
349	707	640	540	365	474	234	305	581	869	836	101	719	485	183	367	452	555
0 00000	0.000128	0.007385	0.31334	0.022948	3.10E-263	1.20E-111	7.40E-144	5.10E-48	3,30E-30	2 70E-119	1.10E-291	7.70E-177	4.90E-24	5.30E-18	8.30E-112	2.80E-137	6.50E-233
Ilohus	Inhine	Unbine	Unique	Unique	YR.Y	YRY.	YPL238 sc 7.40E-144	YOUR CA	NEK	NEX	STE11	STE20-02	RTK-20	RTK-20	SGK	CDK	LIMK
Other	o Paris	Other	Other	Other	Other	Other	Q Par	Other	STE	STE	STE	STE	¥	¥	AGC	CMGC	Other
222	223	224	225	28	227	228	228	230	231	232	233	23.5	235	238	237	238	239
Ę	2	50	40	ģ	88	60	9	=	112	5	114	138	118	=	118	120	121

164 Table 3

Total Dec Marco																				
Section Column	EQ M R	48EQ_14_H1	SEO 12 P	\$20 11 EP	SEQ 9 CA	SEQ 600 A	800 A	TB# SE	ABEG S	SEQ MI	p33	Enden	Named	amor colle	Tumor - te	-	Horm pi-r	Tuesday ayes		
Section Sect	13165			\$5330	105718	118257	1202494	2265	51 32	81	=	=					3		-	bone marrow - h
Processing	12106			33850				376	64			=				_			=	enderstramy gland - h
Part	2903 7107	54253	7736								<u> </u>	\pm				=			\Rightarrow	parcross - h
Part	12794	82436	290%	16370	36802	84606	767223	704	50 19	63		\vdash				_	7		-	pikatory gloyd - h
Section 1	12186 8907	87365				85401	967041	1046	19 6	157		=				=				
Section Column	10501	80342	13887	34271		46,706 61099	837527	468 839			\vdash	<u> </u>					11		\dashv	Seas bidney - h
Section Sect	11164	74934	8464	11799	49912	60508	122058				-	-				_	12			Sated Breen by
March Marc	9440	68677 60763	13806		3775a	37947	429781	596	5 30	27						П	14		\neg	ephopry gL - h Spini Aurog - h
Seed personal 14	15636	B2518			59484	79678	305467				\vdash					\Box	16		=	Contractor - It
Section Sect	8255 7763	43981	11717	6357	20973	27479	227934				-						18			wed Water - h
Septem Process Proce	11051			7829	24102	41491	412001	455	54	36						\neg				
Section 1	8768 8300		4648	12298	12872	21686 34583										\exists	21			Settorn A
Septembro Sept	8661	44668	8169	10750		40111			1 10		-	┢╾				\exists	23			Aung - N
##85C 78 19 19 19 19 19 19 19 19 19 19 19 19 19	7064 5109	18010		5870	12206	33951	312002	419	8 4	205	Ш					-				terfig - h
Section Sect	11194 13780			117943		1,22006		196 1	49	765						=			-	HPAEC
Section 1 1 1 1 1 1 1 1 1	9110	67067	14479								_					=	- 25		_	toyaid gland - h
Color Colo	7144	42340	15054	3397	3357	21213	80360					36					31			traches - h
	11767 3838				15301	24424	1.3000E	366	1 13	779						7				umnus - h
Symbol 1968 1969	8540					34433		0	8	767				=		\Rightarrow		$\overline{}$	丁	
Final Art	8203 7564	46443	6513	5140	15818	19592		19	5	1100						_	-2		\Rightarrow	byropis reado - h
Section Process Proc	7285 3450	30349	יסלפוב	5264	5411	11060	0	77	5	560		=				_			\pm	fotal forer- h
Deciminary 1	9104 7275	581211	2447	5458 2515	9552	15303	5019	45	74	709						7			-F	Heat - h
120m 1	10210	70722	1502	10164	17473	40613	87220		347		_					\Rightarrow	41	=		Decidentum - h
Section Column	9566	54980	3663	15010	16311	20505	21478		J30	123						_				Saburry pt - h
\$1723-series \$23	8965 8767	35172	4360	17932	14956	19662	33514	89	2304	806.			107		$=$ \downarrow	\dashv	-4			HT218-normal
Section Sect	1034	12050	134	1738	2191	3306			42				363			\Rightarrow			_	HT213-remed
Description	603 4100	18326	854	1.2030	735	2726	36470	15	1.			356	366			士		$=$ \perp		8 13
Sept	17604	82144 59887	3467	12012	9439	69954	56750	86	120				364		-	Ŧ				carabellum - h
Pages Profes	4240	27729	1243			2890	79641	62	- 34 Sa				342	=		7		=	Ŧ	RETEC
Field best 1	20777	71803	#0671	333		26733	1941					334	332		$=\pm$	#		=	==	lymph nedo - h
25	9836 9864	47300	540	0	1044	8587	6514	o		605		=	300			_+				Fotal train - b
March Marc	18134 7284	70904		9085 8848		6223	17305	0 2		636		=	327			Ŧ				Cryman Jr
1985 1985	13384	70826	Z366	7917	10538	54119				8784 197		$=\pm$	321			#		=	-	HT149 - normal
15	8508 10734	61910	3048	4353	3937	12132	8126	9		3252		\neg	320			\pm			上	effects - h
Section Sect	16656 11180			10150	13590		1000	D 1	29	4963		=	316	\rightarrow		+				trathes - h tryteid gland - h
Platfory sheet h 202 64 852 600524 14522 854 855 1700	13837 11348	44846	6319			19056				881			311			-			7	authory gl h
206 150 597 191447 265, 2636 246, 1514 24977 2	10349	47609	1052	8143	B#34	14523		2 7	56			t	307	$=\pm$		_			+	printery gland - h
SS2	10318	44917	1647	7486	2836	8652	1847	7 1		193		\neg				+				mannagy gland - b
Spison - h 297 2935 1246 691051 20017 9334 30069 3549 53754	12912 11960				8728 8508	25957	9/61	0		14712		\rightarrow	302			Ŧ			\dashv	
296 86 9687 98878 33736	21280 17361									4247 2935		$=$ \pm	297			#		=	7	Iver - h Seban - h
	10529	53225	2069	11609	9704	20791			1687	56	-					1			二	
252 155 115 366079 12005 3217 4660 1120 41612	13872 4784			6960	3217	12005	6979	5 3	115	156		\dashv	292	\dashv		+		+		shelatel marris - h
29 0 916 3547 50007 2000 5072 50007 500007 50007 50007 50007 50007 50007 500007 50007 50007 50007 5000007 50007 50007 50007 50007 50007 50007 50007 50007 50007 500007 5	13025	603/2 506/7				2111	4547		918	0	=	_	279			Ŧ			-	
1994C 275 275 501 127 4942 4710 2570 9223 942 M753	8058	84753	863				1342	-	2174			275	275			#		\rightarrow		HPAEC
HT.Mid-energy 0 50 79106 4487 0 4485 365 20945	7713 3991	36846	861	44.86	. 0	4467	106	11	\$0		\dashv					\pm				HT380-name
279 296 1719 426 20605 19772 1507 1503 470 73507	7870 13425			19433	1507	19772	1065	2	42%	1710	=				-	Ŧ			-	Bas-8
HT312-seemed 57 (50) E765 (50) 1944 7759 (820) 50/53 (821) 1944 7759 (820) 50/53 (820) 50/	7396	90453			1048 5366			3		767			Z34			#			\mp	Para 7
Dev- 233 231 0 1536 3536 3536 3536 2346 78267 Dev- 231	14120 9189	71554	2606	9250	2074	7274				301	\dashv					±.			_	lerd
222 229 466 1604 74672 8509 709 7032 9477 2250 52712 66+1 777 4466 1604 74672 8509 709 7032 9425 45466	9479 6479	45448	3425	7032	790	9509	1013	1 7	1684	465	\dashv	229				+			+	Ber 1
Heart - h 329 498 5047 2650 2966 3425 171 33431	9089 5059		1048		2386	2850	047		458	329	#	_	222			F				Heatel - In
214 066 1512 2009 9008 2294 7514 1527 68489:	8442	45488:	1637				1794	10		466		_	714			#			7=	
913 (3110) 1/31 (3101)	10261 6120	39067	4761	1036	1846	6416	475		547		\neg	$\neg \top$	בא		$=$ \pm	+		_	+	Arria - h
500 PMS 0057 544 550 1541 54757 540 540 540 550 1541 54757 540 550 1541 54757 540 540 540 540 540 540 540 540 540 540	980S	34737	1143	569	184	8967	163		0	143	_	211	11		$ \Box$	+-		_ +	\pm	Mad brain - h
MMSC 270 897 3737 \$2907 0-00 7893 14001 15-15 79127 MMSC 2004 1000 2783 14001 15-15 79127 MMSC 2004 1000 1000 1000 15-15 79127 MMSC 2004 1000 1000 1000 1000 1000 1000 1000	12008 6196	70127				8400	934		142		\Rightarrow		700			1			-	MEC Juddenum - h
205 1 0 4590 8029 525 555 77 3565 78 3665 3 674 1271 16611 31650 7865 8 675 8	8176	36290	5/9	1551	620		305	1	- 0	1		_	103			+		$=\pm$	1	Bulatel srapedo - h
Percena h. (20) 031 032 (9 307) 052 (74 1271 1041) 341501 100 070 070 070 070 070 070 070 070 070	5114 6509	33307	991	4306	3004	5487	167		16	415	二	7-	23			1			1	ete - h
Schoop d. h 197	4123		347:	3485 5218	2527 Z308		817	31	16:	436			97			-			F	chegry of - h GFFM 3d TGFFH debutters (194
187 (2661 0 247405 24041 4894 47727 3.45	2326	21318;	374;	1291	236	3406						$=$ \vdash	93			\vdash		===	#=	American
Meth mode - N	8264 1771	21245		360	0	2190	101		0		\dashv	\mp	79			£			\pm	mph made - h
90 797 1.251 340147 8718 10510 18888 2208 2730.35 454mg - h	4266 9151	79635	2300	18586		9218	147	344	1,251	797	\Rightarrow	\Rightarrow	50			F			-	rig - n idney - h
neer h 55 0 1334 (exter) (970 3352 7859 4 (500)	7384 3564	58006	4		3152		MZ	20	1134	0			3						T	mert - In
## Best 9 1322 2448 1809 222 1176 1297 12035	1580	12635	1297	1176	232	1809	LB1				7		1						+	And Broat - In
GLA-27-071866 277 641 37891 3685 2642 11995 3198 31744	2372 4737		3198	11996	2642	368s	01	37	641	277	\Rightarrow		•	1 4	$ \vdash$	\vdash			±-	ELA-2h-031899
61.46.00148 81 1376 744 (993) 365 201 556 1472 5660 1472	6204 7191	36060							2343	466		\perp		1				=	-	ELA-41-001486
ELA-ON-031888 65 5091 80381 3757 1680 4822 1615 53322	3/52	63322	1615	4822	1680	3757	81	80			-1-	_		NS					=	ELA-Ch-031666
50 1271 66 TROUG ENT 475 640 2765 5576	4729 1015	56350 1	2346	8490	4751	8301	36	182	184	1271	\dashv		Ŧ						\pm	B.A#1-031909
ELA VIB-021009 92 933 416 75156 7556 1647 9591 VEX 56166	7719	55168	1636	6591	4306	40-18	36	-	804	619	_	\Rightarrow		2		=			\vdash	ELA-189-431890
TA US-071600 0 0 33,779 4250 3372 4443 1654 43-442	8050 5901	42462	1654	4843	317					0		_		6		\equiv			-	B.A-12h-031000
146 1456 248 4445 3419 38783 29485 2702 145600	3126	16600	2702	29485	36763	3419	56	444	246	1456	7	$\overline{}$				_			\perp	CI-HH60
D-1622 108 108 109 13945 5071 3699 27487 6565 2202 109 109 109 277 2279 2277 8277 5165 2202	3346 1618	22032	685	21487 9837	3237	2979	61		254	913	\pm	\pm	=	4						3-4-5/2 Q -19
NS-75 154 1155 0 33025 1124 8500 8003 0 16076	2527	16076	01	6003	8500	1124	25		- 0	1115	- :			4						8 -75
-355 154 231 0 400 2705 3218 4650 447 14225	196	18225	447	860s.	3218	2766	111	46	0	231	丁	=	-			_		士		-285
CRF-CRM 1997 9 342 1997 12136 982 578 546 5339 1445 1455 1455 1455 1455 1455 1455 145	1613 1684	2330	848		992	317	20	181	255	1001	\pm	==	#	0		_	-	- $+$		
GT 116 205 405 7942 1469 2626 2384 110 1005	867	14305	119	2384		1480			405		\pm		\perp						Щ.	

165 Table 3 (contd)

Tienno Ha SZRT	Tumer-oym 156	-	Tuesser - To	Turner code	None) (Condes	1943	SEQ 603		186624		NBEQ 8 CA				
HE STRT MCF-TIADR-RES MCFT MH	153						=	1342	129	37520	2026	2 9797	578	8670	48543	518
MOFT.	157	 	 	 	++	+	+	1533					15050	16792		941
LIACE 257	147	=			=	=	_	1145	6	755616	1366	7 10437	4280	4588	38000	823
UACK-RZ SK-MEJ-28	145	 	 	 	╁┼	-t-	┼─	20G			2157 1375	1 11116	2754 2364	1929		455 562
UD31	143				-		-	636 544		247414	1513	8047	Z363;	4196	56230	834
SK-MEL-5 KGM-12	141		\leftarrow	\vdash	1	\pm	+	563						7048 2794	29301 30992	313
SK-ME1-2 HCT-15	140 139			-	H	$\dashv =$	1	118					13874	7005	30577	579
364	138					1	<u> </u>	655	3	403460						1074
LOX BM	137 136				1	-	-	634 420			2371			4868	\$7736	1084
35W-42Q	135							1182		622850	1655	5952	16514	5660 7213		570
TIC-10 HCT 118	134	 		ļ —	++		+	348	2 154	230533			916.	4081	43207	
786-0	132					\Rightarrow	1	328	1 (306264	1772	4992	13644	5047	34175	467
ACHN	131	-	 		+	+	+	968			1756		10030	3671	62362	845 578
PC-3	129				1	-	#=	1200		48624	1418	4679	8473	3508	36.262	685
R05 303 CU-145	128		 		H	+-	1 ─	58X			2161	7110	11095	3334 3361	40444 37777	
Cabi-1	126				\Box	$\overline{}$		358	172	712846	1274	2000	13345	4297	36257	946
A496	125		<u> </u>		+	1	+	912			1334			4374	37859 39104	432 629
PENS 1728	123		\vdash		\Box	\vdash		2270			1,81408		26790	1191	50465	595
SN12C HL-80	121	<u> </u>	†		i i	1		1144			1718	14358		5796 4164	32578	450
MOLT-4 OVCAR-5	120				+	+	-	393		440040 1086525	1270 16634	90231 5752		2986 4117	28309 25375	647 663
K-562	118							2160	794	804733	1418	8845	24925	9340	\$4213	903
OVCAR-4 CCRF-CEM	117				 	+-	 	2005a	3547	4046335	10620	8040	112397	5601 9560	4,2501 36120	920
OVCAR-3	115	\vdash			二二	1		3371		561858	10974	7064	21926	\$119	52017	581.
SF 639 HOP-62	114		<u> </u>			1	<u>L</u> .	2174			13841		11036	3604	34665 19578	611
SF-295	112				1	1	Γ	11906	210	88503	16107	8440	7164	2646	40830	796
ASMATCC SF-200	111 110				ᆣ	\pm	1	17217	1363	233341	16800	6651	38617 11824	6350 2278	47439 30245	832 371
NCI-H622 U251	109				-	+=	\vdash	4147 6536		1128364	19715	10185	32962	3153	44511	864
NCHHIIO	107				<u> </u>	\pm	\pm	6777		452393	18798	(6)	12056 18903	6746 4436	54076 28896	8260 5244
\$A6-75 NCI-H322M	105		+ -		-	1	+	2575 6471	830	27992	8636	323	6216	2822 3322	41 104 49037	4516 653
SMB-19	104				-			7360		219661	17548	7956	12434	3103	50654	5744
NC+HIZE SK-ON-J	103				<u> </u>	_	1.	32959	-	104336	20898 18647	10726	24197	· 3054 2247	81587 33170	890 298
HCI-H23	101				-		-	\$814	371	100602	13285	6342	15734	2000	30481	3516
IOROV1 EKVX	100				\pm	1		1980 I	1110		14157	9518	21795	2981	41669 25017	3314
OVCAR-8 HOP-82	96				-	7		12781	814		10361	4170	8064	3120	31129	4011
h Shoublands 3/31/92 P12	- 49						=	11086	- 8	177631	22515 16183	4.246 6067	39400 4047	3242	32090	4127
h mhát SMC 10/21/02 #17 h harateacytes 2/25/02 #10	47					-	-	13802			14410 22184	12690 6854	3095 14419	568 3671	30937	\$336 5742
TCGP	- 3					1	-	6006		658454	15245	19206	19157	3439	29128 22863	6471
A549 - 1 A549 - 3					+	+	=	1491	6421 4212	20036	11719 6707			0	0	
A546 - 4					<u> </u>	=	wf	270	6323	36473	10936			0	Di	0
A549 - 5 A549 - 7					+		w	148	2072	15733	10727 6768		- 0	- 0	- 0	
BCVX - 4					+	-	mylen mylen	946 1490	1943	89024	18784 25018	0	0		0	
BOX-3							muters	905	834	79393 22997	12911	0	0	0	- 0	
EKVX - 7					-	1-	orestant.	732	1578		7740	0	. 0	- 0	0	
EKVX-7 MCF-7-1 MCF-7-3 MCF-7-4					\equiv	1-	Ψ	840	718	50119	10690	0		0	_ 0	
MCF-7-3					Ť	1	4	607		14071)	7883 14817	0	0		0	
MCF-7 - 4 MCF-7 - 5 MCF-7 - 7 ADR-RES - 1					\dashv	1	7 7	224	1050	81146 10567	11019		0	0	0	Ö
ADR-RES - 1								0	3005	\$1125	18486		- 0	0	. 0	. 0
ADR-RES - 3					-		ryalani materi	425	525 961	27\$34 15870	A082 4149	, b	0	8	9	0
ACRURES - S ACRURES - Y WI 38 - 1					ì		-	258	472	36686	7649	0	0	- 0	- 0	
ADR-RES - 7					+-	+		819	7502	12973 41627	13062 24067	0			- 0	
W 35 - 3 W 36 - 4 W 39 - 5 W 38 - 7 Hela - 7					- 1		wi	500	217	40670	14373	. 0	0	D.	O;	
WI 38 - 5					-,-	+	wi	1151	751 3721	32710 17091	9317 11387	0	0		0,	D
WI 38 - 7					-		-	218	4617	64191	12288	ō	01	0	0'	0
PM.g - 3						1	HPV E6	532	12821	16483 51037	13319	0	0	0:	D .	0
Help 4					-	-	HPV E6	802	3311	46266	7885	P	. 0	0		
HeLa · S							HPV E6	213	1168	40254 37586	18027 9675	. 0	0	0	D ₁	0
H1290 - 1 H1290 - 3						\vdash	Table 1	944 336	0	68067 80264	14723	0	0	0		<u> </u>
H1299 - 4					⇉		(Friedland	336	2070	76799	25363	. 0	9	0	- 0	0
H1299 - 5 H1290 - 7					~	\vdash	onder!	204	1906	33236 41846	10427	0	. 0	0	0,	
A540 - 2					===	=	wi	194	4270	37307	8363	0		0	0	;
BKVX - 2					\pm	1	etophyral rat	639 498	2003 8597	23362	15538 \$134	0	0		0	
HCT-116 - 2							M	1123	37%	48630	21130	0	0	0	07	0
HCT-116 - 2 HT20 - 2 SF530 - 1							WARFE TO SERVICE THE PARTY NAMED IN COLUMN TWO IN COLUMN TO SERVICE THE PARTY NAMED I	651 0	1380	4.3251 19897	13027	0	D	0	0;	
SP(18.7						\vdash	wi makani	112	2474	46281	13141	0	6	0	10	
SF-286-1 8F-286-2 OVCAR-4 - 1								819	317 560	42952 74505	13335 12538	0	0	0	01	0
OVCAR-4 - 1 OVCAR-4 - 2	7		-		·		7 7	342	1643	70236 101777	13108	0	0	0	- 0	0
OVCAR-5-1					-		Multiple	228	541	10036	14267	. 0	0	0	- I	
OVCAR-5 - 2 MCF-7 - 2			+		+	-	e de la	10 291	1433	9110	847\$ 7683		0	0	01	
ADM-RES - 2					-		-	0	731	31787	18443	0		9	0	
Hel.a - 2 SVF 400 - 1					-	-		\$18 326	0	112434 58775	14374 9762	0	0	0	- 0	<u>°</u>
SW 480 - 2			==		1	\vdash		1001	7826	68139	12367	0	0	0	0	0
H12M+2				\longrightarrow				8823 987	2573 18707	\$7384 8547	15081	0	0	0	0	- 9
CBA - 2 1206 - 1			==	=				954	1155	43094	11732	0	0	0	9	
DOR. 2	+			+				910 721	85	151505 148871	10872 22177	0	- 0	0	0	- 8
He69 - 1 He69 - 2 M 36 - 2			=				wt .	287	562	29004	10011	Ď.	. 9	0	0	- b
M 38 - 2			=				w.	415	986 2478	35277 36744	1 NE/0 25528	0	0	0	. 0	0
Manuf - 1 Manuf - 2	=	-				\vdash	=	674	285	8294 36126	116430	9	Q	D	0	٥
								11Z3 985	3267 896	34711	31629	0	0	0	0	0
								1958	. 0	12352	28485	0		D	91	0
Marie - 4								200		- LA 77	277674				- 67	
Model - 4 Model - 5								790 872	9430	8477 13002	277573 31583	0	0	0	0	
Rotel - 6 Schall - E												0 0 0				0

166 Table 3 (contd)

Theren	Tumor-oym	Normalayas	Turner - to	Toronto and	Norma	Engl	a pd3	\$8Q 803	AJSEQ 1 1	BH SEQ part	A 660 000	AREO S C	data is	PIREO 14 A	AEEO 11 1	HEELO
DaPeng-7		-				1		40	9141	53 13071	1 4800	7	0			0:
DePung-8 DePung-9	 			ļ.,	1		-	18	0	0 1292	3150		0	0	0	0
DaPeno-11				<u> </u>	. '	_	 	20		52 231 10 586	7 2236 8 3436		0			0,
DePeng-12		 						16.	21	0 14341	8 1476	4				0
DePeng-10 DePeng-1	+	 	+		++			115		37 5871	9 2501	3[0	0	0
Deffung 2					+			100		0 17667 92 8011	5 8712 7 4417	<u>:</u>	0			0
Dell'yng-3			F			1		10			9 2325	<u>;</u>				8
DePeng-4 DePeng-5	+	 	 		4	+			14 36	75 46D6	9 15-40		0	D	0	0
Darrang-6				 	- - 			17:	4	0 1042				0		0
A549 - Ø					1		- W	1 1	11 10							0
BCVX - 8 HCT-116 - 7			—		-		- Indeed	20	31 64		2 3417	5	0	0		0
HCT-116 - 8					1		- 🖫 -	4:		0 4537 46 8904				0	PI	0
HT29 - 1					1			25	0 36						3	0
HT29 - 7 - HT29 - 8					1-1-			1 7	8 31	47 . 686	7 848					ة
SF5.39 - 7	_				+	+-	- material	730						0		0
SF 530 - 0						_		1		75 95.22 6 5767	9 973			0		-
SF-200-7 SF-200-8		<u> </u>			1	4-	-	- 50	7 4	46 3306	7 13175					0
DYCAR-1-7					+	+-	-	90		0 3010 05 7710	2 8641 7 95962	- :		0 0		
WCAR4 - 8					1		wi	138			21701			0 0		D .
DVCAR-5-7 DVCAR-5-8	 				+ + -	-	man		0 3	76 (J98	a 10750		L	0 0		0.
ACF-7 - 8					1 :	+-	on tard	15 \$6	5 7/	0 1781				01 0		P
OR-RES - 8							materi	82	2 30	13 1256				01 0		1
NA 400 + 7					++-	-	HPY E	-	0 224					0! 0		
W440 - 8					1	_	mutari mutari	77	7 100	2452				0 0		
11290 - 8 2334 - 7							- Perford	10	2 Z36	5386	10761			<u> </u>		
33A - 8	t				┵	-	mulani mulani	37	2 312	1140	8774	9		0		1
208 - 7					 	1	- Indeed	2		3 3831 4 7268	18670					
206 - 6						=	-		7	ù 15666	9029					
1460 - 7 1460 - 8	 				 -	4	<u>m</u>	53		2972	10866		L -	0	. 0	
V1 36 - 6					+	_		50; 21			14250	0	 !	1 0		
56 marketo RNA					1	_		654	8	0 61544	3 20023	15276	2142	3326	37500	
RL1572 3/17/88 ev-4	 				+	+	14	34		0 2070			239	1237	25584	20
0v-4 T368 T379						т'		134	60	67915		4939	1208		\$8610 32554	
T379 T365	1							45	7 54	5 16806	8158	4064	4910		37556	
17300					 	+		3171		0 86246	34034	7565			76812	79
ew3						173	1_	4			3687	704 193	7909		21762	
						175			42	0 8004	1236	1068	56.	751	19950	
3/25/82 #10						177	+	1003		0 9301	5220	850 1656	1700	715	30076	1
1G						237	1	591				1942	1118	1942 2251	90327 45162	66 70
TR18 Revisionly 3/31/82 #12	——							136		9 18913	8510	5606	15016	1175	86289	147
markets, by		$\overline{}$			+	+	+	364	3	7 2733		253	3034		44374	- 614
NNG-O5 paly A+								486		300079	11053	1555 2186	10484	1629	29035 24678	54 45
A-OS (Mundy) poly A+ K poly A+		i	-		Н	_		1201		28774	11088	2632	1900	1585	27097	42
CT-116 - 3					-	+	-	1693 420			17586	3634	3415		32134	711
CT-116 -4					· :			583			8949 9562	- 0		0		
CT-116 - 5 CT-116 - 6					\blacksquare		wi	259		34555	13903	- 0	0	0		
MO - 0			+				*	8			12796	. O			0	
729 - 3						 	-	302			7326		0		0	
WX-8							emakent.	239		62503	8637	ő	- 0	ő	- 0	
729 - 4 729 - 5		-				-	enulari wulari	27 448	1260		8240	0	0	0		
29 - 6							and the same	309	1.00		10176		- 8		9	
VCAR-1-3							-	581	1200	60623	19477				0	
VCAR-1-5			-		- ;	├-	w -	329	487		8601	0		. 0	0	
VCAR-4 - 6						-	-				14934 9741	- 8	0	- :		
530 - 4							w	391	-	53062	1,2861	0		. 9		
630 - 5			+		÷	-	7	408 200	1459		15017	0	0	0		
\$39 - d						<u> </u>		0	617		12742	0 0	0	8	0	
CAR-5-3							-	548	2513	53162	8772	- 0	0	0	0	_
CAR-5 - 6	+	+	\rightarrow		-	├	ondere	412	3086	45588	10468	0	0	g.		
M-RES - 6							mutani	512 215	992	6783 18534	7317	- 0		0	0	
7-7-8 La-\$	- $=$ $=$ $=$				\perp		-	711	2112	90711	1,2210	ŏ	0	- 0	- 0	
299 - 6	+		+			\vdash	HPV ES	313	354	82500	16796	0	0	0	9	
V486 - 3								929	724		11567 0767			0	01	
1480 - 4 1480 - 5				==		_	m/cm	34	3044	76466	17095	0		0,	0,	
V440 - 6			-+			-	mari mari	922	340		20235	0	. 0	9.	0	
GA - 3							-	858	- 0		21184	- 0	0	0:	- 0	
SA - 4 SA - 5							merel	296		42319	25174	. 0	01	0	- 01	
OA - 6			+		- -	\vdash	-	428 144	211		11333	9		0	oi	
58 - 6							—	353	. 0	\$206	7527	- 9	- 0	0	0	
OS - 3 OS - 4	T			=			100/474	365	16	217525	30612	0	0	0	0	
OB - 5						-	STOCKET!	917	2747		17436		0		0	
08 · 8 30 · 6								454	1376 529	81955 110716	12775	0	01	0	Q :	
m·6								25	4047	6000			0.	0	0	
M - 3 56 - 4)	772	4744	57169	10944		0	0	0	
369-3					_			1761	740	89060	27637	-	0	0	91	
369-3 369-4 369-5		\neg		==		=	-	1145	6402	19567	21606	0	D	0		
368-0							MAIN!	821 574	1860	40558 30521	20121	0	ai	•	0	
388-9 								1771	1800	127530	12423	0	0	0	- 0 Q:	
→ - 70	$ \Box$					=		1817	6046	296833	50002	- 0	- 01	. 0	0	
hat - 21 hat - 22					<u>-</u>			1345	67	74348	63037	0	0	0	0,	
CAR-6 - 5		_					reviers	1279	2514	120280 61865	26262 27974	0	- 01	0		
Nail - 10				=				1307	15	10166	73012	0		- 0	0:	
Natl - 11 Natl - 12			- $ -$				\neg	613	0	96468	97514	0	0.	- 6	01	
NoT - 12 NoT - 13		 -		+		- ₹	 -	1061	0	160032	96962		- 0	0	0	
						_		2111 2946	0	249601 58283	27331 20000	0	0	0	0	
₩ - 15				=				739	0	184652	18747	6	- 0		- 0	
14 H				$\overline{}$			\neg	519	. 0	SE745	13636	0	0	- 0	0	
			- 1				- 1	676	0	40211	10300	- 0		0		
ud - 16			1					469	557	148750	19832	0		- 0	0	

!

167 Table 3 (contd)

Tensor Section Secti	6																
Second	Thereos activistic gland - A	Tumor-sys	Normal sy	7	Tumor sale	Name	Ender	p\$3	SEQ 17	MSEQ 20	sasta 27 P	TIGEQ 28 A	4 3EQ 29 D	SEQ 31 D			
Second State	hymph nade - h		1				 	_	940	20 13	42 18776 94 37318						
The state of the									820	24 3	45 11778	9 1139	51930	544	8 73638		
March Marc	pran-p			_			+	┰	20	30	0 1884	17 17¥	272				306
March Marc	pencrees - h							=	711	40 20	36 4882	8 742					1246
The state of the	pitatory planel - h	+			+	+	+	-		36 10	04 29872		2744	2654	5 136678		2741
Second Column	Sintal brain - h		1				+	+-	1832					240	74570		3472
The color of the	placents - h		10			$\overline{}$	=			42 8	10548	3 821	3 8436	6505	5 129994		4166
March 1	The second secon		12		 -		+-	+			39 15297	5 1098	12234	7181	56346		
March 1	(Jatel Ivar- h		13							77 315	3 8969	5 1134	15732	241			2130
The second column 1	fetal keng - h	+				+	+	\vdash		63	0 12263	3 3600	18767	1060	12999	0	233
Second	edicabeted researchy - it						+-	┼─						4176	67490		3405
The column The	hagt - h	+				=	=		406	81	0 29834	9 896	4858	2245	31339	1102	2174
March	Sóubray - It				+			+							21476	632	1632
Second Column	epited cord - h								847	55 131		7 21234			21487	787	716
March 10	Sgleen - h	 			+		+	-	403						34138	126	413
The color of the	aung - h		73			\pm											#3
The column Column		+					7			10 96	3 3785	0 1810	9895	1908	11833		331
The second	Copens A					+	 	 			8 Smar	3 30007	13224	4542	302139		
### 15 19 19 19 19 19 19 19	HPAEC						29			97	6 313	4 3994	2437	9015	1 0		====
The column The	RETEC	+		+	+	+	1-	-					4819	925	37702		755
The color of the	traching - N						1-7		786	56 30			30464	3321	47097		
## 100		+				+=		<u> </u>	651	54 85		3421	. 0	3472	7056	397	01
Section Sect	HCAEC					+	1-	-	517	7 37						3648	3631
Second State	Parcreas - h	-	35		7				464	13						- 6	1082
March Marc	Sharing regards - h	<u> </u>	37		+	+	-	-	840			5869	83786		2825	208	0
Second	Aptal Bear- h		36						\$61	1 84	9 6	2457					
Second 1	Propert - It	+	30	+	+	+	\vdash		476	2	9 2818	3496	1134		4386	492	0
Second S	Cuodenum - h		41		\perp	上	<u> </u>	_				3341	57019	1466	2572		. 0
The color of the		+			1	1	Γ		560	5.71	0 6	8154	4108	205	1081	784	
Text	territo - h			+-	+	+	1	├ ──					97131	0	1205	0	0
The column State	HTZ18-round								1285	*	0	2058				356	
Second S	HT 152-remai	 	+	+	 				1 824	5r	7 0	245	222	347	327	584	
Section Sect	Ber-13					354	356		#632 #214	1 100		23734		i ei	542	0	
## 15 19 19 19 19 19 19 19		+	+ -	+	+		364		5968	7 9	0	4,2966	4027	1119	422:	476	36
Process	brain-in	t		1	 												71
### 1995 1995	RPTEC			7		334	334		7180	3							
### 1995 1995	h adai SMC 10/21/82 #17	 	 	+	+		-		3071		336	2001	53657	253	367	0	0
1.50 1.50	Fatal brain - h					328			7000		8377		10500				
Section 1985	House h	┼	+			327			6007	4 0	300	_ 0	10938	366	202	1116	0
Section 1985	HT 140 - normal	_			1	327	1-1		4137	1 49	834	42378 A		721	750		115
Section 1.5	HEPM 34 softward		+-	7					6191) ·	10739	8706		225	3680	230	
Part	tracture - h		 	-	 -	318	-			444		24906	186533				166
Section Sect	Styraid gland - h					314			4484	5 0	1464		64006	5240			
Select S	product h		 	 -	 	311	\vdash					2684	38362	1045	347		0
Section Sect	pitaliany giand - ls					307			3476	178			19211				167
Section Sect			 			305			4491			631	13630	1321	- 520	126	596
Second S	triuder - h					302		$\overline{}$	7242	967				7874	407	323	
Second S		<u> </u>				274			&3n@	444	0	35622	93342		2016		
Proceedings Process	Spinon - h					296			6376	1	130				3474	1150	92
September 1	uphed card - h					294			629E	464	. 0						
Proceedings		 	-	+			-	_		39	0	2123	14066	2506			133
## 277 75 56 77 77 78 57 78 57 78 58 78 7	bere :rew - h			T		Z/9				27			20722	3087	3434		996
FTMS-grame 588	HPAEC					277		I		27		2305	5560	50	0	0	
Processing	HT362-normal					268	4/3	-					1157		492		
Second Color Col	HT383-normal					266			44114			- 0		0		0	
HT22-paged 224 1960 1948 267 1376 0 0 0 0 0 0 0 0 0	Dev 4			+		75	74		73567	1154							144
Part	HT372-normal								78267	0							위
Section Sect	Bar 8	 			$\vdash =$	233			71564	374	0	1052	1379	756	0;	801	
227 227 227 228 239-10 90 0 753 1530 642 0 10 10 10 10 10 10 10	2						229		45448	-:	307 581						196
222 39-01 39-0 0 1299 (802) 53 0 58 9 100 1299 1002 53 0 58 9 1000 10	 	— —				27		=	41869	0	0	783		942	0:	Di	
Part	Hourt - h				L	715	\rightarrow	1				1298	6262				0
1212 38007	eterment in					214			59801		767	69		2007			
## HEADS 171 271 39727 200 30 16271 30 201 30 30 30 30 30 30 30	placette - N			+	 	213		1				2248	393	49	339	131	. 0
Part	HCAEC					211	211		34737	290			0			397	43
Continue S	HAEC	-		 		210		_=	70177	0	01	23	66/32	728	61	449	
2013 24188 0 0 542 34 0 0 202 205	Characterists - b					205	_	_+	30290					39		0	O
Second S	Sheletal muscle - h					203	\Box	\neg	34150	D	0	\$62	34		0	123	285
### ## ## ## ## ## ## ## ## ## ## ## ##	impley - In			<u> </u>				-1		0						0	0
### ## ## ## ## ## ## ## ## ## ## ## ##	Salay gl h					197	=		30050	0	8020	506	19667	0		80	8
Wilst 7p	HEPM 30 TOFB1 desergent+Drimes	<u> </u>				195	\neg		21318		544			54		196	
Section Sect	WI-36 72h					179			21245	2.00	9	14220	75		752]	505	
1800 1	hangh rode - h			\vdash		61	ヸ		27301	0		257	39127	3067	218	50	
	kitiney - h			<u> </u>									108563		840	484	D.
	heart - In					56			37303	D	89	107	10010	436	01		0
	lead bear h			\vdash		51	$-\Gamma$				0		2307	229	62	0	. 0
	CORRECT CONTRACT OF THE CONTRACT CONTRA					49			31744	244	37			515	749	0:	
## A.B. 657698	HELA-20-031880					\neg	\neg		38960	\$36	. 0	144	0	600	507	419	0
#84_AB_STORMS	ELA-81-601888			- 	83		-+-	\rightarrow			0			1365	94	0	- 6
SACRETY BB	ELAGRATURE .				96	===			28774	56					530		
### A PROJECT	TAX TO SELECT 1			 		-	—-F	-7	56360	٥	91		804	291	299	195	. 0
Mail	4ELA-66-801888							-+						1197	365	1439	
12 12 12 12 12 12 12 12	ELA-86-831888 ELA-181-631688				94	=	\Box		42462	- 0	0	0	836	\$45	426		0
C-1460 M-6 2000 V V W W 2000 2005 1000	EA-6-0100 EA-10-0100 EA-10-0100							1 1					200	4000			
198	ELA-50-631000 ELA-100-031000 ELA-110-031000 ELA-120-031000 434-03224					\longrightarrow			1000	100		<u>×</u>				313	9
P6E-75 154 1997* 0 211 261 390 3941 646 6 577 5780 154 154 1277*> 0 798 0 154 4401 154 6039 175 5780 158 158 14225 0 390 222 155 622 0 0 0 0 0 0 0 0 0	ELA-90-00100 ELA-10-001000 ELA-110-001000 ELA-12-001000 GS-10220 GS-1000				146	\equiv	_		16500	867			3944 719	3313	766	605	160
F-288	#3.A.6-431889 #3.A.78-431889 #3.A.178-431889 #3.A.128-431889 #3.A.13229 #				146 146 150				16500 22032 20164	867) 157 0	- 0	3944 719 930	3313 1753 701	765 401 8	97 183	160
158 1525 144 0 147 110 269 24 173 141 173 173 173 174 175	#21.A. do #21489 #21.A. 194031600 #21.A. 194031600 #21.A. 194031600 #2113220 #2113220 #211322 #21132				146 145 150 152				16500 22032 20164 16076	967 9 72) 157 0	0 281	3944 719 530 395	3313 1753 701	765 401 8	97 183 0	160 282 357 57
20-145 162 1520 123 60 317 223 271 0 779 SCT 116 164 153044 0 351 570 422 442 0 576 0	ELA-8-01400 ELA-18-01400 ELA-18-01400 ELA-18-014000 CLA-18-014000 CL-140224 CL-14001 CL-14022 RB-19 RB-15 F-200				146 148 150 152 154 156				16800 22032 20164 18976 27275 18225	0 72 0 0	0)157 0 211 796 363	0 0 251 0 732	3944 719 930 395	3313 1753 701 3491 4401	265 401 0 846	97 183 0 8838	160 282 357 57 175
184 19304 9 351 570 422 641 0 576 0	ELA-88-021989 ELA-18-021989 ELA-18-021989 ELA-18-021989 CO-10228 CO-10228 CO-10228 CO-1027 F-208 F-208 F-208 F-208				146 146 150 152 154 156				18800 22032 20164 18076 27275 18225 8330	967 0 72 0 0 0	0)157 0 211 796 363	0 0 281 8 732 107	3944 719 830 395 15 935 110	3313 1753 701 3491 4401 882 369	265 401 0 646 114 0	005 97 183 0 0 8838 0	160 282 257 57 175 D
	GLA-BLOTHIN GLA THLOTHIN GLA THLOTHIN GLA TSLOTHIN GLA TS				146 146 150 152 154 156 156				18800 22032 20164 18076 27275 18225 8139 18836	967 9 12 9 9 9 114 360	0 1157 0 211 796 383 0	0 281 0 732 107	3944 719 830 395 13 155 110 408	3013 1753 701 3491 4401 862 369 254	285 401 0 846 114 0 24	905 97 183 0 8838 0 743	160 282 267 57 175 0

168 Table 3 (contd)

C46-1	Tuesday	- New markey	Tuesde	a Trear col	n Ner		24 000	3 SEQ	17 A	SEQ 20 S	4 SEQ 22	PTISEO 20	AMSEQ 29 (DE SEQ 31 D	SEQ 012	SEO 48 M	ASEQ 64
786-0				166	+-	_		-	25641 43253	1415	1	01	27	71 411	21	1 0);
T-47D Ken-3				186	==	#			52705		0 44	22		71 15tl		:	
CFEL1441 FONA B/30				171	-	├-			30045 11952	47	7 2	18 1	00	01		. 0	<u> </u>
B1T Ultreated + Divisors B paly A+			=	183					21315			0		0 33		197	<u>.</u>
IOS paly A+				1964					23563 30104	194			30 200 56 311	106	365		7
MOEN .				194			7		23616		18	74 %	96 5			46 371	-
CF-7ADR-PES				200				-	19193	130		BO 12	84 81 14 40	2 044		5554	<u> </u>
JTCS Bitanty) puly av NISH (Collegen) poly A*	+		7	204					8406	0		0 12	94 57				
56 medulie m/Out.				70	-+-		-		1396 8349	- 0		0	14	0 82	0	309	
CCL 137 RINA 321/06 WL36 72h 0 S'SFB'S, 24h 10% P				218			=		21 190	Ť		63	06 1409 0 63	12 471		411	
CRL 1441 + TPA (24h) 8/30	*		+	719	+	-+-	+-		26060 14725	0		33	9 372	7 0	140	176	
en-1				Z21			-		20116	84			0 33	0 355 8 447	157	- 0	
Corn-4	-			223					32546	- 60		0 3	53	0 235	0	361	
OP-82				341	\equiv				37336 22200	43	- 5		S4 72	0 22 6 740		867	
AOLT-4 SKVX				345	-		\perp		18708 22457	0	1330	13 1	2 2	2 3654	636	- 0	-
L-60				244					23149	347		19 0	0 57		371		
CHC) PM 828			+-	246	\perp	\neg			2002	890	90	31 3	16 30	7 958	2603	1154	1
S4BIATCC R				244			\pm		344,75 38516			0 3	9 <u>S</u>		134	222	
WCARJ		+-		348			\blacksquare		9586	0	136	11	0 36	733	153	812	
C7-15				250		- -	\dashv	_	17443 14619	30	527		3 1600	1417	284	3625	
WCAR4				251					0333	478			0 157		1074	718	
WCAR'S				252		+-	-	 ;	3456	9)	41		0 247	757	0	0'	
N12C MCAA-8				254			\Box		8550	119	336	0			535 Q	1034	
OK MAY			1	756 756	$\overline{}$	\rightarrow	- -		5487	159					819	104	
KAMBL-2			-	257	=		\perp	1	6125	121	1860		0 784 0 373		390	279	
COV-3				250	+	+	+		4735 7172	737	29	9 101	7] 0	536	377	231 73	
C-MEL-6 F-638				360	\bot	\Rightarrow	1		77.7	212	50	8	0 312 0 141	338	0.	,157	
-MEL-29		1	+	261	+		4=		9631 4496	866	177	1 62	956	3468	0	668	
462 NGC-257				203	\pm		\pm	3	0125	198	1113		7 1130		500	262	
14			+	265	+	-⊬-	+-		5143	164		9 60	6 210	617	97	55, 612	
CF7 DA-MB-136		1		267	1	1			0129 0635	48	2803			34	279 2568	440	
12/9		+ -		279			7	2	6815 6490	0	575	81	40		5		
DAN				271			-		7574	727	7083	15	7537	492	415	1472	- 3
P poly A+ +OS poly A+	+		-	273		\perp	\perp		305	9/2	2300		922	898	2143 534	1356	4
1835 24h TPA RINA 8/23				300		1			107	-4				4347	3093	347	
B36 On ROMA	+		1	313	=	\blacksquare			800	- 0				31	290	387	
347 B madullo FRAL				123	+	+-	+	- 5	970	109	767			2761	1124	5031	
6 madulo FBHA 344228		-		324	=	1_	#=	u	Çeb.	0		1877		0	1252 840	363	
3P-42				337	+		+-		074	0	164			334	408	120	. 50
M-MB-231 51				226					992		187 9843	1036 45452	1027 11667	2365 18823	1532	731 1838	161
code poly A+				319	+	+-	+-	1 33	950 967	71	19609	13847	7702	63809	10227	1071	516
C-2000		-		341	\vdash	#		2	466	130	263	3466	925	1453 813	386	01	4
/-420				343	+	+	+	17	789	0	501	1731	774	365	873	29	26 42
192 LO 205		H ===	\vdash	346		1		42	880	27	B1 8	1363 2671	17366	203	1455	1336	- 64 T
218				347	+	+-	+	12	549 925	0		2285	. 0	109	0	757	 -
151	+	\vdash		349		=		21	718	0	1595	2179	779	350	0	531	34
26	$\pm \pm$			350	+	1	+	55	-	650	9470	3432	8252	43	406	511	27
363 F 363	\vdash	=		352	=	-	\bot	63	125	483	183	4816 8775	15803	7060	903	876	
10				353	 	+	+-	1) 42	148	0	8636	1011	337	2050	212	425	
ma-3M . 678T				367	=	\perp	\perp	744	134	206 561	91082	72002 16663	8342 11098	31229	2406 6343	23	57
213	+		50	369	-	+-	\vdash	25	115	71	2207	1806	924	1418	425	1293 372	275
260			\$2 54		\Box	1		34	14	510	509	252 3400	12170 39648	206	- 6	0:	
130	+		54 56		\vdash	-	\leftarrow		101	506	213	1671	O i	259	104	56	143
163			58			1	\pm	377	17	0	10	784 354	12374	28	9	591	
170	 	├ ──	62		-			900	64	781	0	7394	58230	67'	406 607	941 920	
138			63		\vdash	+	+-	313		81	24S	871	3057 17086	9	0	638	
79 Sd			84 85					271	07	0	0	296	1991	78	171	443	45
180			- 65 - 84		-	+	+-	322		0	0	- 0	11739	0:	855	0	190
80			67					201	13	0	- 8	2963	3811 1192	663 2544	73	2343: 1630:	27
4			- 69 69		\vdash		 	276 204		367	- 0	1324	35	358	725	704	
90 45	-		97					193	64	136	475	385 435	6121	0	9	558	257
7			$\frac{\eta}{2}$			+	-	275 300	15	675	. 0	7647	Z3422	Ö	9/	211	248
H .			13					377	×5	- 0	- 0	1567	71933	423 761	0	537 200	31
17	 		74 P6			\vdash	\vdash	300	27	475	0	131	10009	313	0	200	
Babbanama (H.25 11/8)			77					304		916	- 8	142	119	2003	0	429	
7 6	 		70					8164	18	167	536	0	12817	182	266	0.	
<u> </u>			82				\vdash	4790	5	150	178	786 D	7545	97	163	8491	- 8
	\vdash		85 87					1360		209	0	0	2507	9:	183	160	40 80
11			170			\vdash		\$144 372		45 1	- 0	182	16397	0	126	725	99
			186			=		372	2	266		454	5658 6527	1906	95e	780	114
1			187	+		_	-	1930	6	6:	6	0:	452	0	0	307	78
3		==	191					4013	2	- 6	- 8	30	28198 1744	194 : 427	0	1356	
0	-	 -	20J 216	- $$				3611	7	0	159		0	- 0	01	319	53
?		==	217					# 24	} -	205	293	1107	1329 1273	353	0	344	-
10 11 2 2 2 7 7 8 0 0 1 1 7 2 2			22N 728	— ∓				3070	<u> </u>	0	0	8186	19460	17	799	- 8	142. 61
1			224					\$30.2 4057	,	- 0	0	215	10361	0	01	- 4	
7.		-=	230			=		4586		428	. 187	0	12382	250	3	331	26 7
Management PRIA		+	236		-		=	4440				1940	8161	0	327	4271	0
4			250)					68956		903	- 0	3690	25936	9	0	o;	0
2			301 315		-			4834		335		3564	15153	145	473	221	ŝ
			317 T					30890	 	263	115	995 2363	1637 40458	0	363	- 01	0
2		-	319	$\overline{}$	\Box	=		37896	1	0	Q	633	1872	965	704	379	534 D
5			325					25956 34967	F	. 0	522	175	0	208	130	349	0
·			360				=1	\$7210		99 D 54	0	2298 12307	17968 18792	385	486 233	215	D 0
					-т			28111									
M MB-435	7603 161		$\overline{}$	 +		\longrightarrow	+	28304	├		34136 218095	2506 2530	41.3 200	91	7691 18184	768	740

169 Table 3 (contd)

				7-	T	1	1	Tank X.c.			· · · · · ·					A
Theore	Tuesday of the	هره استبدارا	Turner - la	Turner code	Nermal	-	943	SEQ M4	15EQ 45 A	ASEQ # A	VISEQ 41/	WINES OF	WHEQ ST P	MSEQ 12 A	A SEO SA C	deto n c
DePug-7					-	-	-	8536			9		9		0	01 1
DePeng-4		-		 		+		4430	3	a 37		0	0	0	0	0 0
OxPang-B OxPang-11	}			+	+	+	+	2496	7	0 63	3+	0	0	0	0	o (
DuPong-12						+	-	9674	-	0 45	<u>~</u>	9	0	0	0	0
OuPeng 10					+	+	+	2011				ăl		0	0	0 0
QuPwop1	-	 	—	1	1	1	1	700			3	ŏ	ō			0
DePeno-2			1			1.		313	20	1 3	4	0	a	0	0	0!
DuPano-3						Ι		88	170	3 20	is	0	9	0	0	0
CuParg-1								2805						0	0	0
CaPeng-S			L				_	4068		0 5			0			0: (
DePung-6					-	+	-	3290						0		0
A549 - 8 EKVX - 8	┾					-	wt_	195								0 0
EKVX - 8						+-	PROPERTY.	95								
HCT-116 - 7 HCT-116 - 6		 -	 	 			<u> </u>	77	72							0 0
6(726 - 1	-		 -	 			TELEPOI	344		0 14						
HT29 - 1 HT29 - 7	 	 		 	 	+	Gradual	1 7	-	0 2	5					0 0
HT28 - 8					<u> </u>	_	meterd	1		9	1	0				01 0
SF530 - 7				1		1	-	139		7 3	6			0	0	0 0
S/530 - 8				1			-	3330		7 13	0		0	0	0	
SF-206-7								1797	8 88	2	D]	al	o!	0	0 1	0 0
SF-269-8							(Madam)	1522	3	2 11	6	0	Q	01	01	00
OVCAR-1-7				1		1	we	123		B						0 0
OVCAR-4 - 8	L						wt	1276		417	5					0 0
OVCAR-5-7							muteri	473								0
MCF-7 - 6						+	-	313.	44					0		0
ADR-RES - 8	+	-			 	+	-	63/								S
NA A. A				 	-	+	HPV EA	1097			-					
Nel.a - 8 SW480 - 7	1	1		1	1	1	raderil	192		7 2	3	0		0		
3W480 - 6		I				I	anadord.	417		4	2		0			0
D-(1290 - B									16.	7		0	oi	2!	2.	0
C33A - 7 C33A - 8	\vdash	ļ				_	materi			-	4			-	·	
UDOR V			-			-	mutent	444		0		0	0		4	
U206 - 7	+						mutant	28615						<u> </u>	<u>:</u>); <u> </u>
U206 - 4						-	W W	1393	41				0	9		. 0
He68 - 7 He68 - 8	 						wit	512								
WI 36 - 6				 		-	-	1504					0	3		
450				t	 	 	1	1307								
CRL 1572 3/17/09								340			13	103	0 256		517	691
9a-4						. 84		642		1	14	447	4 6			
HT366								0		1.	- 60	467	8 6		7	16708
HT378				\vdash	\vdash	↓				3		441	2 215		- 0	2038
HT305	,				⊢	-	—	10732			1	666	7 825			6610
1608				-			-				}	514	1 496			
0ex-3	-					173		57			4	303	5 84		297	1815
Ber 5 Ber 9						175 177	_	- 8				142	4 22		0	100
h bereincopter 2/25/92 #10					_	-"-	-									
Sec-10						207	_	- 8			12		5 180	146	281	3627
нтви							_	ő								
In Standaleste 3/31/92 #12							_	0								
prostate, h								0			9	298	3 0			5850
AMMG-OR and An								Ø16				265	7 291	94	0	Z243
SA-OS (Barning) poly A+														176		
								0		· · · · ·		114				1300
Add poly A+										67		2620	0	257	. 0	5073
HCT-116-3								0	2			262	0 0	257	0	5073
HCT-116-3 HCT-116-4							-	0 366 438	22 1211			262	0 0	257	0	5073 0
HCT-116-3 HCT-116-4 HCT-116-5							7	0 388 438 127	22 1211 304	5		262	0 0	257 0 0	0 0 0	5073 0 0
MR poly Av HCT-116-3 HCT-116-4 HCT-116-5 MCT-116-6							7 7 3	0 368 438 127 1178	1211 304	5		262		257 0 0 0	0 0 0 0	5073 0 0 0
MCT-116-3 94CT-116-4 HCT-116-5 HCT-116-6 ASS8-6							3 3 5 6	0 300 436 436 127 1176	22 1211 304	2		262		257 8 0 0 0	0 0 0 0	5073 0 0 0
MR poly Av HCT-116-3 HCT-116-4 HCT-116-5 MCT-116-6							7 7 3	0 388 438 127 1178 0	22 1211 304	2s 341		2620		257 8 0 0 0 0	0 0 0 0 0 0 0	5073 0 0 0 0 0
MC pdy Ar MCT-116-3 MCT-116-4 MCT-116-5 MCT-116-6 ASS-6 MCT-217-3							7 7 7 7	0 0 388 438 127 1178 0 16850 561	22 1211 304 0 0	347 247		262		257 0 0 0 0 0 0 0	0 0 0 0 0 0	5073 0 0 0 0 0
BK pay Ae HCT-116-3 HCT-116-3 HCT-116-4 HCT-116-5 HCT-116-6 A548-6 HCT-12-3 ERVX-5 HT20-4 HT20-5								0 0 3mm 43m 43m 127 117m 0 18860 561 0 1078	22 1211 204 6 0 0 0 17	24 24 24 24 24		262		257 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0
6K gaby An 19(71-118) - 3 19(71-118) - 4 19(71-118) - 5 19(71-118) - 6 19(71-118) - 6								0 0 3000 127 1176 0 10060 561 1078	27 1211 204 6 0 0 0 17	28 947 947 947 947 947 947 947 947 947 947		262		257 8 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0
6K gaty An MCT-118-3 MCT-118-4 MCT-118-5 MCT-118-5 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6 MCT-118-6								0 3000 127 1176 0 16959 561 0 1078 0 5253	22 1211 304 6 0 0 0 0 17	50 24 347 347 24 24 54 35				257 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0
BAS gainy Are PEG-118-3 PEG-118-4 PEG-118-4 PEG-118-4 PEG-118-4 PEG-118-4 PEG-118-5 PEG-13-5 PEG-13-6 PEG-								0 0 388 438 127 1176 0 18869 961 0 1078 0 5253 0	22 7211 304 6 0 0 0 17 0 0	24 24 24 24 24 24 24 52				257 8 0 0 0 0 0 0 0 0 4 0 0	0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0
AS gaby Are AS (201) Are AS (201) Are AS (201) AS (201) AS (0 0 388 436 127 1178 0 19850 561 0 1078 0 5253 0	22 1211 304 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	50 28 34 347 20 20 20 53 30 0 0				257 8 0 0 0 0 0 0 0 0 4 8 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0 0
SK pay An SKT-118-2 SKT-118-3 SKT-118-4 SKT-118-5 SKT-11								0 0 388 438 127 1178 0 18859 561 0 1978 0 5253 0 2869	22 1211 204 6 0 0 0 17 0 0 104 0 704	51 28 4 347 20 20 20 55 30 0 0		262		257 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0 0
AS gaby Are AS (201) Are AS (201) Are AS (201) AS (201) AS (0 0 388 436 127 1178 0 19850 561 0 1078 0 5253 0	22 12111 2004 0 0 0 0 0 0 0 0 0 0 0 0 170 0 0 0 0 170 0 0	51 28 347 52 294 53 30 0 0 0 32 34 45 30 30 30 30 30 30 30 30 44 45 30 30 30 30 30 30 30 30 30 30 30 30 30		2622		257 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
65 pg Ar 96 7 191 - 1 10 7 1								0 0 388 438 127 1178 0 19859 561 1078 0 2069 0	22 1211 204 6 0 0 0 17 0 0 104 0 704	\$5 24 247 247 244 5.5 30 9 9 9 140 140				257 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MF gail, Am (ACT) 115. 4 (ACT) 115. 4 (ACT) 115. 4 (ACT) 115. 4 (ACT) 115. 5 (ACT) 115. 6 (ACT)							THE STATE OF	0 0 3mm 438 127 1178 0 0 1665 561 0 0 0 5233 0 0 2860 0 4462 2256 801 1700	22 22 23 204 6 6 6 6 6 7 7 7 7 7 9 9 9 9 9 9 9 9 9 9	50 22 4 4 4 5 5 5 5 5 6 0 0 0 12 12 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15				257 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SE SUM AND SECULDATION OF SECUEDATION OF SECULDATION OF SECULDATIO							THE STATE OF THE S	0 0 0 200 430 127 1175 0 1905 901 1079 0 0 200 200 200 200 200 200 200 200 20	22 12111 200 0 0 0 0 177 0 0 0 0 0 177 179 0 0 0 0 179 179 179 179 179 179 179 179 179 179	55		200 () () () () () () () () () (257 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9073 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MY pay Ample Company Ample Com							Tell Tell Tell Tell Tell Tell Tell Tell	0 0 0 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	22 320 300 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	55		2000		257 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5073 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ME gay An MCT-116-1 RET-116-2 RET-116-5 RET-116-5 RET-116-5 RET-116-5 RET-116-5 RET-116-5 RET-1-6 RET							Tell Tell Tell Tell Tell Tell Tell Tell	0 0 0 200 430 127 1175 1175 501 0 0 1078 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22 12111 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0	55		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		251 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9377 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MF psi Ar- psi Control MF psi Ar- psi Control MF psi Ar- psi Control MF psi Ar- psi A							Tell Land Land Land Land Land Land Land Land	0 0 0 0 0 368 438 1177 1176 0 1978 0 0 0 2553 3660 2660 2760 2760 2760 2760 2760 2760 2	22 32111 300 0 0 0 0 0 0 0 0 0 0 0 0	55		200		251 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$273 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MS pair M MCT-116. 1 MCT-116. 5 MCT-116. 5 MCT-116. 5 MCT-116. 6 MCT-116. 6 MCT-12. 6 MCT-12. 7 MCT-12. 7 MCT-13. 6 MCT-13. 6 MCT-13. 6 MCT-14. 1 MCT-1							Tell to the second of the seco	0 0 0 308 438 438 1175 0 1985 9 1078 0 0 0 3855 1078 1088 1088 1088 1088 1088 1088 1088	221 321 300 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	55			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	251 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$273 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## psy Androne Psychological							THE STATE OF THE S	0 0 0 0 0 368 438 1177 1176 0 1978 0 0 0 2553 3660 2660 2760 2760 2760 2760 2760 2760 2	223 2300 200 200 200 200 200 200 200 200	55 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		200 C C C C C C C C C C C C C C C C C C		251 9 9 0 0 0 0 0 0 0 0 0 4 4 6 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9377 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## psy And Psy Andrews And Psy Andrews							vol	0 0 0 0 388 388 388 388 388 388 388 388	221 221 204 204 20 20 20 20 20 20 20 20 20 20 20 20 20	55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		200 C C C C C C C C C C C C C C C C C C	0 0 9 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9	251 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5977 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ME gay An America (Medical Control of the Control o							Tell tell tell tell tell tell tell tell	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	222 221 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0	553 323 344 347 347 344 344 345 345 345 345 345 345		2500	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25/ 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9277 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SE SPEN 2 SECOND 2 SE							vol vol vol vol vol vol vol vol	0 0 0 3 3 8 8 9 9 9 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	222 221 221 204 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	55			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5977 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
MF gay An March 1							validated with the second of t	0 0 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	221 1211 200	55 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5977 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## SPA ##							vol vol vol vol vol vol vol vol	0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	221 1211 1211 1211 1211 1211 1211 1211	55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5977 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## psy Andrews							vad val val val val val val val	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	220 12111 221 221 221 221 221 221 221 22	55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5977 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ME SULF AND							val val val val val val val val	0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	221 1211 121 121 121 121 121 121 121 12	55		2 C C C C C C C C C C C C C C C C C C C		25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$9773 0 0 0 0 0 0 0 0 0 0 0 0 0
## psy Andrews							vad val val val val val val val	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	220 12111 221 221 221 221 221 221 221 22	55				25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$ 9073
## per							The second secon	0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	221 121 1 20 1 20 1 20 1 20 1 20 1 20 1	55				25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$ 9073
PAT PAT AND							The second secon	0 0 0 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	221 1211 1211 1211 1211 1211 1211 1211	55		Part Part		25/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9073 90 0 90 0 90 0 90 0 90 0 90 0 90 0 90
SECONDA SECOND							The second secon	0 0 0 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	221 1211 200 200 200 200 200 200 200 200	553 224 4 4 244 244 244 244 244 244				25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9073 90 0 90 0 90 0 90 0 90 0 90 0 90 0 90
## page Ample of the page of t							To de de la constanta de la co	0 0 0 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	220 221 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	55 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 90 0 90 0
## page Ample of the page of t							The second secon	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	221 1211 201 201 201 201 201 201 201 201	55 55 56 57 57 57 57 57				201 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		\$9773 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## page Ample Program Page A							ord order or order or order or order or order or order or order or	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5-1 5-2 5-2 5-2 5-2 5-2 5-2 5-2 5-2 5-2 5-2				25/ 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 90 0 90 0
## page Ample Program Page A							See	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22 22 22 22 22 22 22 22 22 22 22 22 22	55 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Park Park		25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		9077 90 0 90 0
## per							De de la constanta de la const	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Park Park		25/ 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 90 0 90 0 90 0 90 0 90 0 90 0 90 0
## per							De de la constanta de la const	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Company of the compan	5		Part Part		25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## SPEN 1 1 1 1 1 1 1 1 1							ord	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 22 22 22 22 22 22 22 22 22 22 22 22 22	5		Park Park		251 9 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## SPEN 1 1 1 1 1 1 1 1 1							De de la constanta de la const	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Company of the compan	5.5			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25/ 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 90 0 90 0
## SPEN 1 1 1 1 1 1 1 1 1							ord	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		Park Park		251 9 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## SPEN 1 1 1 1 1 1 1 1 1							ord	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(2) 22 22 22 22 22 22 22 22 22 22 22 22 2	5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -				25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 907 90 90 90 90 90 90 90 90 90 90 90 90 90 9
## SPEN 1 1 1 1 1 1 1 1 1							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22 22 22 22 22 22 22 22 22 22 22 22 22	5.5. 5.5. 5.5. 5.5. 5.5. 5.5. 5.5. 5.5		Part Part		251 9 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$277 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0
ME SUM APPLICATION AND APPLICATION APPLICATION APPLICATION AND APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APP							ord	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 5 5 5 5 5 5 5 5 5		Part Part		25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$3773 0
ME SUM APPLICATION AND APPLICATION APPLICATION APPLICATION AND APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APP							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 5 6 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		Part Part		25/ 9 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59/73 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ME SUM APPLICATION AND APPLICATION APPLICATION APPLICATION AND APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APP							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -		Part Part		25/ 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$3773 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ME SUM APPLICATION AND APPLICATION APPLICATION APPLICATION AND APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APPLICATION APP							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$\frac{\cup 2}{2} \frac{2}{2}	6.5		Part Part		291 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59/73 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
## SPEND ##							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 22 22 22 22 22 22 22 22 22 22 22 22 22	1		Part Part	0	25/ 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 9079 90 90 90 90 90 90 90 90 90 90 90 90 90 9
ME GRAP APPLICATION AND APPLIC							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$\frac{\cup 2}{2} \frac{2}{2}	1		Part Part		25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$3773 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ME SIGN APPLICATION AND APPLICATION APPLIC							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 22 22 22 22 22 22 22 22 22 22 22 22 22	5.5. 5.5. 5.5. 5.5. 5.5. 5.5. 5.5. 5.5		Part Part		25/ 9 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$377 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0
## SPAN APPLICATION APPLICATIO							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5.5. 2.2. 2.4. 2.4. 2.4. 2.5. 2.		Part Part		25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 9079 90 90 90 90 90 90 90 90 90 90 90 90 90 9
MARCH AND							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 22 22 22 22 22 22 22 22 22 22 22 22 22	1		Part Part	0	25/ 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9077 907 90 90 90 90 90 90 90 90 90 90 90 90 90 9
SE SENT AND							and with the second sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1		Part Part	0	291 9 0 9 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9073 9073 90 0 90 0

170 Table 3 (contd)

I Phone	1	. In :	- 1													
Thomas advance gland - h	I URBOT-BY	Normal o	lumer - 1	Yumpr calls	Normal	Endos	p41	SEQ 56	AA/SEQ 57 W	13EQ 66 A	4 3EQ 63 NE	\$80 66 C	4 SEG 48 HE	SEC 116 R	SEQ 73 HR	SEQ 78 A
tymph sade - b trons marrow - k		7			1	1_	1_	16	82 7020	6 2458	33524	13943	27463	7406	31327	14400
reservery gland - is		•					+-		57 5049 02 656			26179 3126	21479	3000	66136 4197	1636d
hrpin -h hiromain - h		- 5			=	=	-	16	57 3374	1 250	7 \$5.70	113657	27844	3679	13512	
construit un - la		7			1	+	+	27.	34 3944 17 6055			14267 601142		3837 7367	27524 38050	8892 15016
phatmy gland - h felal brain - h	+				1-	=		27	1 6636	7 1496	10920	5242	28061	5844	21798	12670
- ly		10				1		70	54 5011	1900		115506 27503		\$200 4144	23245 29458	13070
Serial Editory - In processe, It		11			-	+	-	28	96 4576°	1 966	12231	27386	42058	4685	36782	20254
fold boar- b		13						190	3143	1374	10943	16727	18409	4446 2114	8670 47817	18059
subvery gi, - h feed lang - h		15	+-		-	ļ <u> </u>	-	127	5 2000	9410	1958	19055	15076	2253	23301	18682
ataletal respecto - h frant - h		16			=			364	34674		\$882	27133		1781	32455 9675	17533
omel integring - h		10		+	+		├ ─	121			3249	17179	16473		8412	10832
hadray - h		20			=	=		160	6 23790	9004	19630	9610 7388	17362	2066	15805 17835	25485 15036
gainel cord - h		27	+	 	+	+	 	479				3657		1989	7081	13087.
Splean - I) lung - I)		27						106	8 20776	16369	3032	3727	39372 20754	2313	10324	114231
stoneth -b		24			_	+	┼─	161		6232	5714	4273	30012	2193 2181	6426	12566
teate - ft Byenus -bj	+	25			=			546	2 103115	5233	10154	6356	10150	4776	20107	36743 17262
HPAEC		26		1		28	 	107	4 14428	40345		17390 4196	19358	4783 3412	33860	11542
Property gland - h		30	+		=		\vdash	250	4 29474	3465	2102	11290	12372	3114	13897	\$3 700 \$8 705
traction - h		31		1	 	30		513				34729	15158	3849	13265 21166	71430
HMEC uterus - h	-	32	+ $=$					1865	3 21362	29857	3363	0	25467	2097	9425	7955
HCAEC		34				 	_	120	0 10016		6686	34917	19410	1992	15360 4218	BACH
Purcease h	+	35				-		56	11765	0	3362	290	6341	2332	488	73012 128381
tyroph node - h Statetal source - h		37						174	1 3917	0	1071	836 2029	7798 4538	905	3205 2524	77707 38353
Setal Reports Places - Is	+	38	-	-	_	\equiv			9143	382	4911	1095	14308	2211	50874	76358
Brymnus Jr		40				<u> </u>		151	11513	1144		990	4678 Sees	211B	1733	58107 94284
Cuculenum - h Fedel brain - h	 	41	+	+	\vdash	\vdash		97	7 6294	530	100	405	4145	1544	\$17B*	55243
Samery gl, - h	I	43						1367		0	564) 7394	551	90as 4275	3645	3576	124700 81426
tentin - It HTZ18-normal	 	44	+	+-	365		\vdash	165			4560	. 0	13181	2101	10939	_ 120863
HT213-named	T				363				8044	125	131	130	156 743	1702	501	20673 24903
HT157-remed Box-13	 	+	+	+	361 354	364		45	2420	9	- 01	- 2	171	1661	336	30436
Bev-12		\vdash	=		364	364		290 1760	128046	464	3116 21	3012	10667 8087	14131 7821	14920 2525	172795 B5002
combolium - Jt broom -h	 	 	+		342				4508	72	(1)	224	428	2304	1617	30731
RPTEC					334	334		1246	21042	715 10083	175	357	701	2360 4284	443 274	32872
hymph texts - b h wiet SMC 10/21/02 #17	 				332			183	12413	0	1316	71	1559	3060		85390 43498
Fetal brain - It				 	328			254		537	825	94 1663	12093	2990	3700	43498 95415
HT300-remed Openus Jr	┼──			├ ──	327		H	1215		0	87	. 1	1603	1982	7794	36102
HT148 - Romad			=		321			0	2317	57	287	5123	1316	8546 2550	1169	3/663
HEPM 3d universal	 		-	 	318			1317	22630 65419	1050	945 1252	214	5913	4217	2089	86214
traches - h					316				40355	205	1969	1531 2194	12222	11203	30226 140783	123975
Pryroid gland - h adivaty (l h	 		 		311		-	1		0	1646	151	10332	4871	96901	114780
province, h phaltary gland - h					304		=	0	5480	. 0	233	129	2738 1622	2519 2462	3068	101244 70453
Concress - ja		L			307		-1	656	14108		114	725	2636	2496 2501	2133 3386	30646 55363
marrowary gignel - h Markint - h					303			104	26315	589	467	220	6627	4345	16318	96769
handig - N				1	302 298			1747	19756	7296	3240 489	\$07 1\$02	9250 79319	4498 7297	29073	65038 140418
hom -)) Spinon - h			+		297	=		2987 666	40917	2131	330	164	8744	(225)	13181	101948
openal cord - In					296 294 292			206	48295	1484	137	1206	10727	3770 7977	5050 11566	\$1130 112019
erad intentino - li matetal mascio - li					292 290			150	7475 53050	316		70	1041	2923	9363	64902
bana marow - h					279			2187	765	1672	\$47 G	843	11136	1603	29427	30233
etransi gland - k -PAEC	-				277	276	-	182	9160 3675	54	375	0	405	2158	675	24(122
(T382-normal (T362-normal					268	***		0	3036	223	114	267	504	3137	407	39020
Ber 11			+		296 239	239		2212	3088 8248	0	162	163	1078 7268	3610	2147	71206
Anrill 17372-anned	L				235	236	=	0	3624	Ò	0	- 6	2750	4,708 2873	1723	157420 61830
Dav-2			 		234 Z30	200		3431	14411 3130	412	116	- 0	17	3430	603	80667
79.0			Ţ		231	231		m	4003	- 0	57	227 0	1455	2666 2754	4367 3914	#0074 31581
her-1			$\pm -$		220 221	227		197 1662	5734 3974	- 0	N5	196	1062 1520	2989 2495	2380 5947	48128 48717
malder - It food (- It			\vdash		222	\Rightarrow	=	250	4008	0	17	322	0	2800	363	44,379
downach -h					215	_		0	761D 4616	0	0	28	5243 3148	3087 3366	1770 5934	107397 81804
ated Boor- b Security - h	H-7		+	\Box	213			138	3770	0	0	326	454	2202	490	41566
CAEC					213	211		135	3770 2157		0	153	3470	2351 2312	7793	55692 45376
AdEC			+	——————————————————————————————————————	210	—耳		779	6964	0	306	230	971	3280	4176	62140
Aprilianiania - je					205			319	3094 2094	43	13	799 D	483	2106 1652	236	37896 40648
hatead americo - h brosses - h					203		\dashv	223	3298 3195	60	96	29	3	2208	124	43670
ete - h deery gl - h			$\overline{}$		199	=		385	9731		150	338	189	2246	364	43068
CARLO TO LOGACIO COMPANIONE COMPA			 		197	\dashv	\dashv	0	5746 3763	596	132	411	2172	2792	2057	53185
within -it					133	\Rightarrow	=		29305	349	355	岁	\$36 254	1355	2852	35673 47680
mph mula - h			 		179 81		-	- 0	3118	0	204	0	2063	1363	72	22161 36753
re-ti	=		\vdash		59)	\rightarrow	=1	0	10006	803	158	80	2840	3001	5507	125182
uni - h			 		57 55	-+	-	1173	7101	0	667	0 622	2379 1020	2158 2136	3845	58857 47960
tel hang - h					53			273	3213	9	0	0	0	m	622	35486
M has b			\vdash		51 49	-+	-	360	3097	- 6	186 83	176	905	1157	6005	35043
ad Pogr- h hd Rabay - h				79			\exists	LGO	7753	. 0	67	619	1796	2196 2759	5247 21226	65106 73028
ad Rear-ts bd Nabery - h FLA-20-031889			+				-7	\$076 301	2561 2784	9	196	0	791	2339	8853	73685
M (Nor-h M (Mony-h EA-3-63189) EA-4-631698 EA-6-031688					=	⇉.	_	1983	2761	864	162	203 90	1276 2720	2285 1297	6212	75474 33775
Mil top- h Mil tology - h EA-2h-031009 EA-4h-031009 EA-4h-031000 EA-4h-031000				. 86			- 1	94	12542	~ 1					4070	
Md Nes- h Md Nes- h Md Nes- h Md Nes- y Md Nes- y Md Nes- y Md Nes- h Md Nes				86	\dashv			979		253	+#5	61	0	1643	4396	70122
M North N M North N N N N N N N N N N N N N N N N N N N				96 90 92		\equiv	\exists	212 1224	3276 8586	0	165	81 82 80	565	1643	4396 3048	61476
M Pur- h M Modern; h EL-A-MASTANS				90 90 92 94				222 1234 476	3276 8566 936	0	165 99 195	61 62 90 192	0 565 1344 0	1643: 1744 1761 1726	4396 3048 7822 3546	61476 86406 44168
48 Pur- b 40 Heiney - h ELA-SH-021-Hp ELA-SH				86 90 92 94 96 146				232 1224 476 328 706	22/6 8586 936 547 6767	0 0 0 0	165 199 195 0	81 82 90	0 565 1,344	1643 1744 1761	4396 3048 7822	61476 86408 44168 78433 28944
M New h M Meer h L M M Meer h L M M M M M M M M M M M M M M M M M M				90 92 94 95				232 1224 476 328 706 362	32/6 85-36 936 547 6767 5027	0 0 0 0 0	165 99 195 0 3383 703	61 82 90 192 0 283	0 565 1344 0 801 907 432	1744 1761 1761 1726 1409 4168 3194	4396 3048 7822 3546 1928 47498 13322	51476 86408 44168 78433 26944 25260
and feet h. Michael h.				96 90 92 91 96 96 146 148 150 152				212 1224 476 328 706 362 0 258	32/6 8536 936 547 6767 8027 3418 3161	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	165 99 165 0 3383 703 225 373	61 82 80 192 0 263 99 0	0 565 1344 0 907 432 378 1514	1643 1744 1761 1728 1409 4168	4396 3048 7822 3546 1928 67498	51476 86408 44168 78433 26544 75260 24405 24605
ad Iver- b ad being: b GLA-201909 GLA-201909 ELA-201909 ELA-201909 ELA-201900 ELA-201900 ELA-201900 ELA-201900 ELA-201900 ELA-201900 ELA-201900 ELA-201900 ELA-1051900 ELA-10519000 ELA-10519000 ELA-10519000 ELA-10519000 ELA-10519000 ELA-10519000 ELA-10519000 ELA-10519000 ELA-10519000 ELA-105190000 ELA-105190000 ELA-105190000 ELA-105190000 ELA-1051900000 ELA-105190000000 ELA-105190000000000000000000000000000000000				86 90 92 94 96 146 148				212 1224 476 328 706 362 0 258 460	32/8 8506 936 547 6757 5027 3418 3161 5471	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	165 99 185 0 1280 703 225 373 753	61 42 80 192 0 283 99 0	0 565 1344 0 931 907 432 378 1514 2906	1643 1744 1761 1761 1728 1409 4166 3194 1671 2329	4396 3048 7822 3546 1928 47498 13322 2859 30397 17171	61476 86408 44168 78433 26944 25260 24405 24606 26061
7-39 7-0 1-3				86 99 92 94 96 146 148 150 150 152 154 156 156				212 1224 475 328 706 382 0 258 460 0	22/76 65:06 536 547 67:57 80:27 34:18 316:1 547:1 37/79	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	165 99 116 0 3283 703 225 373 753 235 67	61 62 90 192 0 263 99 6 0	0 585 1344 0 871 907 432 378 1514 2906 1122 732	1643 1744 1761 1761 1728 1409 4168 3194 1671 2329 3295 1851 566	4396 3048 7822 3646 1928 47498 13322 2858 30397 17171 8489 2043	61476 86406 44 198 76433 26944 75460 24405 24606 26081 16046 12360
-268				86 90 92 94 96 146 148 150 152 134 156				232 122M 476 332a 706 382 0 258 460 0	32/8 8506 936 547 6757 5027 3418 3161 5471	0 0 0 0 0 0 0 0	165 99 195 0 3383 703 225 373 733 235	61 62 90 192 0 283 99 0 0	0 585 1344 0 871 907 432 378 1514 2906 1122	1643 1744 1751 1728 1409 4168 3194 1671 2329 3295 1651	4396 3048 7622 3646 1928 47498 13322 2858 30397 17171 8489	61476 86406 44168 78433 26944 25260 24405 24696 26061 16046

Table 3 (contd)

(Therese	77		-														
Ha 5787	Tumer 431	Mormoloya	1	Turner par	Nerma	-	p43	SEQ 17	AN SEQ 26	143	111614					6EQ 40 MA	
MCF-7/AOR-RES MCF7	153					-	7	469 534	943	804	70411	721	. 38	7 i	15659		85
MH UACC-257	140			1		\Rightarrow	=	83	103	371	30904 22225	1192				975	<u> </u>
UACC-62	145						+-	274		1063	72638 7006	302	17	11	0 32363 6 B600		31
SKARL-28 UD-31	143	+		-		\mp	=	266	151	71	10549	140.	201	6 63	4087	176	×
SK-MEL-6 IO4-12	142		7=	1	4	\Rightarrow		1 28	91	0	137876	3314				1685 490	10
SK.MEL-2	140			+		_	_	306	192 177	297	5023 50294	3526		7 40		0	32
HCT-15 Mainte-3M	130		+				=	847		445	25202 85460	2780	157	2 28	7 Back	542	
COLO 205 LOX MM	137			-	1	4=		577	36	433	10352	4322 2580	48	6	\$756	Z26	45
SW-620	136						+-	200		437	161758 29579	1512 750	60	0 56	26226	246 375	52
TK-10 HCT 116	134			-	_		_	4		68	16976	1719	- 65	3 25	7085	72	4
785-0 HCC-2868	132				$\Rightarrow =$	-	\Rightarrow	374	75	345	18776 27523	1178	33	4 15	6539	721 \$67	
ACHRI	130						\pm	389		734	17256 91730	1363				0 25	22
PC-3 RXF 360	129			+		\mp	=	362	1 2	33	\$2067 82061	1005 3148		45	\$256	519	
DU-145 Cal-1	127			+==	-	=	=	377	77	0	8187	5153	144	40	15854	478	
SR	125						士	379		351	91153 90238	9431 7567				596 156	19
A498 RPM 8226	124 123		+	+	+-	+-	_	391		737	106212 5134	4214		168	2925	423	96
SM12C HL 60	122			1	1_	-	+	345	78	95	44277	2000 \$38	147	150	23939	0	53
MOLT-4	121							364		782	17195	647		102	707	- Am - 0	
OVCAR-S K-562	116	1	+	-		+-		25J 542	75	0 582	42726 18149	1986	337	1 1595	E852	560	7
CCRF-CBN	117		Τ			-		425	19	500	100942	\$320	223	2583	2251	1226	117
OMCAR-3	115	1	=		#=	\pm	\pm	381. 520	17	576 548	100622 47691	2751 1242	956	301		0: 2443'	
3F-539 HOP-62	114		<u> </u>		\pm	+	+	346: 195	55	96	14022 64830	2825 1845		360	18253	Oi	25
SF-285 ASAMATCC	112	-	\leftarrow		-	1	=	400	10 at	257	17906	700	706	1184	7726 5306	417	10
SF-268	110			1	\pm	\pm		303	16	64	78726 55487	1610 972 565	484 185	303	17019 13647	1514	\$7
NCI-H622 L251	100	\pm			$\pm \Xi$	+	-	445 540		9	81926 46759	585	813	276	8039	01	94
NCI-HMED SNB-76	108 107 108		-	Į .		7	 	300	16 1	366	75179	436	124	803	17977 17568	306 806	152
NCI-HSZSM	105		=		#==	+	=	41% 4960	17	60	17012 10250	403 305a	466 4822	369	4792 26339	884 746	316
SNB-19 NCI-H226	104	\pm			1	\pm	+	9055 6156	14	142 133	13625 9072	1417 2208		2644	32854	156	625
SK-OV-3 NCH423	102		-		-	1		331	0	0	18606	3841	522	200	18801	343	69 51
IGROV1	100							4100	0 0	0	11790	4702 3591	140 229	360	29599 11318	0	491
OVCAR-8	99 98	<u> </u>	 	 	-	+-	+-	2501		0	14573 7829	1622	0 101	642	34177 8382	0	:
HOP-82 In Morathages \$CS1/82 912	97	4		μ	-		=	3330	0	0	1866.7	1074	366	466	12/92	492	103
h mine SMC 10/21/92 917	47				=	=	\perp	3093	7 1	86	9173	1550 2165	5270	361	401	983	184
h herstenscytes 2/25/82 #10 TCGP	70					+-	+	2912 2205	3 7	30	23461 18106	7310	98	120	10270 5277	344 1704	
A540 - 1 A540 - 3	-	 		-	1	-	74		0	0	0	349	1138	4088	413	571	111
A549 - 4 A549 - 6					1	!	=		0	0	- 0	631	124 1294	4678 7996	539	1033 880	0
A649 - 7						\pm	WE THE		0	-	- 0	- 0	458 913	6066 5974	143 767	0	0
BCVX - 1 BCVX - 4	 	+	1		-	-	material material		6	0	0	1340	3420	6820	475	2339	
BOX.5			ļ		=	=	muteri		0	0	0	1909	4210	10881 4961	330	705	- 0
BKVX-5 BKVX-7							engineral magigard			0	0	254	1113 37	\$667 7463	137	0	0
MCF-7-1 MCF-7-3	-	 	 			-	-			0	. 0	453 15	901 1048	110 2007	3344	155	0
MCF.7 - 4	-						w		P	0	9	976	827	1029	214	1366	
MCF-7 - 6 MCF-7 - 7							70			0	8	5191	2631 500	4029	0 607	966	
ADR-RES - 1 ADR-RES - 3	<u> </u>		 				STATE OF THE PARTY.			0	0	1148	2736 3462	2797 4039	4696 1056	2068	
ADR-RES - 4 ADR-RES - 5							SEASON .			91	. 0	112	0	2017	537	901	- 8
ADR-RES - 7 WI 38 - 1							andere Magnet)	0	- 8	403 2011	2399	862 1955	998	498	
MI 38 - 3		-			 	-	T .			0	- 0	955	7756	3646	540	1631	
WI 36 - 3 WI 36 - 4										0	0	1631	3066	5488	197	1593	
W) 36 - 5 M1 36 - 7							wel				0	1300	3377	32927 5826	563 312	567	- 0
Hila-1 Hila-3 Hila-4 Hila-5	<u> </u>				 		HPV ES			0	0	693 842	849	1818 4257	545	50	0
Ma-4							HPV ES			0	. 0	250		\$650	335	660	0
Mt.a - 7							HPV E6			0	9	1177	1708 274	4044 4769	1280	173	0
11290 - 1 11299 - 3	<u> </u>	<u> </u>				<u> </u>			1	0	0	114	2065 431	2347 2212	542	237 546	
11299 - 4 11299 - 5		-				-	material material			•		767	123	4674	421	\$17	- 8
11200 - 7							anders.			0	- 0	9 458	1857	2279 1167	26	9	- 0
N649 - 2 SCVX - 2							red FTS/SD/TE			0	0	334 1435	756 620	2012	206	634	
ICT-116 - 1					-		W			0	0	1196	330	6949	1646	296	D
T28-2							meterd	8		0	0	2980 1014	2835 2541	1846	143	011 0	- 0
F539 - 1 F530 - 2							1 1			0	0	313 819	2130 8447	1019 744	700	547 179	- 0
F-268-1 F-268-2					\Box	_	and the last	- 0			- 0	2143	3277	443D	835	9	
XCAR-4 - 1 NCAR-4 - 2							mAmi U			0	0	326 1444	2283	4867 19120	251	1246 862	0
MCARLS - 1							resident.	0			0	1743	1626	13774	409 463	339	D
WCAR-6 - 2 ICF-7 - 2							-	- 6		•		1,268	3797	1736	(C35]		
OR-RES-1						=	erestant)	0			- 6	790 776	3002 1963	945	284	44	- 8
W480 - 1							16° Z (40° Z)	8			- 8	941 428	1918 1570	8717 5613	1522	1923	
W480 - 2 1298 - 2					\neg		mulari mulari	0			- 0	1209	703	2007	D'	4496	
33A - 2					\equiv		-	9		,	0	205	4364	2016 0	121	\$40 448	
206-1			 +					0			0	2046	1162 7970	7073	200 653	373	
2O8 - 2 e08 - 1	==					=	-	0		η	9	8100	19204	3320	1903	3626	0
44 - 5							W	0	- 9		- 0	1432	4561 1983	6726 2905	257	609	0
139-2 Bluf-1		-T			$\neg \exists$		-			· _	- 0	2505 1158	8807	\$771	442	19	Ď
Mul-2 Mul-2 Mul-3											0	4465	3116	0	244 406	0	O
								- 0	- 9	4	0	5420	11049 41855	13409	0	1371	- 0
Irital - 6		,															
thei-4					\neg			0			0	5850 4620	2681	- 0	262	1037	0
Irital - 6											0	4620 1708 3347	2681 340 131 21722				0

172 Table 3 (comtd)

Tissue	Tumer eyes	Hermat sym	Tunan - ta	(Tuesar calls	184	(Sauton	L-53	ISSO ST	Alexa ea s							
D-P7								1 2 2	0	0	TIGEO 25 A/	2 847	78 SEQ 31 D			
Defeng-8	+	+		ļ	+-	\vdash	1		0	0	0 10065	854	1785	1890	1078	
OsPerg-11			 	 	+	+	+		0		0 9122 0 7501	150			684	
DuPang-12 DuPang-10	Ţ	-							0		0 3497	328				
OuPerg 1	+		+		+	+—			0	٥	0 6482	23	5 1942	311	210	
DePeng-2						+	+				0 3941 0 3679	1253	6 878		17852	1
DaPeng-3 OaPeng-4			=			1					0 4784	294	6 276		60825 4773	
DePeng-5	+		+	 	+	∔—	—			0	0 1944	473	1 97	4214	903	
Out ung 4			<u> </u>		+	+	+				0 17067		307		2163	
A549 - 8 EKVX - 8	1					1	w				0 1,2067		4 #852		1453 427	
HCT-118 - 7			+		-	\vdash	-				0 1513	215	3 6496	540	17	
HCT-116 - B				 	+	+	-				0 742	250		5499	619	
HT29 - 1						1	-				0 614	305		761	0 0	
HT29 - 7 HT29 - 8						-					0 444	150			161	<u> </u>
8F539 - 7			 		+		miles				1051	290			1145	
SF 539 - 0							m.	- 7			9 85	9143 1024	3 2943	1075	208 0	
SF-266-7 SF-266-8		-					-			0	771	10240 8991	2712		1054	
DVCAR4-7	† <u> </u>	<u> </u>			 	┼	and and				1149	8034	4622	364	0	
OVCAR4 - I							w.	-			D 2050	1294		546	- 0	
ONCAR-5-7 CNCAR-5-8	 	 			1					9	0	957	21830		3/36	_
MCF-7 - 6			 	 	 	 	1	- 0				204.	7100	2503	0	
ADR-RES - 8							muteri	- 7			465	3534		0	190	
74al.p. 8 SW480 - 7	 _						HPV E6					225		1419	. 0	
SW480 - 8		L			 	-	mutant mutant	-				841	4942		1427	
H1299 - 8							mutant				1406	870 4781		296	1166	
CXSA - 7 CXSA - 8	 		 -		-		muteri		i	<u></u>		2062	2718		837	
U206 - 7			 		 		-	0			0.	5683	451	865	0,	
U206 - 8							mulari				Z235	4049 4880	3016	977	1215	
14a68 - 7 14a68 - 8	}				\vdash	\vdash	M				1025	345	3165	144	- 0	
WI38-8					 	-	-	0	- 0		1446	1183	3374	1002	D;	
450 madudo RNA								37600				290		0 0162	455	5
CRL1572 3r1786	 							25584	\$78	734	543	4685	27	579	18	2
ADCT)-						-	┝─┤	32564	- 0		1007	3021	1552	0	136	
HT376 HT366								37558				21100		29	- 0	301
HT308	 							70012			14370	8058		316	D O	
Ber-3						173	-	21762 36821	- 51			32309	1100	185	873.	574
8 -5						175		19950	36	0	0	1954 311	1010	76	176	0
Ber-\$ h Immunocates 2/25/82 #10						177		38076	. 0	142		- 0	643	0	418	110
Bev-10	 					201	-	\$0327 45162			3049	556	40	. 0	1796	. 0
HTB10							-	80200	257			733 3593	2244	400	105	
h Rhrobiasta 3/31/92 \$12 prostate, h	 							44374	86		ō	4910	70	- 0	261	0 0 0
MNNG-OS pay A+					_			29035 24678	7	0		5762	. 14			0
SA-DG (Mandy) puly A+								27097	Z 5	1075	3682 19780	3701 5681	1721	1048		
MK pely A+ HCT-116 - 3	-						\Rightarrow	32124		261	12509	10417	478	1962	983	483
HCT-116-4							104 104			0	- 21	1768	4484	297	24	0
HCT-116 - 6							-	- 0	- 0		1789	3318 1869	7970 3247	113	- O	0
HCT-116-6 A546-6			\longrightarrow			=	-	0			598	2679	7618	267	246	0
нт29-3			 +					0	0		148	2201	52		302	. 0
BKVX - 6							nami		ě	0	9	1949	7875 2376	1143	813 435	0
HT29 - 4		\longrightarrow	-			=	rederi	٥			1239	323	3234	191	935	- 9
f129 - 6		+					mutani mutani	0	°	- 0	1076	3888	3057	0	363	. 0
DYCAR-1-3							at.	0	- 6	0	1203	2000 1613	11866	870	1055	
OVCAR-4 - 4 OVCAR-4 - 5		 +			\neg		-	. 0	0	0	0	708	8721	9 9	689	- 0
XCAR-4 - 6					\rightarrow		-		0	0	959	3034	13756	1750	3849	0
F530 - 3							1	- B	- 0	0	613 1208	10679 4103	2375 1672	211	746	
3FE30 - 4	-		I				4	0	0	9	0	1883	32%	730	109	
F510 - 8				+	 	r	4	0	0		946	1292	2380	414	0	0
MCAR4-3							autorit	- 0	- 0	- 0	1647	5490 6497	7120	540	908	9
NCAR-5-4 NCAR-5-6	 -	I	- $=$				nuteral	0	9	. 0	. 0	3700	2419	28	111	
CR-RES - 6 ACF-7 - 6			+					0	8	0	236	366	1633	- 13	D	
							4	0	- 8	0	0	2829 1654	2267	433	718	
1/20 - 6		 -∓	- $$				PV ES		0	0	1327	1684	4791	123	162	
W480 - 3			+		-+		uplant		- 0	0	309	650	3/7	0	0	Ö
9/480 - 4 9/480 - 6	-						- American	0	0		- 6	377	3500	263 562	2508 1084	
W480 - 6	+						-	9	. 0	Q	2315	1276	4244	390	14325	
33A - 3				+	_		Artest	- 8	- 0		1702	1926	4535 1963	- 50	1577	. 0
334 - 4		$ \Box$					actord .	0	0	0	72	775	451	0	296 808	
3JA - 6			+		-		Marie .	0	- 0		0	5487	0	a,	0:	
MGS - 6				+		-	1	0			578	41	21373	0	0.	0
205-3						-	-	0		- 8	1430	11036	8621	3651 10083	5193	
205 - 5					-		Name of Street	0	- 0	0	1190	6148	\$864	1918	2063	
205 - 6							Merit	- 0	0		1756	17807	Z506	0	3200	
ri 30 - 6					\neg			0	0	- 8	1026	2318	2946	396	210	
ud0 - 3 ud4 - 4			-+				-7	- 0	9	0	2401	6407	7121	105	529	ŏ
N-2898-3					= $+$		-	0	- 6	- 8	2760 1194	5182 6180	20959 5451	1417 G		0
F-200-4		-			=	-		Ŏ	- 0	- 0	1417	2882	6751	9674	22	- #
7.200-6								0	0	0	1035	3820	3241	0	- 2	- 0
Peg 13							viers.	- 0	- 0	- 8	1614 5018	17553	17000	402	0	
- 20		$\overline{}$			=				- 9	- 0	4071	12553	12086 12559	2259 2867	8095 7190	- 8
- 1								. 0	0	0	2619	4867	7868	68G	3397	. 0
Ideal - 22		-					stard		- 0	. 0	3063	3314	2633	7314	651	0
Mari - 22 VCAR 6 - 5		$\overline{}$					_	0	- 0	- 8	4553 3874	\$671 538	476	260	2940 4363	0
Model - 22 VCAR-6 - 5 Model - 10						_			. 0							
Med - 22 VCAR-5 - 5 Med - 10 Med - 11 Med - 12						_	_			0	2320	0	12	305	4593	
Mod - 22 VCAR 6 - 5 Mod - 10 Mod - 11 Mod - 12 Mod - 13						\Rightarrow	=	0	0	0	1677	2702	1025	612	4593 17009	
Mod - 22 VCAR 6 - 5 Mod - 10 Mod - 11 Mod - 12 Mod - 12 Mod - 13 Mod - 13					≓	#		0	0	0	1877 1770	2702 11411	1025	612 2922	4593 17009 251	0
Model - 22 VCARE 6-5 Model - 10 Model - 11 Model - 11 Model - 13 Model - 13 Model - 15								0 0 0	0 0	0	1677 1770 3018 1200	2702	1025	612	4593 17009 251 81	0
Model 22 VCAR8 6-5 Seed - 10 Seed - 10 Seed - 12 Seed - 13 Seed - 13 Seed - 13 Seed - 15 Seed - 17								0 0 0	0 0	0 0	1877 1770 3018 1200 1737	2702 11411 0 13215	1025 1191 0 645 4336	612 2922 3030 747 438	4593 17009 251 61 4238 980	0
7-398-4 7-398-5 7-398-5 7-398-5 7-398-5 7-398-5 7-398-5 7-398-6 7-398-								0 0 0	0 0	0	1677 1770 3018 1200	2702 11411 0 13215	1025 1191 0 \$45	612 2922 3030 747	4593 17009 251 51 4238	0

Table 3 (contd)

Thous	Tumer-sym	Hormel-eyes	Tumer - No	Tuesday codes	Nervad	Endos	p43	SEQ 944	TEEQ 45 A	ASEQ 47 A	SEO 45 A	SEQ 40 A	4 SEQ 51 K	45EQ 17 A	SEQ SI CO	SEQ 33 CL
astronal glassi - h	-		<u> </u>	ļ	ļ	\vdash		1062	4	0 205	162	791	2251	1792	20262	37691
bone marrow - h		1 3	 	 	+	+-	+	251		0 24.7	-				7791	
manungy gund - h		1				1		44		0 0		270	5 1143	280	0	3250
hrain -h pancesan - h	 		+	 	 -	┼	├—	400		0 186	230	549 707		987	11958 8722	31129 44206
corebellum - h								750		0 7c		760	2936	3169		85393
Suital Street - It	 	+ +		_	-	-	_	1087 5214		0 60			5 9597 3 5614	932		36020 47438
placerts - h		10			 			442		051	87	516				35806
tess litting - h	\vdash	11				Ļ.	\Box	233	7	0 233		833	Bex	1375	302344	73605
prostmo, h fetal hour- h	-	13	+		├─	 	+	209		0 174			3 3767	334	\$651 4385	21151 47110
andreary gt · h		14								8 130		900	34 16	1126	5531	26923
Efektel hang - h	-	15				=		3286		0 319				1758	20642	64752
shalotal mayorin - h hogyt - h		17	t			t -		946		0 . 10	101	51Z			2008	1451 <u>2</u> 14767
and trades - h	ļ <u>.</u>	. 11						279		0 16			7 2965	443	4172	22390
tidney - It eginal cure - It		20		-	 	1	-							761 558	7039 1254	31645 14331
diver - h		21						E34		0 0		481			0	15700
Sphero - h Aung - h	 	22	 	·	 -			236 201		0 105	177		3304		997 3438	19460 34017
chance in the contract of the		24						268	2]	0 125		300	812	281	1243	17807
teetic - h .		25						2044	1	0 1160	200	5636	8251	11864	321778	495J7
Primit &		28	·			24	<u> </u>	120	 	· ·		819 5304	49025	1636	11408	85005 9676
Expressed affected - In		79						90		0 156		5300	1800	564		27900
PRIEC		31	 	├		30	 	341		D 19				1507		
HMEC		32								33	186	4405	144	19	360	9796
HCAEC		33	 			 	├─	300		0 62				1366		36540
Parameter - h		35					=	571		0		5200	. 0		17	21419
tyangih mada - Ih Shukatel stoppela - Ih		36			-	\vdash	-	151		116	. 0	537				2502 5
Shahital streets - h		36				ᆣ	<u> </u>	903		0			9072		0.	2243 23681
Heart - In		39	ļ			=		90		17	30	4065	10804	4		2701
Duckerum - Is	 	40			\vdash	1		101		0 0	9.7		8751	- 0		26456 2975
Foral brain - In Salvary of - It	F	42				_		1162		0 0	0	5966	9204	145	0	18626 16266
Salvery of - h tests - h		4	 			- 		1730	1	P	407	5511	1427	115	0	16266 22793
HTZ18-represal	!				365			67		D0		301	. 0	0	- 0,	0
HT213-normal HT157-manag					363		1	219				1307		32	0	482 8462
Ber 12 Ber 12					361 366	356		5100		0	403	8650	2907	21	6	8462 6825
Bev-12					354	364		602		40		640E	346	316	330 36s	2524
trum-h		† 			342	 	⊢	1 3					1179	- BO	294	9726 7542
RPTFC		1			334	334	-			0	300	9040	117		01	
hymph nesie - h h mhail BMC 100(100) \$17	 	 	 		330		├	2714				4034		5.2·1	0.	27619
BFetal brain - h					328			362		250	10	7000		603	4360	19417
PIT SECTION AND ADDRESS OF THE PARTY OF THE					327			291				4857 8683		625	42 547	78037
Enginers,h (17 140 - represe)					321			244	1 .	0		3450		0	0	7102
HEPM 3d provided		_			ß			144		0	6	3621		. 0	0	3657
eterus - h vacino - h		 			318 316		-	1424		29		6339 405 7	9643 2227	167	5651	65964 22075
through planed - b					314			3800		229	175	22.13	443	383	5868	69839
advery gl h		 			311	1		230			9	9050 9484	810 706	27	0	17721 11078
eglogy of - h produte, h philtory gland - h					307				- 6	0	370	3428		66	205	5805
nerrom - h					305			3640				\$130 5370		SA D	822 D	220% 37185
mammery gland - h Markier - h					302			1375			104	\$051	1673	145	1017	7689
teeta - h					298			6310				9600	12917	944	20197	97619
Purr - h Spinon - h		 			297			240		114	414	4672 3615	3035	44 0	1593	30392 38439
(apinal cord - h					294						0	5431	2045	304	543	36975
omed brigading - N	-		\vdash		292 290	-		13800		245		29112 6290	667 931	176 58	134 824	18375 48625
hore number - h					279				. 0	88	338	5448	116	0	395	8531
advent gland - h					277 278	278	_	100				4734 3704	1192 674	83	1346	10122
HPAEC HT382-named					779							3563	242	349	0	6225 11174
HT362-represed					_206			1297			316	3680 7954	7092	94	474 1621	11174 13792
David			_		236	239		80	0		8	4088	580	0	52	4562
9473/72-normal	· ·				234						0	6156	542	568	0	2457
Bar-7 Bar-6	 	 	\vdash		201	ដីធ			0		166	4956 4138	2231	118	417	5731 1492
Day-7					229	229				80	169	3519	4330	152	۵	6188
Der-1	\vdash		\vdash		27	227				907	0	4156		01	0.	4163
triuditer - ly Propert - ly					ZZZ 215			18777			124	2450 5047	0	53	454	12773
Antonia de					214			1496	. 0	41	143	8056	1680	0	138	33040
State Sear- It placeste - It			 		213 212	\vdash		1246			76	3033	1504	133	77	12002 1905a
placoute - b HCAEC had heath - b HAMEC Dysdamora - h					211	211		107	0		0	5206	241	Q I	601	640 10606
MAEC		 	\vdash		210		-	4402			-0	5906 2824	3235	760	596	18686 316
Duedware - h					205			5184	0	P	174	4247	. 0	0		3834
Şingingi musciş - h			= = = = = = = = = = = = = = = = = = =		203 201	$-\Box$		1310	- 0		0	2633	166	110	9	278 4188
Percent - h hade - h					201 198		_	208	0	15		2838	0	20		12560
terdig - h Salvary at - h PASPM 3d TSP\$1 dannyarit-Chlore					197	=		160	0	15	0	2207	18730	52	4290	22443
HEPM 3d TSFS1 descriptor Disease					195	-		116		20	- 0	1367	174 506	77	27	1613 24671
TW1-38 72h					_179				ő		ō	1150	8	0	480	70
hymyth nada - h tung - h	-		\vdash		- 61 - 50			1425	0	- 6	90	3620	855 1000	0	0	26022
Stadray - h					57			140			9	4677	2940	74	386	22336
hegt-h					56	=		24.2	0	64	0	3084	247	79	0 \$37	430
regri - h fessi kang - h fessi besr- h					51			174	- 0		242	1718 2821	361	0	197	410 7067
Floring Indepents - In					49		=	. 0	0		0	2821 3983	2158	_ 0	91	12023
HELA-20-431888 HELA-40-031889		<u> </u>		79	7						70 2299	4870 4853	828 257	0	21	37510 3414
445_A-8h-631669				83				143	- 0	48	0	64.00	4697	Q.	200	1575
HELA-8h-031889			-	36	=	\Box		700			- 0	3914		0	237	90094
HELA-8h-031899 HELA-8h-031899				90				299			363	7318 5793	835 707	563	0	3846 6376
HELA-101-421400				92				53	0	70	52	5402	731	43	- 0	28215
HELA-111-031000 HELA-120-031000			—— —	- ×	-			465 1639				6867 8258	9121	239 72	- 0	1053
NCI-HSQ2M			1	146		=		86	0	0	0	3197	579		5223	0625
NCHS2N NCH800				148	\neg			Z2 0	9	0	153	2154	60	143	1739	436 2447
MCI+622 SNB-19			+	150	+		_	2072	0		347	1847 2204	1963	343	3370	2928
\$18-75				154		=		940	0	0	0	3621	1190	0	6096	9602
SF-286				154 158	 -₽			0	0	42	247 \$78	1822	- 0	530	1114	1672
OCRF-CEM				160				0	. 0	812	140	1720	1178	. 0	0	231
DIJ-145 HCT 116				962 164				13284	a 0		0	1822 1344	217	233 153	1036	1640 4064

174 Table 3 (contd)

Tisave	Turner-sym	Newworksym	Temor - N		lle Non	ed Em	en p53	SEQ 84	TISEO 4	A 5EQ 47	ANSED 4	AN SEQ 4	A SEQ 3	KUSEO SZ /	WSEQ SI CO	SEQ_55
786-0	-	-	+	- 100	-	-			0	D	471	86	4012	0 18		54
T-47D			+	168			-	 1	017	0	70		7666	46	0 21583	20
Ken-3				171					-ot	0	0		1646	73 29 278	6 6531	
CRE-1441 RINA 8/30 781 T unitedial - Division		+		181		\Rightarrow	\Rightarrow		0	0	0	662	1300	120 30		
ICP puly A+		1	+	190	\dashv	\rightarrow	+		0	0	0		867 1653		1 212	
				196			\equiv		262	0	48		2437	24 5	2 211 4 84	
ACHN UACC-67			-	196	\neg				0	0	0	0	2832	200 17	1 8142	3
MCF-7IADIS-DFS				200		-		+	0	0	36	131	1357	D .	0 1277	1 1
UTOS (likersky) poly at				204					0		171	72	0	700	6 1430 0 D	
WISH (Calegon) poly A+ 466 mesuse mitth		 		206	_				0	0	0		742	843 4	4 42	1
CCL137 RNA 3/21/88				218	-			 *	Mt	0	PC 08		1194		0 0	
[WI-JB 72h 0.5%PBS, 24h 10% PT	8			219					•	0	0	70	2120	0 7		
CFE 1441 • TPA (34h) 8(90 Ken-1			+	720				$\neg =$		0	0	Z24	\$P\$6		0 0	
Ken 2 Ken 4				221		-+-				0	0	16 1	1572		9 0	
HOP-82	 -			225			\perp		736	D	172		7728	920 6	5 0	- 8
MOLT-4		 	+	241			-		26	01	0	_3 1	124	372	0 0	. 17
EKVX				203		+-	_		104	0	0		196 1	256 (130 21)	2452	
HL-60 MCH423				244		=			0[D	0			139 21 907 61	7 3610	74
RPM 8225			+	245					37	0			528 9	813 22		60
ASHWATCO				247			+	+	0	O D	96		950	116 16	- 0	
SA OVČARJ				248					0	_0	o			010 3		22
HCT-15			+	249	-		+-	-	0	8			481	0 4:	163	- 6
OVCAR-I	$\overline{}$			251					63		80		552 tr	0 7	648	136
UO-31 OVCAR-5							\neg	3	47	0	0	56	814	0 0		10
SM12C				Z) 254		+			0		50	722	152	0 362	4789	61
OVCAR-4		=		256		\pm	\perp		22	8	0	13 3	564 Z	172 0		17-
LOX IMM ISAOV1				256	\perp		-		0	0	77	M3 8	201 46	90 203	2950	17- 8H
SK-MEL-2			 	257			+		0	0 1	94 15	0 3	988	71 3	2367	30
SK-OV-3 SK-MEL I				750			\perp		0	0 1	0	0 7	345 4	0 164		20 14
SF-630			+	280		-+-			0	9	0 4	172 1	128 1	90 0	193	14
SK-MER-28				252	1	_	+-	17	73	9 1	0			91 0 61 0	7414	26
K-862 JACC-267	-			260	1	=	\perp	1	57	0	86	31 8	148 43	61 0 36 216		200
M714	+			764 765		-	-		4	91	0	01 2	101	0 42		121
WCF7			= -	207				36	20	0	0	0 9	238	51 181 D 0	0	
MDA-MB-435 HT279	+			209	7	Τ.			0	0	90 2	27 16	124	0 0	17404 744	2980
MDA-N				270	+	+	+-	174	0	0	0	0 15		63 67	0	296
779 pely A+				273				800	15	0 1			127	0 293 06 43	1252 856	702
OHOS poly A+ ITB36 246 TPA FMA B/23				789		=		274	9	0	4 2	60 32		32 241	579	1837 828
ELA-EXP-031889				300 313	+-		+			0		0 29		45 171		6571
17836 Di RINA 17347				372		#						49 21		49 24 86 426	773	1094
56 maddo RNA	 	_		329	4—	_	\vdash		2	0	5	0 24	48 30		109	4214 5835
C3+1226				306	+-	+-	+		0	0 ;		0 34	64	0 11	761	T101
CP-62				337					0	0		36 29 \$7 31	32 3	0 100	5222	2875
40A-448-231 2251				338	 	-	-	750	0		2	0 81	13 45	55 0	8554	26631
T cadle poly A+				340	\pm	+	+	1034		0 0		C 115			141693	38706
CC-286	+			341					0	0	0 2	27 36	70 70		2461 584	2005
W-400	1	+		343	+	-	+	3		0 7		0 2%	60	0 139	0;	1570
T1902				346			1	67				D 20		D 106	3475	19731
XOLO 206 17218	+			347			-			9 2	8 4	15 7	92 94			18/31
24-12				348	+	+	+	421			4 13	0 171	23	0 0	D	1055
T151 490	-			350 351						<u> </u>			24 84 87 150	2 102	0	1130 8776
T393	 			361	-			784		•	16	19	18	0 290	- 6	- 1/7
OF 363				353	+	+	+	29	-	0 (9		0 600		0 0	D .	18131
K-10	-			366 367	1			534				0 780			3006	17009
STAT	 			367	-	-	+	264				D 2814	1687	313	37531	7453
7213			- 50			1	_	1		0 16		0 1982	2 127	5 37	396	1100
T286 T338			- 2		\vdash			19		0 18	7	0 546	43	7 0	429	4385
Y156	 		54		+		+-	1		0 12		1 324	11	0	0	2708
7156 T163 7170			50			1		33				0 306 6 323	B \$8	0 0	0	12179
T172	 		<u> </u>		1	\perp	\vdash					0 603	2	0 0	0	12650
T136 T178			63		-	1	 	130		9		6 407	1	94	104	2202
1178			64				_	1						0	0;	25749
T154	 -		66		+-	1		1605				0 617	5 196	3 0	0	2901
T160	1		67	_	 	+	 			, ,	1	404	6	91	0	2924
THE			94							20		406		45	243	1389 3940
T 190	+		70		 	+		-			1170	5 302	4	57	0	905
1145			71					360					871		634	4445
7227 7802	+	-	n			—				30	114	403	6	0	0	3686 4727
D14		 ⊦	73 74		 	 		420	- 9	<u> </u>	- 30	841	5 97	32	419	6154
C317			76					543					6214 8 2871		0	5832 20250
343	 	- $=$	77		-	=		295		30	178	319	575	220	287	20250 2212
327			78				\vdash		- 0	110		952	2004	197	0	5220
336			82						0	71			1 1776	- 60	4221	2370
348	$ \Gamma$	\neg	85				\vdash	432	0		0	1141			0	364
311		+	170		 	\vdash	-	366		26	0			0	304	54360
306			185					•		166					0	5243 3166
140		$ \Gamma$	189		-					. 0	. 0	81	0	0	0	305
172 GP			191					- 0	- 0	244	242				- 0	847
160			207		\vdash				0	0	212	2636	494	247	611	451 1517
160 307 369			216 217			\vdash		131	- 0		0	901	0	202	425	2230
369			224					0	- 0		15	1315 3630			627	4418
	H	-	226					167	0	22	- 0	2562	44	134	644	3309 11856
3/0 3/1		+	230			\vdash		406		58	Z7	4211	0	0	201	9610
370 371 377			236					240	P		0	3752 3620	779 408		627	18008
370 371 377 32			261				=	0	- 0	. 0	587	. 0			627	7060
S70 S71 S77 SQ SQ SXM			290	$\overline{}$				- 0	D	32	. 0	6472	ò	0	D	33016
370 377 377 392 4054-4044 (794) 334	==+		301			_			. 0	Di	3	3010		202	0	8382 2010
370 371 377 377 372 withinsang RMA 334 338			301 315				_ ,	544	01		91			A.		
3.70 337 337 337 337 332 334 334 339 339 339			315 317					544 0		D	71	2168 2127	10712	0	0	1070
370 371 377 378 378 308 309 309 309 309 319 319 319			315 317 319					2077		0	102 108	2168 2127 2504	10712	3	9 60	98.79 8512
JVD JVT			315 317 319 325 364						0	0 0 10	102 108	2168 2127 2504 1411	10712 65	0 3 0 190	9 60 7	9679 9512 0
370 371 377 377 378 378 378 378 378 378 378 378			315 317 319 325					9 2077 0 0 795	0 0 0	0 0 10 0 5	902 0 0 336	2165 2127 2504 1411 5212 3318	10712	3	9 60 0	9879 9512 0 4313
MO 371 371 377 377 378 378 378 378 378 378 378 378	163		315 317 319 325 364					9 2077 0 0 795 510	0 0 0 0	0 0 0 0 0 5	901 0 0 338 0	2168 2127 2504 1411 5212 3318 4107	10712 65 9 296 426 384	0 790 0 0 0 0	9 60 0 182 374 18836	9879 9512 0 4313 12146 5109
370 371 377	163 161 160 152		315 317 319 325 364					9 2077 0 0 795	0 0 0	0 0 0 0 0 0 5 0	902 0 0 336	2165 2127 2504 1411 5212 3318	10712 65 0 295 426	0 0 193 0	9 60 0 182 374	9879 9512 0 4313

175 Table 3 (contd)

The state of the	Theret	Tuesday.	The same of the sa	D	D	Tay-	1 (5-4		1000 000								
## Company	Ha S78T	155		7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		EMBO	6 633	32-0 844	TIBED 45		A SEQ 48 A	A SEQ 46 A				
The color of the	MCF-7/ADR-RES	153	-	4		7				0	0	0 18	375	2 0	110	1947	493
Second	M14	149		<u> </u>		-	+-	+-	- 70								2772
Column C	UACC-257	147	+		$+\!\!-\!\!-$			—			0	91.	ST)	5 500		913	1483
The state	SK-MEA, 26	144				-	1_	+	-	0	0 10	7					460
March Marc	U0-31					+	4				0	4	613	4 1814	426	0	509
### 15 1 1 1 1 1 1 1 1 1	KM-12	141						┪			0 7		476	2 979			179
The color of the				-	+	_	_	=		0	0	4	306	3 300	177	1567	1805
Column	Marie Mil	139					\pm	_	10						388		1696
Section 10			 		-		+				0 22	2 331	564	9 0	0		523
The color of the		135				+	_							5 695	90	0	1141
The color of the	TIC-10		 		-		_	-	10	15	0	0 10	362	8 1663	344	295	- 1118
The color of the	796-0	132		<u> </u>	<u> </u>		\pm	+-		m					190		
Column C	ACHN	131	+	+	 	-	-	-	137	1	9 (9 9	683		261		794
Column	PC-3	129	1				_			6			389	619			360
Settle U.S.	OU-14\$		+	+	 		+	+			0 11	212			368	962	1960
The color of the	Celt-1						1			0	0 132		497	251	265		244 770
Control Cont	A498		 		 	+	+-						3671	0	0	629	791
### 150 10 10 10 10 10 10 10						=	=	-		0	0		385	1414	102	6477	1210 565
March 10	HL-60		 	+	 	+	+								350	1146	1045
Section Sect	MOLT4					1	=	Ψ.	50	1	0 24				83		748 485
Control 11	K-562	718	<u> </u>	<u> </u>		+	+	+-						0	85	4765	786
Company	OVCAR-4	117			=	=	1_	\perp	170	5	0 0		8405	2362	302	4352	254 1283
Fig. 11	OVCARG	115			t	±-	+~	+	- 61 EX1	6	0 70	0		160	1813	852	1458
### STATE	SF-539	114		=		\blacksquare	_	=	84	11	02		3000				50.7 400
Appen 11	SF-295	112				$\pm -$		\pm				185					1423
Section Sect	ASMATCC	111			1	-	=	\vdash	117	•	0 0	193	8431	1777	654	1209	1163
Column C	NCHHS22	109	t	1			$\pm -$	\pm				112	2961	432	102	1893	5201 616
Section Sect			+	-			-	-	188	7	0	474	4657	640	331	1215	792
SCHOOL STATES AND STAT	SN6-76	108					\pm	\pm	20	<u> </u>					346	0	1011
SCHOOL S	MCI-HCSZSIA SNB-18	105			$\vdash =$	=	+=	\vdash			0 0	26	2960	134	348	0	8685
Color	NCI-HZI6	103				=	\perp		448	3	19	0	7057	1991			4580 7164
GEOL SO	NCI-HZI	101		<u> </u>		1	+	+-			Ç 50		3732	2018	625	. 0	11044
Company Comp	GROVI	100				\vdash	=		1 1) (4190	1016	790		6447 4596
	ONCAR-8					1	1	+			14	167	3057	. 0	445	38	8847
See Mary See						=					0	106	3660	1347	54	446	2451 4634
	MAR SMC 19/21/92 #17	47				 		-								1338	2848 4832
Main									1043		0	326	3112	734	278	0	2214
Main	A549 - 1					<u> </u>	<u> </u>	<u> </u>				0			256		3115
March Marc	A540 - 3 A548 - 4	 				ļ	Η-				. 0	- 0	0	0	. 0	0)	0
Section	AS40 - 5																0
1947-1-1			_	-				WI CONTRACT					0		0	9	0
CONT.1								meteri	2147	641	. 0						
Section Sect						-	-	muteri	2980		480					91	0
MCF-1-1						ļ		PROPERTY.	1	1623	0	6				- 0	0
Main 150 0 115 0 0 0 0 0 0 0 0 0	4CF-7 - 3					1	_	wt									
March Marc							=	we		9	115	0		. 0		. 0	ŏ
MARCH 1	405-7 - 7						<u>t — </u>							9			
March 1972 777 100 0 0 0 0 0 0 0 0	VOR-RES - 1			_		=				1618	135	D.	0	Oi	0	8.	. 0
March 185 571 64 0 0 0 0 0 0 0 0 0	LDA-RES - 4						<u> </u>				109						- 0
Migs.	NOR-RES - 5 NOR-RES - 7						_							0	0	0,	
Miles Mile	VI 38 - 1							=	2518	51	178						- 0
MY 15 M 1508 0 Y 0 0 0 0 0 0 0 0	VI38-3		_				-		1849	0	90					0	0
	VI 38 - \$							w		- 0							
Mail	V1.30 - 7						-			0	49		0		- 0	0	ō
Mail	Ma-3							HPV ES	867	0	90	0		0		0	
Mart	Mar S					 	 	HPV FR	3647		115	0		0	. 0		. 0
	MLn-7 1							HPV B	425	840	7	0	0	0]	. 0		
CFT-101 CFT-	n290 - 3												0	0		0	G
CFT-101 CFT-	11290 - 4 11290 - 5		-			=		philips	1158	0	36	0	0	0	0	. 0	
Company Comp	11299 - 7						\vdash	-									
Process	MYX-2		$ \exists$			$\vdash \equiv$		y	751	301	٥			. 0	- 0	0	
Process	CT-116-1							-	648	0	208						- 0
Process	C1-116-2					H			\$206		430	0	0	0		D	
Process	F539 - 1							Y	1107		- 3	_	- 0	- 0		0	
F-200-2							<u> </u>	wi	£23	202					0	0	
MI 2000 Pol 0 0 0 0 0 0 0 0 0	F-288-2		==					mulated	11614	4311	205	0	0	0	0	. 0	- 0
NYAMA-1	VCAR4 - 2					\dashv			2000	701	- 0			0	0	D	
	WCAR5.1	==	==						705	0	0	0	0		Q		8
	GF-7 - 2												0		0		0
	DA RES - 2			-		=		mutant_	410	747	86	Ô	0	0	0	0	
Wedner 2	H480 - 1						_	materi	863	1075				- 8			
Sign	M 480 + 2 1298 - 2							meters.	813	718	50	. 0	0	0	0		
	13A - 1							į	318	0	57						
	SJA - 2 206 - 1	$ \Box$		- $$				muterit .	6480		75	0	- 6	0	0	0.	
Wind	206 - 2							muteri	3542	1206	0						
139-2	48 - 2			F				wt]	Z216	164	48	0_			0	0	D
Stide Stid	139 - 2		=							631	. 21	0	0	0	0	0	D
	Med - 2	+		F	—-Т					0	72	0	- 6		0	0	0
6/702 906 0 0 0 0 0 0 0 0 0	Med - 3								52334	0	0		0	D			
90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Had - 5											0	0	0	9	9	0
······································	Med - 6		=						9096	738	311		0		0	9:	
2564							-					0	<u> </u>	. 0	0;	D	0

176 Table 3 (contd)

The color The	These .	19															
Columb C	Calcil	1 may ayes	recent system	Tumer - to		- Marie	ed Engl	es p.53	SEQ 54	WSFQ 17 V	WE SEO 60 A	WISEO 63 ME	SEQ 86 C	4 SE O 649 H	SEQ 118 R		SEO 78
Company Comp	786-0				168				-	33 952	6 22	7 1025	972	1529	1954	17285	
Column C	Ken-3	 				-		\top		95 861	G.	0 1074	162	589	2901	19722	300
The column The	CRL 1401 RNA BOD	1			181											136	379
Sept. 18	CB poly A+	t	 	 	194						0	0 62		Ô	643	730	145
Second Column	HOS poly A+				196				2								
150 150	MACC-82			 		+		-					_ 0	1158	4907	14597	251-
A	MCF-7ADR-RES				202					5 222	8 75		11	301			172
Section Sect	WISH (Collegen) poly A+	<u> </u>		+					 -	0 761			D	. 0	1020	617	96
Section Sect	AND COLUMN COLUMN SECTION SECTION COLUMN SECTION COLUMN SECTION SE				204			-		0 1817	Б						1144
\$ 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	WL38 724 0.5%/988, 244 10% FBS	·		+	218		-			186	8			261	1447	915	238
	CRE 1441 + TPA (246) 8/30				220				-	0 566	2 179			403	225K)		414
### Company of the co	(an-2	+		 						251	3		0	453	2918	158	4526
A	Cand				225		\pm					115				41	412
Color		 		 	241			+	1	0 236	2	216			1773	13336	1904
A	xvx				243		\pm	-				326	73	2626			239
Margin M	(CHZ)				244						1 684	23	431	2402	3660	15999	163
Second	PM 8226				246	\perp		\pm		0 132			167	3423			4630
Column	A STATES	 			247	-	7-						394	661	1991	2385	186
Column	VCAR-3												120	201			1776
Section Sect	VCAR4	\vdash				-		\blacksquare		0 1076	5 5996	1456	0	3538	4642	106630	2756
1962 1962								+	37	2 360	1300						761
SCALAL					253	-	=		258	5 9430	1 1811	625				12206	
April	NCAR-8					+	-+-					176		3336	2675	25806	1631
Color Colo	OX BAN				256												1414
Color	K-MEI-2				758	+-	- -	+		8352	758	716	88	2012	3644	28934	3170
Second	K-OV-3				750	\pm		\pm		3527						4962	1591
March Marc	F-619	 			250	+-		+	13	5 3911	0	48	103	1340	1148	3611	1364
Section Sect	K-MEL 20							1				384		7673			8150
1	S62 ACC-257	 1			283	+-	+=	4	95	7 8200	7949	1685	99	9058	4576	196694	9173
1962 1962 1963 1964 1965	10				265		1	\pm	1	2030					2306	3496	2909
179	34.445.436					=				19845	920	966	804		6019	79777	8083
	270				Z70	$\pm -$	_	$\pm -$			477	543				1148	2418
Sept	DA-N 19 pale Ao		-		271		1	\perp	271	7065	- ō	354	92	1290	1836		4149
1.4. 1.5.	106 agy A+					+	+	+			17445	379					7796
120	B16 24h TPA RNA 6/23					-			780	3981		1456	0				31917
Second Proc. 1972 1980 1981 1982	PLIS CIL DOLL					+		 -	14651	1812		247		1590			3071
Second S	Day of Day				323	\bot			404	4566				2939		15822	91694
Section 1985	3H1226					+	+	-	1327					980	4386	476	69086
Second Bellet	P-82				337					15366	0					2329	37119
Cab Digit Cab Digit Cab		 				+	+	-			1217	9728	1217	25352	93718		103178
20.00 20.0	Colla poly A+				340				483	1462		16256	362) Oi				111972
MS	XC-2008					+		1	177	13679		362	2330	\$703	8694	40554	71885
100 100	V-620				345	_		1		7776				1702	2209	23873	21576
142	10705	+				$\perp =$	4	\vdash	1001	7250	406	182	Q.	1412	5254	2082	65625
1965 1965 0 666 0 691 1115 3,0690 1749	218				348	+	+-	+						9	689	1304	8915
Section Sect				==					49	11052		406					17400
1982 1982 1982 1982 1982 1982 1983 1982 1983 1982 1983 1982 1983 1982 1983	98					+-	+-	+		8054 20305		401					45600
19				==	352				725	15335	57						
337 711 6327 3397 3244 5647 3247 2392 5660 5391 5392 5393 53	-10	-+			366	 	┪	+					73	340			
173	5787	$\overline{}$										36286	2444		34972		
Section Sect	113	+	+	- 50	359	┿	+	-		9184		68	82	2391	2875		48002
15	268			52			\perp	1								7541	
March Marc			\rightarrow				-		921	8243			635	. 0	1926	276	650 37
122				54				t-	1082	1302			253		21311	2121	61017
State		-+	+			-	Ţ	\vdash			P	252		1992	4224		83039
971	136			63			$\pm -$						17			0	46345
1				64_			\vdash		31	3195	0	В	145		974		
Second	80					<u> </u>	1 —	 					44	106	1138	0	52719
19	66			67		-	-		427			D		769	466		28500
93	43						+			4068				346	1043	3366	78481
1	90			70					. 0	5.719	964			161	828 \$854	42	
1	27						+-	 		3301	530	0	74	3292	1633		58667
74	12			73										2495	1928	757	
######################################			 -F			F	\vdash		0	10043	138		41	279	1755	1196	\$1097
73	Antonio 25 118					\vdash		<u> </u>	275	25/92				90		6403	100931
1	aT			78					. 0	7907	0	1120	58	336	3764	1641	107547
BE	××			82			 	 	224	8340	0	267	41	934	1737	004	52009
87 2280 9094 1372 360 203 2609 1577 2273 46040 1708 1709 2773 46040 1709 1709 1709 1709 1709 1709 1709 170				86						790	546	142	0				12147
186				170				\vdash		5054	1312	369	203	3609	1570	2273	49949
167 167	6			185										506			
191	T						\vdash			2190	. 0	317	70		1007	0	79444
207 186 2488 D 114 33 130 1379 2488 24	7			191		_											41150
282 6 3341 0 55 0 884 1673 443 2590 2584 2594	- T								195	2446	D	114	23	130	1578		16184
282 6 3341 0 55 0 884 1673 443 2590 2584 2594	7						 -					0		749	937	0	34541
282 0 3341 0 55 0 884 1678 443 2563 2554 2564	:			224					. 0		0			568	2374		
282 0 3341 0 55 0 884 1678 443 2563 2554 2564	<u> </u>				-				64	2565	0	0	180	1017	1555	0	77470
25								$=$ †		3241				1523	2322	1349	34833
	2			236					116	5719	518	- 0	6		2830	1024	43216
301 138 1310 313 0 0 889 2548 2000 3662							-			10149		0	296	156	683	0	5493
315 44 402 9 0 69 1315 5441 5710 5712				301					135	13101	313	. 0	0	869		2000	47294 34047
2 119 124 1481 1481 2481 21 1000 2551 11044 42727 2751	:			315		_				4032			48	1315	1461	6518	30 163
2 325 9 937 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9 9 927 9	‡ +					_	-		17/4	- COM	1881	248	211	1008	2951	11044	46792
7 50 8177 0 0 8 1005 2771 3977 09981 2 1000 8 1000 9 2171 0 0 1 1005 2771 3977 09981 3 1000 9 2771 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 12 14 14 14 14 14 14 14 14 14 14 14 14 14			319				'	2701	3848		5567	۵;	Sen.	2604	Α.	
MO	2		_	325	=	=			357	2017	0	306	0!	- 9í	1241	\$65	
MB-435 159 159 159 159 159 159 159 159 159 15	184 192 146 12 12 13 15 15 15 15 17			325 350					357 \$63	2817 5137	0	306	0	1105	2121	3677	22972 80581
	98 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			325 350					357 563	2017 5137 1996 36724	0 0 0 567	306 0 21 1575	0 8 0 2021	1105 4818 6944	1241 2121 4833	\$65 3677 1407	22972 80581 140477

177 Table 3 (contd)

There	T	Manager or	IT	19			1		Nasa -	4						
He S78T	Tumor-sym		Tumor - to	1	Hermal	Émin	123		0) 4944	SEQ SA	7 1644	344		SEQ_110 R	6EQ 73 HR 6396	
MCF-7/ADR-RES MCF7	153		-		7	7	=	22	8 1857	330	2 2910	48	22330	1868	3002	\$40
Mes	149	1		1				394	6 16700	2 6	704	284 43	7 627	3990	22510 4021	
LIACC-267	147			\vdash	+	+	+	16			7208	16	3 \$660°		17973 4231	6177
5K-MEL-28 UO-31	144				_	-	=	-			577	770	5176	1071	2990	569
SK-MEL-5 KM-12	142		=			#=	=	118	2 7739	1994	1944	290	1311	1215	3834 9695	1056
SKAMEL-2	140				┿	+	+	196				187	7681	1317	64 N479	485 926
HCT-15 Malmo-3M	138	+	+		_	, —	-	172	0 12275 5 28340			66i 256	6 4927	2667	7421	7115
COLO 205	137		 			#		248	4 916	2/95	439	194	13401	1681	7321 2407	4250 983
LOX IMM SWI-620	136				-1	 		30	3 37237 6 6511	20/2		193			805 t	337. 3838
TIC-10 HCT 198	134	 	+		Ţ	-	7=	101	5 8427	1317	1506	108	2 23994	1771	11361	427
786-0	132				1		\bot	80	6 9319	127	1162	947	20069	2013 1670	7153	3955 4 165
HCC-2988 ACHN	131			 	+	+	+	170				1111	21377		3256 7925	7452 4525
PC-3 ROF 383	120	+			=	-	-	57 100				806	14268	1450	3151	4857
DU-146	127	=			=		_	120	9043	100	126	377	4967	1894 2174	13035	461
Calc-1 SR	125				+	+-	+	98				334	4095	1933	15823 4070	429
A498 RP14 8226	123					=	-	931	1 19849	351	295		14129	2475	10960	-
SN12C	122		-			\pm			17323	9	2502	112		3030 2447	106771	7505
HL-00 MOLT-4	121		±		+	+	+-	22	4211	541 2178	116 551	240		2057 1313	2980	5686 7016
OVCAR-6 K-BIQ	119	=	-			=		85	10544	8273	2442	877	12121	950	7713 32826	4050
OVGAR-4	117							2174	13967	4166	360	598 1640	14315	1771	21344	5603
OVCAR-3	916 115		t		+	1	+-	1566		560 2368	4934 1091	179	4841	1450	7736	5665 4250
57-439	114		F			1		1112	7236	. 0	668	634	10017	1247	25044 4955	4107
HOP-62 SF-296	112					上	=	200		2082	\$258 1051	2776	16796	678	34991 16984	2534 4731
ASASIATCC SF-268	110	 	\vdash		-	F-		1371 1373	14738 18509	0	1749 2309	2445	18296	1303	86894	5194
NCI-H622 U251	100				-	=	1-	336	10129	1948	3385	1263	17962	1090 2094	8620 15285	3250
NCI-H488	107		\vdash		士	\pm		1091	11864	2167 2326	374 8780	1811	29319 15224	2229 1506	10968	\$364 4020
SNB-75 NCI-H322N	106	-	+ ==		-	\vdash	$\overline{}$	252 3661	7303	127	539	25	20030	1060	1580	40,00
SMB-19 NCI-H226	104				!	=	=		7540	\$336 1418	3512 568	473 329	14000	2186 2894	20863 9129	5271
SK-DV-3	103		 		 -	+-	-	9/22		1902	2947 740	372	7863 \$154	4474 2758	12485 8202	10349 5177
NCH(Z) GROV1	101				_	=		972	12836	1796	5027	716	1791	3125	30387	5449
BCVX	99							672	10901	3057 898	3368	217	3:366 4065	3272 2678	7930 31182	5587 43470
OVCAR-8 HOP-82	97	 	1		-	-	1	347 474	7233 12057	2432 2367	\$97 2897	574 792	5634 12362	1949	4824	48956 50836
Strephysics 3/31/92 812 adult SMC 10/21/92 917	48						-	1606	4900		3536	215	24750	2385 1914	31301 \$365	92900
herdinocytes 2/25/92 810	46					\vdash	1	4753		0	477 2520	7014	26787	1176	10148 5161	75029
CGP UM-1	26				 - -		Į,	688	12493	55 567	30015 13218	701	5029	2429	9414	@100m
NS48 - 3 NS48 - 4							ref	0	35902		363	- 0	1876 317	331	14898 3947	19263
\6e0 - 5					<u> </u>	_	**	- 8	2760 4433	- 0	1896 2173	- 0	523 486	157 242	1142S 15448	13262
548 - 7 307X - 1					=	-	wi Implemi	0	3415 7918	218	579 10495	0	1983 2358	261	12240	20201
3(VX - 4 3(VX - 3						=	maked.	0	6606	. 0	7440	0	2003	2003	27454 78154	14020 19451
XVX - 5						<u> </u>	STREET, STREET	- 0	4185 2062	442	1504	. 0	1342	781	7118 18082	16820 27260
3(VX - 7 4CF-7 - 1							mcAint Wi	0	\$306 2496	1404	3965	0	1233	1385	5245	36616
ICF-7-3	T						wt		4324	0	2219		396 177	321	11222	15511
ICF-7 - 4 ICF-7 - 5					<u> </u>		-		2971 4649	962	297 312	9	707	191	16894 24367	15090
ICF-7-7 DR-RES-1	+					=	PALAMONT PALAMONT	0	2015	0	341	0	389	118	9134	14350
OR-RES - 1								0	13125 7696	206	1843	.0	1135	715	46482 8378	43329 15827
DR-RES - 4 DR-RES - 6					-		material material	0	3613	612	79 5574		104? 572	£35	10854	Z2994 11995
URL-RES - 7	-						B/~~	. 0	5037	0	1519	0	E35	310	4944	17985
V138 - 1 V138 - 3							wt	0	71054 9568	317	1743 2832	0	2774	816 777	23088	21030 13274
/136 - 4 /136 - 5			-				Wil		8701		184	0	2280 1877	796 750	25508	14200
#136 - 7 MLa - 1	+						HPV Es	0	6101	461	697	0	986	1033	12862	17103
ule-1							HPY 64	8	2972 6136	1045 206	125 2500	0	783	361	19037	13265
Mari					\vdash		HPV E6	0	1902 8774	767	1330	0	263	619	11306	10796
Ha.7			==			=	HYE	0	5057	0	1004	. 0	2129 1673	834 860	36267 16576	18512
1,299 - 3	\pm						materi materi	0	673/2 7906	0	3638	. 0	488 581	780 547	13209	13626 12467
H259 - 4 H259 - 6	\perp						Student Student	9	11579 3290	0	3903	Ŏ	1997	567 552	32306	15925
1290 - 7 540 - 2							-		6749	67	2947	0	1547 648	234	9675 13576	13714
KVX-Z						_	-		1778 4310	- 0	7923 1256	- 8	360	386	7747 16174	14837
CT-116 - 1 CT-116 - 2	17							9	802 16450	- 0	1151	0	1687	386 1682	13342	61632
T20 · 2								0	1416	604	2260	0	8166 1591	666 581	26757	12601
F530 - 2		+					¥	. 0	10000	167	102 513	0	774	266	5028 10468	10847
F-268-1 F-268-2	+						materi	0	11769	9	1105	0	3283	1120	16364	10521
VCAR-4 - 1						_		0	2000	705	1397	9	2007 1685	1179 675	22525 9858	14395 24261
VCAR-6 - 1			 -F				wi makeri	0	4382 3130	350	3777	0	1872	580	23042	59463
VCAR-5-2 OF-7-2			\rightarrow		=		man.	0	2975	8	6,79	0	366	269 278	12734 6066	11007 11509
OR-RES - 2							Marie .	. 0	2290 614.3	261	4687 2036	- 0	630	122 854	7463	11768
LII - 2 W480 - 1	 T	-	-		=		HPV EA	0	\$468 9548	37367	6308	0	4474	942	40273	13069
N480 - 2					=		-upper	. 0	2650	30	2511 3398	0	1590 915	530	20076	23143
1290 - 2 ISA - 1			<u> </u>		∓	\neg	multeral multeral	- 0	7012 5679	0	1635	0	1502 570	864	23857	24461
DA-2									3255	(804	425	. 0	976	230 208	47320 8221	12314 8913
105 - 1 106 - 2							makeri makeri	0	10292 5298	749	57te 9373	0	2115 3262	1989 1051	52566 56322	31150
69 - 1 69 - 2	+						-	Ö		447	1091	- 0	1135	415	11483	27447 11884
39 - 2							-	0	13625	403 488	1063	- 8	3356 1863	746	11794	17867 15250
that - 1	 		I	-		\dashv		0	12729		2718		1113	366	12501	14913
onal - 3							=t	- 6	12100	. 0	126 365	0	1618 686	3856 465	44133	14118 14578
thal - 4 had - 5						+		0	32882 9006	0	D	0	1087	549 404	4312	20874 11992
trad - 6 shad - 6	-		$\overline{}$		=			0	13524	٥	0		37366	1258	603 1	21144
hel -2			$=\pm$		=			D 0	15247 12139	9	309	- c	3784 2077	1350	20529 4931	23861 20844

178. Table 3 (contd)

<u></u>	15-	Ter.	15													
DaPage 2	Tomer-sym	Normal-sym	Tumor - 1e	Turner calls	Name	Ende	s p50	SEQ SS /	MEO ST V	WEQ 66					R 550 73 HR	
DePeng 8					_		_		0 3634		M 220	2	0 2015	10.7		17948
DeParg-11	+	├	+		7				0 2831	9	0 420	8	0 4247	71		12234
O#*#rg-12	1	#				+-	:1:		0 162	M	D 982		0 3724	108	6 49305	13175
DePare 1	 -	+	-		-	=			0 1801	15	0 136	6	0 4270	80	1: 34062	11807
DaPany-2						1	1		0 937		0 2144 0 1370		0 2076			ZZ149
QaPang-3 QaPang-4					\mp	=			0 690	5 117	1 951		0 1628	78	15252	18156 25669
DePene-5					-	_			0 372		0 611		0 1746	(88	20143	25155
DeParty-6 A549 - 8	+		-			=			D 3956	н	0		D 1016	64		9565
EKVX - I				+-		+			0 401				2260		19012	13833
HCT-116 - 7 - HCT-116 - 8			$\perp =$		_		wt		0 264	5 50			0 4381			14160
HT20 - 1			 	<u> </u>			THE PERSONS	1	0 516	S 341		1	302	39	11432	18908
HT28 - 8						ightharpoonup	- metern		0 106	3	5	-		45		21737 13162
5F539 <u>- 7</u>	1	1		 	+	+-	W T	 	0 4333 0 \$60	3	2990		109	594	16267	19784
SF-268-7							w		0 696	6	9 850	-		100	13408	17968 18098
SF-268-8	1			 	+	+-	regions		0 681 0 820				1316	420	14248	15443
OVCAR4 - 7 OVCAR4 - 8	+						ref		0 179	9	501			100	12101 3378	14424 14739
CVCARLS . Y					 		meters		0 829	76	12121			730	17308	16046
OVCAR-S - S MCF-7 - I						_	PROMOTE		0 361	1104	46			1330	20068	37971 10561
AOR-RES - 6		1	 		+	+-	1		0 404	7 34	1300			451	13891	15873
HeLa - 8 SW460 - 7							HPV E8		0 413				1823	706		12562
SW 480 - 8				 	+-		enutural murtarel				846		1026	212	13765	11456
H1290 - (\vdash			\vdash			reading)		8441	8274	1133	9	215	450	19827 8507	10513 12960
C334 - 8			<u> </u>		+	+	muterit muterit	:			131		934	331	1065	. 11745
U2O8 - 7 U2O8 - 8	$\vdash =$				1	=	STRUMENTS		546	300	563	8	1824	1472 251	9025 21545	35099 18684
Hu68 - 7					+	+	reuters.	- 8	4223	197	1921		3486	614	32498	11293
He68 - 8 WI 38 - 8						1	4 1		4538		1101	0		614 583	10095 3568	18314 17704
450 machillo FRNA	<u> </u>				+	1 -	4	219	8860				Z256	880	7101	12515
CRL1572 3H780	+				=	=	1	P	1425	79	268	122	11543	2280 1482	959	123011
HT366					1	 !	⁺ —	1359			471	64	4171	2041	13126	60734
HT376 HT385					-	-	-	304	1670	0	48	22m	\$70	1504	461	\$1232 64586
HT308					_	1-	 	2564 494	Z3778 4362	1052	187	825	1995	3463	3271	115525
Bar-3						173		142	2903		68	167		2614 2653	7480 2513	73383 47794
Box 9					_	176	+-	1326			\$4 109			1943	676	27812
h hersbrocytes 205/92 (FII) Ben-10									8392		9	878		1821	200	37803 44367
HTB10					 	237	 	1100			96	31	1233	2631	1695/	63544
h Shrubbady 3/31/62 (f)2 products, h								166	4732	P	30		504 1643	8317 3487	197	63251
MMNG-OS poly A+					-		:	87	709	85	151	47	940	1829	0	71260
ISA-OS (Manuful) poly A+						$\overline{}$					100					
Bill' poly de	 - 							O See	9870	1806	300 101	186 1871	2523	2510 2543	3973	62966
HCT-196 - 3							,	0	9670 31235 26963	1806	101 36	186 1871 1131	2913 4200	2510 2963 3944	3973 5141	62966 46333
HCT-116 - 3 HCT-116 - 4							¥ ¥	277 0 0	9670 31235 26963 2264 3670	1806 0 0 830 177	101	186 1871	29713 4,200 506 388	2510 2963 3944 457	3973	62966 46333 14135
MK psly A+ HCT-196_2 HCT-198-4 HCT-198-6 HCT-198-6							33	0 Seen 272 0 0	9670 31235 26963 2264 3670 6836	1806 0 0 530 177 209	101 35 2801 639 724	186 1871 1131 0	28*13 4.200 806 388 477	2610 2863 3944 457 241 309	3973 5141 9561 10246 13663	62966 46333 14135 13244 15473
185, poly A+ HCT-116 - 3 HCT-116 - 4 HCT-116 - 5 HCT-117 - 6 A560 - 6)	0 500 272 0 0	9870 31235 2863 2264 3670 8836 5156 777	1806 0 0 830 177 209 1378	101 36 2801 639 724 2077 42	196 1671 1131 0 0	29/13 4200 806 388 477 253	2510 2963 3944 457 241	3973 5141 9561 10246	62966 46333 14135 13244 16473 12956
MC pilp A** MCT-118-3 MCT-118-4 MCT-118-5 MCT-118-5 MCT-118-6 AS40-6 MT2 -3 SOVX-6							3 3 3 3 3 3 3	0 900 272 0 0 0	9870 31235 28063 2284 3670 8838 5156 777 3211	1806 0 0 830 177 209 1378 0	101 35 2801 639 724 2077 42 2366	196 1671 1131 0 0 0	28*13 4200 806 388 477 283 899 1864	2510 2863 3944 457 241 309 483 315 511	3973 5141 9561 10246 1363 11660 2191	62966 48333 14135 12944 76473 12956 14884 15622
98K pelp A** 98K 7-19-3 19CT-119-3 19CT-119-4 AS90 - 6 19T29-3 50VX - 8 19T29-4							ud ud ud ud student student student student	0 600 272 0 0 0 0	9870 31235 28663 2284 3670 8536 5156 777 3211 879 771	1806 0 0 530 177 209 1378 0 1117 60	101 36 2801 639 724 2077 42 2366 0 875	196 1971 1131 9 0 0 0	29°13 4.200 506 388 477 283 899 1864 367 900	2610 2863 3844 457 241 369 483 315 511 636 409	3973 5141 8561 10246 13663 11660 2181 16601 8049	62966 46333 14135 13244 15473 12956 14664 15622 16148 21150
BK pbp An BCCT-118-4 BCCT-118-4 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6 BCCT-118-6							ud ud ud ud stradgerid stradgerid stradgerid stradgerid stradgerid stradgerid stradgerid stradgerid	0 Seen 272 0 0 0 0 0 0	9670 31235 26063 2664 3670 6536 5156 777 3211 879 771 3496	1806 0 0 530 177 209 1378 0 1117 80 1454	101 36 2801 639 724 2077 42 2366 0 875 4001	196 1871 1131 0 0 0 0 0	28°13 4200 806 388 477 283 899 1864 367 900 1363	2610 2863 3844 457 211 309 483 315 511 636 409	3973 5141 9561 10246 13663 11660 2191 16601 9049 13666 28246	62965 46333 14135 13244 16473 12956 14664 15622 16148 21159 27154
98C pelp A* 9CT-118-3 PCT-118-4 PCT-118-6 PCT-118-6 PCT-118-6 PCT-118-6 A560-6 PTZ8-3 SOVX-5 HTZ8-4 HTZ8-4							ted ted ted ted tendent tendent tendent tendent tendent	0 Sum 272 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9670 31235 26963 2284 3670 6836 5156 777 3211 879 771 3498 3159 889	1806 6 6 530 177 209 1177 9 1117 80 1454 1303 811 1624	101 36, 3801 699 724 2077 42 2366 0 875 4881 9404 4738	186 1671 1131 0 0 0 0 0 0 0 0	29°13 4200 806 389 477 283 980 1864 367 990 (139) 143 754	2610 2863 3944 457 211 309 483 315 511 506 409 1003	3973 5141 9246 1363 1363 1365 2791 16891 9049 13695 28245 8102	62966 45333 14135 13244 76473 12966 14686 21150 27154 27150 27154 39150 12960
98 jub A- 95T-196-3 95T-196-3 95T-196-4 95T-196-5 95T-196-5 95T-196-5 95T-2-6 972-3 95V2-6 972-6							toli toli toli toli smalarni smalarni smalarni smalarni smalarni	0 Sem 272 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9670 31235 26963 2284 3670 6536 5156 777 3211 Bry 771 3490 3156 BBS 3447	1806 0 0 530 177 209 1378 0 1117 60 1454 1300 811 1524	101 36, 3801 699 724 2077 42 2366 0 875 4081 9404 4738 1105	186 1671 1131 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29/13 4200 506 388 477 283 989 1884 357 990 1390 1430 754 385	2510 2813 3944 457 211 309 483 315 511 536 409 1063 1080 229 85	3973 5141 9561 10240 13653 11650 11660 16601 9049 13665 28241 5102 11844	62966 45333 14133 13244 15473 12956 14856 14856 21150 27154 38150 12900 11160
98K july Ar. 98K july Ar. 98K-119L-3. 18C-119L-3. 18C-119L-4. 18C-119L-6. 18C-							ted ted ted ted templand templ	0 Sum 272 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9670 31235 26063 2264 3670 6538 5156 7777 2211 819 771 3438 3159 889 5467 12920 3019	1806 0 0 430 177 209 1117 80 1454 1303 811 1624 9 1285	101 35 3801 539 724 207 42 256 0 875 4981 2404 4736 1195 4206	196 1671 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29/13 4.2000 506 3889 4777 2873 9890 1367 9900 1393 1493 1494 365 754 365 807	2610 2863 3944 457 241 269 463 315 511 516 409 1663 1060 229 85 375 64	3973 5141 9561 10246 13601 13601 2791 16691 13695 28245 28245 6102 11844 8613 20409	62966 46333 14135 12244 16473 12966 14884 15622 1159 27154 29150 12800 1198 14155 15714
98 jph A- 2011 14 15 16 16 16 16 16 16 16							ted ted ted terminant templant	0 Sum 2/12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9670 31235 20063 2264 3670 6836 5156 777 3211 879 771 3430 3156 889 3467 12920	1806 0 0 530 177 2009 1378 0 1117 80 1454 1300 811 : 1624 0	101 36 3801 939 724 2077 42 2366 0 875 4001 2404 4738 1105 4306 9	196 1671 1131 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29°13 4200 805 388 477 283 989 1884 357 989 1393 143 754 385 807 1036 808	2610 2863 3944 457 261 309 483 315 511 636 409 1080 229 85 375 64 478	3973 5141 9561 10240 1360 2791 16691 5049 13695 22245 8102 11844 8613 2049 8532	62865 46333 14135 12244 18473 12865 14886 15622 15648 27159 27154 39150 11169 14155 14155 15268
98 yah A- 98 yah							red vel red red red red resplant respla	0 General Control Cont	9670 31235 28063 2254 9570 6536 5156 777 3211 979 771 3438 3159 889 3159 2820 3219 2820 3219 3219 3219	1806 0 0 530 177 209 1378 0 1117 60 1100 1100 1100 1100 1100 1100	101 35 3801 599 724 2077 42 2066 0 875 40ert 2404 4738 1105 4206 206 206 208	1966 1971 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29°13 4200 805 388 477 283 989 1864 357 900 1393 343 305 807 1030 413 413 413 413 413 413 413	2510 2853 3944 457 483 309 483 315 511 506 498 1963 1063 1060 500 500 500 500 500 500 500 500 500	3973 5141 8661 10240 13603 13603 13603 13604 13606 20241 8102 8102 13846 813 2040 8513 2040 8513 2040 8513 2040 8513	62966 46333 14135 12241 1247 12956 14686 21150 27154 29150 11160
98 year A 98 yea							und tool und und und manageri erregierre err	0 General States	9870 31235 28963 28963 2896 3870 9536 7777 2211 889 3159 889 3159 1220 2815 1231 1231 1231 1231	1806 0 630 177 209 1378 0 1117 80 1494 1303 811 1634 0 1901 1285 177 425	101 35 3801 539 724 207 42 256 0 975 404 4738 1105 5006 9	1966 1971 11331 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29'13 4200 506 389 477 285 986 1884 357 980 1393 794 305 1030 1030 1041 2020 413 842 2221	2810 2813 3944 457 2811 289 483 313 511 506 409 1000 220 80 80 80 80 80 80 80 80 80 80 80 80 80	3973 5141 9561 10240 13603 13603 13603 13601 13605 2224 22245 2224 22245 22245 22245 22245 22245 22245 22245 22245 2224	62964 46135 14135 12244 19643 12956 14884 15622 19140 27159 27154 12700 11190
98 yah A- 2013 14 15 15 15 2013 15 15 15 2013 15 15 15 2013 15 15 2013 15 15 2013 15							und vol vol vol vol vol vol vol vol	0 Gentle	9870 31235 28063 2876 5526 5526 5526 7777 2211 979 771 3480 3687 1320 3687 1020 1020 1020 1020 1020 1020 1020 102	1806 0 0 0 0 530 1777 209 0 0 11177 60 1554 100 11177 1100 11177 1100 11177 1107 1107 1107 1107 1107 1107 1107 1107 1107 1107 1107 1107 11	1911 36 5 2821 959 724 2077 42 2 256 0 0 5 5 4081 728 4081 728 105 0 708 0 0 708 0 0 105 105 105 105 105 105 105 105 105	1955 1971 1331 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2813 2020 806 388 477 283 989 1894 387 784 183 283 283 283 283 283 283 283 283 283 2	2810 2853 3944 457 287 287 287 287 287 311 511 556 408 1060 226 80 375 64 65 66 65 66 75 66 75 66 75 66 75 67 75 77 77 77 77 77 77 77 77 77 77 77 77	3973 5141 8561 19280 1263 11860 1263 11860 13609 13609 13609 13609 13609 13609 13609 13609 13609 13609 13609 13609 13609 13609 13609 14608	62366 46333 141335 12244 18473 18473 18973 12956 14488 15622 19140 27154 27154 12960 13160
98 yeb A- 985 yeb A- 9							und voi voi voi munigeri errolerri errolerri errolerri errolerri voi voi voi voi voi voi voi voi voi vo	0	9870 31235 28963 28963 2896 3870 9536 7777 2211 889 3159 889 3159 1220 2815 1231 1231 1231 1231	1006 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 365 3821 939 1724 2077 42 2556 0 0 1755 4001 2400 1105 6200 1105 6200 706 600 0 1105 1105 1105 1105 1105 1105 1	1965 1971 1971 1990 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28'13 28'13	2510 2853 3844 457 287 389 483 315 511 501 600 1000 200 80 375 540 80 375 403 1000 1000 1000 1000 1000 1000 1000	3873 \$141 9561 102-8 1360	62066 45333 14135 14135 14135 14135 19673 19673 19673 19685 14086 15122 19750 12760
98 yeb A- 985 yeb A- 9							und voi voi voi munigeri errolerri errolerri errolerri errolerri voi voi voi voi voi voi voi voi voi vo	0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	8970 31225 20063 20063 5570 5570 5536 5536 5536 7777 771 3480 771 3490 5800 5800 5800 5800 5800 5800 5800 58	1006 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 3812 929 724 2077 427 2256 0 675 4991 1105 4206 4991 1105 4206 90 90 90 90 90 90 90 90 90 90 90 90 90	1955 1971 1971 1971 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	28'r3 28'r3	2510 2853 3844 437 281 389 483 315 551 605 1000 280 80 80 80 80 80 80 80 80 80 80 80 80 8	3873 5141 5141 10246 10246 13653 13653 13650 13650 12671 10049	62364 45333 14135 14135 19473 19473 19473 19485 19486 21159 21159 12755 12755 1377 1377 1377 1377 1377 1377 1377 1
98 yehr - 98 yeh							und vol	0	8970 31235 20043 3670 5506 5715 5717 3211 879 771, 3211 389 389, 1920 5819 1221 1221 1221 1221 1221 1221 1221 1	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 355 2801 9724 277 427 2556 0 675 4991 9004 9706 9706 9706 9706 9706 9706 9706 9706	1955 1971	2013 2020 500 500 500 500 500 500 500 500 50	2510 2853 3864 387 287 287 287 389 483 3115 536 408 1983 1983 1983 1983 1983 1983 1983 198	3873 5141 9061 10296 1360 2791 1360 2791 1360 2791 1360 2024 5102 1194 6103 2024 5102 1194 6103 2024 5103 6103 2024 5103 6103 2024 5103 6103 2024 5103 6103 6103 6103 6103 6103 6103 6103 6	62964 45333, 14135, 12244 19473, 128473, 128473, 128473, 14887, 15622, 16146, 27159, 27154, 12807, 11989, 11989, 11987, 10072, 10072, 11989, 11987, 1
98 yeb A- 98 yeb							und	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8970 31(235) 2894 3670 5530 5530 5530 5530 5737 777 777 771 2211 3480 5487 5487 5487 5487 5487 5487 5487 5487	1604 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 369 3891 3891 274 2774 2774 2774 272 2556 0 675 4901 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4778 4904 4904 4904 4904 4904 4904 4904 490	1955 1977 1977 1131 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	26'13 26'20 500 500 500 500 500 500 500 500 500 5	2810 2853 3844 3877 2817 2817 389 489 389 489 1083 1083 1083 1083 1083 1083 1083 1083	3872 5141 9051 10296 13650 13650 2789 13660 2789 136900 1369000 136900 136900 136900 136900 136900 136900 136900 136900 13	62364 46333, 14135, 12244 18473, 12845, 14857, 14857, 14857, 14857, 14159, 1215
98 yeb A- 985 yeb A- 9							und und und und und und und und	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8670 31(23) 26063 26063 3570 5526 5156 5156 5777 7771 2711 2611 2612 3156 3156 3156 3156 3156 3156 3156 3156	1004 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 36 6 3891 599 724 2077 42 2 2566 90 875 4081 4004 4778 1105 1006 1007 1007 1007 1007 1007 1007 1007	1955 1977 1977 1931 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2510 2853 3844 4577 281 281 281 381 315 315 315 315 405 406 206 408 375 408 375 408 375 408 375 408 375 408 375 408 375 408 375 408 408 408 408 408 408 408 408 408 408	3872 3141 5141 10246 10246 1363) 2191 10049 1363 10049 1363 10049 1363 10049 1363 10049 100	62964 45333 14135 12244 158473 12985 14887 15888 15878 15888
98 yeb A- 985 yeb A- 9							and	0	9870 31235 28063 28063 3570 9536 9536 979 979 1350 989 3450 1350 985 1350 1350 1350 1350 1350 1350 1350 135	9604 0 0 0 0 1777 1777 1777 1778 1778 1777 17	191 389 3891 599 724 2077 42 2556 0 1055 4001 700 700 700 700 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 1055 4001 700 700 700 700 700 700 700 700 700	1855 1971 1131 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2510 2853 3944 457 2817 2829 345 556 403 315 556 403 1060 226 66 1080 227 408 309 375 408 375 408 375 408 408 408 408 408 408 408 408 408 408	3973 5141 5151 1004 1004 11603 11603 11604 100	62964 45333 14135 12244 138473 13985 14887 13985 14887 12154 19910 12159
98 yeb A- 985 yeb A- 9							and seed of se	0 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 28063 3570 5536 5156 5156 5777 7771 2211 9879 7771 3156 8889 3647 12840 3658 12840 3658 12840 3658 1285	1606 0 0 0 0 177 209 1777 209 1777 1779 1777 1777 1750 1750 1750 1750 1750 1750	191 389 3891 599 724 297 42 2556 0 0 555 4001 2666 7708 1105 4000 1001 1001 1001 1001 1001 1001	1955 1977 1977 1931 1931 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	26'C3 26'C3'	2510 2853 3944 457 2817 2829 463 315 516 506 409 1050 1050 226 64 108 108 27 48 108 108 108 108 108 108 108 108 108 10	3973 5141 5561 10296 17563 17563 17563 17563 17563 17565	62363 46333 141355 12244 19472 12956 14080 15622 19140 27154 12190 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155 12190 14155
86 yeb A- 86 yeb							and seed seed seed seed seed seed seed se	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 28063 3670 9536 9536 9536 9777 771 3480 771 3159 889 3487 1221 1221 1221 1224 1225 1226 1226 1227 1227 1227 1228 1228 1228 1228 1228	1606 0 0 0 0 0 177 209 177 209 177 177 190 190 190 190 190 190 190 190 190 190	1911 36 6 3891 599 724 2077 42 2 2566 90 0 975 4001 4004 4770 1105 105 105 105 105 105 105 105 105 1	1855 1977 1977 1977 1931 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2510 2603 3944 457 2817 2829 483 315 511 506 405 1063	28/73 3141 5551 10296 10296 10296 1039	62364 65333 14138 12244 18473 14273 14273 14284 14884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15884 15885
98 yeb A- 98 yeb							and seed seed seed seed seed seed seed se	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 26963 26963 5536 5536 5536 5536 5777 7718 3159 3159 5537 5537 5537 5537 5537 5537 5537 55	1606 0 0 0 0 0 177 209 177 209 177 209 100 100 100 100 100 100 100 100 100 1	1911 389 3891 599 724 597 267 697 697 697 697 697 697 697 697 697 6	1955 1977 1137 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2510 2503 3044 457 2817 2817 2817 2817 3819 4631 315 316 316 316 316 316 316 317 317 317 317 317 317 317 317 317 317	2873 2973 2974 2974 2975 29	62364 65333 14135- 13244 18473- 12955 14884 15522 19140 27134 27134 13872 1387
98 yeb A- 98 yeb							und und und und und manageri erseherd e	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 30235 28663 28663 8659 8659 8659 7771 3211 3207 7711 3480 7711 3219 8807 7811 7811 7811 7811 7811 7811 7811	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 3821 395 724 227 242 252 262 272 262 2786 2806 2786 2806 2786 2806 2806 2806 2806 2806 2806 2806 28	1955 1977 1131 1931 2	2013 2013 2013 2013 2013 2013 2013 2013	2510 2503 3044 457 271 303 3044 457 271 303 303 303 303 303 303 303 303 303 30	2873 2974 29	62344 46333 14135 12944 78473 14275 13955 14285
98 yeb A- 98 yeb							und und und und und und und und	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8870 31235 28063 28063 5156 5156 5156 7777 2011 8899 3887 1156 8899 3887 1156 1156 1156 1156 1156 1156 1156 115	1606 0 0 0 0 0 177 209 177 209 177 209 100 100 100 100 100 100 100 100 100 1	1911 389 3891 599 724 597 267 697 697 697 697 697 697 697 697 697 6	1955 1977 1131 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2510 2503 3644 497 2113 322 323 323 324 325 326 408 408 408 408 408 408 408 408	28/73 28/73	62364 65333 14138- 13264 15127
98 yeb A- 987 yeb A- 9							bet	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 30235 28965 28965 95396 95396 95396 9777 7711 3499 3487 37819 3887 3889 17291 1	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	901 385 3821 385 3821 5929 72-7 207 207 207 207 207 207 207 207 207 20	1985 1977 1131 2131 2	2013 2013 2013 2013 2013 2013 2013 2013	25 10 25 10	28/73 3141 1954 1954 1955 1955 1955 1955 1955 1	C2964 45333 14138-13264 13264 13264 13265 13265 13266
98 yeb A- 987 yeb A- 9							bet bet bet bet bet bet bet bet	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8870 31235 26064 2506 3150 3150 3150 3150 3150 3150 3150 3150	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 365 3821 5821 5822 5822 5822 5822 5822 5822 5	1955 1977 1131 1931 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2810 2853 2853 2854 2854 2855 2855 2855 2855 2855 2855	28/73 29/74	C2944 45333 14138- 1324-1328- 1324-1328- 1324-1328- 1324-1328- 1344-1328- 1344-1348-1348-1348-1348-1348-1348-1348-
98 yeb A- 98 yeb							bet of the state o	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 30235 20063 20063 5030 5030 5030 5030 5030 3037 7777 13200 3039 3049,7 13200 3019 3049,7 13200 3019 3049,7 13200 3019 3049,7 13200 3049,7 132	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 387 387 387 387 387 387 387 387 387 387	1886 (1971) 1137 (2013 2013 2013 2013 2013 2013 2013 2013	2810 2 2853 2 28	28/73 28/73	(2)96 (4513) (10)36 (4513) (10)36 (10
96 yeb A- 96 yeb							bet of the state o	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31236 38663 26963 1536 1536 1536 1536 1536 1536 1536 15	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 387 397 397 2977 2977 2977 2978 398 398 398 398 398 398 398 398 398 39	1865 1971 1131 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013 2013 2013 2013 2013 2013 2013	2810 2853 2853 2854 2854 2855 2855 2855 2855 2855 2855	28/73 29/74	62364 65333 14128-6 14264 13264 13264 13264 13264 13265 13266 13266 13266 13266 13266 13266 13266 13266 13267 13266 13267 13266 13267 13266 13267 13266 13267 13267 13266 13267 13267 13267 13268 13267 1326
96 yeb A- 96 yeb							bet wet wet wet wet wet wet wet wet wet w	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8870 31235 28063 28063 6536 6536 7777 2011 8797 3487 1156 8899 3487 1156 1156 1156 1156 1156 1156 1156 115	1100 100 100 100 100 100 100 100 100 10	1911 385 3821 5821 5821 5821 5821 5821 5821 5821 5	1886 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2015 2015 2015 2015 2015 2015 2015 2015	2810 2 2853 2 28	2873 2973 2974 29	6333 14138 14383 14138 14384 13944 13944 14986 14986 15622 19840 15622 19840 15622 19840 15622 19840 15622 17600
98 yeb A- 98 yeb							bet of the state o	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 28063 28063 28073 6536 7777 3111 3111 3119 3187 31	1800 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1011 365 3821 5821 5822 5822 5822 5822 5822 5822 5	1886 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2013 2013 2013 2013 2013 2013	2810 2853 2853 2854 2854 2854 2854 2854 2854 2854 2854	28/73 28/73	C2964 46333 10136-11369 11369
96 yeb/A 96							bet wet wet wet wet wet wet wet wet wet w	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 28060 28060 28060 28060 31150 3	1806 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 3821 385 3821 387 387 487 277 277 277 277 2756 360 360 370 370 370 370 370 370 370 370 370 37	1886 (1971) 1931 1931 1941 1951 1951 1951 1951 1951 1951 195	2013 2013 2013 2013 2013 2013 2013 2013	2810 12 200 200 200 200 200 200 200 200 20	2873 2873 2874 2875 28	62944 65333 141355 141357 13141 1315
98 yeb A- 99 yeb							bet wet wet wet wet wet wet wet wet wet w	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 30653 31235 30653 30653 3077 3077 3179 3199 3199 3199 3199 3199 3199 31	1800 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 387 387 387 387 387 387 387 387 387 387	1886 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2013 2013 2013 2013 2013 2013	2810 2853 2853 2854 2854 2854 2854 2854 2854 2854 2854	2873 3141 8564 100-8 100	C2944 45333 141324 1413
98 year A 98 yea							bet wet wet wet wet wet wet wet wet wet w	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 30235 20863 20863 20863 20863 20863 20863 20873 208	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 387 387 387 387 387 387 387 387 387 387	1886 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2673 2673 2673 2673 2673 2673 2673 2673	2810 2853 2853 2854 2854 2854 2854 2855 2855 2855 2855	28/73 28/73	C2946 45333 14138-14139 14139 14139 14139 14139 14139 14139 14139 14139 14139 14139 14139
98 year A 98 yea							bet with the second of the sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31236 38663 28965 28965 31536 3	1800 18	1911 385 3821 385 3821 5822 2956 0	1886 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2015 2015 2015 2015 2015 2015 2015 2015	2810 2 2853 2 28	2873 2974 29	6533 10136 1
98 year A 98 yea							bet with the second of the sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 28063 28063 28063 28073 6536 6536 7777 2811 1971 1980 3156 1956 1956 1956 1956 1956 1956 1956 1	1800 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1011 365 3821 5821 5821 5821 5821 5821 5821 5821 5	1886 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2013 2013 2013 2013 2013 2013	2810 2823 2825 2825 2825 2825 2825 2825 2825	2873 2873 2874 2875 28	6533 16135 16135 16135 16135 16135 16135 16135 16136 1
98 year A 98 yea							bet with the second of the sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31236 38663 28965 28965 31536 3	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 387 387 387 387 387 387 387 387 387 387	1886 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2013 2013 2013 2013 2013 2013	2810 2 2853 2 28	2873 2873 2874 28	C2964 46333 10126-1 10
98 year A 98 yea							bet with the second of the sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8870 31235 28063 31235 28063 28063 28063 28063 28063 2817 28119 2819 2819 2819 2819 2819 2819 281	1800 18	1911 385 3821 385 3821 5924 2927 2977 2977 2977 2978 2979 2979 2979	1886 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2013 2013 2013 2013 2013 2013	2810 2853 2853 2853 2853 2853 2853 2853 2853	2872 2873 2874 28	62364 65333 141355 142361 1423
98 year A 98 yea							bet with the second of the sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8970 31235 28963 28963 28963 5536 5536 5536 5536 5536 2777 2811 18973 18903 18	1800 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 3821 385 3821 5924 2927 2977 2977 2977 2978 2979 2979 2979	1886 (1971) 1033 1040 1050 1050 1050 1050 1050 1050 1050	2013 2013 2013 2013 2013 2013 2013 2013	2810 2805 2805 2805 2805 2805 2805 2805 280	28/73 28/73	4533 4 4533 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
March Marc							bet with the second of the sec	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8870 31235 28063 31235 28063 28063 28063 28063 28063 2817 28119 2819 2819 2819 2819 2819 2819 281	1606 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1911 385 387 387 387 387 387 387 387 387 387 387	1886 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2013 2013 2013 2013 2013 2013 2013 2013	2810 2853 2853 2853 2853 2853 2853 2853 2853	2872 2873 2874 28	6533 14135 1424 1324 1324 1324 1325 1325 1325 1325 1325 1325 1325 1325

179 Table 3 (contd)

								_		_						
Remon adversel gland - Is	James-eyin	Hormel aye	Tower-to	Turney colle	Hermal	Endos	p\$3	3EQ 73 A	A SEQ MAD	68EG N2 H	SEQ A RE	186Q 88 AV	SEQ BS AA	SEQ III MS	SEQ EX TS	SEQ M AM
dyragin podja - h		1			+	1					38354	133216		1368 818	305	13731 22717
bure ingree - h	 	+		-	\bot	$\downarrow =$							5274	447	0	12523
manmary gland - h brain -h				<u> </u>	1-	+	+							35.20	100	2064 12106
pancreas - h carebalum - h		1							9 53	9084	17022	100224	2001	1052	241	11569
publishery plants - In	-	+	+		∤	+		12						4741	406	21132
States Brain - It		1				1		17	36	4 10856	23941	102430	3445	812	29 55	23350
placenty - h fetal highey - h	 	11		+	+-	+		22) <u>36</u>	10004	74254	187967		358	201	16961
brongerie p		12				<u> </u>	+	256		20118	24184 8847	87526 222074		1870	74	14830 11687
fund bour- h substry gt h		- U	-				\vdash	430	20	7 10229	M96	116434	1904	430	266	8614
fetal lung - h		15			1	1	+	1	53	2 13840	19719		6580 9148	2038 1076	75 177	9485
phototel repair to - ly Prosect - ly		16			1		=	19	1965	154918	11019	194752	19.35	22613		3341
arread briganging - In		17 18			+	+	+	200						6761 1226	+6	4512 7578
Astrinay - h		19			=	\vdash	7	318		6142	16362	91561	3680	300	-0	5650
spirad cord - h from - h	├─	20	+	 -	+	₩	 	372					7363 1734	304		3903
Spinen - h		22						71	264	6062	14869	95360	2294	345	500 333	2907 4083
hing - h stomach -h	 	23	+			-	_	175		16006	13532	68915	2201	337	163	5791
testio - h		7			1	†	_	- 8		12942	12134	71122	1805 8954	1227	882	3742
HPREC		27		\vdash		Ι		177	436	21278	27103	112750	3463	700	290	20000 30790 13136
Byrnid gland - h	1	29	+	 	+	20	+		126	12046	13178	104764	240 7250	529 1484	322	13136
RPTEC	\vdash	30	4			30		122			4221	115750	11	378	7:	8948
traches - h HMEC		31 32	+	 	+	 	1 -	- 0			13708 8112	86718 158944	2751 1037	306	162	15045
unarus - h		33						105	1371		11725	D4358	3629	1801	81	20117 10397
Pancress - h		35	1	 	 	 	├ -	30		11102	3715	222000	260	320	0	6100
lymph rede - h Skaleti myste - h		36	1_				=	0	104	7145	3248 4841	127701 17524	2364 915	1026	0 84	7344 2563
Shaletel myecle - h Setal Brev- h		37	+-		+		-	0			1029	187218	302	513	0	3016
Heart - h		39						124	232	20525	4906 4906	85099 128875	411 899	2	333	6065 4438
Bryanus Jr Duggianum - Ir		41	+		-		\vdash	362	0	2420	14735	15106	423	166	- 01	4408
Felal Irgin - h		42			\perp		\perp	E34	204		4472 18012	83.230 1837	76 1024	330	260 260	8253 775e
Salvey at - h		40						4	170	4203	8635	110729	1547	56	157	3288 5357
testis - h HT216-named			1	 	365			166		6677 0	17243 1327	33397 1611	4066	370	394	5357
HT213-ngrad			T		363		_			0	1256	0	0	384	40	2673 663
HT157-normal Sec-13	 		+		361	356	 	2541			5096 4970	39948	Z)6	16	67	4904
Dec- 12					364	354		4181	44	108	9008	38493	530	1438 675	760 263	9885 10146
projecty (1) - 1/2					341	-		76 255	41		3634		415	640 97	0	2972
RPTEC					334	334	_	280	190	230	2481 8453	4048	228	423	9	2943 216
hymph rento - ls Is askel SMC 10/21/80 #17					302			16			15025	0	106	82	0	8541
Fetal brain - h		 	+		330	_		940		503 5021	9165 2000a	63113	128 44.2	0	147	1861 7317
HT 300-represed					327			98	. 0	272	277	0	0	110	146	3862
Bryttere, It R1T 1439 + married			+		326	├	-	2958 9	85 20	417	11256 2956	20106	136	671	P	3060
HEPM 3d untraded					320			253	- 0	9460	8511	77932	1048	307	204	2392 1980
(vienus - l) tresten - l)					318	_		447	3450	8764	17710	110877	6284	1031	124	13291
thyroid gland - h					314	L		327 230	250 470	20940	9349 12985	1906a 4852	10045	1002	273	14507
enthropy gl In processe. In					311			90	62	42	1345	316	173	0	152	1713
phyllery gland - h			†		307		\vdash	258	21	300 325	2937 6485	19	145	570	150	1645
parcram - h			ļ		305				11	196	4777	857	436	56	0	2540
mammuy gland - h biopier - h			1		303		\vdash	146	756 568	3409 27964	14451	735 181733	1902	150	341	3967
Augustry - By					298			2409	1134	7085	11747 .	9708	3676	2577	1201	15793
Amer + Is Sphape - Is					297 296		_	1360	344	14941 702	7284 10569	12355	1178 2547	1040	385	9920
spinal cord - h					294			456	45	516	6105	12899	6275	865	153 311	7569 11646
gragi injeptore - js aladotel resocio - js			Ţ		250			136		1930	4523	229	419	331	134	5512
barre mercer - h					238 278			533 0	1809	36493	18470 1113	6760	3133	1326	100	15796
edrand gland - h HPAEC					_ Z 77_			0		852	1697	746	29	0	0	2444
HT382-normal					275	_7/3		110	124	97	2787 : 1286	172	113	62	73 106	1817 Sens
HT382-noval					264 266			0	0	á	2500	9	0	19	0	7622
8m-11 8m-2			 		239 235	239 235		527	1002	213	4728	1702	313	11	730	7456 5438
HT372-Revival					234			188		0	4079!	2161	734	-	52	2250
Bar? Bard			 		233 231	Z31 Z31	\vdash	192	112	254	2948 · 4468	0	136	64	. 0	5213
B=-2					229	Z29		0	0	247	3975	0	50	50	171	4789 9602
Ber-1 Madder - h			1		227	221		208 61	62	0	1775	206	10	0	32	9127
Heart - h					222 216			200	01	1051	3612 7286	674	165	133	40	1679
ptometh -h foral Brat- h					214			0 36	204	. 0	8474		1257	315	801	2852
minoratio - h					213			- 30	\$3	343	3581 29636	196	125	153	75	3626
HCAEC futal brain - h			\vdash		212 211	211	=	186	9	- 0	25021	1	190	0	38	1167
HAMEC					210	1		175	0	0 56	4763 2285		973	100	180 70	5973 2710
Desputations - In				==	206			235	15	125	2970	0	1785	72	18	2667
Sheletei muecle - fr Pancrees - h			 		201			126	15	320	3074 2780	183	83	101	7	831
Pancrees - h matte - h Salvery (L - h					199		=	188		0	3611	0	154	E3	0	2500 1476
Salvery gl h HEPM 3d TOFB1 distorgard*(Physio	$\overline{}$		├ ── 		197	₹		33	49	2102 668	2485 1986	12568	193	119	. 0	3806
enjento en			⊏≕		190			444	155	213	2014	2238 0	366	117	76	841 3951
WI-36 72h					179		\dashv	0	67		1634		549	71	0	712
hymph node - h Arry - h	=		- 		61 59			409	57 396	447	2150	0	1374	172 867	0 25	2302
horg - h hidney - h heart - h hast brig - h				\Box	57		\dashv	9	213	191	2330	0	977	475	112	4583
hatel hong - h					53			155	198	3427 466	2345 36	0	5660 D	261 0	21	4283 844
letat hear- h letat bedray - h	=				51			. 0	63	204	1747	26	362	168	- 6	2502
			-	79	- 49			213	79	200 121	5458 3227	1233 505	275 61	215 190	0	5812 B498
## A.				B1				72	174		3529	0	D	66	0	5410
HELA-01-031809			\vdash	83 86	-T	\neg		83	Z\}	213	2676	208		218	0	\$647
HELA-60-031896				PM .			+	140	360	25/	8084	2786	0	296 247	- 8	4351
61.A-01-031000				90	$\overline{}$	\neg	$\overline{}$	342	203	0	5776	. 0	64		163	7036
HELA-1 %-001999				922 94				138	515 143	616 224	5059 4108	0	160	0	- 0	7001 3639
HE A-120-401899				96	=			43	o l	300	55 10 t	0	105	67	0	3000
NCI-HIGO				145	—-Ŧ			- 0	16	13071 9702	1104 787	3218 1500	\$14 1730	2051	36	6636
VCI-1522				150		=		0	76	9185	1557	345	71	36	34	3485 3372
SAES-19 IDAG 75				152			$\overline{}$	0	158	(9995	730	4151	518	0	0	1808
996-75 97-206 97-296 3097-CEM	+			154				91 242	100	24358 3462	896	500 864	1175 37	1021	194 /	1169
55.285 ************************************		==		158	=		\dashv	52	_ 0	1793	705	0	971	3	0 27	957
XJ-145	+			160		_		98	- 0	7045	173	6522	186	202	121 57	1619
CT 116				164		\Rightarrow		- 0	20	1437	617	372	01	- 202	1471	791

180 Table 3 (contd)

Tiesee	7	Normal sym	IV	Times calls	Nurmal	TE-day	7-65	TEGO 70 4	Jet 0 412		RI SEQ SA R		N	1000 00 00	440 A 40 V	w/e85 84
G=6.1	1000	потпал-пуш	1 1 1 1 1 1	165	-	Creates	Pas	27								0 13
786-0			I	168				13	2	95.11	454	300.	1 4163	136		01 364
T-47D Ken-3		 -		169	+	 	-		9	1983 0	9 397 9 162	2 9713		61		9 110 D 25
CRI. 1441 RNA 8/30				181			1		0 24		0 702	1791				
7017 universal + Division		-		183	$\overline{}$	=	=	1 7	9	0	0 32	111				0 2
HOS poly A+				194	+	 	┼	11		6 54 0 136				136		0 37
ACHN				198					0 12			945	147	156	5	
ACC-82				200	-	\vdash	\vdash	166	5	0 367		2173	244		18	3 400
MCF-7MDR-RES UTOS (Baurdy) poly or			 	204	+	┼		11		0 149	0 33		140	252		
WISH (Cologon) poly A+			1	204		1_				5 61						15
458 merkele miRNA				208	\vdash		\blacksquare	114	5	0 213			860			
CCL 137 FBMA 3/21/88 WILDE 720 0.59LFBS, 24th 107L FBS		 	 	218 219	+	 	+			6 20						5 21
CRL1441 • TPA (24h) 8/30				Z20	1				0 15		0 17	1				
(gp-1 (ap-2				721			\vdash	1 1	0 5		0 217					
Kan-2 Kan-4			-	223	+		┼	•	6 0 23	4	5 11E			133	1	22
HOP-82			t	241					0	0 178				210		
MOLT-4								1	5 18	3 846	3 102	2005	153	160	4	
ĐINX HLAD			 	243	+	 	! ─	+	0 22	6 2207	6 159	966		200		\$0
NCI-H23				245					0 108	7 7713	2 140			225		\$6
ASAMATCC				246		-	\vdash			0	0 811			0	1	7
SA			 	249		 			0 78	0 444 3 1841				17		
OVCAR-3				249					0 14	8 500	5 1324	168	0			45
HCT-15				250	1			13	-	0 4625			589			50
OVCAR-4 UD-31				25! 262	+	+		20		0 30		0		- 8	167	
OVCAR-5				353	\bot				p! B	9 57	7 3405	1	1477	8	131	43
8N12C				254	-	\vdash	\vdash	49	8	0 693	6 173		0	322	192	411
CVCAR-8				256 256		 	 	10	263	6 1746 6 8257	8 496 5 1963	3676	\$8 1361	120	154	170
IGROVI				257				14	7	3 3297	4 1305	565	175		326	447
SK-MEL-2		$\vdash =$	_	258	\vdash	-	\vdash		16	7 448	2 230	Y854	-0	48	567	120
SK-OV-3 SK-MEL-5			 _	259	1.	-	_	1	10					0		100
SF-630				261				15		0 7363	2 1693	2508	825	496	174	414
SK-MEL-20				262	\vdash		-	18		0 1434. 8 3000	2 546	9		86	0	
K-662 UACC-257				254						966	925	1578	81	74 109	40	
M14				265	T				2	1 125	6 873	3737	0	121		270
MCF7 MDA MIS-408			-	267	+	⊢ ∵		120	29	2378	5286	7090		715	0	1498
MCX-M6-435 HT279			 	270	1	_		3		979		0		290 170	126 29	
MDM-N				271						1473	415	0	441	336	0	412
Y78 puly Av				273	_		_	1 - 1	36	609	4474	0		0	345	1217
KHOS poly A+ HTESE 20h TPA RNA 6/23				300	1	_	-	7				1854 D	2113	9061	153	
HELA-EXP-AD1809				313				37		2	0 4774	0	Ö	153	97	306
HTB36 On FONA				322				344		610	6952	16718	0	880		
HT347 458 medulip RMA				323 324	 	-	 —	200 94,	-			270 85a7	491	462 \$68	170	
NCI-H226				336				- 20		1146	1217	1915	. 0	171	0	
HOP-62 MDA-148-231				337	1			833	1127	1082	2336	- 0	236	130	0	
U251		_		330	-		\vdash	480			15065	397 <u>722</u> 60562	9546 29673	1867 1574	45 P	
PT calls poly A+				340					112	602	5 779		446	126	27	2066
PC-3 HCC-8988				343	├ ─-			613		25571		16117	1617	1067		585
SW-620				345		_	\vdash	- 60				708 1491	179	529	0	
HT192				346				46		1600	\$2307		32 15	243 245	. 0	6546
COLO 205 HT215				347 348				17				634	0	461		
GA-12				349					81			913	72	158	0	1180
HT151				350				32	200	352	7122	. 0	192	306	22	860
A498 HT383				351	\vdash	_		537 235	11	012	3776	23%		306		229.
ROOF 3603				353		-		350	131		14919 2120	186 3003	152	193 219	0	352
TK-10				365				2370	1631	58086	4636	36193	4040	548	173	620
Melmo-3M Hu 578T				367	 			1422	1373			\$1277 1167	1033	150	#8 12	636 62
HT213			50					0					960	336	- 12	1431
4T288			- 52					146			3338	0	89	594		19286
HT 136			54 56		₩		_	174		13		0	, 50	307	27	15006
HTHE3			50					375				- 0	412	181	117	6436
HT 170			60				_	713		2417	1494	1868	0	719	0	13132
HT172 HT136	+		- R2		 	-		304	24			0	0	29	0	8924 8636
17178			64					0	76	947	3414	0	621	40	- 0	9823
rT 154			65		1	=		200		374	2620	0	0	607	0	12311
नी 180 नी 180			67		 			43	122			0	9	340	45 142	3531 2956
-1T189 -1T143			58					43	836	3=33	3650	9.	854	20	78	602
/T143	 T	7	69		\vdash			327	70			0	. 0	162	0	632
(T190 (T146			70 71		-		_	382	n			0	209	268 230		1551 826
T227								17	0	215	3473	0	1015	464	0	2504
CTW1		 -	73		$\vdash \neg$			143			7366	1850	4134	721	174	25415
11314 11317								Z30 285	- 8			706	936	348 885	0 239	11481
								0	9	. 0	2682	21	0	(4)	91	67
ता <u>भ्य</u> ता <u>भ्य</u>	——∓		79 80					0			4645	0	29/2	198	0	9445
			<u> 82</u>						60	230	1542	1133	288	15	45	2007 6152
IT 146			- 15					4	- 5			Ö	38	9	182	1384
(T34)	——		170			\neg			156	150		0	1017	0	Oj	3424 5105
fT308		+	185					238 673	- 0			1616	130	342	111	5105 8621
fT140			187			\equiv		230	117	. 0	0	0	0	188	190	746
(7291	$-\!-\!\!-\!\!\!-$		189				_	363	- 0	0		300	0	301	. 0	406
CGP		+	191 207		-	-+		40		- 8		0	296	133	144	3112
(T 160)			216					0	0	80	1395	306	0	40		1331
(7307			217					0	80	0	2722	0	46	149		4196
(7360 (7370			224 226		\longrightarrow	-+		343 116	0		1345	12719	127	327	115	3649
T3/1			226					170	300	32	1671	. 0	0	120	ő	9422
7347			230					39]	161	122	3165	07	136	53	0	3619
TIME			Z36 281			 F		186	- 81	0	4305	162	520	208	132	2716
T234			290		= $+$	_+			127	103	555 6791	1382	30	123		2837S
7338	= $=$	=	301		\dashv	\Box		616	22	0	2712	0	195	241	279	8756
			315		— <u> </u>		_7	198	2474	2260	322	354	107	31	206	3177
T382			317		= $+$		-	200	24/4	764	3247	9	901	164	150	7792 \$742
T304																
17312 17412			325					415	Đ	Z28	2151		. 0		G	20
17312 17 NG2			125 368		=	=		415 380	900	0	2151 3119	0	0	- 8	0	20 2471
17394 17312 17302 17305 17305	163		325			=		415	0 900 0 128	228 0 0 35168	2151		. 0		G	20
7364 17312 17162 17365 17157	163 161 180		125 368					415 380 486	0 900 0	- 0	2151 3119 4418 3059 6019	0	0 0 2005	0	6 6	20 2471 586

181 Table 3 (contd)

Section Sect																	
## Company	Theres		Name of the last	Tuest - to	Turner cells	Piorreal	Ended	p53									
Second	MCF-7/ADR-RES	1 <u>100</u>				-			45	4	0 6250	9 376	173587				
Section Sect	MCF7								1	0 5	2249	1 384	219251	402	45	3: 5	6646
The color of the	UACE-257			<u> </u>				\vdash		0 16	4495	4 449		1177	17		
Column				 		-	-	-						1123			8145
Self-Line 1996	UO-31	143							50	8 10	2064	9 924	73274	520	780	27	4295
Column			├	 	 -	├	 	-						1055		1	1 2500
Second 10	ax ved-5	140		.					17	1	0 2261	9 324	134629	27	167	7 13	2 2792
Color	HCT-15 Malron-3M			 	 	-	 	├-									
Column	COLO 205	137								0 Z1	3 2101	1 564	114441	642		7.	5483
Column	SW-620	135						-	15	8 140	0 1159	5 361					
### Company of the co	TK-10					=		-	1	D 13	7 2395	7 4100	75724				4536
Set 1.00	786-0	132		L					22	5	0 2631	5 3030	102477	3314			
Same B	HCC-2988	131		 				\vdash		19	0 1708	556		455			2392
Section Sect	PC-3	129							10	10	H 837	271	90475	1017	242		7409
## 1956 19	ROF 983 CU-145			 	 	-	-	├			9 633			377	294	6	7548 2877
March 10	Cult-1					==						7 264	64362	3136			5200
The state 1.00	A498									15		5 2600	91356				
A	RPM BZM					\vdash		\vdash			0 8	2514	12934	102			
A	H. 40	121								10	9 92	8301	450	368			
Second 11	MOLT-4	120										5372	83742	1346			
Control Cont	K-962	116							25		0 1081	4987	106477	ZII	97	'x	6579
Main	OVCAR-4 CCRF-CEN			 			-	-				2514	133148	8057 8077			
Manual Color	OVCAR-S	115	<u> </u>		<u> </u>	=	<u> </u>		46	3	7 1306	2685	96633	1585	33		3851
Fig. 10	SF-600 HOP-62					\vdash	┗	\vdash	40	15			72100	2686	710		
10	SF-295							-	28		6 21130	3571	98198			_ :	13604
Calcal 198	SF-260	110				L					0 2367	2917	126768	996			
Column	NCI-H522			 		Ε	Ι	_			3 33089	7465		3557	275	117	4126
Career C	NCI-H460	107							171	214	6 27031	2660	49575	3614	27		4205
Section Sect	SIG-75	105		<u> </u>	<u> </u>	\vdash		<u> </u>			566 0 2314	1862					
Second S	5NB-18	104		F					130	4	6 6406	2982	17270	1903	D	87	6176
Color Colo	8K-OV-3			<u> </u>					-			2381					10900 5851
Company Comp	HCH123														187	. 64	9311
Color	BKVX	99							6	133		4564	5729				6753
		34 07					_	_	101	275		5395	2988		116		
	h Mindblants 3/31/92 #12	44							315	261	22440	6754	190645	4,000	414		4805
Corr	n anja SMC 10/21/52 #17									-		7249	123385	534	456	284	4362 5760
Mar. Mar.	rcae	25								91	11000	6235	81465	341	226	- 0	14132
Main Main D 260 2700 D 214 D D D D D D D D D	A549 - 1 A549 - 3										3663	63185		3072			110
Marcol M	1500 - 4											48247				342	754
Sec.	AS40 - 7									54	631	30850		980			1377
Mart 0 20 67 777 0 178 0 0 0 0 0 0 0 0 0	BOX 4									204	2506	96904 150881					
Adv.	EVX.3									364	- 49	77798	0	6784	٥		824
Mathematics	BKVX - 5							regions.	-	115	1 1208	37631	- 0	808 703	0		
CF	MCF-7 - 1							¥		550		41581	0			0	1185
CC-1-7	WCF-7 - 3 WCF-7 - 4								-	234	1025			848		124	574 561
1996-13	4CF-7-5	_								I 0	·	25875					650
Control Cont	NOR-RES-1										1810	69435			. 0	912	1775
Cheegs	URAES - 1	-										43852					
179-1	DR-RES - 5							E P		6	1 4	30547	0	1779	0	24	249
178-7	QR-RES - 7 8) 36 - 1								:	95	304	27945 67921		19050	- 0		924 2042
17.9.5 14. 0 16. 1564 48-50 0 140-1 0 0 10 10 10 10 10 1	W136 - 3								_	362	1016	45671		10258		۵	1308
March Marc	MT 36 - 5									10		48643		7404			
	A1138 - 7					=					395			10729			1050
March	tal.o-3							HFV BI		143	1254	49790	0	758	0	0	842
Mary	HoLa - 4							HPV BIS				41446			0		123 129
1390.3	No.7							HPV E6			140	40004		858		151	1152
1399_4	11299 - 3										1070	25134		4900			
1399-7	11209 - 4					=				3584	1428	35500					1927 1528
NOTA	11290 - 7		==					-	0	517	4527	23695	0	1127		115	577
CT-196-7	1540 - 2 1000 - 2			$\overline{}$								39578 73357					1408
CT-10-2	4CT-116-1							ķ		1067	308	62248		1884		0	1781
Section Sect	1CT-118 · 2 1729 - 2						_	-	8	146		122523 34868					
F-980-1	P539 - 1			=		=		4			830	22587		265.2	9	0	486
MCAPAL-1	9F3AF-2 9F-268-1		+		1				8	18.2	3998	43016					731 1744
MCAR4-1	F-28-2		-				=	mutard.	0	750	1236	65884	9	6066	0	170	303
MCARA-1-2	WCAR-1-2									5263	790	40689	0	1148	. 0	3200	3634
CF.		— —		-		\neg										0	475 1084
	ACT-7 - 2							-		Ö		28132		90	0	D	923
Weds-1	DR-RES-2						_	PV E6									1312 815
1289-2	PW 480 - 1	ightharpoonup				=		Printers.	. 0	2207	1291	\$1995	0	5196		0	1342
	H2P8 - 2							ment !	0	24.78		28010	0	7736	0	113	†90 892
	33A - 1					==		meterné		817		36005		205	0	47	923
	33A - 2 1205 - 1					= $+$				1584		96346	- 0	4065			\$5A 2314
Mex. 2	206 - 2	-	-		-			MARK.	. 0	276	1546	68420	0	1257	0		777 569
139-2 wt 0 2760 1994 65,770 0 121,97 0 334 20, 121,97 0 0 0 25,5 25,77 0 0 0 0 25,5 25,77 0 0 0 0 10, 121,97 0 0 0 10, 121,97 0 0 0 10, 121,97 0 0 0 0 10, 121,97 0 0 0 0 10, 121,97 0 0 0 17, 121,97 0 0 0 17, 121,97 0 0 0 17, 121,97 0 0 0 17, 121,97 0 0 0 17, 121,97 0 0 0 17, 121,97 0 0 0 17, 121,97 0 0 0 0 17, 121,97 0 0 0 0 17, 121,97 0 0 0 0 0 0 0 0 0	₩89 · 2	:						4		124	4230	689 57	. 0	10711	0	57	2035
	VI 36 - 2	 -							- 0	2162	344	96770 23671					2020 973
	Obd - 2								0		0	49133	0	76	0	92	164
New -6 0 0	Bood - 4			\rightarrow										232			
Mode 8 0 62530 0 14465 0: 3535 136	Dohal - 6		\rightarrow			=	=	= =	. 0	0	9	1568079	0	. 82	0	179	483
9 200 9 77345 0 1094 0 9 794	MARI - A					+					0		0	14465		13,	1066
	School - 9					=							. 0	1094			1986

182 Table 3 (confd)

Through	Tumer-eyes	Normal-sym	Tuger - to	Turner balls	Planted	E	P-33								SEQ 53 TS	
CaPeng-8		 				-	_		1167	2207	94067 72826	8	723 861 1428			623
[DePeng-#							\vdash		Z122	3 15	30655	i]				
DaPang-11 DaPang-12	-	 			+	+	├		1	2570 1663	73501					
CaParg-10									3		33603		1077			515
DeParty 2						+	-		25							300
(100 and -2									21:	3 8547	106846		371			Sec
DePeng-6_			-						S.							801 622
DePeno-6					_	 	1		1944			-			19	492
A540 - B							w		7	4742	85151		209) (0	545
BCVX - B HCT-116 - 7				 	-	 	mesterit vol		16-	4621			1570			
HCT-118-7 HCT-118-8							¥		20	5 775	2924		2302	2		1781
HT29 - 1 HT29 - 7	1-				+		muteri		96	7 1301	47637 14674		270	5 0		
HT29 - 8		 					CHARGE THE		45	643	36166		347			459
HT29 - 8 SFS39 - 7 SFS30 - 8	F						-		254	114	\$4000					903
SF-268-7		 				1	wi muteri			176						1406
\$F-268-8							miri			1825	3676					1371
OVÇAR-1 - P	-	 	 			-		-			24881 56206					
OVCAR-5 - 7							materi		1141	600	30600		213		0	3745
OVCAR-6 - 8 MCF-7 - 6		 		 			Wit .	- 6	75			8				371 342
ADR-RES - 8							makeri		104		23503		101		323	1207
HeLa-8 SW460 - 7			ļ		-		HEVES			1036		9				651
3W460 - 8							marri.		1123		27332		1973		330	879
H1290 - 8			=	T	=		muturi		215	7250	20150		2691	10	50	724
C33A - 8	 	 	1	 	 	-	multird	- 6			70434					1883
U2OS - 7			=			=	-4-1		770	1497	\$3571		348		113	
U206 - 8 Hu66 - 7	-	-			-	-	mant ut					9			38	858 855
Hu68 - 8		t				=	wet				40610		1024		. 0	1105
W) 38 - 8					-	├ ─			54	0						960 2436
456 medulio RMA CRL1572 3/17/89								54		154	137a	926	B3	21	. 0	2241
Bav-4								110	70	107	3796	616	60 5	254		12872
HT308 HT378	<u> </u>								30			137	22	506	540	3943
HTSMA								30	115	251	5,216	14108	1123	1190	133	10627
HT306 8==3	 				├─	172		306		974	5319 1454					6483
Dav-S						175		4!	115		154	44		0		2716
Day 9	-					177	\vdash	19			1799	2734	54		103	3483 5086
h Immulmocytee 2/25/92 #10 Bur-10						237		8.1	96		4051	_660	416	154	. 77	2480
HTB10						\vdash	\vdash	4	73		8012	740	1656	181		1021
n fibroblesta 3/31/82 #12 prostato, h					-	-	\vdash	- 8			3370 4530		518	- 8	111	
promise, h parving-OS poly Ar-								236	67	4366	4893	296	495	375	11	12988
SA-OS Blandy) poly A+			·			 	-	532		7825	1291	8062 8643	271		249 147	4771
NRC poly A= NCT-116 - 3 NCT-116 - 4																
						<u> </u>	W	- 9		817	28936	0	1747	9	0	0
HCT-196 - K							w		211	234	28938 30197	0	1747 5246	0	52	307 307
HCT-116-5 HCT-116-6							¥	- 8	211 7	234 37 303	30197 30197 3688	0	1747 5346 2413 1886	0	66	1024
HCT-116 - 5 HCT-116 - 6 A540 - 6							101 101 101 101	9	211 7 100	917 234 37 383	26936 30197 36689 36888 21797	0	1747 5346 2413 1886	9	66 0	1024 1306 967
HCT-116-5 HCT-116-6 A519-6 HT29-3 EXVX-6							vel vel vel mustarel mustarel	0 0	211 7 100 6 302	917 234 7 37 3 383 6 0 1 1078	28938 30197 34688 36888 21797 19879 24371	0 0 0 0 0	1747 5346 2413 1880 0 193	0 0 0 0	0 66 0 159 92	1024 1306 907 986 1100
HCT-116-5 HCT-116-6 A549-6 HT29-3 EXYX-6 HT29-4							vel vel vel enularit enularit maderit	0 0 0 0	211 7 196 6 303 0	917 294 37 303 0 0078 41	28938 30197 39689 36888 21797 19879 24371 25088	0 0 0 0 0 0	1747 5246 2413 1886 0 193 187 464	0 0 0 0 0	66 0 159 92	1024 1306 997 989 1103 2528
HCT-116 - 5 HCT-116 - 6 A540 - 6 HT29 - 3 EXVX - 6 HT29 - 4 HT29 - 5							vol vol vol smuterit smuterit smuterit standarit	0 0	211 7 166 6 302 0 1332	917 234 37 383 0 0 1 1078 41 0 1363	28938 30197 39689 36888 21797 19979 24371 25089 78872	0 0 0 0 0 0 0 0 0	1747 5246 2413 1880 0 190 187 464	0 0 0 0 0 0 0 0	95 95 159 92 0	1024 1306 997 986 1100 2528
HCT-116-5 HCT-116-6 A56-6 HC28-3 ENX6 HC29-3 ENX6 HC29-6 HC29-6 HC29-6 HC29-6							vol vol vol enuliarii enuliarii enularii enularii enularii enularii enularii	0 0 0	211 7 186 6 302 0 132 31 470 236	917 234 37 363 0 1978 41 0 1363 0	289.06 30197 34680 36800 21797 19979 24371 25099 78072 42341 29521	0 0 0 0 0 0 0 0 0 0	1747 5246 2413 1886 0 189 187 464 629 152 5217	0 0 0 0 0 0 0 0	6 66 0 159 92 0 0	1024 1306 907 980 1100 2528 822 1325 879
HCT-146-5 HCT-146-6 A5-0-6 9120-3 ENVA-6 HT20-4 HT20-8							vol vol vol sprajarsi sprajar spraja sprajar spraja spraja sprajar spraja spra spraja spraja spraja spraja spraja spra spraja spraja spra spr	0 0	211 7 100 6 303 0 132 31 470 236 434	917 234 373 9 303 6 1078 41 0 1363 0 328	28908 30197 34689 36889 21797 19879 24371 25089 77872 42341 29521	0 0 0 0 0 0 0 0 0 0 0	1747 5245 2413 1860 0 193 187 464 - 629 152 5217 2862	000000000000000000000000000000000000000	66 0 159 92 0 0	1024 1306 907 989 1103 2528 822 1325 879 5008
FCT-198-5 SPCT-198-6 ASE-6 PT29-3 EVX8 HT29-4 PT29-5 PT29-5 CVCAP4-3 CVCAP4-3 CVCAP4-5 CVCAP4-5 CVCAP4-6							vol vol vol vol sm. starvi sm. starvi sm. starvi sm. starvi sm. starvi sm. starvi vol vol vol vol	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 7 100 6 302 0 132 31 470 236 438 100	917 234 37 303 6 1078 41 0 1363 0 329 387 397	28908 30197 34889 21797 19879 24371 25089 78072 42341 29521 30165 38032 16032	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5245 2413 1860 0 193 187 464 • 629 152 6217 2862	000000000000000000000000000000000000000	0 66 0 159 92 0 0 0 0 55 515	1024 1306 907 989 1103 2528 822 1325 879 5008
NCT-1195 9CT-1196 A569-6 9CT-2-3 6YX-6 4CT2-4 9CT2-3 OVCARA-3 OVCARA-3 OVCARA-5 OVCARA-6 SFSB-3							vol vol vol om, starvi om, starvi	0 0 0	211 7 106 6 302 0 132 31 470 236 438 100 506	917 234 37 383 0 1078 41 0 1363 0 379 377 534 459	28908 30197 30599 36888 21797 1979 24371 25089 78972 42341 29421 30765 36012 16032 36250	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5246 2413 1880 0 193 187 464 529 152 5217 2862 3969 312 1951	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 05 159 92 0 0 0 0 0 515 515	1004 1306 997 989 1100 2528 822 1325 679 1008 940 1063 1253
HCT-18-5 PCT-18-6 A56-6 572-3 GNX-4 MT2-1-8							val	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 77 1999 6 3002 31 31 470 236 434 1000 508 112	917 224 37 383 0 0 1978 41 0 1363 0 327 534 4595 2466 2466	28908 30197 30197 3688 21797 19879 24371 25099 78872 42341 29521 30765 38312 16032 32540 27211 22884	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5245 2413 1860 0 193 187 464 • 629 152 6217 2862	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 159 92 0 0 0 0 55 515 9	1004 1306 997 980 1100 2529 1325 679 1008 940 1063 1235 1062 1226
FICT-18-5 FICT-18-5 ASS-1-5 ST2-3-4 4 ASS-1-5 ST2-3-4 MT2-1-5 MT2-1							val vol vol vol vol vol vol vol vol vol vo	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 77 166 6 303 0 0 132 31 37 470 236 438 100 508 112 0 0 211	917 294 37 303 0 9078 41 0 0 327 307 504 4596 2406 1770 1013	28908 39197 39189 35888 21797 24371 25089 78972 42341 28521 30765 38312 16032 32500 27211 22884 58830	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5246 2413 1860 0 193 187 4654 629 152 5217 2862 312 1951 2209 1567 0	000000000000000000000000000000000000000	0 066 0 159 92 0 0 0 0 0 655 515 9 36 236 226	1004 1306 997 989 1100 2528 822 1325 679 1008 940 1063 1231 1062 1236 427
FICT 18 - 5 FICT 18 - 6 552 - 3 552 - 3 553							val	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 77 196 6 9 0 202 31 31 470 226 438 100 508 112 112 112 113 114 115 115 116 117 117 117 117 117 117 117 117 117	917 224 37 360 0 1078 41 0 1363 0 379 534 439 439 449 1013	28006 28197	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5846 2413 1880 0 0 0 193 147 444 444 444 529 152 152 152 152 152 152 152 152 153 154 154 154 154 154 154 154 154 154 154	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 95 92 92 0 0 0 0 55 515 235 282 0	1004 1306 907 989 1990 1252 1225 1008 1008 1008 1005 1253 1253 1253 1253 1254 1057 1256 1256 1257 1256 1257 1256 1257 1257 1257 1257 1257 1257 1257 1257
FCT-18-6 FCT-18-6 ASS-6-6 ASS-6-6 FCW-1-6 FCW-1-7 FCW-							vel	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	219 7 1890 6 6 302 233 31 470 100 500 500 112 12 112 211 114 115 116 116 116 116 116 116 116 116 116	917 294 37 323 303 41 0 0 307 307 307 307 307 307 307 307 307	28036 28137 24137 24137 24137 24137 24137 24137 26131	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 53466 2413 1800 193 167 464 529 2852 2852 2852 2852 2959 312 1956 1956 1956 1956 1956 1956 1956 1956	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 65 5 515 5 235 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1004 1306 907 980 1100 2528 678 1008 940 1052 1253 1062 1254 1062 1254 144 167 474
FCT-18-5 FCT-18-6 ASS-18-5 ASS-18-5 ASS-18-5 FCT-18-6 FCT-18-18 FC							Test test test test test test test test	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 77 1888 6 6 0 0 1323 2353 2456 1500 1500 1500 1500 112 112 112 115 1500 1500	917 294 30 30 907 907 0 0 0 0 0 297 397 4595 4595 179 191 191 191 191 191 191 191 191 191	28006 28016 2816 2816 2817 2817 2817 2817 2817 2817 2817 2817	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 59469 2413 1886 1896 193 187 444 444 452 5217 5217 5217 5217 5209 5209 5209 5209 5209 5209 5209 5209	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9024 1308 907 980 1100 2528 822 1223 873 1008 940 1002 123 1002 1002 124 125 127 127 127 127 127 127 127 127 127 127
FICT-19-5 FICT-19-6 A56-6 FIG:-2 FIX:-2 FIX:-2 FIX:-3 FIX:							red vel	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 7 7 18 21 18 21 18 21 21 21 21 21 21 21 21 21 21 21 21 21	917 294 37 300 0 0 0 0 0 0 329 504 499 499 499 499 601 170 101 101 101 101 101 101 101 101 1	28936 28936 21787 21787 25039 2577 25039 2521 2752 2752 2752 2752 2752 2752 2752	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 59469 2413 1886 1896 1897 1877 444 445 5277 1895 1995 1965 1966 1966 1966 1966 1966 19	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9024 13096 997 989 1100 2228 922 1225 679 1002 1233 1233 1233 1243 125 127 444 617 427 437 437 437 437 437 437 437 437 437 43
FCT-18-5 FCT-18-6 ASS-18-5 ASS-18-5 ASS-18-5 FCT-18-6 FCT-18-18 FC							Test test test test test test test test	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111 1000 1000 1000 1000 1000 1000 1000	917 294 37 38 30 00 107 11 11 11 11 10 0 0 0 0 0 0 0 0	28930 28930 28930 21787 24377 24371 2631 2631 2631 2631 2631 2631 2731 2631 2731 2731 2731 2731 2731 2731 2731 27	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5946 2413 1890 1900 107 107 107 107 107 107 107 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 68 68 68 68 68 68 68 68 68 68 68 68 68	1004 1006 997 989 1100 2539 892 1225 1008 990 1002 1002 1002 1002 123 123 124 125 127 127 128 127 129 129 129 129 129 129 129 129 129 129
FICT.195 FICT.195 ASS-1-5 SSE-3-3 SSE-3-4 OVCAR4-1 OVCAR4-1 OVCAR4-1 OVCAR4-1 OVCAR4-1 SSE-3-3 SSE-3-5 SSE-3-6 SSE-3-6 SSE-3-7 SSE							ted vol	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111 199 199 199 199 199 199 199 199 199	917 294 37 30 30 30 30 30 41 41 41 42 42 42 42 42 42 43 44 44 44 44 44 44 44 44 44 44 44 44	28905 28905 31917 31918	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5946 2413 18903 19903 1970 1970 1970 1970 1970 1970 1970 1970	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 98 98 99 92 92 92 92 92 92 92 92 92 92 92 92	1924 1306 907 907 1100 1100 1229 1229 1229 1229 1229 1229
FIT-18-6 FIT-18-6 ASS-16-6 ASS-16-6 ASS-16-6 FOVE-18-7 FIT28-18 FI							eel vel vel vel vel vel vel vel vel vel	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111 210 210 210 20 20 20 20 20 20 20 20 20 20 20 20 20	917 294 30 30 90 10 11 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	28935 28935 21797 24139 24139 25139 25139 25139 25139 25139 2513 2513 2513 2513 2513 2513 2513 2513	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5946 2413 18903 19903 1970 1970 1970 1970 1970 1970 1970 1970	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 98 98 98 98 98 98 98 98 98 98 98 98 98	1004 1106 997 989 1100 955 892 1225 1000 960 1002 1235 1002 1245 127 128 127 128 127 127 128 127 128 129 129 129 129 129 129 129 129 129 129
FIT-18-5 FIT-18-6 ASS-18-5 ASS-18-5 ASS-18-5 FIT-18-6 FIT-18-18 FI							red vel	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 100 211 10	917 29-1 29-1 37 30 0 0 90 10 11 0 0 320 320 320 450 450 450 450 450 662 662 67 67 67 67 67 67 67 67 67 67 67 67 67	28935 31917 29189 21797 21797 2019 2019 2019 2019 2019 2019 2019 2019	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5946 2413 1800 100 100 100 100 100 100 100 100 10	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1004 1006 997 989 1100 2579 872 1275 1007 1007 1007 1007 1007 1007 1007 10
FICT.18 - 5 FICT.18 - 5 FICT.18 - 6 FIG. 2 FIG. 2 FIG. 3 FIG. 3 FIG. 3 FIG. 3 FIG. 3 FIG. 3 FIG. 4 FIG. 4 FIG. 4 FIG. 4 FIG. 4 FIG. 5 FIG. 5 FIG. 6 F							fuel yel yel yel yel yel yel yel yel yel y	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111 1000 1000 1000 1000 1000 1000 1000	917 294 37 305 305 305 307 41 41 105 307 307 307 307 409 409 409 409 409 409 409 409 409 409	28900 28900 28900 21707 289000 289000 289000 289	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 52445 1800 1900 1900 1900 1900 1900 1900 1900	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1204 1308 997 989 917 929 922 1275 978 900 900 1022 1224 1224 1224 1224 1224 1224 12
FCT-18-6 FCT-18-6 ASS-6-6 ASS-6-6 FCYC-1-6 FCYC-1-7 FCYC-							und	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	917 294 37 305 305 305 307 307 307 307 307 307 307 307 307 307	289.00. 289.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 3946 2413 1800 0 1503 147 644 529 1507	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1204 1206 997 989 1100 987 987 987 987 987 987 1207 987 1207 987 1207 1207 1207 1207 1207 1207 1207 120
FICT.18 - 5 FICT.18 - 5 FICT.18 - 5 FIG. 3 - 6 FIG. 3 - 6 FIG. 3 - 6 FIG. 4 - 6 FIG. 4 - 6 FIG. 5 - 6 FIG. 6 - 6 FIG. 6 - 6 FIG. 6 - 6 FIG. 7 -							Tell of the second of the seco	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2111 1990 1991 1991 1991 1991 1991 1991	917 294 37 382 382 382 397 60 60 60 60 60 60 60 60 60 60 60 60 60	389.00 389.00 217.97 217.97 217.97 207.95 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 3946 2413 2413 0 0 1866 6455 5417 1965 5417 1965	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1204 1209 997 1209 997 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 1200 970 970 970 970 970 970 970 970 970 9
FIT-18-6 FIT-18-6 ASS-16-6 ASS-16-6 ASS-16-6 FOWL-6 FOWL-6 FOWL-6 FOWL-7							und	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 1990 211	617 294 37 38 60 60 60 60 60 60 60 60 60 60 60 60 60	389.00 389.00 217.97 217.97 217.97 207.95 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 3946 2413 1800 0 1507 157 157 157 157 157 157 157 15	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1024 1036 997 1000 980 1100 1259 1270 1270 1270 1270 1270 1270 1270 1270
FIT-18-6 FIT-18-6 ASS-18-6 ASS-18-6 ASS-18-6 FOWL-4 FIT28-18 FIT28							red ord ord ord ord ord ord ord ord ord or		2111 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	917 294 37 30 30 40 1979 1979 1979 1979 1979 1979 1979 197	389.00 389.07 389.07 389.08 38	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 39413 3413 3413 3413 3413 3413 3413 341	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1204 1206 1206 1206 1207 1208 1208 1208 1208 1208 1208 1208 1208
FICT.18 - 5 FICT.18 - 5 FICT.18 - 6 FICT.18 - 6 FICT.2 - 3 FICE.2 - 3 FICE.3							sed	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 199 199 199 199 199 199 199 199 199	617 204 37 37 37 37 37 37 37 37 37 37 37 37 37	389.00 301977 201889 201889 201897	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 5986 2413 1800 1900 1900 1900 1900 1900 1900 1900	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1204 1206 899 1206 1206 1207 1207 1207 1207 1207 1208 1208 1208 1208 1208 1208 1208 1208
FIT-18 - 6							vel	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 271 188 80.0 80.0 80.0 152.5 152	917 237 247 247 257 257 257 257 257 257 257 257 257 25	389.00 389.07 38	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1860 1860 1860 1860 1860 1860 1860 1860	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1204 1206 880 1206 880 1206 1206 1206 1206 1206 1206 1206 120
FICT-181-6 FICT-181-6 ASSE-16							sed	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	211 271 188 80.0 80.0 80.0 152.5 152	917 237 247 247 257 257 257 257 257 257 257 257 257 25	389.00. 389.00	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 3946 3413 3413 3413 3413 3413 3413 3413 34	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1024 1206 800 1200 1200 1200 1200 1200 1200 1200
FICT-18-5 FICT-18-6 A56-6 A56-6 ST2-3 A56-6 ST2-3 A56-7 A56-							ved	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 7 1999	817 327 328 329 329 329 329 329 329 329 329 329 329	389000 319191919191919191919191919191919191919	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1747 1747 1747 1747 1747	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1024 11206 880 880 880 880 9538 9538 1225 1226 1226 1226 1226 1226 1226 1226
FIT-18-5 FIT-18-6 ASS-18-6 ASS-18-6 ASS-18-6 ASS-18-7 ASS							sel		2111 2111 2111 2111 2111 2111 2111 211	817 294-94 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2002 2003	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1749 1749 1749 1749 1749 1749	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1024 1206 1206 1206 1206 1206 1206 1206 1206
FIT-18-6 FIT-18-6 ASS-16-6 ASS-16-6 ASS-16-6 FOVC-8 FOVC-9							ved		2111 290 200 200 200 200 200 200 200 200 200	817 327 327 1 107 1 107	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 3246 3246 3246 3246 3246 3246 3246 3246	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1204 1206 1206 1206 1206 1206 1207 1207 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1207 1208 1208 1208 1208 1208 1208 1208 1208
FIT-18-5 FIT-18-6 ASS-18-6 ASS-18-6 ASS-18-6 ASS-18-6 FOVE-18-7 FO							sel		211 1999 1999 1999 1999 1999 1999 1999	817 237 307 1 107 1 107	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 3244 3244 3244 3244 3244 3244 3244 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1924 1926 1926 1926 1926 1926 1927 1927 1927 1927 1927 1927 1927 1927
NCT-18 -5							sel		2111 2111 2111 2111 2111 2111 2111 211	917 303 303 303 303 303 303 304 305 306 306 307 307 307 307 307 307 307 307 307 307	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1746 1846 1856 1856 1856 1856 1856 1856 1857 1857 1857 1857 1857 1857 1857 1857	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1024 1206 9990 9900 9900 9900 9900 9900 9900 9
NCT-18 -5 NCT-18 -5 A566-6 A56							sel		7 7 1999 1 1999	817 237 302 1 102 1 102 1 103 1 103	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1747 1747 1747 1747 1747	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1204 1206 1206 1206 1206 1206 1206 1206 1207 1208 1208 1208 1208 1208 1208 1208 1208
SCT-18; - 5							vel		211 1988 1989 1989 1989 1989 1989 1989 1	817 237 302 1 102 1 102 1 103 1 103	2005 2005	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1747 1747 1747 1747 1747	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0	1204 1206 1206 1206 1206 1206 1206 1206 1206
#ET-18;-5 #ET-18;-5 #ET-18;-5 #ET-18;-6 #ET-18							vel		211 1899 1999 1999 1999 1999 1999 1999 1	817 2343 1 2343 1 1078 1 1078	2002 2002 2003	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1749 1749 1749 1749 1749 1749	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1004 1006 1006 1006 1006 1006 1006 1006
FIT-18-5 FIT-18-5 FIT-18-6 ASS-1-6 ASS-1-6 ASS-1-6 ASS-1-6 FIT-18-6 FIT-18-							vel		211 1990 1990 1990 1990 1990 1990 1990 1	917 327 320 917 917 917 917 917 918 918 918 918 918 918 918 918	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1866 1866 1867 1867 1867 1867 1867 186	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1924 1925 1925 1925 1925 1925 1925 1925 1925
FIT-18-5 FIT-18-5 FIT-18-6 ASS-1-5 ASS-1-5 ASS-1-5 FIT-18-5 FIT-18							vel		2111 2111 2112 2112 2112 2112 2112 211	817 237 237 247 257 257 257 257 257 257 257 257 257 25	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1749 1749 1749 1749 1749 1749	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1024 1206 8000 120
FCT-18 - 6							vel		2111 1999 1999 1999 1999 1999 1999 1999	817 327 327 328 329 329 329 329 329 329 329 329	Month March Marc	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1747 1747 1747 1747 1747	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1204 1206 1206 1206 1206 1206 1206 1206 1206
FIT-18-5 FIT-18-5 FIT-18-6 ASS-1-6 ASS-1-6 ASS-1-6 ASS-1-6 FIT-18-6 FIT-18-							vel		211 1988 1989 1989 1989 1989 1989 1989 1	817 2343 1 2343 1 2453 1 2453 2 246 2 246	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1747 1747 1747 1747 1747	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0	1024 1206 1206 1206 1206 1206 1206 1206 1206
SCT-18 -5 -5CT-18 -5 -							vel		211 1989 1	817 2343 1 2343 1 2453 1 2453 2 246 2 246	Section Sect	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1747 1747 1747 1747 1747 1747 1747 1747	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	1926 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8

J83 Table 3 (contd)

Set Agent 1																	
Second	Парама	Tumor sym	Nurse eyes	Tuest - to	Yearner codes	Marrial	Erelos	p33	SEQ #5 A	A SEQ M A	A SEQ \$7	wiseo w	A 6EQ 101	A GEO 1H	NEED 111 A	SEQ 112 A	5EQ 114 M
The second column 1	advented gland - h		+ + +	-		I		1			0 110	7 1656	531	1 370	8 92946		18327
The column 1	bore marce - h									083	3 32	400	4 604	5 416	1 16548	1113	4801
Series 1.	marrowaty gland - It	ļ	+	+			+	+	12	1 30	7 24				1 1216		
Septiminary 1	pancress - h								54	3 90	5 17	75 1174	8 428	9 439	7 15743	1117	11146
Second			1		\vdash	 	├	┼—			7 144				76014	1359	
Second Column	fotal brain - h									0 130	2 35	71 2024	0 488	1 720	98130	1589	26240
STATE 10 10 10 10 10 10 10 1	Price da - h			+	 	├	┼	-									38258 48585
Section Sect	prostpin, h		12	1				1			1 7	S 730	61	0 397	14650	1414	30916
Second	Intel Iver- h						-	╌									
Service Control of the Control of th	finded burgs - h		15		<u> </u>				116	4 80	9 33	15 1313	6 598	7 07	16162	1638	97915
Column C	- Autoria Carretto - Jr		15				-	-						256	113112		13407
## 15 19 19 19 19 19 19 19	and principles - h		18							52	4 24	31 842	1 320	0 207	10071	1713	19516
## A PART		 					-					28 1463 15 431	1 497	6 401	35466		12278
The color of the	deer - h		21	<u> </u>						0 42	8 16	11 813	7 168	5 3111	19447	1435	4737
The column The	Spiner-h				1	├		₩-	32	5 34	8 46 2 52					1068	4256 28415
Second Column	erman h		24		L			1		0 44	3 22	322	186	1 2140	6000	1236	6363
### CALL S.	tests - h	<u> </u>				-	⊢ ·	-							07309		
## 15 19 19 19 19 19 19 19	HPAEC						26		70	3 18	7	0 23	9 915	2 385	4272		
Margan 1	thyroid gland - h						-	-						299	21987		24405
March 19 19 19 19 19 19 19 1	teachea - h		31						60	74	43	14 DBB	1 1071	7 200	12172	1566	\$8680
Section Sect	HAVEC		32	 	1	-	┝	┼—		0 81	8 29	(0) 5 (5) 845		5 304	1023		
The second column The	HCAEC		34							259	9	0 45	4	3405	1110	805	4.440
March Marc	Pencess - h		35	 				1		D46	1 4	31	7 77	2 182	968	630	0
March Marc	Shephal research - h		37				1=			37	5 1			9441	1996	720	0
State	fotal Bast- h	 	36				 	 		84;	2	0 36			1392	1054 A/A	
Column	б-у-тын)-		40				=		14	52	2	0 49) 36.	2019	541	1219	. 0
Margara Marg	Ducaterium - h	$\vdash -$		<u> </u>		-	-	-									g
## STREAMEN	Sahary gl h		43							42	1 35	4	14:	5 1660	1341	1,265	0
File Property Pr			- " -	 		365		 				0 42	367	7371	978	1846	
March Marc	HT213-normal					360		-			2	8 15	1	120	0	134	0
Second Column	PH 157-normal Shor-13		 	 		351	366	 			34				2404	3419	
March Marc	Bay-12					354	364		7,86	1210				4800	182	1521	16366
Section 132	brain -h	 -					<u> </u>	_ _		1	DI 3			241			
Amade Mary Security Column Co	RPTEC					334	334										- 0
March Marc	to maker SAMC 19021/92 917	 	 	 		336	 	 									- 0
1982 1982	Fetal brans - h					328			1887	258	5	0 191	105	2025	458	1452	7258
STAN Agricultural Sign S	Promote A		 					 		4776				1966	92		
September Sept	HT 149 - normal					321			24	S45		0 (. 72	755	
Tember 2. 1			 	 		378		 		132	77	4 202	2186	4202		1067	
Section Sect	tracken - is					375			812	74	•		1683	2543	0		1532
March Marc	Bryglej gland - h eall-ary al h	 		 			-	-	1								
March Marc	prostate, h			-					<u></u>	561	1	7 13					
Section Sect	pencreas - h					305			1 0) H		0 36	200	520	535	749	0
Section Column			-			303	-	\vdash	9	14975			675	1375	3654		D D
Seminary 1	tentid - h					298			7748	6576	219	5 206	3729	4097	1220	1487	4479
Section Sect	Series A	<u> </u>				297	-		2005					2776	0		
Part	abpen out - p					294			1237	1442		196	300	2031	75	1715	480
Part						292	\vdash										2243
##450	фото ичетом - h					279			2200	171	1	0		955	200	465	
	advanel gland - h HPAFC						275	├							181	801	
Section 1982 1988 0 200 201	0-(T302-rearms)					260				7		300		266	754	563	0
Decision Company Com	Bes 11						739	┝		-	114	2 36	500	531	2967	1460	752
Part	Bare 6					236	235					6 17	40		481	751	0
Process 120	Bas 7					233	233	<u> </u>		336	44	7 15	0	70	1084	947	
Part	8er4		L.:			231	ī	—		535	28	5 21	61	278	2536	517	
Marchester	Dev-1					27	270						2	82	1067		
Section Sect	Districtur - It					222				57				549	46		. 0
September	ANNESCH - FI					214		\vdash		200	29	1 193	200	741	893	976	
## MARCE 271 271 9 07 0 08 0 256 770 0 0 08 0 256 770 0 0 08 0 256 770 0 0 0 0 0 0 0 0	fatal Bost- h						=	\vdash		94	14	7			162		
Seed Perform	HCAEC					211	211			67		0	-		255	793	
Deplement 1	total train - h		<u> </u>	$\vdash =$		210				179		200		160	541	580	
Separate Page Pag	Durademont - h		=			205			0	180		21	9	733		765	21
March	Shaired muscle - h	_		 		201		<u> </u>			27						
Security 1	matio - h					2			. 94	1904		911	149	120	G	481	6
#### ### ### ### #### #### #### #### ####	Salvery pj k		- -			197.		\vdash	143	-		150	110	230	472	397	
Section Sect	dispersio -h					1973		\equiv	453	497				2341	107	508	
Description Sp. O 2591 O 779 740 2237 329 598 O O O O O O O O O	1991-30 72h							-					1.80	1195	64		٥
March Marc	Ang-h					- 50				2301	1	771	740	2537	360	676	. 0
Performance Program	hispany - h haspt - b					33		_	64	625	24	271	119	336	0	522	
March Marc	detai kerg - b					63			681	400	65		0	814	0	447	
Fig. A-2-07-180 77	Mater Histories - In											213	138	492	. 0	799	
### AMAGENTING ### AM	HELA-2h-031800									409	11	200		326	454	174	276
### A-96-7-7-19-19-19-19-19-19-19-19-19-19-19-19-19-	HELA-BA-CO-GM					-						201	. 0	351	321	179	
High Administration 90 346 Z2 0 200 2711 3441 170 1900 302 High A thindrings 92 0 0 0 200 271 391 111 39 111 10 190 1973 19 9 9 22 0 122 0 122 11 0 190 1973 9 9 27 190 190 9 9 9 11 10 190 1973 9 0 0 220 11 10 190 1973 9 0 0 220 11 10 190 9 9 0 0 120 11 10 190 9 9 0 0 170 10 0 190 9 170 0 190 190 190 190 190 190 190 190 190 190 190 190 190 190 190	HELA-DI-GOLUM				- 66				491	667		256	51	493	0	646	
### A PRINCE	HELA-05-031899								_ Z94	774							
#\$A.PA.POPRING PART	HELA-180-031000				92		=			. 0		295	219	294	313	1114	35
MCH480798	HELA-119-031900				M	 -I	1								190	1073	
NC14409 148 0 0 0 0 0 226 1214 195 98 431 0 1 0 20 1226 1224 195 98 431 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	MCN-HEQ2M				146				540	17	240	330	2183	677	42	170	
\$48-0** \$152 \$ 0 172 \$ 0 \$ 545 \$ 1020 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 229 \$ 555 \$ 600 \$ 1 \$ 200 \$ 1 \$ 200 \$ 1 \$ 200 \$ 1 \$ 200 \$ 1 \$ 200 \$ 1 \$ 200 \$ 1 \$ 200 \$ 1 \$ 200 \$	MCLH522			 +		\dashv						776	1214				
#F-208	SNE-19				152			=	9	121		134	563	1020	81	220	263
#F 398	SNS-75 SF-386									449	286						
DU-1465 182 348 6 0 0 200 352 0 284 0	9F-296				158				0	87		Z21	342	0	0	742	4919
	DU-145					-			348	0		b			0	284	
	HCT 116								322	285						198	ô

184 Table 3 (contd)

		Y			D			100.10								
Theorem Cabi-1	I como aya	Narrasi sys	Tumor - 10	166	Hermal	Checs	p53		4 3EQ 96 A	A 3EQ 17 H	131 131					3EQ 114 M
786-0				166				23	9 36	21			101		1955	
1-470				171		+=			0 15	2 14 3 750			1075		706	
CRL1441 RNA MOD	 			161	+	+	+	- 3				- 0				
781T uniterated + Chiama				183		1			9 20	3		123	64	734	303	
K8 puly A+ HOS puly A+	 	 	-	194	+	+	+		0	0 283						
ACHN	<u> </u>			196	1			11	8 28	3						
MCF-7MDR-RES				200	-	-	=		7 -	1 3						
UTOS Blandy poly av	 		 	204	-	†	+	30	6 62	5 137 4 946	3				431	
WISH (Collegen) poly A+				206					0		1	2503	474	0	197	10
458 medulo er/HA CCL 137 RNA 3/21/88			-	218	+	┼	+	71. 24	2 171 7 15	600		36a	1345			
WI-36 72h 0.5% FBS 24h 10% FBS	<u> </u>			218				1	0 18	5	111	30	115		306	
ECRL 1441 + TPA (24N) 8/30	<u> </u>			Z20			-		0			4141	322	0	477	
Kan-1 Kan-2			 	221	+	+	 -		0 14				212	100	577 478	- 0 \$45
Ken-4	I			225		\vdash			0 17.		31	. 0		0	467	10
HOP-R2 MOLT-4				242			+		0						86 294	1886
BKVX				243			1	34	2 30							
HL-80	 -			244		-	-	240			272	\$737	i_ 300	- 66	18	917
NCI-H23 RPM 8228				246												
ASHRATCC	<u> </u>			247			\top		5 100	50	312	837	249		596	961
SR OVCAR3	 			246 249	 	┼─	+-	 	12	1127				215	425 306	270
HCT-15	i			250							448	1543	531	362	464	Beech
OVCAR-I				251			\perp		84	421	79	463	453	0	196	0
OVEAR 6			 	253	 	 	+-	19	7 275	0		8726	1339	9	41	105
SN12C				254				650	300	902	9	1416	396	452	361 \$67	305
OVCAR-8				266	\vdash			75			19	153	245	0	275	0
LOX IMM IGROV1	 			756 257	-		+	- 22			732 458	3168 3607	614	367 109	703 626	000
SK-MED-3				254					212	. 0	63	47	346	. 0	204	
96-09-3				259	-	-	+		\$72	0		624	446	415	653	0
SKAMB6 SF-KM	t			260 261	 	 	 	211				1528 2049	325 1651	- 0	1121	
5K-ME1-28				267						18239	0	1332	1027		9:37	0
1C-682 UACC-257				263	-		 				267	473	91	32	544	302
M14				295				400		8		2108 414	505 119	114	493 186	
MCF7				267		_	二	477	2 0	. 0	2572	17839	1425	0	1304	
MCM-MB-436 HT779	 			259	-	-	 	-					1065		98	0
MDA-N				271			Ė	76	276			1375	488	B47	800 221	400
Y79 poly A+				273		\vdash						1534	116/	9	1461	1821
10106 poly A+ HTB36 24h TPA FBIA 6/23	—	-		300	_		 	 			218	2315 37	1851	0	513 404	
HELA-EXP-431889				313					0	207	H1	- 0		. 0	269	- ;
HTB36 @HRNA				322				805		0	129	225	1206	0	1575	3066
HT347 458 medulo RMA HCI-H226				323 324	_		†	355			222	211 58	117 1282	0	749 901	4155
HC1+1226				334								3462	464	0	514	1120
HOP-62				337		-		663				413	360	. 0	16	0
MDA-MS-231 U251				339	_			3821				12057 26597	11907	9 1155	1033	3276
PT catte poly A+				340				136	q	0		859	229	26	144	0
HCC-2986 ·				341 343			├	300				3005 1152	1672	- 0	1051	954
SW-RXI				345			1	307	1338			1534	792	- 8	486 423	
HT182				346					232	109	0	217			86	0
COLO 205 HT218				347	<u> </u>	-	├	- 8		- 0		822 0	272	115	396 446	
004-12				349						7		960	327	150	181	
HTISI				360				1 0	476		0	42	0	932	725	0
A498				361 362	_		 	453		160		273	5607 700	290	572 1066	1026
RUF 383				353				173	1630	0		445	195	279	636	1493
FX-70				365				1135		- 0		3339 ZZ112	4922	H635	1376	8137
Ha 5767				360				77.00	458		7404	327	205	H2	1624	2340 354
HT213			59 52				\sqsubseteq		951	949	257	17	1300	0	249	0
HT28	$\overline{}$		54			<u> </u>		0	502	130	37	2794	16.Z2 355	190	439 364	
HT156			- 54					Ö		0	,	307	752	- 6	925	
HT NO.			58						290	0		0	870		467	0
HT170 HT172		 +	62				-	402	2259	0		26	1722 822	72	1136	
HT136 HT178			63						512	76	254	0	D	0	552	
HT178		-	64				F-	0		. 0	163	50	0	78	690	37
HT154 HT180		\longrightarrow	65				-	- 8		9		270 91	952 691	0	363 679	
H-(1 168)			67				二	0	519	0	179	7	868	0	451	391
HTHO			88 88				\vdash	329		66	77	134	190 61	169	1039 729	
HT 190			70					L 0	260	653	476	27	410		1902	
HT145	-		71			=		448	980	0	300	84	1127	0	2057	277
HT327 HT302		+	72					312	1060	344	167 254	701	1787	1837	1137 829	709
HTM4 HTM7			74					ŏ	33	0	722	5	EQA.	777	512	;
HT317 Maduliatuma H25 116			76				\vdash	100	584	0	750	100	2496	792	897	
MT323	+		77			—	_	- 8		9	308	- 5	446	435	369 1116	
Printers			. 80					2D1			112	ó	560	173	647	
	-		2	-		=		- 45		0	128	- 01	676	161	609	- 0
PTT46 HT348 HT31) HT398			B3 87					0	450	780	126	51	218 112	373	1349	162
нтац			170					221	27	. 0	O O	26		101	916	138
HT398 HT340			185 187		7	\neg			1067 277		52		967 946	0	946 517	Ď
HT201			159					- 0	2//	D 0	905 53	0	951	- 0	453	
HT3/Z			191						581	7	197	0	300		575	
TCGP HT160	\rightarrow	——-T	207	-		-		421	894	0	109	96	1,35	142	663	
HT307			216 217						0	- 0	45 275	203	403	67	345 291	1809
HT389			224					224	1061	173	384;		1146	0	773	2569
HT370		- $$	226				-	0	219		0	951	406 902	35%	556	
HT3/7			226 230					- °		- 0	365 250	56	207	25.6 9.7	720 774	
HTM2			236				=	0	71	285		- 11		95	736	
HT334	- $=$ $=$ $=$		201				\neg	0	30	0			367 707	250	842	0
(7338			301				-	- 0	1249 2033	820	383 795	750	767	137	1030 802	
41308 41308			301 315				1	\$70	44	9	280	162	347		400	
HT3M			317	==				0	0 56	0	185	26	127	19	471	9
HTHE			310	+	\rightarrow	-		368	56	- 0	- 0	26	147	201	546	469
HT396			375 354					0	0		105	0	0	100	680	0
4152 (40)			360					0	0	0	10	14	470		896	8
I-4TD	763 181				- 1	\rightarrow		4583 1643	169	\$45 871	825 1441	1180 814	9.722 8740	1026 5757	730	1143
MDA MB 435)56							4564	379	1164	1987	906	6864	6457	376	2900
ADA-MB-Z31	157			- 1		T	7	11137	2218	- 0	1828	1956	38346	3367	1639	364

185 Table 3 (contd)

Thomas Ha 5787	155	Hormod-oyru	Termor - 10	Tumor calls	Hormel	Endag	p\$3	35Q 85 A	94	3)	01 176				665	
MCF-TADR-RES	150 151				\vdash			49°	51	7 197	7 89	1 69	6 10671	6354	892 1309	D
MCF7 M14	149							383		0 45	0 240	1 198	3 3476	1,359	1635	2238
UACC-257 UACC-82	147	 	 	 	₩	-	_	254	30 30		6 73	8 213 6 121	7 11063 5 4403	6220 3 2489	579 586	947
SK-MEL-28	146 144			-				553		0 390	6 117	72	1 309	1531	805 1536	2945 11997
SKMR-5	142						=	133	1	0 100	9 226	1 202	5 16384	2894	691	3366
KM-12 SK-MEL-2	140		 	<u> </u>			-	261				1 47	1997		918	3611
HÇT-16 Melma-TM	139				μ	\vdash		129			6 193 5 Z36				979 943	1620 2800
COLO 205	13/							3536	148	1 199	3 166	4 941	7 11150	731	1214	1103
LCIX MAY	136 136	 				 		352 450	49	3 130	5 119	0 82	6 12216	571	967 850	1995 1756
TIC-19 HCT 116	133		-			_		1724		8 184 4 57		32	9644 3 8640	2033 355	821 768	
795-0	132					=		229	16	2 186	3 112	9 79	2 11846	2318	722	
ACHN	131						-	264 228	44	8 296	6 107	93	30006	2858	904 652	
PC-3 POF 303	120			 	├ -	-		5817	37		4 91	1 64	5 13946 0 2571	7592	\$43 524	106
DU-145 Call 1	127	Ţ	Γ			=		218			1 80	6 45	1 3331	1531	502	312 1506
\$R	125							3471	32	0	0 84	1 33	1900	1163	345	841
AME RPM 8236	123				\vdash			1861		6 4		35	1926	0	628 563	664
SN12C HL-60	122			ļ		-		200							834 634	937
MOLT4 OVÇARÎS	120					=	_	1500		101	52	150	7 4271	753	1205 925	0 0 5625
K-562	111							3767		B	854	25.	2 E345	1008	1001	250
OVÇAR-4 CORF-CEM	117							1256 862		5 159	1402 0 257	1620	26092	2316	961	1348
OYCAR-3 SF-639	115		-	-	_	-		3094 3621	150	195	3 13	1583	12150	1242	562 882	1468
HOP-62 3F-286	112	F			=			455	-	956	67	200	19246	3406	262 941	1027
ASSEATCE	111	 		<u> </u>				1680	940	172	230	170	30226	3221	1074	751
8F-266 NC1-H622	110		<u> </u>		\vdash			1254		117	176	172	1 7210	1466	643 978	1666
UZS1 NCLHI60	108	1					\vdash	2200	201	72	9 97	736	8651	3516	5.26 676	22:50 0
SAI8-75	106	F				=		1146	229		40	200	4322	1334	722	
NCH-03284 SNB-19	106				=			3344 2006	434 314	1	196	454	4364	2106	\$68 812	327 1908
NCI-H226 SK-OV-3	103							6105	418		108	615	13274	5271	1091 587	3219
INCHEZS IGROVI	101	\vdash						9603 212	311	;				445	360 493	
BKVX CMCARA	90							1881	1170	7	173	911	17090	1357	340	B42
HOPAS	94 97							2307	150		686	926	13230	5619	762 687	461
h Bereitsman 3/31/82 P12 h adult SMC 10/21/82 P17	47	 				-		334		10	201			923 602	1342	0
h Implementaria 2/25/92 970 TCOP	- 46							534 1068	339		193	62	5234	5718	1436	7982 1742
A540 - 1							-				6421	18	. 0	353	625	0
A649 - 3 A549 - 4							3 3				532	49	0	687	404	
A548 - 5 A548 - 7							<u> </u>	- 0			162	118		530	635 563	0
BCVX-1 BCVX-4							majard majard	:				11	0	428	617 705	C
B(VX-3											\$94		0	6	708	0
BCVX - 8 BCVX - 7		t					reactions) reactions)	- 8			1578		0	126	756 802	0
MCF-7-1 MCF-7-3							=	- 8			718	64	8	538	621 641	- 0
MCF-7 - 4 MCF-7 - 5							3 3				1155		9	363	895 6851	0
MCF-7 - 7							¥	- 0			1337	145	0	217	659	Di
ADR-RES - 1 ADR-RES - 3								- 8			525	98	0	169	2343 °	0
ADR-RES - 5							ij	0			851				835 560	0
ADR-RES - 7									9		7502	222	io	329 2197	870 854	0
WI 36 - 1 WI 36 - 3						·	F	. 0		,	217	672		561	559	. 0
(W) 36 - 4			<u> </u>				1 1	9			3721	114	. 0	1014	548 829	0
W1 38 - 5 W1 38 - 7 Hel.a - 1		 					HPV E6	0			4617	<u> </u>		0	956 1073	0
Mile-3	F						HPV E6	0			643	263	0	74	884 i	0
HeLp-4 HeLp-5							HPY E6	- 8	9		1166	816		1402	1155	0
Hele-7 H(290 - 1							HPV ES							ō!	703	. 9
H1280 - 3 H1289 - 4								. 0			2070	530		212	1242	- 0
911290 - 5 H1290 - 7						=	أحباد	0			1806	193		968	578	o)
A540 - 2							7	- 0	0		4270	141	- 8	409	719 585	
EXYX - 2 HCT-116 - 1							Ĭ				5597	143	0	1327	373 t	0
HCT-116-1 HCT-116-2 HCT-20-2							ut madani		- 0	1	3756	180	0	2653	516 1946	0
HT29 - 2 SFEX9 - 1							=	0			1840	196		Z20	659	
SF-368-1			1				uni markeni			-	317	2004	0	1212	505	0 D D
\$6-269-2 CVÇAR-1 - 1							**			- 0	89	619		451	953 1271	
OVCAR-4 - 2				=				0	0	. 0	1643	196	0		1200	
OVCAR-5-1								•	. 0		10	90		505	632	0
MCF-7 - 2 ADR-PEE - 2								0			721	130	0	23	420 785	8
164.s-2 \$W480-1								. 0	0	- 0		107	0	1170	790 685	o
5W480 - 2					=		3	0	0		. 7826	1023		543	879	0
H1290 - Z C33A - 1					=						18707	19	_	0	1143 865	0
								0		0	- 65	100		114 560	748	- 0
1206 - 1 1206 - 2 Hulls - 1		-			=			0	90			163 457	9	1008	871 667	0
Helis - 2 NY 38 - 2 Milhel - 1				=	===		*	0	0		985	0	0.	645	\$31	D
M138 - 2 M84wl - 1								- 0	0		265	57	0	178	1129 636	8
						\dashv	-7	0	0			402 386	0	1724	672 510	0
Mithed - 3 Mithed - 4 Mithed - 5					\Rightarrow	=	=				. 0	140	D	176	693 461	0
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -								- 8			9430	71	0	0 !	414	D
Mithed - S Mithed - B Mithed - B Mithed - P								. 0			1897 D	55)1 0	0		667 . 1234	0

Table 3 (contd)

Titineen	Tumor-nym	Stermel-sym	Tentegr - to	Yumer colls	Normal	Endes	P\$3								USEO 112 A	N SEQ 114
DePeno-7					-	-	_		0		0 415	25		1104		
DePeng-8 DePeng-8 DePeng-8	† 	t				1_			D.	0	0 35	2 1		0 2401		1
Carrent 1					\Box	L			0	0	D 291	47	7	1191	732	2
DaPung-12 DaPung-18	├ ──	 				 		-			0 1143			570		
DePeny-1	 		 	 	 	 	1				0 1143	7 107		0 910		5
Options 2									0	0	0 28	2		200	737	/
DeParty 3		<u> </u>		<u> </u>	-	 	-		0	2	0 5090 0 3571	8		337	970	Ÿ 9
DaPung S DaPung S DaPung 4					 	 	_				6 357 0 21			0 3690 0 1090	764	
DaPang 4											0	4		0 0		
A546 - B		 				-	w				0 186			55	622	
EKVX - 8 HCT-116 - 7		 	 -	 		+	Product				0 648			324		
HCT-116 - 8		1			1	-	<u> </u>		0		D 844					
HT29 - 1							-				0 350			0 650		
HT29 - 7	 	 		 	-		muteri muteri		0		0 314 0 46					
PIT29 - 8 SFE39 - 7		1			 		w		0	0	37	5		2100		1
SF538 - II SF-208-7							w		0 (0	25.		21		
95-206-7	 					-	-				0 440	164		706	127	
SF-200-8 CNCAR-4 - 7	-		-	 	 	 	-				0 1305	183 423		2 203	948 935	
CVCAR-4 - B							₩.	1	0 (٠ (527	325		2772	902	
OVCAR-5-7						ļ	majteri				12	<u> </u>	L0	001	2164	
OVCAR-5 - 8	 				-	_	myteric W		D (740	310		511 610	510	0
MCF-7 - 6 ADR-RES - 6 Hata - 8							THE REAL PROPERTY.		0		3013				1635	. 0
Hala-B	ļ						HPVE	-		<u> </u>	2243			139	675	
5W480 - 7 SW480 - 8	 	 				├	-									
141250 · B							materi		0		236			2 0	737	0
C33A - 7					=	匚	Arriant		9		3120			163	760	0
C33A - 8 U2OS - 7	 	 					ereplayed resolvered		9 0	}				S26		
UZOS - 8) (0	167	1	664	868	0
Hu68 - 7	\vdash					1	w .		9 0	<u> </u>	4024	909		171	615	
H460 - 8 WI 36 - 8				 	 		w	-			9 4497				\$78 973	0
458 medulio RHA									260	1	304	1464	1336	1421	1814	. 0
CRL1572 3/17/89						<u> </u>			104					445	730	
Ber-4 HT368	-					 		132			217	153				
HT3/8								26	181		963	65	772	. 0	\$39	
HT3m5	-				—		1	271	2601		870	60	4061	375	1937	3835
MT308	 					173	-		234	181		115	494	95	2013 637	62054 D
Am-3 Box 6						175			336	Pat		1	10	101	345	
Ber 0						177		571	300	241	104	-	483	119	821	0
h harathosylme 2025/82 (F10 Elev-10						237	-			340				1516		
HTBW		-														- 8
in Revolution in 2/2/1/2/ 1912											91	. 46		94	1067	0
proylette, in MINING-OS poly A+			_			-	-	9				946				0
SA-OS Bhardel poly A+						-		104	7			638	2116			
MK poly A+ HCT-116 - 3								110	1914		778	1366	2288	266	1231	186
HCT-116 - 3 HCT-116 - 4					L	1	m			0	2064	160		362	615	0
HCT-118 - 5						_	1		0		0	56	. 0	1404	189	0
HCT-116 - 5 HCT-116 - 6							¥ ¥ ¥		0	0	377	56 14 0	0	754 1034	189 414 580	0 D
HCT-116 - 5 HCT-116 - 6 A540 - 8							X E		0	0	377 249	56 14 0	0	754 1034	189 414 580	0
HCT-116 - 5 HCT-116 - 6 A540 - 8 HT28 - 3							wi wi mulani		0	0	377 249 4346 3771	\$6 14 0 0	0 0 0	1404 754 1034 245 378	189 414 580 915	0 0 0
HCT-118-5 HCT-116-6 ASIG-8 HT28-3 ENCX-8							rel rel conduced conduced conduced		0 0	0 0	9 377 249 4346 3771 0	\$6 14 0 100 100	0 0 0 0 0	1404 754 1634 245 378 175 813	189 414 580 915 903 366 644	0 0
HCT-118-5 +CT-116-6 A500-6 HT20-3 BCVX-6 HT20-4 HT20-6							vi vi mulori mulori mulori mulori	(C)	0 0	0 0 0 0 0 0	377 249 4346 3771 0 0	\$6 14 0 0 100 0 0 266	0 0 0 0 0	1404 754 1034 245 378 175 813 238	189 414 580 815 903 366 644 711	0 0
HCT-118-5 HCT-118-6 A58-8 HT28-3 HCX-3 HCX-3 HCX-4 HCX-6 HCX-6 HCX-6							rel rel conduced conduced conduced		0 0 0	0 0 0 0 0 0 0	0 377 249 4346 3771 0 0 1269	\$6 14 0 0 100 0 0 0 0 0 0 0 756 754	0 0 0 0 0 0	1404 754 1634 245, 378 175 813 236 0	189 414 580 915 903 366 644 711 910	0 0
HCT-118-5 HCT-118-5 ASS0-0 HT28-3 HCT-2-3 HCT-2-3 HCT-2-3 HCT-2-4 HT28-6 HT28-6 HT28-6 HT28-6 HT28-6 HT28-6 HT28-6							N MARINE		0 0 0	000000000000000000000000000000000000000	0 3/7 249 4346 3771 0 0 1269 0 1269	56 14 0 0 100 0 0 256 154	0 0 0 0 0 0 0 0 0	1404 754 1034 245 378 175 813 236 0 0	169 414 500 815 903 366 644 711 910 566	0 0 0 0 0
PCT-118-5 4CT-118-5 ASS-8 MT29-3 ECYX-6 MT29-4 MT29-6 OVCAR4-2 OVCAR4-3 OVCAR4-5							TO THE POST OF T		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	0 3177 2498 4348 3771 0 0 1269 0 1209 467 3826	56 14 0 0 100 0 0 256 154 42 80	0 0 0 0 0 0 0 0 0 0 0	9404 754 1034 245 378 175 813 238 0 0 0 0	189 414 580 915 903 366 644 711 910 956 844 565	0 0 0 0 0 0 0
PCT-118-5 4CT-118-6 ASB-8 6T29-3 SVX-6 1729-4 1729-6 6T							N MARINE		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	0 3177 249 4348 3771 0 1299 0 1299 487 3825	56 14 0 0 100 100 0 266 154 42 93 734	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1404 754 1034 245 378 175 913 238 0 960 0	189 414 589 815 903 366 644 711 910 568 844 505	0 0 0 0 0 0 0
PCC-118-5 BCC-118-6 ASB-18 BCC-118-6 BCC-18-6 BCC-18-7 BCC-1							red weighted makered makered makered makered weighted weigh	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3177 249 4348 3771 0 1269 0 1209 487 3826 0 0	56 14 0 0 100 0 0 256 154 42 53 734 93 131	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 754 1634 245 378 175 813 238 6 960 977 190	189 414 580 915 903 356 644 711 910 956 944 565 753	0 0 0 0 0 0 0 0 0 0 0 0
PCT-181-5 PCT-181-5 ASB-16 ASB-16 FITZ-1-3 EVX-1-0 HTZ-1-5 EVX-1-0 HTZ-1-1 EVX-1-1							THE THE PARTY OF T		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 3777 249 4348 3771 0 0 1269 0 1269 487 3825 0 0 0 1471 0 1475 0 1475 0 1475 0 1475 0 1475 0 1475 0	56 14 0 0 100 0 0 256 42 53 53 131 99	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 754 1034 245 378 175 813 238 0 0 050 0 0 950 190 315 484	189 414 589 915 903 366 644 711 910 956 844 505 733 852 852	0 0 0 0 0 0 0
PGT-181-5 EGT-181-6 AGB-15 AGB-15 STVA: 0 1172-1-0							red weighted makered makered makered makered weighted weigh	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3177 248 4348 3771 0 1289 0 1289 487 2025 0 9 1459 617	56 14 0 0 100 0 0 256 154 42 53 734 93 131	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 754 1034 245 378 175 813 238 0 960 0 977 190 315 465 664	189 414 589 815 903 366 644 711 910 566 544 586 753 852 524 896 1057	0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-5 PGT-181-5 PGT-181-5 PGT-18-1							yet	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 377 249 4348 3771 0 0 1299 487 3925 0 0 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	56 14 0 0 100 0 0 256 954 42 83 734 131 99 79 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 754 1634 245 378 175 813 236 0 960 0 977 150 315 484 664 0 278	189 414 580 815 903 366 644 711 910 958 844 586 753 882 896 1057	0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-6 ASS-16 ASS							yel		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 37772 2499 43-65 0 0 0 1269 0 1269 447 9525 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	56 144 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 754 1634 245 378 175 175 175 175 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	189 414 589 815 803 366 644 711 910 844 505 753 862 596 896 1967 896	0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-6 ASS-16 ASS							yet		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777-1 249 4346 0 0 0 1398-6 1497 3925 0 0 9 9 1490 1497 2413 3086	56 14 0 0 0 1000 0 1000 0 154 42 42 53 734 131 131 199 9 9 0 0 0 100	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1404 7555 1404 245 275 175 175 1813 288 0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	199 444 500 615 500 615 903 366 644 711 910 566 644 506 753 307 753 307 756 307 757 307 757	0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 EGT-181-6 ASS-16 ASS-16 EVV-16 HT21-1							yet yet yet gendami gendami gendami gendami gendami gendami yet	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 37777 2496 3771 0 0 1298 1298 3925 3925 92 91 91 91 91 92 94 94 94 94 94 94 94 94 94 94 94 94 94	\$6 0 0 0 0 0 0 0 0 254 42 553 734 99 0 0 0 0 0 0 35 173 35 35 35 35 35 35 35 35 35 35 35 35 35	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1935 1935 1937 1937 1937 1937 1937 1937 1937 1937	189 444 444 550 550 550 550 550 550 550 550	0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-6 ASS-16 ASS							yet vor	C C C C C C C C C C C C C C C C C C C	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 37771 4246 4246 4246 4246 4246 4246 4246 424	56 60 00 00 00 00 00 00 00 00 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1955 1955 1953 1953 1953 1953 1950 1950 1950 1950 1950 1950 1950 1950	189 1444 145 145 145 145 145 145 145 145 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 EGT-181-6 AGB-12 AGB-13 STYL-13 AGB-13 STYL-13 AGB-13 A							yet	6 C C C C C C C C C C C C C C C C C C C	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777-12-12-12-12-12-12-12-12-12-12-12-12-12-	\$6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1935 1935 1935 1935 1935 1935 1935 1935	189 414 580 903 903 906 644 711 910 909 866 644 966 966 967 97 97 97 77 77 77 77 77 77	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 EGT-181-6 AGG-16 AGG-16 FOVE-16 F							yet		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 2490 43464 9 4977 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0	\$6 \$6 \$6 \$6 \$6 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 1934 1934 1955 1957 1957 1957 1957 1957 1957 1957	189 1414 5590 1015 500 1055 1000 1066 644 1711 1910 1666 1667 1753 1753 1753 1753 1753 1753 1753 175	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-5 ASS-1 8 ASS-1 9							bed. ver.	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 249 4344 4344 9 1260 1260 1260 1477 3925 3222 0 0 1477 2513 2612 0 0 1477 2513 2612 0 0 1477 2513 2612 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1955 1953 1953 1953 1966 1967 1900 1977 1900 1900 1900 1900 1900 190	189 1414 550 1615 500 1615 500 1615 6644 5016 564 564 566 564 566 566 567 573 571 507 507 507 507 507 507 507 507 507 507	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-5 ASS-1 8 ASS-1 9							yet		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 2490 4346 13977 0 0 0 13989 13989 13989 14979 1	\$6 \$6 \$6 \$6 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7 \$7	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1604 1934 1934 1955 1953 1953 1953 1953 1953 1953 1953	189 1414 5590 1015 500 1055 1000 1066 644 1711 1910 1666 1667 1753 1753 1753 1753 1753 1753 1753 175	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 EGT-181-6 ASS-1 6 ASS-1 6 ASS-1 6 ASS-1 7							and, production of the control of t	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 2400 4346 1398 1398 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1909-1909-1909-1909-1909-1909-1909-1909	189 1444 550 501 501 501 501 501 501 501 501 501	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 EGT-181-6 ASS-1 6 ASS-1 6 ASS-1 6 ASS-1 7							red. ver southern southern southern southern southern southern ver ver	G G G G G G G G G G G G G G G G G G G	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 240 34777 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1935 1935 1935 1935 1935 1937 1907 1907 1907 1907 1907 1907 1907 190	199 199 199 199 199 199 199 199 199 199	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-6 ASS-1 6 ASS-1 6 ASS-1 6 ASS-1 7 AS							red. restanti smajeri	G G G G G G G G G G G G G G G G G G G	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 240 3777 0 0 12989 447 922 922 923 924 924 927 927 927 927 927 927 927 927 927 927	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1904 1905 1905 1905 1905 1905 1905 1905 1905	189 1444 5590 9031 906 664 7711 910 866 864 864 864 864 865 1507 1507 1507 1507 1507 1507 1507 150	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-5 PGT-181-5 PGT-181-6 PGT-18-7							yel with a second of the secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 249 249 249 249 249 249 249 249 249 249	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1935 1937 1937 1937 1937 190 190 190 190 190 190 190 190 190 190	199 199 199 199 199 199 199 199 199 199	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-5 PGT-181-5 PGT-181-6 PGT-18-7							Note that the second of the se	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 248 4045 50771 50771 5070 5070 5070 5070 5070 5	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1935 1937 1937 1937 1937 1937 1937 1937 1937	199 199 199 199 199 199 199 199 199 199	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PGT-181-5 PGT-181-5 PGT-181-5 PGT-181-6 ASS-1 6 ASS-1 7 ASS-1							yel we we want to the second of the second o		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 3777 2489 43494 90 12680 12680 12680 12680 12680 12680 12680 12780 107	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1934 1937 1937 1937 1937 1937 1937 1937 1937	199 199 199 199 199 199 199 199 199 199	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NET-181-5 NET-181-6 ASS - 6 ASS - 6 ASS - 6 ASS - 6 ASS - 7 AS							yell with the second of the se		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 2499 2499 2499 2499 2499 2499 2499 2	\$60 00 00 00 00 00 00 00 00 00 00 00 00 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1934 1935 1937 1938 1938 1938 1938 1938 1938 1938 1938	199 199 199 199 199 199 199 199 199 199	
PET-181-5 PET-181-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7 AS							bel with maken a maken		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 377 378 378 378 378 378 378 378 378 378	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1934 1935 1937 1938 1938 1938 1938 1938 1938 1938 1938	189 161 161 161 161 161 161 161 161 161 16	
PET-181-5 PET-181-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7 AS							held with a second seco		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 177 240 178 178 178 178 178 178 178 178 178 178	\$6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1935 1935 1935 1935 1935 1935 1935 1935	199 1414 1414 1414 1419 1419 1419 1419	
PET-181-5 PET-181-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7 AS							bel with maken a maken		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1776 1776 1776 1776 1776 1776 1776 1	\$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1934 1934 1935 1935 1935 1935 1935 1936 1936 1936 1936 1936 1936 1936 1937 1937 1937 1937 1937 1937 1937 1937	199 101 101 101 101 101 101 101 101 101	
NET-181-5 NET-181-6 AGE 16 AGE							bed with mediant and an analysis of the second and an analysis of the second and an analysis of the second and analysis of the second analysis of t		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 177 178 178 178 178 178 178 178 178 178	\$60 \$60	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1904 1934 1934 1934 1935 1937 1937 1938 1938 1938 1938 1938 1938 1938 1938	199 144 144 145 1593 1593 1593 1593 1593 1593 1593 159	
PET-181-5 PET-181-1 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7 AS							bed. Free days of the control of th		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1775 1775 1775 1775 1775 1775 1775 1	\$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6		1904 1904 1905 1907 1907 1907 1907 1907 1907 1907 1907	199 101 101 101 101 101 101 101 101 101	
NET-181-5 NET-181-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7 AS							bed. Free days of the control of th		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 177 178 178 178 178 178 178 178 178 178	\$6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1904 1934 1934 1934 1935 1937 1938 1938 1938 1938 1938 1938 1938 1938	199 144 144 145 1593 1593 1593 1593 1593 1593 1593 159	
NET-181-5 NET-181-1 ADB 1-6 AD							bed with a second of the secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 177 178 178 178 178 178 178 178 178 178	\$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6		1904 1934 1934 1934 1935 1937 1937 1938 1938 1938 1938 1938 1938 1938 1938	199 199 199 199 199 199 199 199 199 199	
NET.181-3 ACT-181-3 ACT-181-6 ACC-181-6 ACC-181-7							bed. Free days of the control of th		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1750 1750 1750 1750 1750 1750 1750 1	\$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6		1904 1934 1934 1934 1934 1935 1935 1935 1935 1935 1936 1936 1936 1936 1936 1936 1936 1937 1937 1937 1937 1937 1937 1937 1937	199 1414 1414 1515 1515 1515 1515 1515 1	
NET.181-3 ACT-181-3 ACT-181-6 ACC-181-6 ACC-181-7							bed with a second of the secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 177 178 178 178 178 178 178 178 178 178	\$60 \$60		1904 1934 1934 1934 1934 1935 1935 1935 1935 1935 1936 1936 1936 1936 1936 1936 1936 1937 1937 1937 1937 1937 1937 1937 1937	189 1415 1415 1415 1415 1415 1415 1415 141	
PET-181-5 PET-181-5 PET-181-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7							hed with a second secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60		1904 1754 1755 1755 1757 1757 1757 1757 175	199 1414 1414 1515 1515 1515 1515 1515 1	
PET-181-5 PET-181-1 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7 AS							hed with a second secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1904 1934 1934 1934 1935 1937 1937 1938 1938 1938 1938 1938 1938 1938 1938	199 1444 1444 1593 1593 1593 1593 1593 1593 1593 1593	
PET-181-5 PET-181-5 PET-181-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-6 ASS 1-7							hed with a second secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6		1904 1904 1905 1905 1905 1905 1905 1905 1905 1906 1906 1906 1907 1906 1907 1907 1907 1907 1907 1907 1907 1907	189 189 189 189 189 189 189 189 189 189	
NET-181-3 ACT-181-3 ACT-181-4 ACM-18 ACM-1							hed with a second secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1904 1934 1934 1934 1935 1937 1937 1938 1938 1938 1938 1938 1938 1938 1938	199 1444 1444 1593 1593 1593 1593 1593 1593 1593 1593	
NET-181-3 ACT-181-3 ACT-181-4 ACM-18 ACM-1							hed with a second secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$60 \$60		1904 1904 1905 1907 1907 1907 1907 1907 1907 1907 1907	199 1411 1411 1411 1411 1411 1411 1411	
NCT-181-5 AGE-17-18-6 AGE-17-18-7 AGE-18-7 AGE-							hed with a second secon		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60		1904 1904 1904 1905 1907 1907 1908 1908 1908 1908 1908 1908 1908 1908	189 181 181 181 181 181 181 181 181 181	

Table 3 (confd)

Tlasue	Tumor-eym	Normal sym	Tumor - te	Turner calls	Named	Endos	p43	SEQ 116 8
advent gland - h		1		1	=	T		94 #34
hymph codo - h Zume regress - h	+-	3	+		+	+	_	922
recommend along - y		4	I		1	-		0
percess - h	+			├ ──		+		2801
Carabahym - h		1 7		<u> </u>				236 686
cambalym - h pilutury gland - h	-	-	1	_	-	=		2327
Solel brate - It placemen - It	+	10	+	+	+	├	\vdash	2719 1303
Subsid Redway - Jr.	T		T	-	Ţ			717
propiets, h fetal fees- h		12	+	+		₩		762 537
eathwygi. + h		14			1			540
feed lyng - h	Ţ	15	_					410
shatetal muscle - h hourt - h	+	16	+	+	+	┼─	 	154
amail intenting - It		18						614
Idelany - It	+	70	+	-		-	-	292 250
epinal card - h Bur - h		21			1			51
Spinen - h		22			-			167
durig - h promoch -h	+	2) 24	+	 	+		├	456 894
teates - h		25						60
trymus -h HPAEC		27	-	 		28	\vdash	141 332
thysoid gland - h		70		 	$\overline{}$	-		
RPTEC		30	1			30		166
traches - h Heatic	+	31	 	+	! 	 	-	312R
uterus - h		33						198
HCAEC	+	34			 		\vdash	160
Percent - h hymph node - h Skeletal appete - h	<u> </u>	36			t==		L	178
Sintered spages - h	\vdash	37			=		F	178 71 1036 102
ford bos- b Hart - b	+	39	}	 	+	H-	-	1036
Homme, h		40				=		146
Constants - N	 	41			1	-	-	123
Fetal Iraty - It Salvery gl h	<u> </u>	42	1	<u> </u>				537 140
territo - It		- 44	T					
HT218-ranual		 	 	-	365 363	1	-	
HT157-normal			1		361			
Bes-13			+	-	366 364	366 354		1292 1237
See-12 corobolus - h	\vdash				344			86
brain -h RPTEC					342	-		0
RPTEC			 		332	334	├	130
herph rade - h h asket SMC 10/21/82 #17					330			141
Fetal brain - is			_		328	_	_	70
HT306-narrogs		 			326			306
Promout h					321			. 0
HEPM 3d untreased	 			<u> </u>	320 318	 	-	140
storus - h trackes - h					318			ZD3
Opend pland - by	}		 		314 311	—	_	173
nefreny gl h procints, h	_	<u> </u>	<u> </u>		300			96
privatery grand - h	<u> </u>				307			190
postanie - h mannary gland - h					305		-	0
timier - h					302			307
testis - li	 -		 		297	├─		16
Sylven - h	<u> </u>		<u> </u>		2575			21 111
Resinal cord - h					294			111
and instro-h	 	 	 	 	290 290		\vdash	0
shelatel expects - b bone manyoy - h					279			26.7
advand gland - h HPAEC				-	275	276	-	136
DAT 362-normal					298		Ì	0
HT362-normal					206	720	_	68 331
Bar-11 Bar-8	t	t===	<u> </u>	<u> </u>	Z36 Z35	239 235		722
HT372-comd					234			
Box-7			 		220	20		356 467
Bey 2					220	229		82
Mar-1	\vdash				227	727		442
Notice - b			<u> </u>	<u> </u>	222	\vdash	\vdash	90
phones in the					214			1006
Astal Prof- N					213			0 123
Picario - b HCAEC					211	211		0
fetal brain - h HMEC				L	210_	-	_	0
Overlands - h			 		209 205	-		0- 247
Shelpted semacto - h					203			8.
Pangram - h					201		\vdash	0 0 0 46
teete - h Selvery gl h					197			
HEPM 34 TOFB! dylangeris-Office					195			
trymum -h WI-38 72h					179			
					\$1			Ö
turnit rada - k hesa - h hdinay - k			<u> </u>	-	50 57	-		0
had the					56			0
futed bang - h					20 S	=		9
fead (ver- h fead hidroy - h	 	-			- 51 - 48	=		259
HFLA-25-031890				79				6 824
HELA-4h-431990	\vdash			- In -	\vdash			B24
HELA-0n-031889 HELA-0n-031880	=			85 86			=	71 674
HELA-0-031000			L	84				57
HELA-00-001000 HELA-101-001000			\vdash	90				151 O
HELA-114-631889				94				91
HELA-12-43150	-			26		\Box		
HCI-HGZZM HCI-HHGQ				146	-	\dashv	\dashv	120
MC344522				150				66
\$946-19 \$948-75				152 154				294
5F-76)				156				137
SF-295				158				0
CORF-CEM DU-145				160	-	1	-1	185 0
HCT 116				164				

.

Table 3 (confd)

News .	Tamer-eye	Normal-cyss	Tumer - 1a	Tuesda calls	Normal	Enma	[p53	SEQ 116
Tes-0				101				
108-0				100	-	-	- -	_
(470 (4n-)				171				
CRE 1441 RNA 8/30				181				=,
7817 gairented + Differen			 	183	 	+		-
KB puly A+ HOS puly A+				196				
ACHN UACC-87				196		\vdash	_	
UACC-82 MCF-7/ADR-RES			 	200	1-	 -	-	
ITCS (March and pro-				204		<u> </u>		
WISH (Colleges) paly A+				206		\vdash		
CCL 137 FINA 3/21/88		-		208	┼	 	-	,
WI-38 72h 8.6%/BS, 2th 10% FBS			t	216 210	<u> </u>	1		
CRL1441 • TPA (24b) 8/30			L	220				
Ken-1				221	-	+	 	
Kan-2				225	1			
HOP-82				241				
MOLT-4			 	343	-	-		
HE-40				244		1		
HCH463				245	ļ			-
ASHIN BEST				347	 	 	-	- ,
SR				248				
OVENIA	 -		-	249 250	 			
OMCAR-4				251	1	 		<u> </u>
HCT-15 OVCAR-4 UO-31				252			\vdash	
OVCAR-S		\vdash		253 254	 	-		1
SMIZC OVCAR-0		 	 	256	<u> </u>	1	_	<u> </u>
LOX MAY				256		=		
ISROVI				257		+		-
SK-MEL-2 SK-OV-3				250	1			-
SK-MEL-6				790				-
SF-830				261 262	1			 -
SK-ME3-28 C-862				20				
UACC-257				264				
M14				265	1			
MCF7 MOA-MB-436				269	\vdash			
HT279				270	=		\vdash	-
MDA-N Y79 poly A+		-		271 273	 		 	
CHOS make A+				289				
HTEM 24 TPA RNA 5/23 HELA EXPONENS				309	1	_		
HELA-EXP-091600		 	-	373			-	
HTBGS ON RANA HT347 HGS manded FRNA				323				1
168 madulin FRVA				321				_
MC3-H226 H0F-42			 	337		 		+
MDA-MB-Z31				338				
U25f				330				
PT suffa poly A+ PC-3				341		-		
HCC-2998				343				
HCC-2986 6W-620				346 346 347				
HT192				347				_
COL D 205 HT218				348				
O4-12				349				
HT 151 A498				361				
H7383 RDF 383				352				•
POF 303				363		 	├—	١,
TIÇ-10 Melme-3Mi				366	 		 	-
He 578T				359				Ξ,
HT213			50					
HT (20)			52 54					
त 206 त 509 त 156			56				_	
41143			56			-		
(117a (117)			6Q 8Q					
			8					
17178						_	-	
HT180			66					
17136 17136 17130 17140 17140			67					
HT100			68			-	-	-
HT140					\vdash			
4T146			79 71					
(1227 (1302	-		72		 			
HT374			74					
KT317			76					
			78		-			
HT323 HT327			89		\sqsubseteq			
HT327 HT336			82				\equiv	
HT M6			85	<u>_</u>			-	
17348 17311 17389 17140			170					,
ri see			185					-
HT140			187			-	-	-
			191					
TCGP			207					
17160 17307 17360			216 217		-			
HT309			217 224					T - 2
			226					
17370			228			\dashv		
137) 1771			230		_	-		Ï
(13/0 (13/1 (13/7						_		4
(13/0 (13/1 (13/7			236 281					
(13/0 (13/1 (13/7			281 290					
(13/0 (13/1 (13/7			281 290 301					
1737 1737 1737 1738 1738 1738			281 290 301 315					
17370 17377 17377 17387 17384 17339			281 290 301 315 317 319					
HT2RI HT3RI HT3RI HT3RI HT3RI HT3SR			281 290 301 315 317 319 325					
HT2RI HT3RI HT3RI HT3RI HT3RI HT3SR			281 290 301 315 317 319					
17320 17321 17321 17327 17334 17338 17338 17338 1738 1739 1739 1739 1739 1739 1739 1739 1739	165)		281 290 301 315 317 319 325 369					7
117279 117279 117271 117271 117272 11	163 191 193		281 290 301 315 317 319 325 369					

Table 3 (confd)

Ha STRT	Tumor-sym	Named sym	Tumor - 1a	Tunner telle	Normal	Endos	p33	SEQ_116
THE PROPERTY OF THE PARTY OF TH	156				-	\vdash		
MCF7	153 151		 			1		
MCF7 M14	149		F	\vdash	=			\vdash
UACC-257	145		 	 	 	├	 	
SK-MEL-26	144							
UO-31	143		ļ	—	1	-		
SK-MEL-8 KM-12	147 141	 	$\pm -$	\vdash	İ	+-	$\pm -$	
5K-MB-2	140							2
SK ME1-2 HCT-15 Matter-3M	139			 	+	F-		3
COLO 306	137			 	 	-		1 3
LOX BAY	136		=	ļ		\sqsubseteq		
SW 420 TK-10	136				—	-		
HCT 116	133		-	 	 	 	 	1
766-0	132	L	T		-		=	-,
HCC-2906	131					Γ.		L
ACHN PC-3 ROF 383	129		t		 			
ROF 383	126							3
DU-145 Cat-1	127					_	-	
SR	125		 		+	 		-
A496	124							1
RPM 8228 SN12C	123			-		 	_	1
14.60	121		1		 		_	
MOLT-4	120							
OVCAR-6	119		 				-	
(-562 OVCAR-4	118		t. —	 	 			5
CCRF-CEM	116				1			- 5
OVCAR-3	115		├	₩				
SF-630 HOP-62	114		+	t				
SF-296	112							•
AS49/ATCC	111 11D		 				\vdash	1
6F-269 NC3+1522 J251	109		\vdash		 			J
.0251	108				ļ			2
NCI-HH60	107					F	<u> </u>	L
SAIB-75 NCI-H322M	105		<u> </u>		 	-		-
SNB-19	904							
NC3-HZ26	103		 			—		4
SK-OV-3 NC3-HZ3	101						_	7
GROVI	100							
GROVI SVII DVCAR4								-
HOP-92	98 98 97					_		
Spraint 301/52 #12	44							
min SMC 10/21/92 817	47					_	\vdash	
COP	3							F
J540 - 1							*	
1549 - 1 1549 - 3 1549 - 4				<u> </u>			K K	31
1549 - 5							*	31
NS49 - 5 NS49 - 7 BOVX - 1							-	
30VX - 1							myteri myteri	3
BKVX - 4 BKVX - 3							BULLET	
B(VX - 5							materia.	4
HCF-7-1						_	20 April 20	
MCF-7-3 MCF-7-3 MCF-7-4							-	3
ICF-7 - 4							Ĭ.	,
MCF-7 - \$							<u> </u>	
UDI-RES - 1 UDI-RES - 3						_		304
IDR-RE5 - 3								
VDR-RES - 4 VDR-RES - 8			-				malent Tribati	
OFFRES - 7								
NDRI-RES - 7 W136 - 1	==						wt	
M138-3								
N1 36 - 6 N1 36 - 7							¥	2
W 38 . 7							7	
							7 7 7	
M138-7							택 백 백 대	
Ma-1 Ma-3 Ma-4							# # # # # # # # # # # # # # # # # # #	20 11 2 2 3 3 4
Ma-1 Ma-3 Ma-4 Ma-5		-					# # # # # # # # # # # # # # # # # # #	- di
Mas-1 Mas-3 Mas-4 Mas-5 Mas-7							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
Mas-1 Mas-3 Mas-4 Mas-5 Mas-7							# # # # # # # # # # # # # # # # # # #	
144.5 - 1 144.5 - 2 144.5 - 4 144.5 - 5 147.29 - 1 117.29 - 3 117.29 - 3							ed vd vd HPV ES HPV ES HPV ES HPV ES HPV ES HPV ES HPV ES HRADE REALIZATION REALIZAT	1
14(a-1 14(a-2) 14(a-4) 14(a-5) 14(a-7) 11239-1 11239-1 11239-4								1
14(a-1 14(a-2) 14(a-4) 14(a-5) 14(a-7) 11239-1 11239-1 11239-4							ed vd vd HPV ES HPV ES HPV ES HPV ES HPV ES HPV ES HPV ES HRADE REALIZATION REALIZAT	1 3 1
14(a-1 14(a-2) 14(a-4) 14(a-5) 14(a-7) 11239-1 11239-1 11239-4							red set vet HPV ES HPV ES HPV ES HPV ES MPV ES	1 3 1
Min 1 Min 2 Min 2 Min 3 Min 3 Min 4 Min 5 Min 7 Min 7 Min 9 Mi							red set vel HPV (5) HPV (5) HPV (6) HPV (6) HPV (6) HPV (6) HPV (6) HPV (7) HPV (7	11 3 11
Min 1 Min 2 Min 2 Min 3 Min 3 Min 4 Min 5 Min 7 Min 7 Min 9 Mi							THE PROPERTY OF THE PROPERTY O	3 3 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red of of orl orl orl HPV EN H	3 3 1
MA-1 MA-1 MA-2 MA-2 MA-2 MA-3 MA-2 MA-3 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7							red set vet vet vet left V ES left V ES left V ES sections	19
MA-1 MA-1 MA-2 MA-2 MA-2 MA-3 MA-2 MA-3 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7							set	10 3 3 11 11 11 11 11 11 11 11 11 11 11 11
MA-1 MA-1 MA-2 MA-2 MA-2 MA-3 MA-2 MA-3 MA-7 MT39-1 MT39-1 MT39-3 MT39-4 MT39-3 MT39-4 MT39-3 MT49-7							well well well well well well well well	10 3 3 11 11 11 11 11 11 11 11 11 11 11 11
MA-1 MA-1 MA-1 MA-1 MA-5 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7							set	1 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-5 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7							met met met met met met met met	1 1 2 2 C C C C C C C C C C C C C C C C
MA-1 MA-1 MA-2 MA-2 MA-2 MA-3 MA-2 MA-3 MA-7 MT39-1 MT39-1 MT39-3 MT39-4 MT39-3 MT39-4 MT39-3 MT49-7							wid	3 3 3 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2
MA-1 MA-1 MA-1 MA-1 MA-5 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7 MA-7							wel	2 2 3 3 4 2 2 3 3 4 4 2 3 3 4 4 4 4 4 4
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-2							wit	2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							wit wit with the property of t	2 2 6 5 2 2 2 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-2							THE STATE OF THE S	2 2 3 3 2 2 2 2 1 1 10 10 10 10 10 10 10 10 10 10 10 10
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red wid wid wid wid wid wid wid wid wid wi	2 2 5 5 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red of selection o	3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red wid wid wid wid wid wid wid wid wid wi	2 2 5 5 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-2							red. ord. ord. ord. ord. ord. ord. ord. or	3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-2							red. old. old. old. old. old. old. old. ol	3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-2							red. ord. ord. ord. ord. ord. ord. ord. or	3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red. old. old. old. old. old. old. old. ol	3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red. old. old. old. old. old. old. old. ol	\$ \$ \$ 3 3 3 3 3 7 7 7 7 7 8 8 8 8 8 8 8 8 8 8
MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1 MA-1							red. old. old. old. old. old. old. old. ol	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MA. 1 M. 1 M							red. old. old. old. old. old. old. old. ol	1 1 1 3 3 3 3 7 1 1 1 1 1 1 1 1 1 1 1 1

190 Table 3 (contd)

Timene		Tumor-oym	Hermal-sym	Turner - to	Turner cuits	Normal	Codes.	953	SEQ 116 1
Defrance.			 	+		+	+	-	198
Defende				+		+	+		299
Oppose t			1	1	 	-	1	 	250
10 mars 1	12								51
Darwey 1	10		L				1		47
Date of 1	1	├		+	├ ──	\leftarrow	+		47
De*++ 3	<u></u>		+	+		-	i -	-	22
DePere	<u></u>	 	 	+	 	+	+	_	
Out of			1			1	T		
DePung 6	4								
A549 - 8		L		1	J	ļ.	ـ	₩	
SKAX · g		 			_		+	emitani wi	
HCT-116 HCT-116	-7	 		+	-	+	 	3	
1729 - 1	-			<u>† </u>	1			rendered	31
91729 - 1 91729 - 7							-	mytand	
			└	-		├	↓	meters	
\$7530 7 87530 8			 	├	 		+	4	15 25
35-269-7			 			 		-	21
SF-369-4					1	=		-	21 50 40
OVCAR-	4-7							M	40
OVCAR-	4-1		·	 	ļ	-		wit	
OVCAR	5-7		 				!	mulari mulari	10
OVCAR	•	 -		 		 		-	~
MCF-7 - 0 ADR-RES	5.0				I			-	85
HLA-6							\vdash	HVE	
3W480 -						 			
SW 480 - I	8		 	+			+	materi materi	
H1299 - 8				 	 		1	-	
C33A - 8					I			STATE OF THE PERSON NAMED IN	
1006.7								-	12
17570 0					-	—	1	-	3
Hu68 - 7 Hu68 - 8 W138 - 8 438 metal CP8,1672 Bas-4 of7388 HT398				+	 	 	-		3
PRO 14 . *			 			 		-	-
458 mark	an RIVA								7 2
CF8_1672	3/17/80						-		7
8+4					<u> </u>		- 84	-	- 2
P(T366		-		 			 		15
HT376			 		 		_		- 1
HT308									
Dev-3							173	=	45
Berr 5				I			176		11
Ber 8	The same said	!				-	377		48
in transferen	mytes 205/82 #10				-	-	237		
8er-10 HTB10									
in married	N 3/31/02 (F12								
-	h G gady A+ Aumdyl gady A+				-	—	┍	\vdash	30
MINIG-OF	5 poly A+					\vdash		\vdash	30
			·	I		\vdash			
HCT-114	-1							¥	384
HCT-116	-4							wt	
HCT-118 HCT-118	:					_		1	974 974
HC7-118	<u>:</u>						-	*	
A549 - 6 HT28 - 1								Redain!	974
EXVX-6									121
HT29 - 4								STATE OF THE PERSON NAMED IN	540
HT29 - 6				-				meteri	177
HT29 - 6		<u> </u>						Ĭ	334
OVCARA	1-4							_	
OVCAFLA OVCAFLA	1-6							1	14
OVCAR-4	- 6							1.1	
SF530 - 3								11	7.8 61
SF530 - 4 SF530 - 5						\vdash	\vdash	1	
								7	2211
OVCAR-5 OVCAR-5 OVCAR-5 ADR-RES MCF-7 - 6 HeLD - 1	-3								2211
OVCAR S	-4								200
OVCAR 6	-6	_						1	
MCF-7.4								w/ lw	271 371
194.0 - 6								HPV ES	371
H129-9								Markey 1	9
394480 - 3	3						\vdash	Taken	51
5W480 - 4	:						-	mutant mutant	250
5W480 - 5								mulerit	225
CXXA-3									225
C30A - 4 C30A - 5									1907
C33A - S									
								 1	55 0
7 ta 65 - 6						-		operators.	620
DO						_			\$61
U208 - 3			-		'				544
U206 - 3 U206 - 4 U206 - 6								-	
U206 - 3 U206 - 4 U206 - 6 U206 - 6						\equiv			
								¥.	9
Hedd - 3 Hedd - 4									9 286 821 277
Hedd - 3 Hedd - 4									200 200 821 277
Hedd - 3 Hedd - 4								Series Vi Vi Vi Vi Feather Sector Secto	9 200 821 377 0
Hell - 3 Hell - 4 SF-388-3 SF-388-4 SF-388-4									9 200 821 377 0
Helli - 3 Helli - 4 SF-288-3 SF-288-6 SF-288-6 DePare-Ti	,							Series Vi Vi Vi Vi Feather Sector Secto	0 200 121 127 0 125 337 21
Hedd - 3 Hedd - 4 SF-288-3 SF-288-4 SF-288-6 DePung-13 Milled - 2	3							Series Vi Vi Vi Vi Feather Sector Secto	0 200 121 127 0 125 337 21
Hedd - 3 Hedd - 4 SF-288-3 SF-288-4 SF-288-6 SF-288-6 Defree 13 Minut - 21 Minut - 21	3							sections wit wit wit makingsi makingsi makingsi makingsi	200 821 277 6 128 33 21
Hedd - 3 Hedd - 4 SF-288-3 SF-288-4 SF-288-6 SF-288-6 Defree 13 Minut - 21 Minut - 21	3							Series Vi Vi Vi Vi Feather Sector Secto	286 827 127 128 33 21 286 6
Hedd - 3 Pedd - 4 SF-285-3 SF-285-4 SF-285-6 DaPwag-17 Minted - 2 Minted - 2 OVCAN-6 Minter - 16	3 0 1 2 2 - 4 0							sections wit wit wit makingsi makingsi makingsi makingsi	200 027 120 120 33 21 300 0 0 0
Hedd - 3 Hedd - 4 SF-200-3 SF-200-5 SF-200-5 SF-200-5 DePung-13 Mithed - 2 DeVad - 2 DeVad - 3 DeVad - 4 Mithed - 1	7 0 1 2 2							sections wit wit wit makingsi makingsi makingsi makingsi	9 9 921 277 0 125 33 21 389 9 6
Hedd - 3 Hedd - 4 SF-288-3 SF-288-4 SF-288-6 DePrey 13 Miles - 2 Miles - 2 OVCAT-8 Miles - 1 Miles - 1	3							sections wit wit wit makingsi makingsi makingsi makingsi	9 289 821 277 6 123 21 209 6 6 811 66 200 694
Hell - 3 Hell - 4 SF-285-3 SF-285-4 SF-285-6 SF-285-6 SF-285-6 Hell - 2 Hell - 2 COVGAT-6 Hell - 1 Hell - 1	7 0 1 1 2 							sections wit wit wit makingsi makingsi makingsi makingsi	0 0 2888 821 377 0 123 33 21 208 6 6 6 8 11 808 209 209 209 209 209 209 209 209 209 209
Held - 3 Padl - 4 SF-285-4 SF-285-5 SF-285-6 SF-285-6 DaPmg-13 Mind - 22 Mind - 32 Mind - 12 Mind - 12 Mind - 12 Mind - 13 Mind - 12 Mind - 12 Mind - 12 Mind - 12 Mind - 13 Mind - 13 Min	1 0 0 1 2 0 0							sections wit wit wit makingsi makingsi makingsi makingsi	0 0 2888 821 377 0 123 33 21 208 6 6 6 8 11 808 209 209 209 209 209 209 209 209 209 209
Helifi - 3 Helifi - 4 SF-289-3 SF-289-4 SF-289-4 SF-289-4 SF-289-4 Helifi - 2	7							sections wit wit wit makingsi makingsi makingsi makingsi	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Held - 3 Held - 4 SF-289-3 SF-289-5 SF-289-5 SF-289-5 Held - 2 Held - 2 Held - 2 Held - 2 Held - 3	7							sections wit wit wit makingsi makingsi makingsi makingsi	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
PidE - 3 PidE - 4 SF-285-3 SF-285-3 SF-285-4 SF-285-4 Dalfway - 17 Mithel - 32 Mithel - 12 Mithel - 13 Mithel - 13	2 0 0 1 2 4 6 6 0 1 1 1 2 2 3 4 7 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9							sections wit wit wit makingsi makingsi makingsi makingsi	6 6 821 277 07 07 07 07 07 07 07 07 07 07 07 07 0

SP ID# na ID# aa	2	ě	Family	Group	Length_AA	Extra-Catalytic Domains (Amino acid positions)
1 122	123	1	AGC	GRK	688	Regulator of G protein signaling domain 54-175; PH domain 559-652
2 123	123	-	AGC	GRK	378	PH domain 249-337
9 13	13	0	AGC	PKC	978	Phorbol esters/diacy/glycerol binding domain (C1 domain) 238-287; PH domain 497-577
11	-	33	AGC	PKC	880	Phorbol esters/diacy/glycerol binding domain (C1 domain) 155-204 and 272-321; PH domain 417-532
21	_	42	AGC	SGK	446	PX domain 13-120
32		152	CAMK	EMK	1311	Vitamin K-dependent carboxylatlon/gamma-carboxyglutamic (GLA) domain 1072-1113
\$	_	154	CAMK	EMK	729	UBA domain 327-365
8		158	CAMK	EMK	1330	PAS domain 133-186, 247-280, 354-388
4		5	CAMK	M-CX	874	WD domain, G-beta repeat 674-711
42	أيي	162	CAMK	Trio	2287	Immunoglobulin domain 1-82, 97-153, 221-277, 518-578, 1817-1678; Fibronectin Ivoe III domain 301-390, 1697-1779
4	_	\$	CAMK	Trio	1287	RhoGEF domain 235-405; Fibronectin type III domain 870-955; Immunociolalin domain 788-851: PH domain 410-828
92	~	195	Other	IRAK	596	Death domain 28-108
28	- ·	197	Other	꼺	922	PQQ enzyme rapeat 39-76
82	~	ä	Other	MLK	800	SAM domain (Sterile alpha motif) 337-408
8	_	808	Other	SLOB	648	PX domain 16-122
113	9	232	STE	NEK EK	836	Regulator of chromosome condensation (RCC1) 387-427, 427-480, 483-532, 598-650
115	2	234	STE	STE20-02	719	P21-Rho-binding domain 11-89

FIGURE 1A

SEQ ID NO: 122_X69117_H BARK2_H

MADLEAVLADVSYLMAMEKSKATPAARASKRIVLPEPSIRSVMQKYLAERNEITFDKIFN
QKIGFLLFKDFCLNEINEAVPQVKFYEEIKEYEKLDNEEDRLCRSRQIYDAYIMKELLSC
SHPFSKQAVEHVQSHLSKKQVTSTLFQPYIEEICESLRGDIFQKFMESDKFTRFCQWKNV
ELNIHLTMNEFSVHRIIGRGGFGEVYGCRKADTGKMYAMKCLDKKRIKMKQGETLALNER
IMLSLVSTGDCPFIVCMTYAFHTPDKLCFILDLMNGGDLHYHLSQHGVFSEKEMRFYATE
IILGLEHVHNRFVVYRDLKPANILLDEHGHARISDLGLACDFSKKKPHASVGTHGYMAPE
VLQKGTAYDSSADWFSLGCMLFKLLRGHSPFRQHKTKDKHEIDRMTLTVNVELPDTFSPE
LKSLLEGLLQRDVSKRLGCHGGGSQEVKEHSFFKGVDWQHVYLQKYPPPLIPPRGEVNAA
DAFDIGSFDEEDTKGIKLLDCDQELYKNFPLVISERWQQEVTETVYEAVNADTDKIEARK
RAKNKQLGHEEDYALGKDCIMHGYMLKLGNPFLTQWQRRYFYLFPNRLEWRGEGESRQNL
LTMEQILSVEETQIKDKKCILFRIKGGKQFVLQCESDPEFVQWKKELNETFKEAQRLLRR
APKFLNKPRSGTVELPKPSLCHRNSNGL

SEQ ID NO: 123_AA144574_M BARK2_M CFVVYRDLKPANILLDEYGHVRISDLGLACDFSKKKPHASVGTHGYMAPEVLQKGTCYDS SADWFSLGCMLFKLLRGHSPFRQHKTKDKHEIDRMTLTVNVQLPDAFSPELRSLLEGLLQ RDVSQRLGCGGGGARELKEHIFFKGIDWQHVYLRKYPPPLIPPRGEVNAADAFDIGSFDE EDTKGIKLLDCDQDLYKNFPLVISERWQQEVVETIYDAVNADTDKIEARKKAKNKQLGQE EDYAMGKDCIMHGYMLKLGNPFLTQWQRRYFYLFPNRLEWRGEGESRQSLLTMEQIMSVE ETQIKDRKCILLRIKGGKQFVLQCESDPEFAQWLKELTCTFNEAQRLLRRAPKFLNKPRA AILEFSKPPLCHRNSSGL

SEQ ID NO: 124_AA826850_H
MGSSMSAATARRPVFDDKEDVNFDHFQILRAIGKGSFGKVCIVQKRDTEKMYAMKYMNKQ
QCIERDEVRNVFRELEILQEIEHVFLVNLWYSFQDEEDMFMVVDLLLGGDLRYHLQQNVQ
FSEDTVRLYICEMALALDYLRGQHIIHRDVKPDNILLDERGHAHLTDFNIATIIKDGERA
TALAGTKPYMAPEIFXSFVNGGTGYSFEVDWWSVGVMAYELLRGWRPYDIHSSNAVESLV
QLFSTVSVQYVPTWSKEMVALLRKLLTVNPEHRLSSLQDVQAAPALAGVLWDHLSEKRVE
PGFVPNKGRLHCDPTFELEEMILESRPLHKKKKRLAKNKSRDNSRDSSQSENDYLQDCLD
AIQQDFVIFNREKLKRSQDLPREPLPAPESRDAAEPVEDEAERSALPMCGPICPSAGSG

SEQ ID NO: 125_AA960957_H
MGGNHSHKPPVFDENEEVNFDHFQILRAIGKGSFGKVCIVQKRDTKKMYAMKYMNKQKCI
ERDEVRNVFRELQIMQGLEHPFLVNLWYSFQDEEDMFMVVDLLLGGDLRYHLQQNVHFTE
GTVKLYICELALALEYLQRYHIIHRDIKPDNILLDEHGHVHITDFNIATVVKGAERASSM
AGTKPYMAPEVFQVYMDRGPGYSYPVDWWSLGITAYELLRGWRPYEIHSVTPIDEILNMF
KVERVHYSSTWCKGMVALLRKLLTKDPESRVSSLHDIQSVPYLADMNWDAVFKKALMPGF
VPNKGRLNCDPTFELEEMILESKPLHKKKKRLAKNRSRDGTKDSCPLNGHLQHCLETVRE
EFIIFNREKLRRQQGQGSQLLDTDSRGGGQAQSKLQDGCNNNLLTHTCTRGCSS

SEQ ID NO: 126_TBK1_H

MQSTSNHLWLLSDILGQGATANVFRGRHKKTGDLFAIKVFNNISFLRPVDVQMREFEVLK

KLNHKNIVKLFAIEEETTTRHKVLIMEFCPCGSLYTVLEEPSNAYGLPESEFLIVLRDVV

GGMNHLRENGIVHRDIKPGNIMRVIGEDGQSVYKLTDFGAARELEDDEQFVSLYGTEEYL

HPDMYERAVLRKDHQKKYGATVDLWSIGVTFYHAATGSLPFRPFEGPRRNKEVMYKIITG

KPSGAISGVQKAENGPIDWSGDMPVSCSLSRGLQVLLTPVLANILEADQEKCWGFDQFFA

ETSDILHRMVIHVFSLQQMTAHKIYIHSYNTATIFHELVYKQTKIISSNQELIYEGRRLV

LEPGRLAQHFPKTTEENPIFVVSREPLNTIGLIYEKISLPKVHPRYDLDGDASMAKAITG

VVCYACRIASTLLLYQELMRKGIRWLIELIKDDYNETVHKKTEVVITLDFCIRNIEKTVK



FIGURE 1B

VYEKLMKINLEAAELGEISDIHTKLLRLSSSQGTIETSLQDIDSRLSPGGSLADAWAHQE GTHPKDRNVEKLQVLLNCMTEIYYQFKKDKAERRLAYNEEQIHKFDKQKLYYHATKAMTH FTDECVKKYEAFLNKSEEWIRKMLHLRKQLLSLTNQCFDIEEEVSKYQEYTNELQETLPQ KMFTASSGIKHTMTPIYPSSNTLVEMTLGMKKLKEEMEGVVKELAENNHILERFGSLTMD GGLRNVDCL

SEQ ID NO: 127 AA305176 H

MDPTAGSKKEPGGGAATEEGVNRIAVPKPPSIEEFSIVKPISRGAFGKVYLGQKGGKLYA VKVVKKADMINKNMTHQVQAERDALALSKSPFIVHLYYSLQSANNVYLVMEYLIGGDVKS LLHIYGYFDEEMAVKYISEVALALDYLHRHGIIHRDLKPDNMLISNEGHIKLTDFGLSKV TLNRDINMMDILTTPSMAKPRQDYSRTPGQVLSLISSLGFNTPIAEKNQDPANILSACLS ETSQLSQGLVCPMSVDQKDTTPYSSKLLKSCLETVASNPGMPVKCLTSNLLQSRKRLATS SASSQSHTFISSVESECHSSPKWEKDCQV

SEQ ID NO: 128 AA116841 M

 ${\tt TRPIPWPEGEEKLSDNAQSAMDMLLTIDDSKRAGMRELKQHPLFSEVDWENLQHQTMPFV} \\ {\tt PQPDDETDTSYFEARNNAQHLTVSGFSL}$

SEQ ID NO: 129_AA256100_H

MAMTAGTTTTFPMSNHTRERVTVAKLTLENFYSNLILQHEERETRQKKLEVAMEEEGLAD EEKKLRRSQHARKETEFLRLKRTRLGLDDFESLKVIGRGAFGEVRLVQKKDTGHIYAMKI LRKSDMLEKEQVAHIRAERDILVEADGAWVVKMFYSFQDKRNLYLIMEFLPGGDMMTLLM KKDTLTEEETQFYISETVLAIDAIHQLGFIHRDIKPDNLLLDAKGHVKLSDFGLCTGLKK AHRTEFYRNLTHNPPSDFSFQNMNSKRKAETWKKNRRQLAYSTVGTPDYIAPEVFMQTGY NKLCDWWSLGVIMYEMLIGYPPFCSETPQETYRKVMNWKETLVFPPEVPISEKAKDLILR FCIDSENRIGNSGVEEIKGHPFFEGVDWEHIRERPAAIPIEIKSIDDTSNFDDFPESDIL QPVPNTTEPDYKSKDWVFLNYTYKRFEGLTQRGSIPTYMKAGKL

SEQ ID NO: 130_AA210825_H

DSLLPTPALGTPLPIPWPVGSLRTPLSLESTRSPTQRLLPSTPKDPAILRSPPPARSFLG SPLSHHLLTRSRGSRTOGPPGPPGGSRVGSRRAVPGLPPWPPPPHYPAGLPGSPGPGSPP PPGGLELQSPPPLLPQIPAPGSGVSFHIQIGLTREFVLLPAASELAHVKQLACSIVDQKF PECGFYGLYDKILLFKHDPTSANLLQLVRSSGDIQEGDLVEVVLSASATFEDFQIRPHAL TVHSYRAPAFCDHCGEMLFGLVRQGLKCDGCGLNYHKRCAFSIPNNCSGARKRRLSSTSL ASGHSVRLGTSESLPCTAEELSRSTTELLPRRPPSSSSSSSSSSYTGRPIELDKMLLSKV KVPHTFLIHSYTRPTVCOACKKLLKGLFROGLOCKDCKFNCHKRCATRVPNDCLGEALIN GDVPMEEATDFSEADKSALMDESEDSGVIPGSHSENALHASEEEEGEGGKAQSSLGYIPL MRVVQSVRHTTRKSSTTLREGWVVHYSNKDTLRKRHYWRLDCKCITLFQNNTTNRYYKEI PLSEILTVESAQNFSLVPPGTNPHCFEIVTANATYFVGEMPGGTPGGPSGQGAEAARGLX ETAIRQALMPVILQDAPSAPGHAPHRQASLSISVSNSQIQENVDIATVYQIFPDEVLGSG OFGVVYGGKHRKTGRDVAVKVIDKLRFPTKQESQLRNEVAILQSLRHPGIVNLECMFETP EKVFVVMEKLHGDMLEMILSSEKGRLPERLTKFLITQILVALRHLHFKNIVHCDLKPENV LLASADPFPQVKLCDFGFARIIGEKSFRRSVVGTPAYLAPEVLLNQGYNRSLDMWSVGVI MYVSLSGTFPFNEDEDINDQIQNAAFMYPASPWSHISAGAIDLINNLLQVKMRKRYSVDK SLSHPWLOEYOTWLDLRELEGKMGERYITHESDDARWEQFAAEHPLPGSGLPTDRDLGGA CPPODHDMQGLAERISVL

SEQ ID NO: 131_AA127299_H IQFIIVGAKDLLAMDSNGLSDPYIKITNLSQKTKVIKKTLTPTWNETFFVHFPEKTTLEL ECWDHDTFSDDFIGKASISLAEIPALAEVDMWIDMKTKKGEFAGK

FIGURE 1C

SEQ ID NO: 132 AA316804 H

MSANNSPPSAQKSVLPTAIPAVLPAASPCSSPKTGLSARLSNGSFSAPSLTNSRGSVHTV
SFLLQIGLTRESVTIEAQELSLSAVKDLVCSIVYQKFPECGFFGMYDKILLFRHDMNSEN
ILQLITSADEIHEGDLVEVVLSALATVEDFQIRPHTLYVHSYKAPTFCDYCGEMLWGLVR
QGLKCEGCGLNYHKRCAFKIPNNCSGVRKRRLSNVSLPGPGLSVPRPLQPEYVALPSEES
HVHQEPSKRIPSWSGRPIWMEKMVMCRVKVPHTFAVHSYTRPTICQYCKRLLKGLFRQGM
QCKDCKFNCHKRCASKVPRDCLGEVTFNGEPSSLGTDTDIPMDIDNNDINSDSSRGLDDT
EEPSPPEDKMFFLDPSDLDVERDEEAVKTISPSTSNNIPLMRVVQSIKHTKRKSSTMVKE
GWMVHYTSRDNLRKRHYWRLDSKCLTLFQNESGSKYYKEIPLSEILRISSPRDFTNISQG
SNPHCFEIITDTMVYFVGENNGDSSHNPVLAATGVGLDVAQSWEKAIRQALMPVTPQASV
CTSPGQGKDHKDLSTSISVSNCQIQENVDISTVYQIFADEVLGSGQFGIVYGGKHRKTGR
DVAIKVIDKMRFPTKQESQLRNEVAILQNLHHPGIVNLECMFETPERVFVVMEKLHGDML
EMILSSEKSRLPERITKFMVTQILVALRNLHFKNIVHCDLKPENVLLASAEPFPQVKLCD
FGFARIIGEKSFRSVVGTPAYLAPEVLRSKGYNRSLDMWSVGVIIYVSLSGTFPFNEDE
DINDQIQNAAFMYPPNPWREISGEAIDLINNLLQVKMRKRYSVDKSLSHPWLQDYQTWLD
LREFETRIGERYITHESDDARWEIHAYTHNLVYPKHFIMAPNPDDMEEDP

SEQ ID NO: 133 PKNBETA H

MEEGAPRQPGPSQWPPEDEKEVIRRAIQKELKIKEGVENLRRVATDRRHLGHVQQLLRSS
NRRLEQLHGELRELHARILLPGPGPGPAEPVASGPRPWAEQLRARHLEALRRQLHVELKV
KQGAENMTHTCASGTPKERKLLAAAQQMLRDSQLKVALLRMKISSLEASGSPEPGPELLA
EELQHRLHVEAAVAEGAKNVVKLLSSRRTQDRKALAEAQAQLQESSQKLDLLRLALEQLL
EQLPPAHPLRSRVTRELRAAVPGYPQPSGTPVKPTALTGTLQVRLLGCEQLLTAVPGRSP
AAALASSPSEGWLRTKAKHQRGRGELASEVLAVLKVDNRVVGQTGWGQVAEQSWDQTFVI
PLERARELEIGVHWRDWRQLCGVAFLRLEDFLDNACHQLSLSLVPQGLLFAQVTFCDPVI
ERRPRLQRQERIFSKRRGQDFLRRSQMNLGMAAWGRLVMNLLPPCSSPSTISPPKGCPRT
PTTLREASDPATPSNFLPKKTPLGEEMTPPPKPPRLYLPQEPTSEETPRTKRPHMEPRTR
RGPSPPASPTRKPPRLQDFRCLAVLGRGHFGKVLLVQFKGTGKYYAIKALKKQEVLSRDE
IESLYCEKRILEAVGCTGHPFLLSLLVCFQTSSHARFVTEFVPGGDLMMQIHEDVFPEPQ
ARFYVACVVLGLQFLHEKKIIYRDLKLDNLLLDAQGFLKIADFGLCKEGIGFGDRTSTFC
GTPEFLAPEVLTQEAYTQAVDWWALGVLLYEMLVGECPFPGDTEEEVFDCIVNMDAPYPG
FLSVQGLEFIQKLLQKCPEKRLGAGEQDAEEIKVQPFFRTTNWQALLARTIQPPFVPTLC
GPADLRYFEGEFTGLPPALTPPAPHSLLTAROOAAFRDFDFVSERFLEP

SEQ ID NO: 134_AI021023_M PKNBETA_M
LKWDNLLLDAQGFLKIADFGLCKEGIGFGDRTSTFCGTPEFLAPEVLTQEAYTRAVDWWG
LGVLLYEMLVGECPFPGDTEEEVFDCIVNMDAPYPGFLSVQGLEFIQKLLQKCPEKRLGA
GEQDAEEIKVQPFFRTTNWQALLARTIQPPFVPTLCGPADLRYFEGEFTGLPPALTPPAP
HSLLTAROOAAFRDFDFVSERFLEP

SEQ ID NO: 135_H19102_H

GGNIRGPWARGWKSLWTGLGTIRSDLEELWELRGHHYLHQESLKPAPVLVEKPLPEWPVP QFINLFLPEFPIRPIRGQQQLKILGLVAKGSFGTVLKVLDCTQKAVFAVKVVPKVKVLQR DTVRQCKEEVSIQRQINHPFVHSLGDSWQGKRHLFIMCSYCSTDLYSLWSAVGCFPEASI RLFAAELVLVLCYLHDLGIMHRDVKMENILLDERGHLKLTDFGLSRHVPQGAQAYTICGT LQYMAPEVLSGGPYNHAADWWSLGVLLFSLATGKFPVAAERDHVAMLASVTHSDSEIPAS LNQGLSLLLHELLCQNPLHRLRYLHHFQVHPFFRGVAFDPELLQKQPVNFVTETQATQPS SAETMPFDDFDCDLESFLLYPIPA

FIGURE 1D

SEQ ID NO: 136_AA476563 H

MEFFRIDSKDSASELLGLDFGEKLYSLKSEPLKPFFTLPDGDSASRSFNTSESKVEFKAQ
DTISRGSDDSVPVISFKDAAFDDVSGTDEGRPDLLVNLPGELESTREAAAMGPTKFTQTN
IGIIENKLLEAPDVLCLRLSTEQCQAHEEKGIEELSDPSGPKSYSITEKHYAQEDPRMLF
VAAVDHSSSGDMSLLPSSDPKFQGLGVVESAVTANNTEESLFRICSPLSGANEYIASTDT
LKTEEVLLFTDQTDDLAKEEPTSLFQRDSETKGESGLVLEGDKEIHQIFEDLDKKLALAS
RFYIPEGCIQRWAAEMVVALDALHREGIVCRDLNPNNILLNDRGHIQLTYFSRWSEVEDS
CDSDAIERMYCAPEVGAITEETEACDWWSLGAVLFELLTGKTLVECHPAGINTHTTLNMP
ECVSEEARSLIQQLLQFNPLERLGAGVAGVEDIKSHPFFTPVDWAELMR

SEQ ID NO: 137 AA626690 H

MLPFAPQDEPWDREMEVFSGGGASSGEVNGLKMVDEPMEEGEADSCHDEGVVKEIPITHH
VKEGYEKADPAQFELLKVLGQGSFGKVFLVRKKTGPDAGQLYAMKVLKKASLKVRDRVRT
KMERDILVEVNHPFIVKLHYAFQTEGKLYLILDFLRGGDVFTRLSKEVLFTEEDVKFYLA
ELALALDHLHQLGIVYRDLKPENILLDEIGHIKLTDFGLSKESVDQEKKAYSFCGTVEYM
APEVVNRRGHSQSADWWSYGVLMFEMLTGTLPFQGKDRNETMNMILKAKLGMPQFLSAEA
QSLLRMLFKRNPANRLGSEGVEEIKRHLFFANIDWDKLYKREVQPPFKPASGKPDDTFCF
DPEFTAKTPKDSPGLPASANAHQLFKGFSFVATSIAEEYKITPITSANVLPIVQINGNAA
QFGEVYELKEDIGVGSYSVCKRCIHATTNMEFAVKIIDKSKRDPSEEIEILMRYGQHPNI
ITLKDVFDDGRYVYLVTDLMKGGELLDRILKQKCFSEREASDILYVISKTVDYLHCQGVV
HRDLKPSNILYMDESASADSIRICDFGFAKQLRGENGLLLTPCYTANFVAPEVLMQQGYD
AACDIWSLGVLFYTMLAGYTPFANGPNDTPEEILLRIGNGKFSLSGGNWDNISDGAKDLL
SHMLHMDPHQRYTAEQILKHSWITHRDQLPNDQPKRNDVSHVVKGAMVATYSALTHKTFQ
PVLEPVAASSLAORRSMKKRTSTGL

SEQ ID NO: 138 AA215680 H

MSLVACECLPSPGLEPEPCSRARSQAHVYLEQIRNRVALGVPDMTKRDYLVDAATQIRLA
LERDVSEDYEAAFNHYQNGVDVLLRGIHVDPNKERREAVKLKITKYLRRAEEIFNCHLQR
PLSSGASPSAGFSSLRLRPIRTLSSAVEQLRGCRVVGVIEKVQLVQDPATGGTFVVKSLP
RCHMVSRERLTIIPHGVPYMTKLLRYFVSEDSIFLHLEHVQGGTLWSHLLSQAHSRHSGL
SSGSTQERMKAQLNPHLNLLTPARLPSGHAPGQDRIALEPPRTSPNLLLAGEAPSTRPQR
EAEGEPTARTSTSGSSDLPKAPGGHLHLQARRAGQNSDAGPPRGLTWVPEGAGPVLGGCG
RGMDQSCLSADGAGRGCGRATWSVREEQVKQWAAEMLVALEALHEQGVLCRDLHPGNLLL
DQAGHIRLTYFGQWSEVEPQCCGEAVDNLYSAPEVGGISELTEACDWWSFGSLLYELLTG
MALSQSHPSGIQAHTQLQLPEWLSRPAASLLTELLQFEPTRRLGMGEGGVSKLKSHPFFS
TIOWSKLVG

SEQ ID NO: 139 SGK H

MTVKTEAAKGTLTYSRMRGMVAILIAFMKQRRMGLNDFIQKIANNSYACKHPEVQSILKI SQPQEPELMNANPSPPPSPSQQINLGPSSNPHAKPSDFHFLKVIGKGSFGKVLLARHKAE EVFYAVKVLQKKAILKKKEEKHIMSERNVLLKNVKHPFLVGLHFSFQTADKLYFVLDYIN GGELFYHLQRERCFLEPRARFYAAEIASALGYLHSLNIVYRDLKPENILLDSQGHIVLTD FGLCKENIEHNSTTSTFCGTPEYLAPEVLHKQPYDRTVDWWCLGAVLYEMLYGLPPFYSR NTAEMYDNILNKPLQLKPNITNSARHLLEGLLQKDRTKRLGAKDDFMEIKSHVFFSLINW DDLINKKITPPFNPNVSGPNELRHFDPEFTEEPVPNSIGKSPDSVLVTASVKEAAEAFLG FSYAPPTDSFL

SEQ ID NO: 140_AA107515_M MTVKAEAARSTLTYSRMRGMVAILIAFMKQRRMGLNDFIQKIASNTYACKHAEVQSILKM SHPQEPELMNANPSPPPSPSQQINLGPSSNPHAKPSDFHFLKVIGKGSFGKVLLARHKAE

FIGURE 1E

EVFYAVKVLQKKAILKKKEEKHIMSERNVLLKNVKHPFLVGLHFSFQTADKLYFVLDYIN GGELFYHLQRERCFLEPRARFYAAEIASALGYLHSLNIVYRDLKPENILLDSQGHIVLTD XFQLRRIEHNGTTSTFCGTPEYLAPEVLHKQPYDRTVDWWCLGAVLYEMLYGLPPFYSRN TAEMYDNILNKPLQLKPNITNSARHLLEGLLQKDRTKRLGAKDDFMEIKSHIFFSLINWD DLINKKITPPFNPNVSGPSDLRHFDPEFTEEPVPSSIGRSPDSILVTASVKEAAEAFLGF SYAPPVDSFL

SEQ ID NO: 141 AA109508 M

HLQRERRFLEPRARFYAAEVASAIGYLHSLNIIYRDLKPENILLDCQGHVVLTDFGLCKE GVEPEDTTSTFCGTPEYLAPEVLRKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVSQMY ENILHQPLQIPGGRTVAACDLLQSLLHKDQRQRLGSKADFLEIKNHVFFSPINWDDLYHK RLTPPFNPNVTGPADLKHFDPEFTQEAVSKSIGCTPDTVASSSGASSAFLGFSYAPEDDD ILDC

SEQ ID NO: 142_AA887783 H

MQRDHTMDYKESCPSVXIPSSDEHREKKKRFTVYKVLVSVGRSEWFVFRRYAEFDKLYNT LKKQFPAXALKIPAKRIFGDNFDPDFIKQRRAGLNEFIQNLVRYPELYNHPDVRAFLQMD SPKHQSDPSEDEDERSSQKLHSTSQNINLGPSGNPHAKPTDFDFLKVIGKGSFGKVLLAK RKLDGKFYAVKVLQKKIVLNRKEQKHIMAERNVLLKNVKHPFLVGLHYSFQTTEKLYFVL DFVNGGEGHVVLTDFGLCKEGIAISDTTTTFCGTPEYLAPEVIRKQPYDNTVDWWCLGAV LYEMLYGLPPFYCRDVAEMYDNILHKPLSLRPGVSLTAWSILEELLEKDRQNRLGAKEDF LEIQNHPFFESLSWADLVQKKIPPPFNPNVAGPDDIRNFDTAFTEETVPYSVCVSSDYSI VNASVLEADDAFVGFSYAPPSEDLFL

SEQ ID NO: 143 R47805 H

MAHQTGIHATEELKEFFAKARAGSVRLIKVVIEDEQLVLGASQEPVGRWDQDYDRAVLPL LDAQQPCYLLYRLDSQNAQGFEWLFLAWSPDNSPVRLKMLYAATRATVKKEFGGGHIKDE LFGTVKDDLSFAGYQKHLSSCAAPAPLTSAERELQQIRINEVKTEISVESKHQTLQGLAF PLQPEAQRALQQLKQKMVNYIQMKLDLERETIELVHTEPTDVAQLPSRVPRDAARYHFFL YKHTHEGDPLESVVFIYSMPGYKCSIKERMLYSSCKSRLLDSVEQDFHLEIAKKIEIGDG AELTAEFLYDEVHPKQHAFKQAFAKPKGPGGKRGHKRLIRGPGENGDDS

SEQ ID NO: 144 H60215 H

MSKLRMKRRASDRGAGETSARAKALGSGISGNNAKRAGPFILGPRLGNSPVPSIVQCLAR KDGTDDFYQLKILTLEERGDQGIESQEERQGKMLLHTEYSLLSLLHTQDGVVHHHGLFQD RTCEIVEDTESSRMVKKMKKRICLVLDCLCAHDFSDKTADLINLQHYVIKEKRLSERETV VIFYDVVRVVEALHQKNIVHRDLKLGNMVLNKRTHRITITNFCLGKHLVSEGDLLKDQRG SPAYISPDVLSGRPYRGKPSDMWALGVVLFTMLYGQFPFYDSIPQELFRKIKAAEYTIPE DGRVSENTVCLIRKLLVLDPQQRLAAADVLEALSAIIASWQSLSSLSGPLQVVPDIDDQM SNADSSQEAKVTEECSQYEFENYMRQQLLLAEEKSSIHDTRSWVPKRQFGSAPPVRRLGH DAQPMTSLDTAILAQRYLRK

SEQ ID NO: 145_SGK324_H

MASTRSIELEHFEERDKRPRPGSRRGAPSSSGGSSSSGPKGNGLIPSPAHSAHCSFYRTR TLQALSSEKKAKKARFYRNGDRYFKGLVFAISSDRFRSFDALLIELTRSLSDNVNLPQGV RTIYTIDGSRKVTSLDELLEGESYVCASNEPFRKVDYTKNINPNWSVNIKGGTSRALAAA SSVKSEVKESKDFIKPKLVTVIRSGVKPRKAVRILLNKKTAHSFEQVLTDITEAIKXASG VVKRLCTLDGKQVRVTCVHLPDFFGDDDVFIACGPEKFRYAQDDFVLDHSECRVLKSSYS RSSAVKYSGSKSPGPSRRSQISAHGRSSSNVNGGPELDRCISPEGVNGNRCSESSTLLEK YKIGKVIGDGNFAVVKECIDRSTGKEFALKIIDKAKCCGKEHLIENEVSILRRVKHPNII

FIGURE 1F

MLVEEMETATELFLVMELVKGGDLFDAITSSTKYTERDGSAMVYNLANALRYLHGLSIVH RDIKPENLLVCEYPDGTKSLKLGDFGLATVVEGPLYTVCGTPTYVAPXIIAETGYGLKVD IWAAGVITYILLCGFPPFRSENNLQEDLFDQILAGKLEFPAPYWDNITDSAKELISQMLQ VNVEARCTAGQILSHPWVSDDASQENNMQAEVTGKLKQHFNNALPKQNSTTTGVSVIMVS GRRQVWPDCGAGLEVFELGSRELPSHGSWCLP

SEQ ID NO: 146_W30246_M SGK324_M
TKSSSSSPTSPGSFRGLKISAQGRSSSNVNGGPELDRCLSPEGVNGNRCSESFPLLEKYR
IGKVIGDGNFAVVKECVDRYTGKEFALKIIDKAKCCGKEHLIENEVSILRRVKHPNIIML
VEEMETATDLFLVMELVKGGDLFDAITSSTKYTERDGSAMVYNLANALRYLHSLSIVHRD
IKPENLLVCEYPDGTKSLKLGDFGLATVVEGPLYTVCGTPTYVAPEIIAETGYGLKVDVW
AAGVITYILLCGFPPFRSENNLQEDLFDQILAGKLEFPAPYWDNITDSPCVCFRKCL

SEQ ID NO: 147_AA383293_H
PAAKRVVVYRNGDPFFPGSQLVVTQRRFPTMEAFLCEVTSAVQAPLAVRALYTPCHGHPV
TNLADLKNRGQYVAAGFERFHKLPPYQAFCLSVFRNGDLVSPPFSLKLSQAASQDWETVL
KLLTEKVKLQSGAVRLCTLEGLPLSAGKELVTGHYYVAVGEDEFKDLPYPALSTRGLLAA
GNEAHLRSGVGTVAGSPKPLGRKAKKETCLIVTLTLKYQQSETSRDGQSFPSGVIGVYGA
PHRRKETAGALEVADDEDTQTEEPLDQRAAQIVEQVTCLQDFFGDDDVFIACGPEKFRYA
QDDFVLDHSRRLLREHQAGFEKLRRTRGEEKEAEKEKKPCMSGGRRMTLRDDQPAKLEK
EPKTRPEENKPERPSGRKPRPMGIIAANVEKHYETGRVIGDGNFAVVKECRHRETRQAYA
MKIIDKSRLKGKEDMVDSEILIIQSLSHPNIVKLHEVYETDMEIYLILEYVQGGDLFDAI
IESVKFPEPDAALMIMDLCKALVHMHDKSIVHRDLKPENLLVQRNEDKSTTLKLADFGLA
KHVVRPIFTVCGTPTYVAPEILSEKGYGLEVDMWAAGVILYILLCGFPPFRSPXXGDQDE
LFNIIQLGHFEFLPPYWDNISDAAKDLVSRLLVVDPKKRYTAHQVLQHPWIETAGKTNTV
KROKOVSPSSDGHFRSQHKRVVEQVS

SEQ ID NO: 148_AA197883_M
MPTAPVLRPPPPPATPAPPAPSRPAPPIPGHRGPCDHSLKCLSSKISERKLPGPWLPAGR
GPLEKPVLGPRGAVMPLFSPQSSLHSVRAEHSPLKPRVVTVVKLGGQPLRKATLLLNRRS
VQTFEQLLSDISEALGFPRWKNDRVRKLFTLKGREVKSVSDFFREGDAFIAMGKEPLTLK
SIQLAMEELYPKNRALALAPHSRVPSPRLRSRLPSKLLKGSHRCGEAGSYSAEMESKAVS
RHQGKTSTVLAPEDKARAQKWVRGKQESEPGGPPSPGAATQEETHASGEKHLGVEIEKTS
GEIVRCEKCKRERELQLGLQREPCPLGTSELDLGRAQKRDSEKLVRTKSCRRPSKAKFTD
GEEGWKGDSHRGSPRDPPQEMRRPNSNSDKKEIRGSESQDSYPQGAPKAQKDFVEGPPAV
EEGPIDMRREDRHTCRSKHAAWLRREQQAEPPQLPRTRGEEKQAEHEKKPGGLGERRAPE
KESKRKLEEKRPERPSGRKPRPKGIISADVEKHYDIGGVIGDGNFATVKECRHRETKQAY
AMKMIDKSQLKGKEDIVDSEILIIQSLSHPNIVKLHEVYETEAEIYLIMEYVQGGDLFDA
IVENVKFPEPEAAVMITDLCKAFVHMHDKNIVHRDVKPENLLVQRNEDKSITLKLADFGL
AKYVVRPIFTVCGTPTYVAPEILSEKGYGLEVDMWAAGVILYILLCGFPPFRSPERDQDE
LFNIIQVGQFEFLSPYWDNISDAAKDLVRNLLEVDPKKRYTAEQVLQHPWIEMVGHTNTG
NSQKEESPNSLGHFQSQHKKVAEQMP

SEQ ID NO: 149_DRAK2_H
MSRRRFDCRSISGLLTTTPQIPIKMENFNNFYILTSKELGRGKFAVVRQCISKSTGQEYA
AKFLKKRRRGQDCRAEILHEIAVLELAKSCPRVINLHEVYENTSEIILILEYAAGGEIFS
LCLPELAEMVSENDVIRLIKQILEGVYYLHQNNIVHLDLKPQNILLSSIYPLGDIKIVDF
GMSRKIGHACELREIMGTPEYLAPEILNYDPITTATDMWNIGIIAYMLLTHTSPFVGEDN
QETYLNISQVNVDYSEETFSSVSQLATDFIQSLLVKNPEKRPTAEICLSHSWLQQWDFEN

FIGURE 1G

LFHPEETSSSSQTQDHSVRSSEDKTSKSSCNGTCGDREDKENIPEDSSMVSKRFRFDDSL PNPHELVSDLLC

SEQ ID NO: 150_W44160_M DRAK2_M
MSRRRFDCRSVSGLLTTTPQTPIKTENFNNFYTLTPKELGRGKFAVVRQCISKSTGQEYA
AKSLKKRRRGQDCRAEILHEIAVLELARSCPHVINLHEVYENATEIILVLEYAAGGEIFN
LCLPELAEMVSENDVIRLIKQILEGVHYLHQNNIVHLDLKPQNILLSSIYPLGDIKIVDF
GMSRKIGNASELREIMGTPEYLAPEILNYDPITTATDMWNIGIIAYMLLTHTSPFVGEDN
QETYLNISQVNVDYSEEMFSSVSQLATDFIQSLLVKNPEKRPTAESCLSHSWLQQWDFGS
LFHPEETSGSSQIQDLTLRSSEEKTSKSSCNGSCGAREDKENIPEDGSLVSKRFRFDDSL
PSPHELVPDLFC

SEQ ID NO: 151_H01248_H, DRAK1_H
MIPLEKPGSGGSSPGATSGSGRAGRGLSGPCRPPPPPQARGLLTEIRAVVRTEPFQDGYS
LCPGRELGRGKFAVVRKCIKKDSGKEFAAKFMRKRRKGQDCRMEIIHEIAVLELAQDNPW
VINLHEVYETASEMILVLEYAAGGEIFDQCVADREEAFKEKDVQRLMRQILEGVHFLHTR
DVVHLDLKPQNILLTSESPLGDIKIVDFGLSRILKNSEELREIMGTPEYVAPEILSYDPI
SMATDMWSIGVLTYVMLTGISPFLGNDKQETFLNISQMNLSYSEEEFDVLSESAVDFIRT
LLVKKPEDRATAEECLKHPWLTQSSIQEPSFRMEKALEEANALQEGHSVPEINSDTDKSE
TEESIVTEELIVVTSYTLGQCRQSEKEKMEQKAISKRFKFEEPLLQEIPGEFIY

SEO ID NO: 152 AA021445 H MPARIGYYEIDRTIGKGNFAVVKRATHLVTKAKVAIKIIDKTQLDEENLKKIFREVQIMK MLCHPHIIRLYQVMETERMIYLVTEYASGGEIFDHLVAHGRMAEKEARRKFKQIVTAVYF CHCRNIVHRDLKAENLLLDANLNIKIADFGFSNLFTPGOLLKTWCGSPPYAAPELFEGKE YDGPKVDIWSLGVVLYVLVCGALPFDGSTLQNLRARVLSGKFRI PFFMSTECEHLIRHML VLDPNKRLSMEOICKHKWMKLGDADPNFDRLIAECQOLKEEROVDPLNEDVLLAMEDMGL DKEOTLOSLRSDAYDHYSAIYSLLCDRHKRHKTLRLGALPSMPRALAFOAPVNIOAEOAG TAMNISVPQVQLINPENQIVEPDGTLNLDSDEGEEPSPEALVRYLSMRRHTVGVADPRTE VMEDLOKLLPGFPGVNPQAPFLQVAPNVNFMHNLLPMQNLQPTGQLEYKEQSLLQPPTLQ LINGMGPLGRRASDGGANIOLHAOOLLKRPRGPSPLVTMTPAVPAVTPVDEESSDGEPDO EAVORYLANRSKRHTLAMTNPTAEIPPDLQRQLGQQPFRSRVWPPHLVPDQHRSTYKDSN TLHLPTERFSPVRRFSDGAASIQAFKAHLEKMGNNSSIKQLQQECEQLQKMYGGQIDERT LEKTQOOHMLYQOEOHHQILQQQIQDSICPPQPSPPLQAACENQPALLTHQLQRLRIQPS SPPPNHPNNHLFRQPSNSPPPMSSAMIQPHGAASSSQFQGLPSRSAIFQQQPENCSSPPN VALTCLGMOOPAOSOOVTIQVQEPVDMLSNMPGTAAGSSGRGISISPSAGQMQMQHRTNL MATLSYGHRPLSKOLSADSAEAHSLNVNRFSPANYDQAHLHPHLFSDQSRGSPSSYSPST GVGFSPTQALKVPPLDQFPTFPPSAHQQPPHYTTSALQQALLSPTPPDYTRHQQVPHILQ GLLSPRHSLTGHSDIRLPPTEFAQLIKRQQQQRQQQQQQQQQQEYQELFRHMNQGDAGSL APSLGGOSMTEROALSYONADSYHHHTSPQHLLQIRAQECVSQASSPTPPHGYAHQPALM HSESMEEDCSCEGAKDGFODSKSSSTLTKGCHDSPLLLSTGGPGDPESLLGTVSHAQELG IHPYGHQPTAAFSKNKVPSREPVIGNCMDRSSPGQAVELPDHNGLGYPARPSVHEHHRPR ALQRHHTIQNSDDAYVQLDNLPGMSLVAGKALSSARMSDAVLSQSSLMGSQQFQDGENEE CGASLGGHEHPDLSDGSOHLNSSCYPSTCITDILLSYKHPEVSFSMEQAGV

SEQ ID NO: 153_2R22-5-11_H MTAVYMNGGGLVNPHYARWDRRDSVESGCQTESSKEGEEGQPRQLTPFEKLTQDMSQDEK VVREITLGKRIGFYRIRGEIGSGNFSQVKLGIHSLTKEKVAIKILDKTKLDQKTQRLLSR EISSMEKLHHPNIIRLYEVVETLSKLHLVMEYAGGGELFGKISTEGKLSEPESKLIFSQI VSAVKHMHENQIIHRDLKAENVFYTSNTCVKVGDFGFSTVSKKGEMLNTFCGSPPYAAPE

FIGURE 1H

LFRDEHYIGIYVDIWALGVLLYFMVTGTMPFRAETVAKLKKSILEGTYSVPPHVSEPCHR LIRGVLQQIPTERYGIDCIMNDEWMQGVPYPTPLEPFQLDPKHLSETSTLKEEENEVKST LEHLGITEEHIRNNQGRDARSSITGVYRIILHRVQRKKALESVPVMMLPDPKERDLKKGS RVYRGIRHTSKFCSIL

SEQ ID NO: 154_R31237_1_H, AAC33487

MSTRTPLPTVNERDTENHTSHGDGRQEVTSRTSRSGARCRNSIASCADEQPHIGNYRLLK

TIGKGNFAKVKLARHILTGREVAIKIIDKTQLNPTSLQKLFREVRIMKILNHPNIVKLFE

VIETEKTLYLIMEYASGGEVFDYLVAHGRMKEKEARSKFRQIVSAVQYCHQKRIVHRDLK
AENLLLDADMNIKIADFGFSNEFTVGGKLDTFCGSPPYAAPELFQGKKYDGPEVDVWSLG

VILYTLVSGSLPFDGQNLKELRERVLRGKYRIPFYMSTDCENLLKRFLVLNPIKRGTLEQ
IMKDRWINAGHEEDELKPFVEPELDISDQKRIDIMVGMGYSQEEIQESLSKMKYDEITAT
YLLLGRKSSELDASDSSSSSNLSLAKVRPSSDLNNSTGQSPHHKVQRSVSSSQKQRRYSD
HAGPAIPSVVAYPKRSQTSTADGDLKEDGISSRKSSGSAVGGKGIAPASPMLGNASNPNK
ADIPERKKSSTVPSSNTASGGMTRRNTYVCSERTTADRHSVIQNGKENSTIPDQRTPVAS
THSISSAATPDRIRFPRGTASRSTFHGQPRERRTATYNGPPASPSLSHEATPLSQTRSRG
STNLFSKLTSKLTRSRNVSAEQKDENKEAKPRSLRFTWSMKTTSSMDPGDMMREIRKVLD
ANNCDYEQRERFLLFCVHGDGHAENLVQWEMEVCKLPRLSLNGVRFKRISGTSIAFKNIA
SKIANELKL

SEQ ID NO: 155 W90839 M

KGPSWSSRSLGARCRNSIASCPEEQPHVGNYRLLRTIGKGNFAKVKLARHILTGREVAIK IIDKTQLNPSSLQKLFREVRIMKGLNHPNIVKLFEVIETEKTLYLVMEYASAGEVFDYLV SHGRMKEKEARAKFRQIVSAVHYCHQKNIVHRDLKAENLLLDAEANIKIADFGFSNEFTL GSKLDTFCGSPPYAAPELFQGKKYDGPEVDIWSLGVILYTLVSGSLPFDGHNLKELRERV LRGKYRVPFYMSTDCESILRRFLVLNPAKRCTLEQIMKDKWINIGYEGEELKPDTELKEE RMPGRKASCSAVGSGSRGLPPSSPMVSSAHNPNKAEIPERRKDSTSTPNNLPPSMMTRRN TYVCTERPGSERPSLLPNGKENSSGTSRVPPASPSSHSLAPPSGERSRLARGSTIRSTFH GGQVRDRRAGSGSGGGVQNGPPASPTLAHEAAPLPSGRPRPTTNLFTKLTSKLTRRVTDE PERIGGPEVTSCHLPWDKTETAPRLLRFPWSVKLTSSRPS

SEO ID NO: 156 406786.5 H MEVGGLTVFEEDQRCLSQSLPLPVSAEGPAAQTTAEPSRSFSSAHRHLSRRNGLSRLCQS RTALSEDRWSSYCLSSLAAQNICTSKLHCPAAPEHTDPSEPRGSVSCCSLLRGLSSGWSS PLLPAPVCNPNKAIFTVDAKTTEILVANDKACGLLGYSSQDLIGQKLTQFFLRSDSDVVE ALSEEHMEADGHAAVVFGTVVDIITRSGEKIPVSVWMKRMRQERRLCCVVVLEPVERVST WVAFQSDGTITSCDSLFAHLHGYVSGEDVAGQHITDLIPSVQLPPSGQHIPKNLKIQRSV GRARDGTTFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWVFCTISGLITLLPDGTIHGI NHSFALTLFGYGKTELLGKNITFLIPGFYSYMDLAYNSSLQLPDLASCLDVGNESGCGER TLDPWOGODPAEGGODPRINVVLAGGHVVPRDEIRKLMESQDIFTGTOTELIAGGQLLSC LSPQPAPGVDNVPEGSLPVHGEQALPKDQQITALGREEPVAIESPGQDLLGESRSEPVDV KPFASCEDSEAPVPAEDGGSDAGMCGLCQKAQLERMGVSGPSGSDLWAGAAVAKPQAKGQ LAGGSLLMHCPCYGSEWGLWWRSQDLAPSPSGMAGLSFGTPTLDEPWLGVENDREELQTC LIKEOLSOLSLAGALDVPHAELVPTECOAVTAPVSSCDLGGRDLCGGCTGSSSACYALAT DLPGGLEAVEAOEVDVNSFSWNLKELFFSDOTDOTSSNCSCATSELRETPSSLAVGSDPD VGSLQEQGSCVLDDRELLLLTGTCVDLGQGRRFRESCVGHDPTEPLEVCLVSSEHYAASD RESPGHVPSTLDAGPEDTCPSAEEPRLNVOVTSTPVIVMRGAAGLOREIOEGAYSGSCYH RDGLRLSIOFEVRRVELQGPTPLFCCWLVKDLLHSQRDSAARTRLFLASLPGSTHSTAAE LTGPSLVEVLRARPWFEEPPKAVELEGLAACEGEYSOKYSTMSPLGSGAFGFVWTAVDKG KNKEVVVKFIKKEKVLEDCWIEDPKLGKVTLEIAILSRVEHANIIKVLDIFENQGFFQLV

FIGURE 11

MEKHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAGQSRLVSAVGYLRLKDIIHRDIKDEN IVIAEDFTIKLIDFGSAAYLERGKLFYTFCGTIEYCAPEVLMGNPYRGPELEMWSLGVTL YTLVFEENPFCELEETVEAAIHPPYLVSKELMSLVSGLLQPVPERRTTLEKLVTDPWVTQ PVNLADYTWEEVFRVNKPESGVLSAASLEMGNRSLSDVAQAQELCGGPVPGEAPNGQGCL HPGDPRLLTS

SEQ ID NO: 157_AA544838_M 406786_M
TRPHPCLDEPLASFIFRQLVSAVGYLHSQGIIHRDIKDENIVIAEDFTIKLIDFGSAAYL
ERGKLFYTFCGTIEYCAPEVLIGNPYRGPELEMWSLGVTLYTLIFEENPFCEVEETMEAV
IHPPFLVSQELMSLLSGLLQPCPEQRTTLEKLIRDPWVTQPVNLASYTWEEVCRTNQPES
GLLSAASLEIGSRSPSEMAQREGLCGPPAPRETRGDQHCLHLKDPSLPVS

SEO ID NO: 158 AA785735 H MVMADGPRHLQRGPVRVGFYDIEGTLGKGNFAVVKLGRHRITKTEVAIKIIDKSQLDAVN $\verb|LEKIYREVQIMKMLDHPHIIKLYQVMETKSMLYLVTEYAKNGEIFDYLANHGRLNESEAR|$ RKFWQILSAVDYCHGRKIVHRDLKAENLLLDNNMNIKIADFGFGNFFKSGELLATWCGSP PYAAPEVFEGQQYEGPQLDIWSMGVVLYVLVCGALPFDGPTLPILRQRVLEGRFRIPYFM SEDCEHLIRRMLVLDPSKRLTIAQIKEHKWMLIEVPVQRPVLYPQEQENEPSIGEFNEQV LRLMHSLGIDOOKXIESLONKSYNHFAAIYFLLVERLKSHRSSFPVEQRLDGRQRRPSTI AEQTVAKAQTVGLPVTMHSPNMRLLRSALLPQASNVEAFSFPASGCQAEAAFMEEECVDT ${\tt PKVNGCLLDPVPPVLVRKGCQSLPSNMMETSIDEGLETEGEAEEDPAHAFEAFQSTRSGQ}$ RRHTLSEVTNOLVVMPGAGKIFSMNDSPSLDSVDSEYDMGSVQRDLNFLEDNPSLKDIML ANOPSPRMTSPFISLRPTNPAMQALSSQKREVHNRSPVSFREGRRASDTSLTQGIVAFRQ HLONLARTKGILELNKVQLLYEQIGPEADPNLAPAAPQLQDLASSCPQEEVSQQQESVST LPASVHPOLSPROSLETQYLQHRLQKPSLLSKAQNTCQLYCKEPPRSLEQQLQEHRLQQK ${\tt RLFLQKQSQLQAYFNQMQIAESSYPQPSQQLPLPRQETPPPSQQAPPFSLTQPLSPVLEP}$ SSEQMQYSPFLSQYQEMQLQPLPSTSGPRAAPPLPTQLQQQQPPPPPPPPPPPPPRQPGAAPA PLOFSYOTCELPSAASPAPDYPTPCQYPVDGAQQSDLTGPDCPRSPGLQEAPSSYDPLAL SELPGLFDCEMLDAVDPQHNGYVLVN

SEQ ID NO: 159_AA207220_H

MESLVFARRSGPTPSAAELARPLAEGLIKSPKPLMKKQAVKRHHHKHNLRHRYEFLETLG

KGTYGKVKKARESSGRLVAIKSIRKDKIKDEQDLMHIRREIEIMSSLNHPHIIAIHEVFE

NSSKIVIVMEYASRGDLYDYISERQQLSEREARHFFRQIVSAVHYCHQNRVVHRDLKLEN

ILLDANGNIKIADFGLSNLYHQGKFLQTFCGSPLYASPEIVNGKPYTGPEVDSWSLGVLL

YILVHGTMPFDGHDHKILVKQISNGAYREPPKPSDCLXGLIRWLLMVNPTRRATLEDVAS

HWWVNWGYATRVGEQEAPHEGGHPGSDSARASMADWLRRSSRPLLENGAKVCSFFKQHAP

GGGSTTPGLERQHSLKKSRKENDMAQSLHSDTADDTAHRPGKSNLKLPKGILKKKVSASA

EGVQEDPPELSPIPASPGQAAPLLPKKGILKKPRQRESGYYSSPEPSESGELLDAGDVFV

SGDPKEQKPPQASGLLLHRKGILKLNGKFSQTALELAAPTTFGSLDELAPPRPLARASRP

SGAVSEDSILSSESFDQLDLPERLPEPPLRGCVSVDNLTGLEEPPSEGPGSCLRRWRQDP

LGDSCFSLTDCQEVTATYRQALRVCSKLT

SEQ ID NO: 160_AA426580_H, MAK_V_H
MPAAAGDGLLGEPAAPGGGGGAEDAARPAAACEGSFLPAWVSGVPRERLRDFQHHKRVGN
YLIGSRKLGEGSFAKVREGLHVLTGEKVAIKVIDKKRAKKDTYVTKNLRREGQIQQMIRH
PNITQLLDILETENSYYLVMELCPGGNLMHKIYEKKRLEESEARRYIRQLISAVEHLHRA
GVVHRDLKIENLLLDEDNNIKLIDFGLSNCAGILGYSDPFSTQCGSPAYAAPELLARKKY
GPKIDVWSIGVNMYAMLTGTLPFTVEPFSLRALYQKMVDKEMNPLPTQLSTGAISFLRSL
LEPDPVKRPNIQQALANRWLNENYTGKVPCNVTYPNRISLEDLSPSVVLHMTEKLGYKNS

FIGURE 1J

DVINTVLSNRACHILAIYFLLNKKLERYLSGKSDIQDSLCYKTRLYQIEKYRAPKESYEA SLDTWTRDLEFHAVQDKKPKEQEKRGDFLHRPFSKKLDKNLPSHKQPSGSLMTQIQNTKA LLKDRKASKSSFPDKDSFGCRNIFRKTSDSNCVASSSMEFIPVPPPRTPRIVKKPEPHQP GPGSTGIPHKEDPLMLDMVRSFESVDRDDHVEVLSPSHHYRILNSPVSLARRNSSERTLS PGLPSGSMSPLHTPLHPTLVSFAHEDKNSPPKEEGLCCPPPVPSNGPMQPLGSPNCVKSR GRFPMMGIGQMLRKRHQSLQPSADRPLEASLPPLQPLAPVNLAFDMADGVKTQC

SEQ ID NO: 161 Z36720 H MDTKLNMLNEKVDOLLHFOEDVTEKLOSMCRDMGHLERGLHRLEASRAPGPGGADGVPH1 DTOAGWPEVLELVRAMQQDAAQHGARLEALFRMVAAVDRAIALVGATFQKSKVADFLMQG ${\tt RVPWRRGSPGDSPEEWVKEEEVCFMPPVPPAPGAAGQSLQKDKGELSAEQGIWATLMTLV}$ IMVTAANKERVEEEGGKPKHVLSTSGVQSDAREPGEESQKADVLEGTAERLPPIRASGLG ADPAQAVVSPGQGDGVPGPAQAFPGHLPLPTKVEAKAPETPSENLRTGLELAPAPGRVNV VSPSLEVAPGAGOGASSSRPDPEPLEEGTRLTPGPGPQCPGPPGLPAQARATHSGGETPP RAALLKGAVAPGFSRRDLVFPSIFCACLGISIHIQEMDTPGEMLMTGRGSLGPTLTTEAP AAAOPGKOGPPGTGRCLQAPGTEPGEQTPEGARELSPLQESSSPGGVKAEEEQRAGAEPG TRPSLARSDDNDHEVGALGLOOGKSPGAGNPEPEQDCAARAPVRAEAVRRMPPGAEAGSV VLDDSPAPPAPFEHRVVSVKETSISAGYEVCQHEVLGGGRFGQVHRCTEKSTGLPLAAKI IKVKSAKDREDVKNEINIMNQLSHVNLIQLYDAFESKHSCTLVMEYVDGGELFDRITDEK YHLTELDVVLFTRO1CEGVHYLHOHY1LHLDLKPEN1LCVNQTGHQ1K11DFGLARRYKP REKLKVNFGTPEFLAPEVVNYEFVSFPTDMWSVGVITYMLLSGLSPFLGETDAETMNFIV NCSWDFDADTFEGLSEEAKDFVSRLLVKEKSCRMSATQCLKHEWLNNLPAKASRSKTRLK SOLLLOKYIAORKWKKHFYVVTAANRLRKFPTSP

SEO ID NO: 162 SGK088 H GEMALFECLVAGPTDVEVDWLCRGRLLQPALLKCKMHFDGRKCKLLLTSVHEDDSGVYTC KLSTAKDELTCSARLTVRPSLAPLFTRLLEDVEVLEGRAARFDCKISGTPPPVVTWTHFG CPMEESENLRLRQDGGLHSLHIAHVGSEDEGLYAVSAVNTHGQAHCSAQLYVEEPRTAAS GPSSKLEKMPSIPEEPEQGELERLSIPDFLRPLQDLEVGLAKEAMLECQVTGLPYPTISW FHNGHRIOSSDDRRMTOYRDVHRLVFPAVGPQHAGVYKSVIANKLGKAACYAHLYVTDVV PGPPDGAPQVVAVTGRMVTLTWNPPRSLDMAIDPDSLTYTVQHQVLGSDQWTALVTGLRE PGWAATGLRKGVQHIFRVLSTTVKSSSKPSPPSEPVQLLEHGPTLEEAPAMLDKPDIVYV VEGOPASVTVTFNHVEAQVVWRSCRGALLEARAGVYELSQPDDDQYCLRICRVSRRDMGA LTCTARNRHGTOTCSVTLELAEAPRFESIMEDVEVGAGETARFAVVVEGKPLPDIMWYKD EVLLTESSHVSFVYEENECSLVVLSTGAQDGGVYTCTAQNLAGEVSCKAELAVHSAQTAM EVEGVGEDEDHRGRRLSDFYDIHQEIGRGAFSYLRRIVERSSGLEFAAKFIPSQAKPKAS ARREARLLARLQHDCVLYFHEAFERRRGLVIVTELCTEELLERIARKPTVCESEIRAYMR OVLEGIHYLHQSHVLHLDVKPENLLVWDGAAGEQQVRICDFGNAQELTPGEPQYCQYGTP EFVAPEIVNOSPVSGVTDIWPVGVVAFLCLTGISPFVGENDRTTLMNIRNYNVAFEETTF LSLSREARGFLIKVLVODRLRPTAEETLEHPWFKTQAKGAEVSTDHLKLFLSRRRWQRSQ ISYKCHLVLRPIPELLRAPPERVWVTMPRRPPPSGGLSSSSDSEEEELEELPSVPRPLQP EFSGSRVSLTDIPTEDEALGTPETGAATPMDWQEQGRAPSQDQEAPSPEALPSPGQEPAA GASPRRGELRRGSSAESALPRAGPRELGRGLHKAASVELPQRRSPGPGATRLARGGLGEG EYAQRLQALRQRLLRGGPEDGKVSGLRGPLLESLGGRARDPRMARAASSEAAPHHQPPLE NRGLQKSSSFSQGEAEPRGRHRRAGAPLEIPVARLGARRLQESPSLSALSEAQPSSPARP SAPKPSTPKSAEPSATTPSDAPQPPAPQPAQDKAPEPRPEPVRASKPAPPPQALQTLALP $\verb|LTPYAQIIQSLQLSGHAQGPSQGPAAPPSEPKPHAAVFARVASPPPGAPEKRVPSAGGPP|$ VLAEKARVPTVPPRPGSSLSSSIENLESEAVFEAKFKRSRESPLSLGLRLLSRSRSEERG PFRGAEEEDGIYRPSPAGTPLELVRRPERSRSVQDLRAVGEPGLVRRLSLSQRLRRTP PAORHPAWEARGGDGESSEGGSSARGSPVLAMRRRLSFTLERLSSRLQRSGSSEDSGGAS

FIGURE 1K

GRSTPLFGRLRRATSEGESLRRLGLPHNQLAAQAGATTPSAESLGSEASATSGSSAPGES RSRLRWGFSRPRKDKGLSPPNLSASVQEELGHQYVRSESDFPPVFHIKLKDQVLLEGEAA TLLCLPAACPAPHISWMKDKKSLRSEPSVIIVSCKDGRQLLSIPRAGKRHAGLYECSATN VLGSITSSCTVAVARVPGKLAPPEVTQTYQDTALVLWKPGDSRAPCTYTLERRVDGESVW HPVSSGIPDCYYNVTHLPVGVTVRFRVACANRAGQGPFSNSSEKVFVRGTQDSSAVPSAA HQEAPVTSRPARARPPDSPTSLAPPLAPAAPTPPSVTVSPSSPPTPPSQALSSLKAVGPP PQTPPRRHRGLQAARPAEPTLPSTHVTPSEPKPFVLDTGTPIPASTPQGVKPVSSSTPVY VVTSFVSAPPAPEPPAPEPPPEPTKVTVQSLSPAKEVVSSPGSSPRSSPRPEGTTLRQGP PQKPYTFLEEKARGRFGVVRACRENATGRTFVAKIVPYAAEGKPRVLQEYEVLRTLHHER IMSLHEAYITPRYLVLIAESCGNRELLCGLSDRFRYSEDDVATYMVQLLQGLDYLHGHHV LHLDIKPDNLLLAPDNALKIVDFGSAQPYNPQALRPLGHRTGTLEFMAPEMVKGEPIGSA TDIWGAGVLTYIMLSGRSPFYEPDPQETEARIVGGRFDAFQLYPNTSQSATLFLRKVLSV HPWSRPSLQDCLAHPWLQDAYLMKLRRQTLTFTTNRLKEFLGEQRRRRAEAATRHKVLLR SYPGGP

SEQ ID NO: 163_AA542015_M SGK088_M
ATDIWGAGVLTYIMLSGYSPFYEPDPQETEARIVGGRFDAFQLYPNTSQSATLFLRKVLS
VHPWSRPSLQDCLAHPWLQDAYLMKLRRQTLTFTTNRLKEFLGEQRRRRAEAATRHKVLL
RSYPGSP

SEQ ID NO: 164 R19772 H MKGGDRAYTRGPSLGWLFAKCCCCFPCRDAYSHSSSENGGKSESVANLQAQPSLNFIHSS PGPKRSTNTLKKWLTSPVRRLNSGKADGNIKKQKKVRDGRKSFDLGSPKPGDETTPQGDS ADESKKGWGEDEPDEESHTPLPPPMKIFDNDPTQDEMSSSLLAARQASTEVPTAADLVNA 1EKLVKNKLSLEGSSYRGSLKDPAGCLNEGMAPPTPPKNPEEEQKAKALRGRMFVLNELV QTEKDYVKDLGIVVEGFMKRIEEKGVPEDMRGKDKIVFGNIHQIYDWHKDFFLAELEKCI QEODRLAQLFIKHERKLHIYVWYCQNKPRSEYIVAEYDAYFEEVKQEINQRLTLSDFLIK PIORITKYQLLLKDFLRYSEKAGLECSDIEKAVELMCLVPKRCNDMMNLGRLQGFEGTLT AOGKLLQQDTFYVIELDAGMQSRTKERRVFLFEQIVIFSELLRKGSLTPGYMFKRSIKMN YLVLEENVDNDPCKFALMNRETSERVVLQAANADIQQAWVQDINQVLETQRDFLNALQSP IEYORKERSTAVMRSQPARLPQASPRPYSSVPAGSEKPPKGSSYNPPLPPLKISTSNGSP GFEYHOPGDKFEASKNDLGGCNGTSSMAVIKDYYALKENEICVSQGEVVQVLAVNQQNMC LVYQPASDHSPAAEGWVPGSILAPLTKATAAESSDGSIKKSCSWHTLRMRKRAEVENTGK NEATGPRKPKDILGNKVSVKETNSSEESECDDLDPNTSMEILNPNFIQEVAPEFLVPLVD VTCLLGDTVILOCKVCGRPKPTITWKGPDQNILDTDNSSATYTVSSCDSGEITLKICNLM PQDSGIYTCIATNDHGTTSTSATVKVQGVPAAPNRPIAQERSCTSVILRWLPPSSTGNCT ISGYTVEYREEGSQIWQQSVASTLDTYLVIEDLSPGCPYQFRVSASNPWGISLPSEPSEF VRLPEYDAAADGATISWKENFDSAYTELNEIGRGRFSIVKKCIHKATRKDVAVKFVNKKM KKKEOAAHEAALLQHLQHPQYITLHDTYESPTSYILILELMDDGRLLDYLMNHDELMEEK VAFYIRDIMEALOYLHNCRVAHLDIKPENLLIDLRIPVPRVKLIDLEDAVQISGHFHIHH LLGNPEFAAPEVIQGIPVSLGTDIWSIGVLTYVMLSGVSPFLDESKEETCINVCRVDFSF PHEYFCGVSNAARDFINVILQEDFRRRPTAATCLQHPWLQPHNGSYSKIPLDTSRLACFI ERRKHONDVRPIPNVKSYIVNRVNQGT

SEQ ID NO: 165_5R72_8_2_H

MADSGLDKKSTKCPDCSSASQKDVLCVCSSKTRVPPVLVVEMSQTSSIGSAESLISLERK

KEKNINRDITSRKDLPSRTSNVERKASQQQWGRGNFTEGKVPHIRIENGAAIEEIYTFGR

ILGKGSFGIVIEATDKETETKWAIKKVNKEKAGSSAVKLLEREVNILKSVKHEHIHLEQ

VFETPKKMYLVMELCEDGELKEILDRKGHFSENETRWIIQSLASAIAYLHNNDIVHRDLK

LENIMVKSSLIDDNNEINLNIKVTDFGLAVKKQSRSEAMLQATCGTPIYMAPEVISAHDY

FIGURE 1L

SQQCDIWSIGVVMYMLLRGEPPFLASSEAKLFELIRKGELHFENAVWNSISDCAKSVLKQ LMKVDPAHRITAKELLDNQWLTGNKLSSVRPTNVLEMMKEWKNNPESVEENTTEEKNKPS TEEKLKSYQPWGNVPETNYTSDEEEEKQSTAYEKQFPATSKDNFDMCSSSFTSSKLLPAE IKGEMEKTPVTPSQGTATKYPAKSGALSRTKKKL

SEQ ID NO: 166_SGK309_H

MQCLAAALKDETNMSGGGEQADILPANYVVKDRWKVLKKIGGGGFGEIYEAMDLLTRENV
ALKVESAQQPKQVLKMEVAVLKKLQGSGLGQGDGKEEMMKPGAKRGKDHVCRFIGCGRNE
KFNYVVMQLQGRNLADLRRSQPRGTFTLSTTLRLGKQILESIEAIHSVGFLHRDIKPSNF
AMGRLPSTYRKCYMLDFGLARQYTNTTGDVRPPRNVAGFRGTVRYASVNAHKNREMGRHD
DLWSLFYMLVEFAVGQLPWRKIKDKEQVGMIKEKYEHRMLLKHMPSEFHLFLDHIASLDY
FTKPDYQLIMSVFENSMKERGIAENEAFDWEKAGTDALLSTSTSTPPPAEHPADGSHVWG
GQCDASAWGPAPGEHRGCATGRAPEXPGECTPNSAREALXGAGPQSPPCPPPRGSXGXSL
GGDRCQPEQTPDQHRQSNCRQGEGRGWPFLSPPIPSLVPLPCSSXAPCPPPISLLARPLF
PVPSPALASLCLPSSSSSVSFTLRRPSA

SEQ ID NO: 167_AA234451_H
MSGGGEQLDILSVGILVKERWKVLRKIGGGGFGEIYDALDMLTRENVALKVESAQQPKQV
LKMEVAVLKKLQGKDHVCRFIGCGRNDRFNYVVMQLQGRNLADLRRSQSRGTFTISTTLR
LGRQILESIESIHSVGSXHRDIKPSNFAMGRFPSTCRKCYMLDFGLARQFTNSCGDVRPP
RAVAGFRGTVRYASINAHRNREMGRHDDLWSLFYMLVEFVVGQLPWRKIKDKEQVGSIKE
RYDHRLMLKHLPPEFSIFLDHISSLDYFTKPDYQLLTSVFDNSIKTFGVIESDPFDWEKT
GNDGSLTTTTTSTTPQLHTRLTPAAIGIANATPIPGDLLRENTDEVFPDEQLSDGENGIP
VGVSPDKLPGSLGHPRPQEKDVWEEMDANKNKIKLGICKAATEEENSHGQANGLLNAPSL
GSPIRVRSEITQPDRDIPLVRKLRSIHSFELEKRLTLEPKPDTDKFLETWYKIVYFSF

SEQ ID NO: 168_AA435956_H
TFTIFFEMTVFDLEAKSARGGSNLLMDSVSSFQLFMFQLLRGLAYIHHQHVLHRDLKPQN
LLISHLGELKLADFGLARAKSIPSQTYSSEVVTLWYRPPDALLGATEYSSELDIWGAGCI
FIEMFQGQPLFPGVSNILEQLEKIWEVLGVPTEDTWPGVSKLPNYNPEWFPLPTPRSLHV
VWNRLGRVPEAEDLASQMLKGFPRDRVSAQEALVHDYFSALPSQLYQLPDEESLFTVSGV
RLKPEMCDLLASYQKGHHPAQFSKCW

SEQ ID NO: 169_AA626859_H
NGVADGVIKSVLWQTLQALNFCHIHNCIHRDIKPENILITKQGIIKICDFGFAQILIPGD
AYTDYVATRWYRAPELLVGDTQYGSSVDIWAIGCVFAELLTGQPLWPGKSDVDQLYLIIR
TLGKLIPRHQSIFKSNGFFHGISIPEPEDMETLEEKFSDVHPVALNFMKGCLKMNPDDRL
TCSQLLESSYFDSFQEAQIKRKARNEGRNRRRQQNQLLPLIPGSHISPTPDGRKQVLQLK
FDHLPNI

SEQ ID NO: 170_AA061797_M
KIALREIRMLKLKHPNLVNLIEVFRRKRKMHLVFEYCDHTLLNELERNPNGVSDGVIKSV
LWQTLQALNFCHKHNCIHRDVKPENILITKQGMIKICDFGFARILIPGDAYTDYVATRWY
RAPELLVGDTKYGSSVDVWAVGCVFAELLTGQPLWPGKSDVDQLYLIIRTLGKLIPRHQS
IFRSNQFFRGISIPEPEDMETLEEKFSNVQPVALSFMKGCLKMNPDERLTCAQLLDSAYF
ESFOEDOMKRKARSEGRSRRRQQNQLLPLIPGSHISPTPDGRKQVVQLKFDHLPNI

SEQ ID NO: 171_AA397553_H
MPNSERHGGKKDGSGGASGTLQPSSGGGSSNSRERHRLVSKHKRHKSKHSKDMGLVTPEA
ASLGTVIKPLVEYDDISSDSDTFSDDMAFKLDRRENDERRGSDRSDRLHKHRHHQHRRSR

FIGURE 1M

DLLKAKOTEKEKSQEVSSKSGSMKDRISGSSKRSNEETDDYGKAQVAKSSSKESRSSKLH KEKTRKERELKSGHKDRSKSHRKRETPKSYKTVDSPKRRSRSPHRKWSDSSKQDDSPSGA ${\tt SYGQDYDLSPSRSHTSSNYDSYKKSPGSTSRRQSVSPPYKEPSAYQSSTRSPSPYSRRQR}$ SVSPYSRRSSSYERSGSYSGRSPSPYGRRRSSSPFLSKRSLSRSPLPSRKSMKSRSRSP AYSRHSSSHSKKKRSSSRSRHSSISPVRLPLNSSLGAELSRKKKERAAAAAAKMDGKES KGSPVFLPRKENSSVEAKDSGLESKKLPRSVKLEKSAPDTELVNVTHLNTEVKNSSDTGK VKLDENSEKHLVKDLKAOGTRDSKPIALKEEIVTPKETETSEKETPPPLPTIASPPPPLP TTTPPPOTPPLPPIPALPQQPPLPPSQPAFSQVPASSTSTLPPSTHSKTSAVSSQAN SOPPVQVSVKTQVSVTAAIPHLKTSTLPPLPLPPLLPGGDDMDSPKETLPSKPVKKEKEQ RTRHLLTDLPLPPELPGGDLSPPDSPEPKAITPPQQPYKKRPKICCPRYGERRQTESDWG KRCVDKFDIIGIIGEGTYGOVYKARDKDTGELVALKKVRLDNEKEGFPITAIREIKILRQ LIHRSVVNMKEIVTDKQDALDFKKDKGAFYLVFEYMDHDLMGLLESGLVHFSEDHIKSFM KOLMEGLEYCHKKNFLHRDIKCSNILLNNSGQIKLADFGLARLYNSEESRPYTNKVITLW YRPPELLLGEERYTPAIDVWSCGCILGELFTKKPIFQANLELAQLELISRLCGSPCPAVW $\verb"PDVIKLPYFNTMKPKKQYRRRLREEFSFIPSAALDLLDHMLTLDPSKRCTAEQTLQSDFL"$ ${\tt KDVELSKMAPPDLPHWQDCHELWSKKRRRQRQSGVVVEEPPPSKTSRKETTSGTSTEPVK}$ NSSPAPPOPAPGKVESGAGDAIGLADITQQLNQSELAVLLNLLQSQTDLSIPQMAQLLNI HSNPEMOOOLEALNOSI SALTEATSQQQDSETMAPEESLKEAPSAPVILPSAEQMTLEAS STPADMONILAVLLSQLMKTQEPAGSLEENNSDKNSGPQGPRRTPTMPQEEAAACPPHIL PPEKRPPEPPGPPPPPPPLVEGDLSSAPQELNPAVTAALLQLLSQPEAEPPGHLPHEH OALRPMEYSTRPRPNRTYGNTDGPETGFSAIDTDERNSGPALTESLVQTLVKNRTFSGSL SHLGESSSYOGTGSVQFPGDQDLRFARVPLALHPVVGQPFLKAEGSSNSVVHAETKLQNY GELGPGTTGASSSGAGLHWGGPTQSSAYGKLYRGPTRVPPRGGRGRGVPY

SEQ ID NO: 172_AA789239_H

MEMYETLGKVGEGSYGTVMKCKHKNTGQIVAIKIFYERPEQSVNKIAMREIKFLKQFHHE
NLVNLIEVFRQKKKIHLVFEFIDHTVLDELQHYCHGLESKRLRKYLFQILRAIDYLHSNN
VIIHRDIKPENILVSQSGITKLCDFGFARTLAAPGDIYTDYVATRWYRAPELVLKDTSYG
KYVPVDIWALGCMIIEMATGNPYLPSSSDLDLLHKIVLKVXFMPELKAKLLQEAKVNSLI
KPKESSKENELRKDERKTVYTNTLLSSSVLGKEIEKEKKPKEIKVRVIKVKGGRGDISEP
KKKEYEGGLGQQDANENVHPMSPDTKLVTIEPPNPINPSTNCNGLKENPHCGGSVTMPPI
NLTNSNLMAANLSSNLFHPSVRLTERAKKRRTSSQSIGQVMPNSRQEDPGPIQSQMEKGI
FNERTGHSDQMANENKRKLNFSRSDRKEFHFPELPVTIQSKDTKGMEVKQIKMLKRESKK
TESSKIPTLLNVDQNQEKQEFIPLSLLSACCPIFTNICSQLTIRVEMAIARGRI

SEQ ID NO: 173_AA124976_M

LADIVHACLQIDPAERTSSTDLLRHDYFTRDGFIEKFIPELRAKLLQEAKVNSFIKPKEN FKENEPVRDEKKSVFTNTLLYGNPSLYGKEVDRDKRAKELKVRVIKAKGGKGDVPDQKKP EYEGDHRQQGTADDTQPSSLDKKPSVLELTNPLNPSENSDGVKEDPHAGGCMIMPPINLT SSNLLAANLSSNLSHPNSRLTERTKKRRTSSQTIGQTLSNSRQEDTGPTQVQTEKGAFNE RTGQNDQISSGNKRKLNFPKCDRKEFHFPELPFTVQAKEMKGMEVKQIKVLKRESKKTDS SKIPTLLSMDPNQEKQEGGDGDCEGKNLKRNRFFFSR

SEQ ID NO: 174_AA575635_M CCRK_M SASGQLKIADFGLARVFSPDGGRLYTHQVATRWYRAPELLYGARQYDQGVDLWAVGCIMG ELLNGSPLFPGENDIEQLCCVLRILGTPSPRVWPEITELPDYNKISFEEQAPVPLEEVLP DASPQALDLLGQFLLYPPRQRIAASQALLHQYFFTAPLPAHPSELPIPQRPGGPAPKAHP GPPHVHDFHVDRPIEESLLNPELIRPFIPEG

FIGURE 1N

SEQ ID NO: 175_AA631990 H

MITSISTEKSGHTHYPFMITTLQYYRGRGGKTAVWRHFSAEGPFAFAEMRHSKRTHCPDW DSRESWGHESYRGSHKRKRRSHSSTQENRHCKPHHQFKESDCHYLEARSLNERDYRDRRY VDEYRNDYCEGYVPRHYHRDIESGYRIHCSKSSVRSRRSSPKRKRNRHCSSHQSRSXEIV DTLGEGAFGKVVECIDHGMDGMHVAVKIVKNVGRYREAARSEIQVLEHLNSTDPNSVFRC VQMLEWFDHHGHVCIVFELLGLSTYDFIKENSFLPFQIDHIRQMAYQICQSINFLHHNKL THTDLKPENILFVKSDYVVKYNSKMKRDERTLKNTDIKVVDFGSATYDDEHHSTLVSTRH YRAPEVILALGWSQPCDVWSIGCILIEYYLGFTVFQTHDSKEHLAMMERILGPIPQHMIQ KTRKRKYFHHNQLDWDEHSSAGRYVRRRCKPLKEFMLCHDEEHEKLFDLVRRMLEYDPTQ RITLDEALQHPFFDLLKKK

SEQ ID NO: 176 AA557536 H

MCTVVDPRIVRRYLLRRQLGQGRTFREITLLQVSGLGPPVQSPCPGTDLSRQERNWPSWA PEHSPSWPSSRLRLSPQEFGDHPNIISLLDVIRAENDRDIYLVFEFMDTDLNAVIRKGGL LQDVHVRSIFYQLLRATRFLHSGHVVHRDQKPSNVLLDANCTVKLCDFGLARSLGDLPEG PEDQAVTEYVATRWYRAPEVLLSSHRYTASCPRYTLGVDMWSLGCILGEMLRGRPLFPGT STLHQLELILETIPPPSEEXRPRQTLDALLPPDTSPEALDLLRRLLVFAPDKRLSATQAL QHPYVQRFHCPSDEWAREADVRPRAHEGVQLSVPEYRSRVYQMILECGGSSGTSREKGPE GVSPSQAHLHKPRADPQLPSRTPVQGPRPRPQSSPGHDPAEHESPRAAKNVPRQNSAPLL QTALLGNGERPPGAKEAPPLTLSLVKPSGRGAAPSLTSQAAAQVANQALIRGDWNRGGGV RVASVQQVPPRLPPEARPGRRMFSTSALQGAQGGARALLGGYSQAYGTVCHSALGHLPLL EGHHV

SEQ ID NO: 177_N28606_H, MOK_H
MKNYKAIGKIGEGTFSEVMKMQSLRDGNYYACKQMKQRFESIEQVNNLREIQALRRLNPH
PNILMLHEVVFDRKSGSLALICELMDMNIYELIRGRRYPLSEKKIMHYMYQLCKSLDHIH
RNGIFHRDVKPENILIKQDVLKLGDFGSCRSVYSKQPYTEYISTRWYRAPECLLTDGFYT
YKMDLWSAGCVFYEIASLQPLFPGVNELDQISKIHDVIGTPAQKILTKFKQSRAMNFDFP
FKKGSGIPLLTTNLSPQCLSLLHAMVAYDPDERIAAHQALQHPYFQEQRKTEKRALGSHR
KAGFPEHPVAPEPLSNSCQISKEGRKQKQSLKQEEDRPKRGPAYVMELPKLKLSGVVRL

SSYSSPTLQSVLGSGTNGRVPVLRPLKCIPASKKTDPQKDLKPAPQQCRLPTIVRKGGR

SEQ ID NO: 178_AB023153_H, ICK_H
MNRYTTIRQLGDGTYGSVLLGRSIESGELIAIKKMKRKFYSWEECMNQREVKSLKKLNHA
NVVKLKEVIRENDHLYFIFEYMKENLYQLIKERNKLFPESAIRNIMYQILQGLAFIHKLG
FFHRDLKPENLLCMGPELVKIADFGLAREIRSKPPYTDYVSTRWYRAPEVLLRSTNYSSP
IDVWAVGCIMAEVYTLRPLFPGASEIDTIFKICQVLGTPKKTDWPEGYQLSSAMNFRWPQ
CVPNNLKTLIPNASSEAVQLLRDMLQWDPKKRPTASQALRYPYFQVGHPLGSTTQNLQDS
EKPQKGILERAGPPPYIKPVPPAQPPAKPHTRISSRQHQASQPPLHLTYPYKAEVSRTDH
PSHLQEDKPSPLLFPSLHNKHPQSKITAGLEHKNGEIKPKSRRWGLISRSTKDSDDWAD
LDDLDFSPSLSRIDLKNKKRQSDDTLCRFESVLDLKPSEPVGTGNSAPTQTSYQRRDTPT
LRSAAKQHYLKHSRYLPGISIRNGILSNPGKEFIPPNPWSSSGLSGKSSGTMSVISKVNS
VGSSSTSSSGLTGNYVPSFLKKEIGSAMQRVHLAPIPDPSPGYSSLKAMRPHPGRPFLDT
QPRSTPGLIPRPPAAQPVHGRTDWASKYPSRR

SEQ ID NO: 179_AA839940_M SSNNGGMSAEEEIGPGAEPMRGPSLATRDWRDETVGTTDLQQGIDPGAVSPEPGKDHAAQ GPGRTEAGRVSSAAEAAIVVLDDSAAPPAPFEHRVVSIKDTLISAGYTVSQHEVLGGGRF GQVHRCTERSTGLALAAKIIKVKNVKDREDVKNEVNIMNQLSHVNLIQLYDAFESKNSFT LIMEYVDGGELFDRITDEKYHLTELDVVLFTRQICEGVHYLHQHYILHLDLKPENILCVS

FIGURE 10

QTGHQIKIIDFGLARRYKPREKLKVNFGTPEFLAPEVVNYEFVSFPTDMWSVGVITYMLL SGLSPFLGETDAETMNFIVNCSWDFDADTFKGLSEEAKDFVSRLLVKEKSCRMSATQCLK HEWLNHLPAKASGSNVRLRSQQLLQKYMAQSKWKKHFHVVAAVNRLRKFPTCP

SEQ ID NO: 180_AA460132_H
MAAARATTPADGEEPAPEAEALAAARERSSRFLSGLELVKQGAEARVFRGRFQGRAAVIK
HRFPKGYRHPALEARLGRRRTVQEARALLRCRRAGISAPVVFFVDYASNCLYMEEIEGSV
TVRDYIQSTMETEKTPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKPPLEQLNIV
LIDFGLSFISALPEDKGVDLYVLEKAFLSTHPNTETVFEAFLKSYSTSSKKARPVLKKLD
EVRLRGRKRSMVG

SEQ ID NO: 181_SGK034_H
QREKVNQGNMPGLQSTFLAMDTEEGVEVVWNELHFGDRKAFAAHEEKIQTVFEQLVLVDH
PNIVKLHKYWLDTSEACARVIFITEYVSSGSLKQFLKKTKKNHKAMNARAWKRWCTQILS
ALSFLHACSPPIIHGNLTSDTIFIQHNGLIKIGSVWHRIFSNALPDDLRSPIRAEREELR
NLHFFPPEYGEVADGTAVDIFSFGMCALEMAVLEIQTNGDTRVTEEAIARARHSLSDPNM
REFILCCLARDPARRPSAHSLLFHRVLFEVHSLKLLAAHCFIQHQYLMPENVVEEKTKAM
DLHAVLAELPRPRRPPLQWRYSEVSFMELDKFLEDVRNGIYPLMNFAATRPLGLPRVLAP
PPEEVQKAKTPTPEPFDSETRKVIQMQCNLERSEDKARWHLTLLLVLEDRLHRQLTYDLL
PTDSAQDLASELVHYGFLHEDDRMKLAAFLESTFLKYRGTQA

SEQ ID NO: 182_AA103218_M SGK034_M
HASAPEYGEVNDGTGFVDIFSFGMCALEMAVLEIQANGDTRVTEEAIARARHSLSDPNMR
EFILSCLARDPARRPSAHNLLFHRVLFEVHSLKLLAAHCFIQHQYLMPENVVEEKTKAMD
LHAVLAEMPQPHGPPMQWRYSEVSFLELDKFLEDVRNGIYPLMNFAAARPLGLPRVLAPP
PEEAQKAKTPTPEPFDSETRKVVQMQCNLERSEDKARWHLTLLLVLEDRLHRQLTYDLLP
TDSAQDLAAELVHYGFLHEDDRTKLAAFLETTFLKYRGTQA

SEO ID NO: 183 NEK7 H, N34132 H MSGGAAEKQSSTPGSLFLSPPAPAPKNGSSSDSSVGEKLGAAAADAVTGRTEEYRRRRHT MDKDSRGAAATTTTTEHRFFRRSVICDSNATALELPGLPLSLPQPSIPAAVPQSAPPEPH REETVTATATSQVAQQPPAAAAPGEQAVAGPAPSTVPSSTSKDRPVSQPSLVGSKEEPPP ARSGSGGGSAKEPQEERSQQQDDIEELETKAVGMSNDGRFLKFDIEIGRGSFKTVYKGLD TETTVEVAWCELQDRKLTKSERQRFKEEAEMLKGLQHPNIVRFYDSWESTVKGKKCIVLV TELMTSGTLKTYLKRFKVMKIKVLRSWCRQILKGLQFLHTRTPLIIHRDLKCDNIFITGP TGSVKIGDLGLATLKRASFAKSVIGTPEFMAPEMYEEKYDESVDVYAFGMCMLEMATSEY PYSECONAAQIYRRVTSGVKPASFDKVAIPEVKEIIEGCIRQNKDERYSIKDLLNHAFFQ EETGVRVELAEEDDGEKIAIKLWLRIEDIKKLKGKYKDNEAIEFCFDLERDVPEDVAQEM VESGYVCEGDHKTMAKAIKDRVSLIKRKREQRQLVREEQENKKQEESSLKQQVEQSSASQ TGIKQLPSASTGIPTASTTSASVSTQVEPEEPEADQHQQLQYQQPSISVLSDGTVDSGQG SSVFTESRVSSQQTVSYGFPXHEQAHSTGTVPGHIPSTVQAQSQPHGVYPPSSVQQGIQQ TAPPQQTVQYSLSQTSTSSEATTAQPVSQPQAPQVLPQVSAGKQSTQGVSQVAPAEPVAV AOPOATOPTTLASSVDSAHSDVASGMSDGNENVPSSSGRHEGRTTKRHYRKSVRSRSRHE KTSRPKLRILNVSNKGDRVVECQLETHNRKMVTFKFDLDGDNPEEIATIMVNNDFILAIE RESFVDOVREIIEKADEMLSEDVSVEPEGDQGLESLQGKDDYGFSGSQKLEGEFKQPIPA SSMPQQIGIPTSSLTQVVHSAGRRFIVSPVPESRLRESKVFPSEITDTVAASTAQSPGMN LSHSASSLSLQQAFSELRRAQMTEGPNTAPPNFSHTGPTFPVVPPFLSSIAGVPTTAAAT APVPATSSPPNDISTSVIQSEVTVPTEEGIAGVATSTGVVTSGGLPIPPVSESPVLSSVV SSITIPAVVSISTTSPSLQVPTSTSEIVVSSTALYPSVTVSATSASAGGSTATPGPKPPA VVSOQAAGSTTVGATLTSVSTTTSFPSTASQLSIQLSSSTSTPTLAETVVVSAHSLDKTS

FIGURE 1P

HSSTTGLAFSLSAPSSSSSPGAGVSSYISQPGGLHPLVIPSVIASTPILPQAAGPTSTPL
LPQVPSIPPLVQPVANVPAVQQTLIHSQPQPALLPNQPHTHCPEVDSDTQPKAPGIDDIK
TLEEKLRSLFSEHSSSGAQHASVSLETSLVIESTVTPGIPTTAVAPSKLLTSTTSTCLPP
TNLPLGTVALPVTPVVTPGQVSTPVSTTTSGVKPGTAPSKPPLTKAPVLPVGTELPAGTL
PSEQLPPFPGPSLTQSQQPLEDLDAQLRRTLSPEMITVTSAVGPVSMAAPTAITEAGTQP
QKGVSQVKEGPVLATSSGAGVFKMGRFQVSVAADGAQKEGKNKSEDAKSVHFESSTSESS
VLSSSSPESTLVKPEPNGITIPGISSDVPESAHKTTASEAKSDTGQPTKVGRFQVTTTAN
KVGRFSVSKTEDKITDTKKEGPVASPPFMDLEQAVLPAVIPKKEKPELSEPSHLNGPSSD
PEAAFLSRDVDDGSGSPHSPHQLSSKSLPSQNLSQSLSNSFNSSYMSSDNESDIEDEDLK
LELRRLRDKHLKEIQDLQSRQKHEIESLYTKLGKVPPAVIIPPAAPLSGRRRRPTKSKGS
KSSRSSSLGNKSPQLSGNLSGQSAASVLHPQQTLHPPGNIPESGQNQLLQPLKPSPSSDN
LYSAFTSDGAISVPSLSAPGQGNKATIIVQKQ

SEQ ID NO: 184_BCON3_H
MSEGESQTVLSSGSDPKVESSSSAPGLTSVSPPVTSTTSAASPEEEEESEDESEILEESP
CGRWQKRREEVNQRNVPGIDSAYLAMDTEEGVEVVWNEVQFSERKNYKLQEEKVRAVFDN
LIQLEHLNIVKFHKYWADIKENKARVIFITEYMSSGSLKQFLKKTKKNHKTMNEKAWKRW
CTQILSALSYLHSCDPPIHGNLTCDTIFIQHNGLIKIGSVAPDTINNHVKTCREEQKNL
HFFAPEYGEVTNVTTAVDIYSFGMCALEMAVLEIQGNGESSYVPQEAISSAIQLLEDPLQ
REFIQKCLQSEPARRPTARELLFHPALFEVPSLKLLAAHCIVGHQHMIPENALEEITKNM
DTSAVLAEIPAGPGREPVQTLYSQSPALELDKFLEDVRNGIYPLTAFGLPRPQQPQQEEV
TSPVVPPSVKTPTPEPAEVETRKVVLMQCNIESVEEGVKHHLTLLLKLEDKLNRHLSCDL

MPNENIPELAAELVQLGFISEADQSRLTSLLEETLNKFNFARNSTLNSAAVTVSS

SEQ ID NO: 185_AA711829_M
LKQFLKKTKKNHKTMNEKAWKRWCTQILSALSYLHSCDPPIIHGNLTCDTIFIQHNGLIK
IGSVAPDTINNHVKTCREEQKNLHFFAPEYGEVTNVTTAVDIYSFGMCALEMAVLEIQGN
GESSYVPQEAISSAIQLLEDSLQREFIQKCLQSEPARRPTARELLFHPALFEVPSLKLLA
AHCIVGHQHMIPENALEEITKNMDTSAVLAEIPAGPGREPVQTLYSQSPALELDKFLEDV
RNGIYPLTAFGLPRPQQPQQEEVTSPVVPPSVKTPTPEPAEVETRKVVLMQCNIESVEEG
VKHHLTLLLKLEDKLNRHLSCDLMPNESIPDLAAELVQLGFISEADQSRLTSLLEETLNK
FNFTRNSTLNTATVTVSS

SEQ ID NO: 186_AA099102_H

MSSCVSSQPSSNRAAPQDELGGRGSSSSESQKPCEALRGLSSLSIHLGMESFIVVTECEP
GCAVDLGLARDRPLEADGQEVPLDTSGSQARPHLSGRKLSLQERSQGGLAAGGSLDMNGR
CICPSLPYSPVSSPQSSPRLPRRPTVESHHVSITGMQDCVQLNQYTLKDEIGKGSYGVVK
LAYNENDNTYYAMKVLSKKKLIRQAAFPRRPPPRGTRPAPGGCIQPRGPIEQVYQEIAIL
KKLDHPNVVKLVEVLDDPNEDHLYMVFELVNQGPVMEVPTLKPLSEDQARFYFQDLIKGI
EYLHYQKIIHRDIKPSNLLVGEDGHIKIADFGVSNEFKGSDALLSNYVGTPAFMAPESLS
ETRKIFSGKAKDVWAMGVTLYCFVFGQCPFMDERIMCLHSKIKSQALEFPDQPDIAEDLK
DLITRMLDKNPESRIVVPEIKLHPWVTRHGAEPLPSEDENCTLVEVTEEEVENSVKHIPS
LATVILVKTMIRKRSFGNPFEGSRREERSLSAPGNLLTKKPTRECESLSELKEARQRRQP
PGHRPAPRGGGGSALVRGSPCVESCWAPAPGSPARMHPLRPEEAMEPE

SEQ ID NO: 187_5R69_17_2_H MQEIPQEQIKEIKKEQLSGSPWILLRENEVSTLYKGEYHRAPVAIKVFKKLQAGSIAIVR QTFNKEIKTMKKFESPNILRIFGICIDETVTPPQFSIVMEYCELGTLRELLDREKDLTLG

PCT/US00/14842

FIGURE 1Q

KRMVLVLGAARGLYRLHHSEAPELHGKIRSSNFLVTQGYQVKLAGFELRKTQTSMSLGTT REKTDRVKSTAYLSPQELEDVFYQYDVKSEIYSFGIVLWEIATGDIPFQGEECEDWLSQW I.

SEQ ID NO: 188 H85811 H MAPVYEGMASHVQVFSPHTLQSSAFCSVKKLKIEPSSNWDMTGYGSHSKVYSQSKNIPLS OPATTTVSTSLPVPNPSLPYEQTIVFPGSTGHIVVTSASSTSVTGQVLGGPHNLMRRSTV SLLDTYQKCGLKRKSEEIENTSSVQIIEEHPPMIQNNASGATVATATTSTATSKNSGSNS EGDYOLVOHEVLCSMTNTYEVLEFLGRGTFGQVVKCWKRGTNEIVAIKILKNHPSYARQG QIEVSILARLSTESADDYNFVRAYECFQHKNHTCLVFEMLEQNLYDFLKQNKFSPLPLKY IRPVLQQVATALMKLKSLGLIHADLKPENIMLVDPSRQPYRVKVIDFGSASHVSKAVCST YLOSRYYRAPEIILGLPFCEAIDMWSLGCVIAELFLGWPLYPGDSEYDQIRYISQTQGLP AEYLLSAGTKTTRFFNRDTDSPYPLWRLKTPDDHEAETGIKSKEARKYIFNCLDDMAQVN MTTDLEGSDMLVEKADRREFIDLLKKMLTIDADKRITPIETLNHPFVTMTHLLDFPHSTH VKSCFQNMEICKRRVNMYDTVNQSKTPFITHVAPSTSTNLTMTFNNQLTTVHNQPSAASM AAVAORSMPLQTGTAQICARPDPFQQALIVCPPGFQGLQASPSKHAGYSVRMENAVPIVT QAPGAQPLQIQPGLLAQQAWPSGTQQILLPPAWQQLTGVATHTSVQHATVIPETMAGTQQ LADWRNTHAHGSHYNPIMQQPALLTGHVTLPAAQPLNVGVAHVMRQQPTSTTSSRKSKQH OSSVRNVSTCEVSSSQAISSPQRSKRVKENTPPRCAMVHSSPACSTSVTCGWGDVASSTT REROROTIVIPDTPSPTVSVITISSDTDEEEEQKHAPTSTVSKQRKNVISCVTVHDSPYS DSSSNTSPYSVQQRAGHNNANAFDTKGSLENHCTGNPRTIIVPPLKTQASEVLVECDSLV PVNTSHHSSSYKSKSSSNVTSTSGHSSGSSSGAITYRQQRPGPHFQQQQPLNLSQAQQHI TTDRTGSHRRQQAYITPTMAQAPYSFPHNSPSHGTVHPHLAAAAAAAHLPTQPHLYTYTA PAALGSTGTVAHLVASQGSARHTVQHTAYPASIVHQVPVSMGPRVLPSPTIHPSQYPAQF AHOTYISASPASTVYTGYPLSPAKVNQYPYI

SEQ ID NO: 189_DYRK3_H

MMIDETKCPPCSNVLCNPSEPPPPRRLNMTAEQFTGDHTQHFLDGGEMKVEQLFQEFGNR

KSNTIQSDGISDSEKCSPTVSQGKSSDCLNTVKSNSSSKAPKVVPLTPEQALKQYKHHLT

AYEKLEIINYPEIYFVGPNAKKRHGVIGGPNNGGYDDADGAYIHVPRDHLAYRYEVLKII

GKGSFGQVARVYDHKLRQYVALKMVRNEKRFHRQAAEEIRILEHLKKQDKTGSMNVIHML

ESFTFRNHVCMAFELLSIDLYELIKKNKFQGFSVQLVRKFAQSILQSLDALHKNKIIHCD

LKPENILLKHHGRSSTKVIDFGSSCFEYQKLYTYIQSRFYRAPEIILGSRYSTPIDIWSF

RCILAELLTGQPLFPGEDEGDQLACMMELLGMPPPKLLEQSKRAKYFINSKGIPRYCSVT

TQADGRVVLVGGRSRRGKKRGPPGSKDWGTALKGCDDYLFIEFLKRCLHWDPSARLTPAQ

ALRHPWISKSVPRPLTTIDKVSGKRVVNPASAFQGLGSKLPPVVGIANKLKANLMSETNG

SIPLCSVLPKLIS

SEQ ID NO: 190_AA589241_M DYRK3_M
TRPELLGMPPQKLLEQSKRAKYFINSKGLPRYCSVSTQTDGRVVLLGGRSRRGKKRGPPG
SKDWATALKGCGDYLFIEFLKRCLQWDPSARLTPAQALRHPWISKSTPKPLTMDKVPGKR
VVNPTNAFQGLGSKLPPVVGIASKLKANLMSETSGSIPLCSVLPKLIS

SEQ ID NO: 191_5R72_16_2_H
MAGGRGAPGRGRDEPPESYPQRQDHELQALEAIYGADFQDLRPDACGPVKEPPEINLVLY
PQGLTGEEVYVKVDLRVKCPPTYPDVVPEIELKNAKGLSNESVNLLKSRLEELAKKHCGE
VMIFELAYHVQSFLSEHNKPPPKSFHEEMLERRAQEEQQRLLEAKRKEEQEQREILHEIQ
RRKEEIKEEKKRKEMAKQERLEIASLSNQDHTSKKDPGGHRTAAILHGGSPDFVGNGKHR
ANSSGRSRRERQYSVCNSEDSPGSCEILYFNMGSPDQLMVHKGKCIGSDEQLGKLVYNAL
ETATGGFVLLYEWVLQWQKKMGPFLTSQEKEKIDKCKKQIQGTETEFNSLVKLSHPNVVR

PCT/US00/14842

FIGURE 1R

YLAMNLKEQDDSIVVDILVEHISGVSLAAHLSHSGPIPVHQLRRYTAQLLSGLDYLHSNS VVHKVLSASNVLVDAEGTVKITDYSISKRLADICKEDVFEQTRVRFSDNALPYKTGKKGD VWRLGLLLLSLSQGQECGEYPVTIPSDLPADFQDFLKKCVCLDDKERWSPQQLLKHSFIN PQPKMPLVEQSPEDSGGQDYVETVIPSNRLPSAAFFSETQRQFSRYFIEFEELQLLGKGA FGAVIKVQNKLDGCCYAVKRIPINPASRQFRRIKGEVTLLSRLHHENIVRYYNAWIERHE RPAGPGTPPPDSGPLAKDDRAARGQPASDTDGLDSVEAAAPPPILSSSVEWSTSGERSAS ARFPATGPGSSDDEDDDEDEHGGVFSQSFLPASDSESDIIFDNEDENSKSQNQDEDCNEK NGCHESEPSVTTEAVHYLYIQMEYCEKSTLRDTIDQGLYRDTVRLWRLFREILDGLAYIH EKGMIHRDLKPVNIFLDSDDHVKIGDFGLATDHLAFSADSKQDDQTGDLIKSDPSGHLTG MVGTALYVSPEVQGSTKSAYNQKVDLFSLGIIFFEMSYHPMVTASERIFVLNQLRDPTSP KFPEDFDDGEHAKQKSVISWLLNHDPAKRPTATELLKSELLPPPQMEESELHEVLHHTLT NVDGKAYRTMMAQIFSQRISPAIDYTYDSDILKGNFSIRTAKMQQHVCETIIRIFKRHGA VQLCTPLLLPRNRQIYEHNEAALFMDHSGMLVMLPFDLRIPFARYVARNNILNLKRYCIE RVFRPRKLDRFHPKELLECAFDIVTSTTNSFLPTAEIIYTIYEIIQEFPALQERNYSIYL NHTMLLKAILLHCGIPEDKLSQVYIILYDAVTEKLTRREVEAKFCNLSLSSNSLCRLYKF IEQKGDLQDLMPTINSLIKQKTGIAQLVKYGLKDLEEVVGLLKKLGIKLQVLINLGLVYK VQQHNGIIFQFVAFIKRRQRAVPEILAAGGRYDLLIPQFRGPQALGPVPTAIGVSIAIDK ISAAVLNMEESVTISSCDLLVVSVGQMSMSRAINLTQKLWTAGITAEIMYDWSQSQEELQ EYCRHHEITYVALVSDKEGSHVKVKSFEKERQTEKRVLETELVDHVLQKLRTKVTDERNG REASDNLAVQNLKGSFSNASGLFEIHGATVVPIVSVLAPEKLSASTRRRYETQVQTRLQT SLANLHQKSSEIEILAVDLPKETILQFLSLEWDADEQAFNTTVKQLLSRLPKQRYLKLVC DEIYNIKVEKKVSVLFLYSYRDDYYRILF

SEQ ID NO: 192_R43524_H, HRI_H
MLGGNSGVRKREEEGDGAGAVAAPPAIDFPAEGPDPEYDESDVPAEIQVLKEPLQQPTFP
FAVANQLLLVSLLEHLSHVHEPNPLRSRQVFKLLCQTFIKMGLLSSFTCSDEFSSLRLHH
NRAITHLMRSAKERVRQDPCEDISRIQKIRSREVALEAQTSRYLNEFEELVILGKGGYGR
VYKVRNKLDGQYYAIKKILIKGATKTVCMKVLREVKVLAGLQHPNIVGYHTAWIEHVHVI
QPRADRAAIELPSLEVLSDQEEDREQCGVKNDESSSSSIIFAEPTPEKEKRFGESDTENQ
NNKSVKYTTNLVIRESGELESTLELQENGLAGLSASSIVEQQLPLRRNSHLEESFTSTEE
SSEENVNFLGQTEAQYHLMLHIQMQLCELSLWDWIVERNKRGREYVDESACPYVMANVAT
KIFQELVEGVFYIHNMGIVHRDLKPRNIFLHGPDQQVKIGDFGLACTDILQKNTDWTNRN
GKRTPTHTSRVGTCLYASPEQLEGSEYDAKSDMYSLGVVLLELFQPFGTEMERAEVLTGL
RTGQLPESLRKRCPVQAKYIQHLTRRNSSQRPSAIQLLQSELFQNSGNVNLTLQMKIIEQ
EKEIAELKKQLNLLSQDKGVRDDGKDGGVG

SEQ ID NO: 193_17000057519457_H
MAAARATTPADGEEPAPEAEALAAARERSSRFLSGLELVKQGAEARVFRGRFQGRAAVIK
HRFPKGYRHPALEARLGRRRTVQEARALLRCRRAGISAPVVFFVDYASNCLYMEEIEGSV
TVRDYIQSTMETEKTPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKPPLEQLNIV
LIDFGLSFISALPEDKGVDLYVLEKAFLSTHPNTETVFEAFLKSYSTSSKKARPVLKKLD
EVRLRGRKRSMVG

SEQ ID NO: 194_AA013524_M LVQQGAEARVFRGRFQGRAAVVKHRFPKSYRHPELEARLGRRRTVQEARALLRCRRAGIA APVVFFVDYASNCLYMEEIEDSVTVRDYIQSTMETEKDPQCLLDLARRMGQVLAGMHDQD LIHGDLTTSNMLLRRPLAQLHIVLIDFGLSFVSGLPEDKGVDLYVLEKAFLSTHPHTETA FEAFLKSYGASSKKSSPVLKKLDEVRLRGRKRSMVG

FIGURE 1S

SEQ ID NO: 195_17000139801197_H, IRAKM_H
MAGNCGARGALSAHTLLFDLPPALLGELCAVLDSCDGALGWRGLAERLSSSWLDVRHIEK
YVDQGKSGTRELLWSWAQKNKTIGDLLQVLQEMGHRRAIHLITNYGAVLSPSEKSYQEGG
FPNILFKETANVTVDNVLIPEHNEKGVLLKSSISFQNIIEGTRNFHKDFLIGEGEIFEVY
RVEIQNLTYAVKLFKQEKKMQCKKHWKRFLSELEVLLLFHHPNILELAAYFTETEKFCLI
YPYMRNGTLFDRLQCVGDTAPLPWHIRIGILIGISKAIHYLHNVQPCSVICGSISSANIL
LDDQFQPKLTDFAMAHFRSHLEHQSCTINMTSSSSKHLWYMPEEYIRQGKLSIKTDVYSF
GIVIMEVLTGCRVVLDDPKHIQLRDLLRELMEKRGLDSCLSFLDKKVPPCPRNFSAKLFC
LAGRCAATRAKLRPSMDEVLNTLESTQASLYFAEDPPTSLKSFRCPSPLFLENVPSIPVE
DDESQNNNLLPSDEGLRIDRMTQKTPFECSQSEVMFLSLDKKPESKRNEEACNMPSSSCE
ESWFPKYIVPSQDLRPYKVNIDPSSEAPGHSCRSRPVESSCSSKFSWDEYEQYKKE

SEQ ID NO: 196_AA840598_M IRAKM_M

MWKRFLSELEVLLLFRHPHILELAAYFTETEKLCLVYPYMSNGTLFDRLQCTNGTTPLSW
HVRISVLIGIAKAIQYLHNTQPCAVICGNVSSANILLDDQLQPKLTDFAAAHFRPNLEQQ
SSTINMTGGGRKHLWYMPEEYIRQGRLSVKTDVYSFGIVIMEVLTGCKVVLDDPKHVQLR
DLLMELMEKRGLDSCLSFLDRKIPPCPRNFSAKLFSLAGRCVATKAKLRPTMDEVLSSLE
STQPSLYFAEDPPTSLKSFRCPSPLFLDNVPSIPVEDDENQNNHSVPPKEVLGTDRVTQK
TPFECSQSEVTFLGLDRNRGNRGSEADCNVPSSSHEECWSPELVAPSQDLSPTVISLGSS
WEVPGHSYGSKPMEKRCSSGLFCSEHEQSKKQ

SEQ ID NO: 197 AA088547 H MASAVRGSRPWPRLGLOLQFAALLLGTLSPQVHTLRPENLLLVSTLDGSLHALSKQTGDL KWTLRDDPVIEGPMYVTEMAFLSDPADGSLYILGTQKQQGLMKLPFTIPELVHASPCRSS DGVFYTGRKQDAWFVVDPESGETQMTLTTEGPSTPRLYIGRTQYTVTMHDPRAPALRWNT TYRRYSAPPMDGSPGKYMSHLASCGMGLLLTVDPGSGTVLWTQDLGVPVMGVYTWHQDGL ROLPHLTLARDTLHFLALRWGHIRLPASGPRDTATLFSTLDTQLLMTLYVGKDETGFYVS KALVHTGVALVPRGLTLAPADGPTTDEVTLQVSGEREGSPSTAVRYPSGSVALPSQWLLI GHHELPPVLHTTMLRVHPTLGSGTAETRPPENTQAPAFFLELLSLSREKLWDSELHPEEK TPDSYLGLGPODLLAASLTAVLLGGWILFVMRQVVEKQQETPLAPADFAHISQDAQSLHS GASRRSQKRLQSPSKQAQPLDDPEAEQLTVVGKISFNPKDVLGRGAGGTFVFRGQFEGRA VAVKRLLRECFGLVRREVQLLQESDRHPNVLRYFCTERGPQFHYIALELCRASLQEYVEN PDLDRGGLEPEVVLQQLMSGLAHLHSLHIVHRDLKPGNILITGPDSQGLGRVVLSDFGLC KKLPAGRCSFSLHSGIPGTEGWMAPELLQLLPPDSPTSAVDIFSAGCVFYYVLSGGSHPF GDSLYRQANILTGAPCLAHLEEEVHDKVVARDLVGAMLSPLPQPRPSAPQVLAHPFFWSR AKQLQFFQDVSDWLEKESEQEPLVRALEAGGCAVVRDNWHEHISMPLQTDLRKFRSYKGT SVRDLLRAVRNKKHHYRELPVEVRQALGQVPDGFVQYFTNRFPRLLLHTHRAMRSCASES LFLPYYPPDSEARRPCPGATGR

SEQ ID NO: 198_HGP_6644466
MEGISNFKTPSKLSEKKKSVLCSTPTINIPASPFMQKLGFGTGVNVYLMKRSPRGLSHSP
WAVKKINPICNDHYRSVYQKRLMDEAKILKSLHHPNIVGYRAFTEANDGSLCLAMEYGGE
KSLNDLIEERYKASQDPFPAAIILKVALNMARGLKYLHQEKKLLHGDIKSSNVVIKGDFE
TIKICDVGVSLPLDENMTVTDPEACYIGTEPWKPKEAVEENGVITDKADIFAFGLTLWEM
MTLSIPHINLSNDDDDDEDKTFDESDFDDEAYYAALGTRPPINMEELDESYQKVIELFSVC
TNEDPKDRPSAAHIVEALETDV

SEQ ID NO: 199_AA449542_M SPRGLSHSPWAVKKISLLCDDHYRTVYQKRLTDEAKILKNLNHPNIIGYRAFTEASDGSL CLAMEYGGEKSLNDLIEERNKDSGSPFPAAVILRVALHMARGLKYLHQEKKLLHGDIKSS

FIGURE 1T

NVVIKGDFETIKICDVGVSLPLDENMTVTDPEACYIGTEPWKPKEALEENGIITDKADVF AFGLTLWEMMTLCIPHVNLPDDDVDEDATFDESDFDDEAYYAALGTRPSINMELDDSYQK AIELFCVCTNEDPKDRPSAAHIVEALELDGQCCGLSESKH

SEQ ID NO: 200_5R57_10_2_M TESK2_M LLDSDLYLPWTVRVKLAYGIAVGLSYLHFKGIFHRDLTSKV

SEQ ID NO: 201_AA232253_H

MSSLGASFVQIKFDDLQFFENCGGGSFGSVYRAKWISQDKEVAVKKLLKIEKEAEILSVL
SHRNIIQFYGVILEPPNYGIVTEYASLGSLYDYINSNRSEEMDMDHIMTWATDVAKGMHY
LHMEAPVKVIHRDLKSRNVVIAADGVLKICDFGASRFHNHTTHMSLVGTFPWMAPEVIQS
LPVSETCDTYSYGVVLWEMLTREVPFKGLEGLQVAWLVVEKNERLTIPSSCPRSFAELLH
QCWEADAKKRPSFKQIISILESMSNDTSLPDKCNSFLHNKAEWRCEIEATLERLKKLERD
LSFKEQELKERERRLKMWEQKLTEQSNTPLLPSFEIGAWTEDDVYCWVQQLVRKGDSSAE
MSVYASLFKENNITGKRLLLLEEEDLKDMGIVSKGHIIHFKSAIEKLTHDYINLFHFPPL
IKDSGGEPEENEEKIVNLELVFGFHLKPGTGPQDCKWKMYMEMDGDEIAITYIKDVTFNT
NLPDAEILKMTKPPFVMEKWIVGIAKSQTVECTVTYESDVRTPKSTKHVHLIQWSRTKPQ
DEVKAVQLAIQTLFTNSDGNPGSRSDSSADCQWLDTLRMRQIASNTSLQRSQSNPILGSP
FFSHFDGQDSYAAAVRRPQVPIKYQQITPVNQSRSSSPTQYGLTKNFSSLHLNSRDSGFS
SGNTDTSSERGRYSDRSRNKYGRGSISLNSSPRGRYSGKSQHSTPSRGRYPGKFYRVSQS
ALNPHQSPDFKRSPRDLHQPNTIPGMPLHPETDSRASEEDSKVSEGGWTKVEYRKKPHRP
SPAKTNKERARGDHRGWRNF

SEQ ID NO: 202_AI375137_H

MGNYKSRPTQTCTDEWKKKVSESYVITIERLEDDLQIKEKELTELRNIFGSDEAFSKVNL

NYRTENGLSLLHLCCICGGKKSHIRTLMLKGLRPSRLTRNGFTALHLAVYKDNAELITSL

LHSGADIQQVGYGGLTALHIATIAGHLEAADVLLQHGANVNIQDAVFFTPLHIAAYYGHE

QVTRLLLKFGADVNVSGEVGDRPLHLASAKGFLNIAKLLMEEGSKADVNAQDNEDHVPLH

FCSRFGHHDIVKYLLQSDLEVQPHVVNIYGDTPLHLACYNGKFEVAKEIIQISGTESLTK

ENIFSETAFHSACTYGKSIDLVKFLLDQNVININHQGRDGHTGLHSACYHGHIRLVQFLL

DNGADMNLVACDPSRSSGEKDEQTCLMWAYEKGHDAIVTLLKHYKRPQDELPCNEYSQPG

GDGSYVSVPSPLGKIKSMTKEKADILLLRAGLPSHFHLQLSEIEFHEIIGSGSFGKVYKG

RCRNKIVAIKRYRANTYCSKSDVDMFCREVSILCQLNHPCVIQFVGACLNDPSQFAIVTQ

YISGGSLFSLLHEQKRILDLQSKLIIAVDVAKGMEYLHNLTQPIIHRDLNSHNILLYEDG

HAVVADFGESRFLQSLDEDNMTKQPGNLRWMAPEVFTQCTRYTIKADVFSYALCLWEILT

GEIPFAHLKPAAAAADMAYHHIRPPIGYSIPKPISSLLIRGWNACPEGRPEFSEVVMKLE

ECLCNIELMSPASSNSSGSLSPSSSSDCLVNRGGPGRSHVAALRSRFELEYALNARSYAA

LSOSAGOYSSOGLSLEEMKRSLOYTPIDKYGYVSDPMSSMHFHSCRNSSSFEDSS

SEQ ID NO: 203_H97685_H

MESERSPLYRQLIDLGYLSSSHWNCGAPGQDTKAQSMLVEQSEKLRHLSTFSHQVLQTRL

VDAAKALNLVHCHCLDIFINQAFDMQRDLQITPKRLEYTRKKENELYESLMNIANRKQEE

MKDMIVETLNTMKEELLDDATNMEFKDVIVPENGEPVGTREIKCCIRQIQELIISRLNQA

VANKLISSVDYLRESFVGTLERCLQSLEKSQDVSVHITSNYLKQILNAAYHVEVTFHSGS

SVTRMLWEQIKQIIQRITWVSPPAITLEWKRKVAQEAIESLSASKLAKSICSQFRTRLNS

SHEAFAASLRQLEAGHSGRLEKTEDLWLRVRKDHAPRLARLSLESRSLQDVLLHRKPKLG

QELGRGQYGVVYLCDNWGGHFPCALKSVVPPDEKHWNDLALEFHYMRSLPKHERLVDLHG

SVIDYNYGGGSSIAVLLIMERLHRDLYTGLKAGLTLETRLQIALDVVEGIRFLHSQGLVH

RDIKLKNVLLDKQNRAKITDLGFCKPEAMMSGSIVGTPIHMAPELFTGKYDNSVDVYAFG

PCT/US00/14842

FIGURE 1U

ILFWYICSGSVKLPEAFERCASKDHLWNNVRRGARPERLPVFDEECWQLMEACWDGDPLK RPLLGIVQPMLQGIMNRLCKSNSEQPNRGLDDST

SEQ ID NO: 204_W20810_M

DVNLKASKASDVYSFGILVWAVLAGREAELVDKTSLIRETVCDRQSRPPLTELPPGSPET PGLEKLKELMIHCWGSQSENRPSFQDCEPKTNEVYNLVKDKVDAAVSEVKHYLSQHRSSG RNLSAREPSQRGTEMDCPRETMVSKMLDRLHLEEPSGPVPGKCPERQAQDTSVGPATPAR TSSDPVAGTPQIPHTLPFRGTTPGPVFTETPGPHPQRNQGDGRHGTPWYPWTPPNPMTGP PALVFNNCSEVQIGNYNSLVAPPRTTASSSAKYDQAQFGRGRGWQPFHK

SEQ ID NO: 205 AA744236 H

MGSENSALKSYTLREPPFTLPSGLAVYPAVLQDGKFASVFVYKRENEDKVNKAAKHLKTL
RHPCLLRFLSCTVEADGIHLVTERVQPLEVALETLSSAEVCAGIYDILLALIFLHDRGHL
THNNVCLSSVFVSEDGHWKLGGMETVCKVSQATPEFLRSIQSIRDPASIPPEEMSPEFTT
LPECHGHARDAFSFGTLVESLLTILNEQVSADVLSSFQQTLHSTLLNPIPKCRPALCTLL
SHDFFRNDFLEVVNFLKSLTLKSEEEKTEFFKFLLDRVSCLSEELIASRLVPLLLNQLVF
AEPVAVKSFLPYLLGPKKDHAQGETPCLLSPALFQSRVIPVLLQLFEVHEEHVRMVLLSH
IEAYVEHFTQEQLKKVILPQVLLGLRDTSDSIVAITLHSLAVLVSLLGPEVVVGGERTKI
FKRTAPSFTKNTDLSLEGDPFSQPIKFPINGLSDVKNTSEDSENFPSSSKKSEEWPDWSE
PEEPENQTVNIQIWPREPCDDVKSQCTTLDVEESSWDDCEPSSLDTKVNPGGGITATKPV
TSGEQKPIPALLSLTEESMPWKSSLPQKISLVQRGDDADQIEPPKVSSQERPLKVPSELG
LGEEFTIQVKKKPVKDPEMDWFADMIPEIKPSAAFLILPELRTEMVPKKDDVSPVMQFSS
KFAAAEITEGEAEGWEEEGELNWEDNNW

SEO ID NO: 206 AI052250 H

MESMLNKLKSTVTKVTADVTSAVMGIPVTREFDVGRHIASGCNGLAWKIFNGTKKSTKQE VAVFVFDKKLIDKYQKFEKDQIIDSLKRGVQQLTRLRHPRLLTVQHPLEESRDCLAFCTE PVFASLANVLGNWENLPSPISPDIKDYKLYDVETKYGLLQVSEGLSFLHSSVKMVHGNIT PENIILNKSGAWKIMGFDFCVSSTNPSEQEPKFPCKEWDPNLPSLCLPNPEYLAPEYILS VSCETASDMYSLGTVMYAVFNKGKPIFEVNKQDIYKSFSRQLDQLSRLGSSSLTNIPEEV REHVKLLLNVTPTVRPDADQMTKIPFFDDVGAVTLQYFDTLFQRDNLQKSQFFKGLPKVL PKLPKRVIVQRILPCLTSEFVNPDMVPFVLPNVLLIAEECTKEEYVKLILPELGPVFKQQ EPIQILLIFLQKMDLLLTKTPPDEIKNSVLPMVYRALEAPSIQIQELCLNIIPTFANLID YPSMKNALIPRIKNACYKHLPLRFV

SEQ ID NO: 207_AA278842_H

MWFFARDPVRDFPFELIPEPPEGGLPGPWALHRGRKKATGSPVSIFVYDVKPGAEEQTQV
AKAAFKRFKTLRHPNILAYIDGLETEKCLHVVTEAVTPLGIYLKARVEAGGLKELEISWG
LHQIVKALSFLVNDCSLIHNNVCMAAVFVDRAGEWKLGGLDYMYSAQGNGGGPPRKGIPE
LEQYDPPELADSSGRVVREKWSADMWRLGCLIWEVFNGPLPRAAALRNPGKIPKTLVPHY
CELVGANPKVRPNPARFLQNCRAPGGFMSNRFVETNLFLEEIQIKEPAEKQKFFQELSKS
LDAFPEDFCRHKVLPQLLTAFEFGNAGAVVLTPLFKVGKFLSAEEYQQKIIPVVVKMFSS
TDRAMRIRLLQQMEQFIQYLDEPTVNTQIFPHVVHGFLDTNPAIREQTVKSMLLLAPKLN
EANLNVELMKHFARLQAKDEQGPIRCNTTVCLGKIGSYLSASTRHRVLTSAFSRATRDPF
APSRVAGVLGFAATHNLYSMNDCAQKILPVLCGLTVDPEKSVRDQAFKAIRSFLSKLESV
SEDPTQLEEVEKDVHAASSPGMGGAAASWAGWAVTGVSSLTSKLIRSHPTTAPTETNIPQ
RPTPEGVPAPAPTPVPATPTTSGHWETQEEDKDTAEDSSTADRWDDEDWGSLEQEAESVL
AQQDDWSTGGQVSRASQVSNSDHKSSKSPESDWSSWEAEGSWEQGWQEPSSQEPPPDGTR
LASEYNWGGPESSDKGDPFATLSARPSTQPRPDSWGEDNWEGLETDSRQVKAELARKKRE
ERREMEAKRAERKVAKGPMKLGARKLD

FIGURE 1V

SEQ ID NO: 208_AA599286_H
MAFMEKPPAGKVLLDDTVPLTAAIEASQSLQSHTEYIIRVQGGISVENSWQIVRRYSDFD
LLNNSLQIAGLSLPLPPKKLIGNMDREFIAERQKGLQNYLNVITTNHILSNCELVKKFLD
PNNYSANYTEIALQQVSMFFRSEPKWEVVEPLKDIGWRIRKKYFLMKIKNQPKERLVLSW
ADLGPDKYLSDKDFQCLIKLLPSCLHPYIYRVTFATANESSALLIRMFNEKGTLKDLIYK
AKPKDPFLKKYCNPKKIQGLELQQIKTYGRQILEVLKFLHDKGFPYGHLHASNVMLDGDT
CRLLDLENSLLGLPSFYRSYFSQFRKINTLESVDVHCFGHLLYEMTYGRPPDSVPVDSFP
PAPSMAVVAVLESTLSCEACKNGMPTISRLLQMPLFSDVLLTTSEKPQFKIPTKLKEALR
IAKECIEKRLIEEQKQIHQHRRLTRAQSHHGSEEERKKRKILARKKSKRSALENSEEHSA
KYSNSNNSAGSGASSPLTSPSSPTPPSTSGISALPPPPPPPPPPPAAPLPPASTEAPAQLS
SQAVNGMSRGALLSSIQNFQKGTLRKAKPVITVLRRSAEASCLHLEGKVLFYSYSPLPPN
YPLPGKVIAEPVQPQTVLFCRCSCKQLFERNNSLSRIKLGWHAKKKKKK

SEQ ID NO: 209_AA425725_H

MSASTGGGGDSGSGSSSSSQASCGPESSGSELALATPVPQMLQGLLGSDDEEQEDPKD
YCKGGYHPVKIGDVFNGRYHVVRKLGWGHFSTVWLCWDIQRKRFVALKVVKSAGHYTETA
VDEIKLLKCVRDSDPSDPKRETIVQLIDDFRISGVNGVHVCMVLEVLGHQLLKWIIKSNY
QGLPVPCVKSIVRQVLHGLDYLHTKCKIIHTDIKPENILLCVGDAYIRRLAAEATEWQQA
GAPPPSRSIVSTAPQEVLTGKLSKNKRKKMRRKRKQQKRLLEERLRDLQRLEAMEAATQA
EDSGLRLDGGSGSTSSSGFSGSLFSPASCSILSGSSNQRETGGLLSPSTPFGASNLLVNP
LEPQNADKIKIKIADLGNACWVHKHFTEDIQTRQYRAVEVLIGAEYGPPADIWSTACMAF
ELATGDYLFEPHSGEDYSRDEDHIAHIVELLGDIPPAFALSGRYSREFFNRRGELRHIHN
LKHWGLYEVLMEKYEWPLEQATQFSAFLLPMMEYIPEKRASAADCLQHPWLNP

SEQ ID NO: 210_SGK022_H
MEDFLLSNGYQLGKTIGEGTYSKVKEAFSKKHQRKVAIKVIDKMGGPSEFIQRFLPRELQ
IVRTLDHKNIIQVYEMLESADGKICLVMELAEGGDVFDCVLNGGPLPESRAKALFRQMVE
AIRYCHGCGVAHRDLKCENALLQGFNLKLTDFGFAKVLPKSHRELSQTFCGSTAYAAPEV
LQGIPHDSKKGDVWSMGVVLYVMLCASLPFDDTDIPKMLWQQQKGVSFPTHLSISADCQD
LLKRLLEPDMILRPSIEEVSWHPWLAST

SEQ ID NO: 211_AA060026_M SGK022_M
MEDFLLSNGYQLGKTIGEGTYSKVKEAFSKKHQRKVAIKIIDKMGGPEEFIQRFLPRELQ
IVRTLDHKNIIQVYEMLESADGKIYLVMELAEGGDVFDCVLNGGPLPESRAKALFRQMVE
AIRYCHGCGVAHRDLKCENALLQGFNLKLTDFGFAKVLPKSRRELSQTFCGSTAYAAPEV
LQGIPHDSKKGDVWSMGVVLYVMLCASLPFDDTDIPKMLWQQQKGVSFPTHLGISTECQD
LLKRLLEPDMILRPSIEEVSWHPWLAST

SEQ ID NO: 212_AA399669_H
MGKGDVLEAAPTTTAYHSLMDEYGYEVGKAIGHGSYGSVYEAFYTKQKVMVAVKIISKKK
ASDDYLNKFLPREIQQVMKVLRHKYLINFYRAIESTSRVYIILELAQGGDVLEWIQRYGA
CSEPLAGKWFSQLTLGIAYLHSKSIVHRDLKLENLLLDKWENVKISDFGFAKMVPSNQPV
GCSPXYRQVNCFSHLSQTYCGSFAYACPEILRGLPYNPFLSDTWSMGVILYTLVVAHLPF
DDTNLKKLLRETQKEVTFPANHTISQECKVQLLIACVAQWRKTQARPLSPLL

SEQ ID NO: 213_AA758539_H MDDATVLRKKGYIVGINLGKGSYAKVKSAYSERLKFNVAVKIIDRRKTPTDFVERFLPRE MDILATVNHGSIIKTYEIFETSDGRIYIIMELGVQGDLLEFIKCQGALHEDVARKMFRQL SSAVKYCHDLDIVHRDLKCENLLLDKDFNIKLSDFGFSKRCLRDSNGRIILSKTFCGSAA

FIGURE 1W

YAAPEVLQSIPYQPKVYDIWSLGVILYIMVCGSMPYDDSDIRKMLRIQKEHRVDFPRSKN LTCECKDLIYRMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD TKTGLRPDHRPDHKLGAKTQHRLLVVPENENRMEDRLAETSRAKDHHISGAEVGKAST

SEQ ID NO: 214 AA883975 H

MSGDKLLSELGYKLGRTIGEGSYSKVKVATSKKYKGTVAIKVVDRRRAPPDFVNKFLPRE LSILRGVRHPHIVHVFEFIEVCNGKLYIVMEAAATDLLQAVQRNGRIPGVQARDLFAQIA GAVRYLHDHHLVHRDLKCENVLLSPDERRVKLTDFGFGRQAHGYPDLSTTYCGSAAYASP EVLLGIPYDPKKYDVWSMGVVLYVMVTGCMPFDDSDIAGLPRRQKRGVLYPEGLELSERC KALIAELLQFSPSARPSAGQVARNCWLRAGDSG

SEQ ID NO: 215_AA905446_H

VGRQETGVRRWAFLICQPISPPLTSSEFIQRFLPRELQIVRTLDHKNIIQVYEMLESADG KICLVMELAEGGDVFDCVLNGGPLPESRAKALFRQMVEAIRYCHGCGVAHRDLKCENALL QGFNLKLTDFGFAKVLPKSHRELSQTFCGSTAYAAPEVLQGIPXKMLWQQQKGVSFPTHL SISADCODLLKRLLEPDMILRPSIEEVSWHPWLAST

SEQ ID NO: 216 H29974 H

YSLLAEIGRGSYGVVYEAVAGRSGARVAVKKIRCDAPENVELALAEFWALTSLKRRHQNV VQFEECVLQRNGLAQRMSHGNKSSQLYLRLVETSLKGERILGYAEEPCYLWFVMEFCEGG DLNQYVLSRRPDPATNKSFMLQLTSAIAFLHKNHIVHRDLKPDNILITERSGTPILKVAD FGLSKVCAGLAPRGKEGNQDNKNVNVNKYWLSSACGSDFYMAPEVWEGHYTAKADIFALG IIIWAMIERITFIDSETKKELLGTYIKQGTEIVPVGEALLENPKMELHIPQKRRTSMSEG IKOLLKDMLAANPQDRPDAFELETRMDQVTCAA

SEQ ID NO: 217_AA498104_M H29974_M
PLLLPPPPAAMETGKENGARRGTKSPERKRRSPVQRVLCEKLRPAAQAMDPAGAEVPGEA
FLARRRPDGGGGDVPARPRYSLLAEIGRGSYGVVYEAVAGRSGARVAVKKIRCDAPENVE
LALAEFWALTSLKRRHQNIVQFEECVLQRNGLAQRMSHGNKNSQLYLRLVETSLKGERIL
GYAEEPCYLWFVMEYCEGGDLNQYVLSRRPDPATNKSFMLQLTSAIAFLHKNHIVHRDLK
PDNILITERSGTPILKVADFGLSKVCAGLAPRGKEGNQDNKNVNVNKYWLSSACGSDFYM
APEVWEGHYTAKADIFALGIIIWAMIERITFIDSETKKELLGTYIKQGTEIVPVGEALLE
NPKMELHIPQKRRTSMSEGVKQLLKDMLAANPQDRPDAFELETRMDQVTCAA

SEQ ID NO: 218 AA215311 H

MVSSQPKYDLIREVGRGSYGVVYEAVIRKTSARVAVKKIRCHAPENVELALREFWALSSI KSQHPNVIHLEECILQKDGMVQKMSHGSNSSLYLQLVETSLKGEIAFDPRSAYYLWFVMD FCDGGDMNEYLLSRKPNRKTNTSFMLQLSSALAFLHKNQIIHRDLKPDNILISQTRLDTS DLEPTLKVADFGLSKVCSASGQNPEEPVSVNKCFLSTACGTDFYMAPEVWEGHYTAKADI FALGIIIWAMLERITFIDTETKKELLGSYVKQGTEIVPVGEALLENPKMELLIPVKKKSM NGRMKQLIKEMLAANPQDRPDAFELELRLVQIAFKDSSWET

SEQ ID NO: 219_AA018361_H
MRAAFPAGGAGGSVEPPSARPAPQPAGTAARSEEAPARAQAAGMAGPGWGPPRLDGFILT
ERLGSGTYATVYKAYAKKDTREVVAIKCVAKKSLNKASVENLLTEIEILKGIRHPHIVQL
KDFQWDSDNIYLIMEFCAGGDLSRFIHTRRILPEKVARVFMQQLASALQFLHERNISHLD
LKPQNILLSSLEKPHLKLADFGFAQHMSPWDEKHVLRGSPLYMAPEMVCQRQYDARVDLW
SMGVILYEALFGQPPFASRSFSELEEKIRSNRVIELPLRPLLSRDCRDLLQRLLERDPSR
RISFODFFAHPWVDLEHMPSGESLGRATALVVQAVKKDQEGDSAAALSLYCKALDFFVPA

FIGURE 1X

LHYEVDAQRKEAIKAKVGQYVSRAEELKAIVSSSNQALLRQGTSARDLLREMARDKPRLL AALEVASAAMAKEEAAGGEQDALDLYQHSLGELLLLLRSPRAGGGSCFTLRFRTSWPELN T

SEQ ID NO: 220_AA311714_H
MENFILYEEIGRGSKTVVYKGRRKGTINFVAILCTDKCRRPEITNWVRLTREIKHKNIVT
FHEWYETSNHLWLVXENLPEDVVREFGIDLISGLHHLHKLGILFCDISPRKILLEGPGTL
KFSNFCLAKVEGENLEEFFALVAAEEGGGDNGENVLKKSMKSRVKGSPVYTAPEVVRGAD
FSISSDLWSLGCLLYEMFSGKPPFFSESVSELTEKILCEDPLPPIPKDSSRPKASSDFIN
LLDGLLQRDPQKRLTWTRLLQHSFWKKAFAGADQESSVEDLSLSRNTMECSGPQDSKELL
QNSQSRQAKGHKSGQPLGHSFRLENPTEFRPKSTLEGQLNESMFLLSSRPTPRTSTAVEV
SPGEDMTHCSPQKTSPLTKITSGHLSQQDLESQMRELIYTDSDLVVTPIIDNPKIMKQPP
VKFDAKILHLPTYSVDKLLFLKDQDWNDFLQQVCSQIDSTEKSMGASRAKLNLLCYLCVV
AGHQEVATRLLHSPLFQLLIQHLRIAPNWDIRAKVAHVIGLLASHTTELQENTPVVETTS
SIGIGILNCLVQHSTPVPRQCLVYV

SEQ ID NO: 221_SGK384_H SLAHVLRARQILTEPEVRDYLRGLVSGLRYLHQRCILHR

SEQ ID NO: 222_AA210451_M SGK384_M
MGQQHGTRNGLTHRELPRGVGLLLAMALMNVALYLCLDQLFISPGRSTADSRRCPPGYFR
MGRMRNCSRWLSCEELRTEVRQLKRVGEGAVKRVFLSEWKEHKVALSRLTRLEMKEDFLH
GLQMLKSLQSEHVVTLVGYCEEDGTILTEYHPLGSLSNLEETLNLSKYQDVNTWQHRLQL
AMEYVSIINYLHHSPLGTRVMCDSNDLPKTLSQYLLTSNFSIVANDLDALPLVDHDSGVL
IKCGHRELHGDFVAPEQLWPYGEDTPFQDDLMPSYNEKVDIWKIPDVSSFLLGHVEGSDM
VRFHLFDIHKACKSQIPAERPTAQNVLDAYQRVFHSLRDTVMSQTKEML

SEQ ID NO: 223_SGK071_2_H
EVVAVQMMVECMDDHYASQALEELMPLLKLRHAHISVYQELFITWNGEISSLYLCLVMEF
NELSFQEVIEDKRKAKKIIDSEWMQNVLGQVLDALEYLHHLDIIHRNLKPSNIILISSDH
CKLQDLSSNVLMTDKAKWNIRAEEDPFRKSWMAPEALNFSFSQKSDIWSLGCIILDMTSC
SFMDGTEAMHLRKSLRQSPGSLKAVLKTMEEKQIPDVETFRNLLPLMLQIDPSDRITIKD
VVHITFLRGSFKSSCVSLTLHRQMVPASITDMLLEGNVASILGDAGDTKGERALKLLSMA
LASYCLVPEGSLFMPLALLHMHDQWLSCDQDRVPGKRDFASLGKLGKLLGPIPKGLPWPP
ELVEVVVTTMELHDRVLDVQLCACSLLLHLLGQALVHHPEAKAPCNQAITSTLLSALQSH
PEEEPLLVMVYSLLAITTTQESESLSEELQNAGLLEHILEHLNSSLESRDVCASGLGLLW
ALLLDDPILALQRPRKKRAPNHGKPGKPKNPASTQSIIVNKAPLEKVPDLISQVLATYPA
DGEMAEASCGVFWLLSLLGCIKEQQFEQVVALLLQSIRLCQDRALLVNNAYRGLASLVKV
SELAAFKVVVQEEGGSGLSLIKETYQLHRDDPEVVENVGMLLVHLASYEEILPELVSSSM
KALLQEIKERFTSSLVSDSSAFSKPGLPPGGSPQLGCTTSGGLE

SEQ ID NO: 224_AA118352_M SGK071_M
EEDPCQKSWMAPEALKFSFSTKSDIWSLGCIILDMATCSFLNDTEAMQLRKAIRHHPGSL
KPILKTMEEKQIPGTDVYYLLLPFMLHINPSDRLAIKDVMQVTFMSNSFKSSSVALNMQR
QKVPIFITDVLLEGNMANILGSWLCASFVNDSRHCDSGIGSQRLGFDFQSVSWTEHPLKD
VMQNFSSRPEVQLRAINKLLTMPEDQLGLPWPTELLEEVISIIKQHGRILDILLSTCSLL
LRVLGQALAKDPEAEIPRSSLIISFLMDTLRSHPNSERLVNVVYNVLAIISSQGQISEEL
EEEGLFQLAQENLEHFQEDRDICLSILSLLWSLLVDVVTVDKEPLEQLSGMVTWVLATHP
EDVEIAEAGCAVLWLLSLLGCIKESQFEQVVVLLLRSIQLCPGRVLLVNNAFRGLASLAK

FIGURE 1Y

VSELVAFRIVVLEEGSSGLHLIQDIYKLYKDDPEVVENLCMLLAHLTSYKEILPEMESGG IKDLVQVIRGRFTSSLELISYADEILQVLEANAQPGLQEDQLEPPAGQEAPLQGEPLFRP

SEQ ID NO: 225 018653.9 H

GRGRGAGHARGLGRGPAGRRAEPPRSLSRPGPGPGSRAGPAGRGEGSDAAPAGGSGRGFL
RLLPAGLRPQRALRSGSEPPRPGQSPEPSPAPGAGRRGGRGELARQIRARYEEVQRYSRG
GPGPGAGRPERRRLMDLAPGGPGLPRPRPPWARPLSDGAPGWPPAPGPGSPGPGPRLGCA
ALRNVSGAQYMGSGYTKAVYRVRLPGGAAVALKAVDFSGHDLGSCVREFGVRRGCYRLAA
HKLLKEMVLLERLRHPNVLQLYGYCYQDSEDIPDTLTTITELGAPVEMIQLLQTSWEDRF
RICLSLGRLLHHLAHSPLGSVTLLDFRPRQFVLVDGELKVTDLDDARVEETPCAGSTDCI
LEFPARNFTLPCSAQGWCEGMNEKRNLYNAYRFFFTYLLPHSAPPSLRPLLDSIVNATGE
LAWGVDETLAQLEKVLHLYRSGQYLQNSTASSSTEYQCIPDSTIPQEDYRCWPSYHHGSC
LLSVFNLAEAVDVCESHAQCRAFVVTNQTTWTGRQLVFFKTGWSQVVPDPNKTTYVKASG

SEQ ID NO: 226 AA396601 M

TRPGCAALRNVSGAQYVGSGYTKAVYRVRLPGGAAVALKAVDFSGHDLGSCVREFGARRG CYRLAAHKLLKEMVLLERLRHPNVLQLYGYCYQDSEGIPDTLTTITELGAPVEMIQLLQT SWEDRFRICLSLGRLLHHLAHSPLGSVTLLDFRPRQFVLVNGELKVTDLDDARVEETPCT SSADCTLEFPARNFSLPCSAQGWCEGMNEKRNLYNAYRFFFTYLLPHSAPPSLRPLLDSI VNATGELAWGVDETLAQLETALHLFRSGQYLQNSTSSRAEYQRIPDSAITQEDYRCWPSY HHGGCLLSVFNLAEAIDVCESHAQCRAFVVTNQTTWTGRKLVFFKTGWNQVVPDAGKTTY VKAPG

SEQ ID NO: 227 VRK3 H

MISFCPDCGKSIQAAFKFCPYCGNSLPVEEHVGSQTFVNPHVSSFQGSKRGLNSSFETSP
KKVKWSSTVTSPRLSLFSDGDSSESEDTLSSSERSKGSGSRPPTPKSSPQKTRKSPQVTR
GSPQKTSCSPQKTRQSPQTLKRSRVTTSLEALPTGTVLTDKSGRQWKLKSFQTRDNQGIL
YEAAPTSTLTCDSGPQKQKFSLKLDAKDGRLFNEQNFFQRAAKPLQVNKWKKLYSTPLLA
IPTCMGFGVHQDKYRFLVLPSLGRSLQSALDVSPKHVLSERSVLQVACRLLDALEFLHEN
EYVHGNVTAENIFVDPEDQSQVTLAGYGFAFRYCPSGKHVAYVEGSRSPHEGDLEFISMD
LHKGCGPSRRSDLQSLGYCMLKWLYGFLPWTNCLPNTEDIMKQKQKFVDKPGPFVGPCGH
WIRPSETLOKYLKVVMALTYEEKPPYAMLRNNLEALLODLRVSPYDPIGLPMVP

SEQ ID NO: 228 S71575 M VRK3 M

IPTCIGFGIHQDKYRFLVFPSLGRSLQSALDDNPKHVVSERCVLQVACRLLDALEYLHEN EYVHGNLTAENVFVNPEDLSQVTLVGYGFTYRYCPGGKHVAYKEGSRSPHDGDLEFISMD LHKGCGPSRRSDLQTLGYCMLKWLYGSLPWTNCLPNTEKITRQKQKYLDSPERLVGLCGR WNKASETLREYLKVVMALNYEEKPPYATLRNSLEALLQDMRVSPYDPLDLQMVP

SEQ ID NO: 229_AA45427_H

MGHALCVCSRGTVIIDNKRYLFIQKLGEGGFSYVDLVEGLHDGHFYALKRILCHEQQDRE EAQREADMHRLFNHPNILRLVAYCLRERGAKHEAWLLLPFFKRGTLWNEIERLKDKGNFL TEDQILWLLLGICRGLEAIHAKGYAHRDLKPTNILLGDEGQPVLMDLGSMNQACIHVEGS RQALTLQDWAAQRCTISYRAPELFSVQSHCVIDERTDVWSLGCVLYAMMFGEGPYDMVFQ KGDSVALAVQNQLSIPQSPRHSSALRQLLNSMMTVDPHQRPHIPLLLSQLEALQPPAPGQ HTTOI

SEQ ID NO: 230 H05721 H

MAVRQALGRGLQLGRALLLRFTGKPGRAYGLGRPGPAAGCVRGERPGWAAGPGAEPRRVG LGLPNRLRFFRQSVAGLAARLQRQFVVRAWGCAGPCGRAVFLAFGLGLGLIEEKQAESRR

FIGURE 1Z

AVSACQEIQAIFTQKSKPGPDPLDTRRLQGFRLEEYLIGQSIGKGCSAAVYEATMPTLPQ NLEVTKSTGLLPGRGPGTSAPGEGQERAPGAPAFPLAIKMMWNISAGSSSEAILNTMSQE LVPASRVALAGEYGAVTYRKSKRGPKQLAPHPNIIRVLRAFTSSVPLLPGALVDYPDVLP SRLHPEGLGHGRTLFLVMKNYPCTLRQYLCVNTPSPRLAAMMLLQLLEGVDHLVQQGIAH RDLKSDNILVELDPDGCPWLVIADFGCCLADESIGLQLPFSSWYVDRGGNGCLMAPEVST ARPGPRAVIDYSKADAWAVGAIAYEIFGLVNPFYGQGKAHLESRSYQEAQLPALPESVPP DVRQLVRALLQREASKRPSARVAANVLHLSLWGEHILALKNLKLDKMVGWLLQQSAATLL ANRLTEKCCVETKMKMLFLANLECETLCQAALLLCSWRAAL

SEQ ID NO: 231_AI086865_H

MEKYERIRVVGRGAFGIVHLCLRKADQKLVIIKQIPVEQMTKEERQAAQNECQVLKLLNH
PNVIEYYENFLEDKALMIAMEYAPGGTLAEFIQKRCNSLLEEETILHFFVQILLALHHVH
THLILHRDLKTQNILLDKHRMVVKIGDFGISKILSSKSTPCYISPELCEGKPYNQKSDIW
ALGCVLYELASLKRAFEAANLPALVLKIMSGTFAPISDRYSPELRQLVLSLLSLEPAQRP
PLSHIMAQPLCIRALLNLHTDGREVRGPQQHREQDHQCPLQRGIIMTFGSGSNGCLGHGS
LTDISQPTIVEALLGYEMVQQVEEALSFTLLGSAPLDQEPLLSIDLGTAHSAAVTGEEDL
GSGDVNRLPSWERGHLLAGVASSTDVSTFSEGDCKEPDKCCWRHKQCTGHIIYPFASDCV
RHSLHLHSVNHCNCNSRLKDSSEDSSSSRGAGPTCSHVIESPCFELTPEEEHVERFRYGW
CKSYRPVSVAVIHHPLYHECGADDLNXKKRKRRRKKSKPPIPTQVGPATASPDLGTSMAT
GTPDSTAPITIWRSESPTGKGQGSKVIKKVKKKKEKEKDKEEMDEKAKLKKKAKKGQLTK
KKSPVKLEPSPPDVSRSLSARQLARMSESSPESREELESEDSYNGRGQGELSSEDIVESS
SPRKRENTVQAKKTGAKPSQARKVNKRKSPPGSNPNLS

SEQ ID NO: 232_AA836348_H

MSVLGEYERHCDSINSDFGSESGGCGDSSPGPSASQGPRAGGGAAEQEELHYIPIRVLGR
GAFGEATLYRRTEDDSLVVWKEVDLTRLSEKERRDALNEIVILALLQHDNIIAYYNHFMD
NTTLLIELEYCNGGNLYDKILRQKDKLFEEMVVWYLFQIVSAVSCIHKAGILHRDIKTL
NIFLTKANLIKLGDYGLAKKLNSEYSMAETLVGTPYYMSPELCQGVKYNFKSDIWAVGCV
IFELLTLKRTFDATNPLNLCVKIVQGIRAMEVDSSQYSLELIQMVHSCLDQDPEQRPTAD
ELLDRPLLRKRRRSSTVTEAPIAVVTSRTSEVYVWGGGKSTPQKLDVIKSGCSARQVCAG
NTHFAVVTVEKELYTWVNMQGGTKLHGQLGHGDKASYRQPKHVEKLQGKAIRQVSCGDDF
TVCVTDEGQLYAFGSDYYGCMGVDKVAGPEVLEPMQLNFFLSNPVEQVSCGDNHVVVLTR
NKEVYSWGCGEYGRLGLDSEEDYYTPQKVDVPKALIIVAVQCGCDGTFLLTQSGKVLACG
LNEFNKLGLNQCMSGIINHEAYHEVPYTTSFTLAKQLSFYKIRTIAPGKTHTAAIDERGR
LLTFGCNKCGQLGVGNYKKRLGINLLGGPLGGKQVIRVSCGDEFTIAATDEKVLNSKTIR
SNSSGLSIGTVFQSSSPGGGGGGGGEEEDSQQESETPDPSGGFRGTMEADRGMEGLISP
TEAMGNSNGASSSCPGWLRKELENAEFIPMPDSPSPLSAAFSESEKDTLPYEELQGLKVA
SEAPLEHKPQVEASVTELFAFESQLVTSAESCSNLCWEGNTTDSSCVCVQLSAGGG

SEQ ID NO: 233_R86668_H, MKK6_H

MNLLLSYRDVQDYSAIIELVETLQALPTCDVAEQHNVCFHYTFALNRRNRPGDRAKALSV
LLPLVQLEGSVAPDLYCMCGRIYKDMFFSSGFQDAGHREQAYHWYRKAFDVEPSLHSGIN
AAVLLIAAGQHFEDSKELRLIGMKLGCLLARKGCVEKMQYYWDVGFYLGAQILANDPTQV
VLAAEQLYKLNAPIWYLVSVMETFLLYQHFRPTPEPPGGPPRRAHFWLHFLLQSCQPFKT
ACAQGDQCLVLVLEMNKVLLPAKLEVRGTDPVSTVTLSLLEPETQDIPSSWTFPVASICG
VSASKRDERCCFLYALPPAQDVQLCFPSVGHCQWFCGLIQAWVTNPDSTAPAEEAEGAGE
MLEFDYEYTETGERLVLGKGTYGVVYAGRDRHTRVRIAIKEIPERDSRFSQPLHEEIALH
RRLRHKNIVRYLGSASQGGYLKIFMEEVPGGSLSSLLRSVWGPLKDNESTISFYTRQILQ
GLGYLHDNHIVHRDIKGDNVLINTFSGLLKISDFGTSKRLAGITPCTETFTGTLQYMAPE
IIDOGPRGYGKAADIWSLGCTVIEMATGRPPFHELGSPQAAMFQVGMYKVHPPMPSSLSA

FIGURE 1AA

EAQAFLLRTFEPDPRLRASAQTLLGDPFLQPGKRSRSPSSPRHAPRPSDAPSASPTPSAN STTQSQTFPCPQAPSQHPPSPPKRCLSYGGTSQLRVPEEPAAEEPASPEESSGLSLLHQE SKRRAMLAAVLEQELPALAENLHQEQKQEQGARLGRNHVEELLRCLGAHIHTPNRRQLAQ ELRALQGRLRAQGLGPALLHRPLFAFPDAVKQILRKRQIRPHWMFVLDSLLSRAVRAALG VLGPEVEKEAVSPRSEELSNEGDSQQSPGQQSPLPVEPEQGPAPLMVQLSLLRAETDRLR EILAGKEREYQALVQRALQRLNEEARTYVLAPEPPTALSTDQGLVQWLQELNVDSGTIQM LLNHSFTLHTLLTYATRDDLIYTRIRGGMVCRIWRAILAORAGSTPVTSGP

SEQ ID NO: 234_PAK6_H
MFGKKKKKIEISGPSNFEHRVHTGFDPQEQKFTGLPQQWHSLLADTANRPKPMVDPSCIT
PIQLAPMKTIVRGNKPCKETSINGLLEDFDNISVTRSNSLRKESPPTPDQGASSHGPGHA
EENGFITFSQYSSESDTTADYTTEKYREKSLYGDDLDPYYRGSHAAKQNGHVMKMKHGEA
YYSEVKPLKSDFARFSADYHSHLDSLSKPSEYSDLKWEYQRASSSSPLDYSFQFTPSRTA
GTSGCSKESLAYSESEWGPSLDDYDRRPKSSYLNQTSPQPTMRQRSRSGSGLQEPMMPFG
ASAFKTHPQGHSYNSYTYPRLSEPTMCIPKVDYDRAQMVLSPPLSGSDTYPRGPAKLPQS
QSKSGYSSSSHQYPSGYHKATLYHHPSLQSSSQYISTASYLSSLSLSSSTYPPPSWGSSS

QSKSGYSSSSHQYPSGYHKATLYHHPSLQSSSQYISTASYLSSLSLSSSTYPPPSWGSSS DQQPSRVSHEQFRAALQLVVSPGDPREYLANFIKIGEGSTGIVCIATEKHTGKQVAVKKM DLRKQQRRELLFNEVVIMRDYHHDNVVDMYSSYLVGDELWVVMEFLEGGALTDIVTHTRM NEEQIATVCLSVLRALSYLHNQGVIHRDIKSDSILLTSDGRIKLSDFGFCAQVSKEVPKR KSLVGTPYWMAPEVISRLPYGTEVDIWSLGIMVIEMIDGEPPYFNEPPLQAMRRIRDSLP PRVKDLHKVSSVLRGFLDLMLVREPSQRATAQELLGHPFLKLAGPPSCIVPLMRQYRHH

SEQ ID NO: 235_SURTK106_H
MNDRNEIQMEAKLQSLTIIAQEILCRFFITLRHARFLLTKLGRQGMARSGITHSCAVCI
LCGPSREGDSPVAMGMTRMLLECSLSDKLCVIQEKQYEVIIVPTLLVTIFLILLGVILWL
FIREQRTQQQRSGPQGIAPVPPPRDLSWEAGHGGNVALPLKETSVENFLGATTPALAKLQ
VPREQLSEVLEQICSGSCGPIFRANMNTGDPSKPKSVILKALKEPAGLHEVQDFLGRIQF
HQYLGKHKNLVQLEGCCTEKLPLYMVLEDVAQGDLLGFLWTCRDVMTMDGLLYDLTEKQ
VYHIGKQVLLALEFLQEKHLFHGDVAARNILMQSDLTAKLCGLGLAYEVYTRGAISSTQT
IPLKWLAPERLLLRPASIRADVWSFGILLYEMVTLGAPPYPEVPPTSILEHLQRRKIMKR
PSSCTHTMYSIMKSCWRWREADRPSPRELRLRLEAAIKTADDEAVLQVPELVVPELYAAV
AGIRVESLFYNYSML

SEQ ID NO: 236_AA098024_M LQEKHLFHGDVAARNILIQSDLTPKLCHLGLAYEVHAHGAISSARSSTIPLKWLAPERLL LRPASIRGDIWSFGILLYEMVTLGAPPYPEVPPTSILQYLQRKKIMKRPSSCSHAMYNIM KCCWRWSEDSRPLLVQLLQRLEAASRSADDKAVLQVPELVVPELYADVAGIRAESISYSF SVL

SEQ ID NO: 237_SGK2ALPHA_H

MNSSPAGTPSPQPSRANGNINLGPSANPNAQPTDFDFLKVIGKGNYGKVLLAKRKSDGAF
YAVKVLQKKSILKKKEQSHIMAERSVLLKNVRHPFLVGLRYSFQTPEKLYFVLDYVNGGE
LFFHLQRERRFLEPRARFYAAEVASAIGYLHSLNIIYRDLKPENILLDCQGHVVLTDFGL
CKEGVEPEDTTSTFCGTPEYLAPEVLRKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVS
QMYENILHQPLQIPGGRTVAACDLLQSLLHKDQRQRLGSKADFLEIKNHVFFSPINWDDL
YHKRLTPPFNPNVTGPADLKHFDPEFTQEAVSKSIGCTPDTVASSSGASSAFLGFSYAPE
DDDILDC

PCT/US00/14842

FIGURE 1BB

SEQ ID NO: 238_CCRK_H

MDQYCILGRIGEGAHGIVFKAKHVETGEIIALKKVALRRLEDGFPNQALREIKALQEMED NQYVVQLKAVFPHGGGFVLAFEFMLSDLAEVVRHAQRPLAQAQVKSYLQMLLKGVAFCHA NNIVHRDLKPANLLISASGQLKIADFGLARVFSPDGSRLYTHQVATRSVGCIMGELLNGS PLFPGKNDIEQLCYVLRILGTPNPQVWPELTELPDYNKISFKEQVPMPLEEVLPDVSPQA LDLLGQFLLYPPHQRIAASKALLHQYFFTAPLPAHPSELPIPQRLGGPAPKAHPGPPHIH DFHVDRPLEGVAVEPRADSALHPGGVRSWPWSRLPAPQDHSVHLFLCHLPGFTLQGLPMA TVGPHHTLPLSPCEGWSRGRGHVPSQEYENIQSSRGDSWPVLGEPYLLCATDVPIRTVSS AASQGLHMQNDDACLGAASPECCLLVKEKCRE

SEQ ID NO: 239 TESK2 H

MDRSKRNSIAGFPPRVERLEEFEGGGGEGNVSQVGRVWPSSYRALISAFSRLTRLDDFT CEKIGSGFFSEVFKVRHRASGQVMALKMNTLSSNRANMLKEVQLMNRLSHPNILRYINSG NLEQLLDSNLHLPWTVRVKLAYDIAVGLSYLHFKGIFHRDLTSKNCLIKRDENGYSAVVA DFGLAEKIPDVSMGSEKLAVVGSPFWMAPEVLRDEPYNEKADVFSYGIILCEIIARIQAD PDYLPRTENFGLDYDAFQHMVGDCPPDFLQLTFNCCNMDPKLRPSFVEIGKTLEEILSRL QEEEQERDRKLQPTARGLLEKAPGVKRLSSLDDKIPHKSPCPRRTIWLSRSQSDIFSRKP PRTVSVLDPYYRPRDGAARTPKVNPFSARQDLMGGKIKFFDLPSKSVISLVFDLDAPGPG TMPLADWQEPLAPPIRRWRSLPGSPEFLHQEACPFVGREESLSDGPPPRLSSLKYRVKEI PPFRASALPAAQAHEAMDCSILQEENGFGSRPQGTSPCPAGASEEMEVEERPAGSTPATF STSGIGLQTQGKQDG

FIGURE 2A

SEQ ID NO: 1 X69117 H BARK2 H ATGGCGGACCTGGAGGCCGTGCTGGCCGATGTCAGTTACCTGATGGCCATGGAGAAGAGC AAGGCGACCCGGCCGCCGCGCCAGCAAGAGGATCGTCCTGCCGGAGCCCAGTATCCGG AGTGTGATGCAGAAGTACCTTGCAGAGAGAAATGAAATAACCTTTGACAAGATTTTCAAT CCTCAGGTGAAGTTTTATGAAGAGATAAAGGAATATGAAAAACTTGATAATGAGGAAGAC CGCCTTTGCAGAAGTCGACAAATTTATGATGCCTACATCATGAAGGAACTTCTTTCCTGT TCACATCCTTTCTCAAAGCAAGCTGTAGAACACGTACAAAGTCATTTATCCAAGAAACAA GTGACATCAACTCTTTTTCAGCCATACATAGAAGAAATTTGTGAAAGCCTTCGAGGTGAC ATTTTTCAAAAATTTATGGAAAGTGACAAGTTCACTAGATTTTGTCAGTGGAAAAACGTT GAATTAAATATCCATTTGACCATGAATGAGTTCAGTGTGCATAGGATTATTGGACGAGGA GGATTCGGGGAAGTTTATGGTTGCAGGAAAGCAGACACTGGAAAAATGTATGCAATGAAA TGCTTAGATAAGAAGAGGATCAAAATGAAACAAGGAGAAACATTAGCTTTAAATGAAAGA TTCCATACCCCAGATAAACTCTGCTTCATCCTGGATCTGATGAACGGGGGCGATTTGCAC TACCACCTTTCACAACACGGTGTGTTCTCTGAGAAGGAGATGCGGTTTTATGCCACTGAA ATCATTCTGGGTCTGGAACACGTGCACAATCGGTTTGTTGTCTACAGAGATTTGAAGCCA GCAAATATTCTCTTGGATGAACATGGACACGCAAGAATATCAGATCTTGGTCTTGCCTGC GATTTTTCCAAAAGAAGCCTCATGCGAGTGTTGGCACCCATGGGTACATGGCTCCCGAG GTGCTGCAGAAGGGGACGGCCTATGACAGCAGTGCCGACTGGTTCTCCCTGGGCTGCATG CTTTTCAAACTTCTGAGAGGTCACAGCCCTTTCAGACAACATAAAACCAAAGACAAGCAT GAAATTGACCGAATGACACTCACCGTGAATGTGGAACTTCCAGACACCTTCTCTCCTGAA CTGAAGTCCCTTTTGGAGGGCTTGCTTCAGCGAGACGTTAGCAAGCGGCTGGGCTGTCAC GGAGGCGGCTCACAGGAAGTAAAAGAGCACAGCTTTTTCAAAGGTGTTGACTGGCAGCAT GTCTACTTACAAAAGTACCCACCACCCTTGATTCCTCCCCGGGGAGAAGTCAATGCTGCT GATGCCTTTGATATTGGCTCATTTGATGAAGAGGATACCAAAGGGATTAAGCTACTTGAT TGCGACCAAGAACTCTACAAGAACTTCCCTTTGGTCATCTCTGAACGCTGGCAGCAAGAA GTAACGGAAACAGTTTATGAAGCAGTAAATGCAGACACAGATAAAATCGAGGCCAGGAAG AGAGCTAAAAATAAGCAACTTGGCCACGAAGAAGATTACGCTCTGGGGAAGGACTGTATT ATGCACGGGTACATGCTGAAACTGGGAAACCCATTTCTGACTCAGTGGCAGCGTCGCTAT CTGACAATGGAACAGATTCTCTCTGTGGAAGAAACTCAAATTAAAGACAAAAAATGCATT TTGTTCAGAATAAAAGGAGGGAAACAATTTGTCTTGCAATGTGAGAGTGATCCAGAGTTT GTGCAGTGGAAGAAAGAGTTGAACGAAACCTTCAAGGAGGCCCAGCGGCTATTGCGTCGT GCCCGAAGTTCCTCAACAAACCTCGGTCAGGTACTGTGGAGCTCCCAAAGCCATCCCTC TGTCACAGGAACAGCAACGGCCTCTGA

FIGURE 2B

SEQ ID NO: 3 AA826850 H

GAAGAGGATGGGCTCCATGTCGGCGGCCACCGCGCGGAGGCCGGTGTTTGACGACAA GGAGGACGTGAACTTCGACCACTTCCAGATCCTTCGGGCCATTGGGAAGGGCAGCTTTGG CAAGGTGTGCATTGTGCAGAAGCGGGACACGGAGAAGATGTACGCCATGAAGTACATGAA CAAGCAGCAGTGCATCGAGCGCGACGAGGTCCGCAACGTCTTCCGGGAGCTGGAGATCCT GCAGGAGATCGAGCACGTCTTCCTGGTGAACCTCTGGTACTCCTTCCAGGACGAGGAGGA ${\tt CATGTTCATGGTCGTGGACCTGCTACTGGGCGGGGACCTGCGCTACCACCTGCAGCAGAA}$ CGTGCAGTTCTCCGAGGACACGGTGAGGCTGTACATCTGCGAGATGGCACTGGCTCTGGA CTACCTGCGCGCCACACATCATCCACAGAGATGTCAAGCCTGACAACATTCTCCTGGA TGAGAGAGGACATGCACCTGACCGACTTCAACATTGCCACCATCATCAAGGACGGGGA GCGGGCGACGCATTAGCAGCCACCAAGCCGTACATGGCTCCGGAGATCTTCCAXTCTTT TGTCAACGGCGGACCGGCTACTCCTTCGAGGTGGACTGGTGGTCGGTGGGGGTGATGGC CTATGAGCTGCTGCGAGGATGGAGGCCCTATGACATCCACTCCAGCAACGCCGTGGAGTC CCTGGTGCAGCTGTTCAGCACCGTGAGCGTCCAGTATGTCCCCACGTGGTCCAAGGAGAT GGTGGCCTTGCTGCGGAAGCTCCTCACTGTGAACCCCGAGCACCGGCTCTCCAGCCTCCA GGACGTGCAGGCAGCCCCGGCGTGCCGGCGTGCTGTGGGACCACCTGAGCGAGAAGAG GGTGGAGCCGGGCTTCGTGCCCAACAAAGGCCGTCTGCACTGCGACCCCACCTTTGAGCT GGAGGAGATGATCCTGGAGTCCAGGCCCCTGCACAAGAAGAAGAAGCGCCTGGCCAAGAA CAAGTCCCGGGACAACAGCAGGGACAGCTCCCAGTCCGAGAATGACTATCTTCAAGACTG CCTCGATGCCATCCAGCAAGACTTCGTGATTTTTAACAGAGAAAAGCTGAAGAGAGGCCA GGACCTCCCGAGGGAGCCTCTCCCCGCCCCTGAGTCCAGGGATGCTGCGGAGCCTGTGGA GGACGAGGCGGAACGCTCCGCCCTGCCCATGTGCGGCCCCATTTGCCCCTCGGCCGGGAG CGGCTAGGCCGGGATGCCCGTGGTCCTCACCCCTTGAGCTGCTTTGGAGACTCGGCTGCC GCCCACAGTGCCCCGGACACATTTCACACCTCAGGCTCGTGGTGGTGCAGGGGACAAGAG GCTGTGGGTGCAGGGGACACCTGTGGAGGGCATTTCCCGTGGGCCCCCGAGACCCGCCTA GATGGAGGAAGCGCTGCTGGGCGCCCTCTTACCGCTCACGGGGAGCTGGGGCCATGGATG GGACAGGAGTCTTTGTCCCTGCTCAGCCCGGAGGCTGTGCACGGCCCTCGTCACAAGGTG ACCCTTGCAGCACAGGCCGCGGGTGCCCCAGGCTCGGCTCAGTTCTTGGAGGTCAAGGGC ATGGGTTGGGGTAGTGGGGGGGGGGGTGAATGTTTTCTAGAGATTCAAACTGCTCCAGCA ATTTCTGTATAGTTTTCACCTCTGAGAATTACAATGTGAGAACCGCTC

SEO ID NO: 4 AA960957 H

GTCCCACATCCGGCATCCGGCATCCCAGCGGCCGGCCATGTAGCAGCGGCAGCAACGGCG
GAATATGGGCGGGAACCACTCCCACAAGCCCCCCGTGTTTGACGAGAATGAGGAAGTCAA
CTTTGACCATTTTCAGATTCTGCGGGCCATTGGTAAAGGGAGTTTTGGAAAGGTATGCAT
CGTGCAGAAGCGAGACACTAAGAAAATGTATGCAATGAAGTACCATGAACAAGCAGAAGTG
CATCGAGAGGGATGAGGTTCGGAATGTTTTCCGGGAGCTGCAGATCATGCAAGGGCTGGA

PCT/US00/14842

FIGURE 2C

GCACCCCTTCCTGGTCAATCTGTGGTACTCCTTCCAGGATGAGGAGGACATGTTCATGGT GGTGGACCTGCTCCTGGGAGGCGACCTGCGCTACCATCTGCAGCAGAATGTGCATTTCAC AGAGGGGACTGTGAAACTCTACATCTGTGAGCTGGCACTGGCCCTGGAGTATCTTCAGAG GTACCACATCATCCACAGAGACATCAAGCCAGACAATATCCTGCTGGATGAACACGGACA TGTTCACATTACAGACTTCAACATAGCGACGGTAGTGAAAGGACAGAAAGGGCTTCCTC CATGGCTGGCACCAAGCCCTACATGGCTCCAGAAGTATTCCAGGTGTACATGGACAGAGG CCCCGGATACTCGTACCCTGTCGACTGGTGGTCCCTGGGCATCACAGCCTATGAGCTGCT GCGGGGCTGGAGGCCGTACGAAATCCACTCGGTCACGCCCATCGATGAAATCCTCAACAT GTTCAAGGTGGAGCGTGTCCACTACTCCTCCACGTGGTGCAAGGGGATGGTGGCCCTGCT GAGGAAGCTCCTGACCAAGGATCCTGAGAGCCGCGTGTCCAGCCTTCATGACATACAGAG CGTGCCCTACTTGGCCGACATGAACTGGGACGCGGTGTTCAAGAAGGCACTGATGCCCGG CTTTGTGCCCAATAAAGGGAGGTTGAACTGCGATCCCACATTTGAGCTTGAAGAGATGAT TCTAGAATCCAAGCCACTTCACAAAAAGAAGAAGCGATTGGCAAAGAACAGATCCAGGGA TGGCACAAAGGACAGCTGCCCGCTGAATGGACACCTGCAGCACTGTTTGGAGACTGTCCG GGAGGAATTCATCATATTCAACAGAGAGAAGCTCAGGAGGCAGCGACCAGGGACAGGCCA CAACAACAACCTCCTCACCCACACCTGCACCCGTGGCTGCAGCAGCTGAGCCCACACTTG CCTGATGGTCCCTGTCTCACCCCTGAAAACATCAGATGCAGAAAAAGCCCTGGACTTGGA GCTGGGAAGCCTGGGTTCTGGTCCCATCTCCATGACTGATTCACGTGTGACCTCAGACAA GTCACGCCCTCTCTGTGCCTCCGTTTTCTGCATCTGCCAAAGGGGTTAAACACTTCTGCC TGATATTATAAAATCATTTTTACGTGCAAAATATAACCTTAATATTTGAAGTGACCCCC ATTCCCCAAAGCAATCAAACCGTCATGACTTTGCAATTTGGCACATCCTAGCTTGTTAGA GGGCACTTCCGAAAAACACAGCCCTGACAGCAAAATAAAGGTCTGATATGTTGGCCCCTT CTATGGAAACAACGCTGCCAAATCCTGGAGCAAAACCTGAAGTGTCTTCATGTGCATTCT $\tt CTGGCAGGCCACAGTCCTGAGCTTGTAAGATGGTGCAGCATGCAGACCAGACTTGTCCCC$ AAGGTCTCAGCGCTGCGGTCTCACTCCCCCCCATTTAAGAAGACTATCCTTACCTTTT AGTTTCAGCAGTCCTCACCACCACCATATCCCCAGTGCTGGGATGGCACACAGGTGTCCA TTCAGATGAGAGTTGGGTCGCTGAGCATTGGTTACTCCTGCAGAGTGTAATCAGCACCCC ATCCAACTGGCCGAAAGCCCAGACCTGCAGCAGAACTCTCCAACTCTCTATCAGCTTTC AGGGTTTTCTCTCTGGGAAGGGTGTAAAATCAGCTTGTCAGATTCTTCTTACAGAGAGT ATCCAATCGGTATTGGTGGAGCGGCTCCCTATTTATACAATAGGAAGCATGGGTGCTTAG AAAGTTTATTTCAGGAGGAAAATGGGTTCACACAAAAAGCAAACTACATTCTGATCTGCT CAGGGAGAAGCTTGCCTTTGAACTGGAAGATGTTGGGATGAGCAGGGAAAGCTTAGACTT AGGCAAAGCATGCAATCGCTCTGAATGGCAGTTTCCTCATTTTTAAACAGGGATAATAAA ACTAATATTGCAGGGGAGTTACAGGGTTAAATAAGATCCTGTGTGTAACCCCAAGCATTG GATGACTCATAGAATGGCCTTTTTTGTCAGCATAATCGTCATCATTATTTAGATACTTTC AAATGTTCTTCCTGGGGTCTTTGATATTTGTTTGTTACATCCTGCTGAAGTTCGACTGTG TTTTTATTTTTCATCCAACTTCCATTTTTCACTTTTTACATGATTACTCAATCCTTGGG GCTGTCCATGTCATCTCTTAGATTTCTTAAAAGACATTTTAATGTATGGTTAGGTTTAAT ATTTTTATTTTTAAAAAAGAAATAGTCAGTGTTTTCCTCCTTTCAACCGAGACTATTTC TGGATTGTGTGCTCCTCGTCAGTTGACTTGTTTTGCACACTTTTCTTTACTTCATGTCCC CATCAACAACCGTCCTGCTCCCCACCTCCCCCAGGAAATAAGGGGCCTGCTCCTCTCCCT ATTAGGGGCAGGAGCTGGAAGTCGCCCTAGGAACACCAGATTTCCTGGTTCTGTTCAAGT TGGCATTTCTTGTTTGGAATAAACTATTTCTTGGACATTCCTTC

FIGURE 2D

SEO ID NO: 5 TBK1 H TCCTGAGTCTCGAGGAGGCCGCGGGAGCCCGCCGGCGGTGGCGCGGGGGGAGACCCGGCTG GTATAACAAGAGGATTGCCTGATCCAGCCAAGATGCAGAGCACTTCTAATCATCTGTGGC TTTTATCTGATATTTTAGGCCAAGGAGCTACTGCAAATGTCTTTCGTGGAAGACATAAGA ATGTTCAAATGAGAGAATTTGAAGTGTTGAAAAAACTCAATCACAAAAATATTGTCAAAT TATTTGCTATTGAAGAGGAGACAACAACAAGACATAAAGTACTTATTATGGAATTTTTGTC CATGTGGGAGTTTATACACTGTTTTAGAAGAACCTTCTAATGCCTATGGACTACCAGAAT GTATAGTGCACCGTGATATCAAGCCAGGAAATATCATGCGTGTTATAGGGGAAGATGGAC AGTCTGTGTACAAACTCACAGATTTTGGTGCAGCTAGAGAATTAGAAGATGATGAGCAGT TAAGAAAAGATCATCAGAAGAAATATGGAGCAACAGTTGATCTTTGGAGCATTGGGGTAA CATTTTACCATGCAGCTACTGGATCACTGCCATTTAGACCCTTTGAAGGGCCTCGTAGGA ATAAAGAAGTGATGTATAAAATAATTACAGGAAAGCCTTCTGGTGCAATATCTGGAGTAC AGAAAGCAGAAAATGGACCAATTGACTGGAGTGGAGACATGCCTGTTTCTTGCAGTCTTT CTCGGGGTCTTCAGGTTCTACTTACCCCTGTTCTTGCAAACATCCTTGAAGCAGATCAGG AAAAGTGTTGGGGTTTTGACCAGTTTTTTGCAGAAACTAGTGATATACTTCACCGAATGG TAATTCATGTTTTTTCGCTACAACAAATGACAGCTCATAAGATTTATATTCATAGCTATA ATACTGCTACTATTTCATGAACTGGTATATAAACAAACCAAAATTATTTCTTCAAATC AAGAACTTATCTACGAAGGGCGACGCTTAGTCTTAGAACCTGGAAGGCTGGCACAACATT TCCCTAAAACTACTGAGGAAAACCCTATATTTGTAGTAAGCCGGGAACCTCTGAATACCA TAGGATTAATATATGAAAAATTTCCCTCCCTAAAGTACATCCACGTTATGATTTAGACG GGGATGCTAGCATGGCTAAGCAATAACAGGGGTTGTGTGTTATGCCTGCAGAATTGCCA GTACCTTACTGCTTTATCAGGAATTAATGCGAAAGGGGATACGATGGCTGATTGAATTAA TTAAAGATGATTACAATGAAACTGTTCACAAAAAGACAGAAGTTGTGATCACATTGGATT TCTGTATCAGAAACATTGAAAAAACTGTGAAAGTATATGAAAAGTTGATGAAGATCAACC TGGAAGCGGCAGAGTTAGGTGAAATTTCAGACATACACACCAAATTGTTGAGACTTTCCA GTTCTCAGGGAACAATAGAAACCAGTCTTCAGGATATCGACAGCAGATTATCTCCAGGTG GATCACTGGCAGACGCATGGGCACATCAAGAAGGCACTCATCCGAAAGACAGAAATGTAG AAAAACTACAAGTCCTGTTAAATTGCATGACAGAGATTTACTATCAGTTCAAAAAAAGACA AAGCAGAACGTAGATTAGCTTATAATGAAGAACAAATCCACAAATTTGATAAGCAAAAAAC TGTATTACCATGCCACAAAAGCTATGACGCACTTTACAGATGAATGTGTTAAAAAAGTATG AGGCATTTTTGAATAAGTCAGAAGAATGGATAAGAAAGATGCTTCATCTTAGGAAACAGT TATTATCGCTGACTAATCAGTGTTTTGATATTGAAGAAGAAGTATCAAAATATCAAGAAT ATACTAATGAGTTACAAGAAACTCTGCCTCAGAAAATGTTTACAGCTTCCAGTGGAATCA AACATACCATGACCCCAATTTATCCAAGTTCTAACACATTAGTAGAAATGACTCTTGGTA TGAAGAAATTAAAGGAAGAGATGGAAGGGGTGGTTAAAGAACTTGCTGAAAATAACCACA TTTTAGAAAGGTTTGGCTCTTTAACCATGGATGGTGGCCTTCGCAACGTTGACTGTCTTT AGCTTTCTAATAGAAGTTTAAGAAAAGTTTCCGTTTGCACAAGAAAATAACGCTTGGGCA TTAAATGAATGCCTTTATAGATAGTCACTTGTTTCTACAATCCAGTATTTGATGTGGTCG TGTAAATATGTACAATATTGTAAATACATAAAAAATATACAAATTTTTGGCTGCTGTGAA GATGTAATTTTATCTTTTAACATTTATAATTATATGAGGAAATTTGACCTCAGTGATCAC GAGAAGAAAGCCATGACCGACCAATATGTTGACATACTGATCCTCTACTCTGAGTGGGGC TAAATAAGTTATTTTCTCTGACCGCCTACTGGAAATATTTTTAAGTGGAACCAAAATAGG CATCCTTACAAATCAGGAAGACTGACTTGACACGTTTGTAAATGGTAGAACGGTGGCTAC TGTGAGTGGGGAGCAGAACCGCACCACTGTTATACTGGGATAACAATTTTTTTGAGAAGG ATAAAGTGGCATTATTTTATTTTACAAGGTGCCCAGATCCCAGTTATCCTTGTATCCATG TAATTTCAGATGAATTATTAAGCAAACATTTTAAAGTGAATTCATTATTAAAAACTATTC ATTTTTTTCCTTTGGCCATAAATGTGTAATTGTCATTAAAATTCTAAGGTCATTTCAACT

FIGURE 2E

SEQ ID NO: 6_AA305176 H

TGGCTGCTCGCGGAGGGCAGTGTACGCGGGGCCGCTGTAGGCTGTCCAGCGATGGATCC CACCGCGGAAGCAAGAAGGAGCCTGGAGGAGGCGCGACTGAGGAGGGCGTGAATAG GATCGCAGTGCCAAAACCGCCCTCCATTGAGGAATTCAGCATAGTGAAGCCCATTAGCCG GGGCGCCTTCGGGAAAGTGTATCTGGGGCAGAAAGGCGGCAAATTGTATGCAGTAAAGGT TGCACTGGCACTAAGCAAAAGCCCATTCATTGTCCATTTGTATTATTCACTGCAGTCTGC AAACAATGTCTACTTGGTAATGGAATATCTTATTGGGGGAGATGTCAAGTCTCTCCTACA TATATATGGTTATTTTGATGAAGAGATGGCTGTGAAATATATTTCTGAAGTAGCACTGGC TCTAGACTACCTTCACAGACATGGAATCATCCACAGGGACTTGAAACCGGACAATATGCT TATTTCTAATGAGGGTCATATTAAACTGACGGATTTTGGCCCTTTCAAAAGTTACTTTGAA TAGAGATATTAATATGATGGATATCCTTACAACACCATCAATGGCAAAACCTAGACAAGA TTATTCAAGAACCCCAGGACAAGTGTTATCGCTTATCAGCTCGTTGGGATTTAACACACC ACAGCTTTCTCAAGGACTCGTATGCCCTATGTCTGTAGATCAAAAGGACACTACGCCTTA TTCTAGCAAATTACTAAAATCATGTCTTGAAACAGTTGCCTCCAACCCAGGAATGCCTGT GAAGTGTCTAACTTCTAATTTACTCCAGTCTAGGAAAAGGCTGGCCACATCCAGTGCCAG TAGTCAATCCCACACCTTCATATCCAGTGTGGAATCAGAATGCCACAGCAGTCCCAAATG AATGAATGTGAGAAATATTATACCTTTTCATATAAATTCCATAAAGAAATGAAATTGTTA CATGAATGGCAGTCATAGTATTAATCAGAAATTCATTTTCCTGCACATTCTGTCAAATTC TTTTGAAATATTCATTTCTCATTCAATTGTGACATTGTTCTTACTTGATTATAATGA GATTCTTGCAGTAAATTGATAATAAATGCTTGGCTTCTGTGTATCTAGGTGGACCTCACT TTTTAACATATGTCATTTAAAAACTCATATTACCTCCTTTT

SEQ ID NO: 7 AA116841 M

CCACGCGTCCGATCCCATGGCCAGAAGGCGAAGAAAAGCTATCTGATAATGCTCAAAGTG
CAATGGACATGCTTTTAACCATTGATGATTCAAAGAGAGCTGGAATGAGAGAACTAAAAC
AGCATCCTCTCTCAGTGAAGTGGACTGGGAAAATCTGCAGCATCAGACTATGCCTTTCG
TACCCCAACCAGACGACGAAACAGATACATCCTATTTTGAAGCCAGAAATAATGCTCAAC
ATCTGACCGTATCTGGGTTTAGTCTGTAGCACATGCGTGTCATTTTATCTAACTTGTGA
TATAGAATTAAGTTTTACAGTAATATGCTACTTAATTACTAGATTGGTCTAAATGGGATAA
AAGTCATTATTTTACCCAGACTGAACAGCTTTTAATTACTAAGTACAACAGTTTTTACAG
AATTAAAATACTATAAGCAATATAATCAGTAATTAATCTTTACCTTAGAACTGTATATAA
GCCATAATAGCTTTTTCATCTTATTTATTCACTGCACTTTATGAAGAGCAAAGTATCAA
TAAACTAAAACACTACCACTCTAAATAGAGGGAGTGAGCCGT

SEQ ID NO: 8 AA256100 H

FIGURE 2F

GGCCCATATCCGAGCAGAAAGAGATATTTTGGTAGAAGCAGATGGTGCCTGGGTGGTGAA GATGTTTTACAGTTTTCAGGATAAGAGGAATCTTTATCTAATCATGGAATTTCTCCCTGG AGGTGACATGACATTGCTAATGAAGAAAGACACCTTGACAGAAGAGAGAACACAGTT GGATATTAAGCCAGACAACCTTTTATTGGATGCCAAGGGTCATGTAAAATTATCTGATTT TGGTTTATGTACGGGATTAAAGAAAGCTCACAGGACTGAATTTTATAGAAATCTCACACA CAACCCACCAAGTGACTTCTCATTTCAGAACATGAACTCAAAGAGGAAAGCAGAAACTTG GAAGAAGAACAGGAGACAACTGGCATATTCCACAGTTGGGACACCAGATTACATTGCTCC AGAAGTATTCATGCAGACTGGTTACAACAAATTGTGTGACTGGTGGTCTTTGGGAGTGAT TATGTATGAAATGCTAATAGGATATCCACCTTTCTGCTCTGAAACACCTCAAGAAACATA CAGAAAAGTGATGAACTGGAAAGAAACTCTGGTATTTCCTCCAGAGGTACCTATATCTGA GAAAGCCAAGGACTTAATTCTCAGATTTTGTATTGATTCTGAAAACAGAATTGGAAATAG TGGAGTAGAAGAAATAAAAGGTCATCCCTTTTTTGAAGGTGTCGACTGGGAGCACATAAG GGAAAGGCCAGCAGCAATCCCTATAGAAATCAAAAGCATTGATGATACTTCAAATTTTGA TGACTTCCCTGAATCTGATATTTTACAACCAGTGCCAAATACCACAGAACCGGACTACAA ATCCAAAGACTGGGTTTTTCTCAATTATACCTATAAAAGGTTTGAAGGGTTGACTCAACG TGAAATACTCCTGAAGATGGTGGTGCTTATTGACTACAAGAGGAAATTCTACAGGATTAG GATTTCTAAGACTACTATAGGAATTGGTTGGCAGTGCCAGCTGGCTCTTTTTTTAATAT TTTATTATTTTTGTTAACTTTATTATGAAGGTACTGGAATAAAAGGAACAGACATCCC TTGAACTGTAACACCTCTAATCAATTCAGGAGAAACACATATCATTTAAAGCAACATAGG CTAACCTGTAGGTAACACTGCAGTATTGATGTTTTACTGCAAATCTTATGGGTCTAGATA ATCAGTAAAAGCCATCTTCCATAGTTGGTGTTAGAACATTGCCCTATTGGTTTTGGACATC TGTAGAATATATATGAAGACAATTTCTGTAATGGTTTTTAAGAGATTTAAAAAGAAATTCA CTGGTTCTTTACAAAATAGAATTTATCATCAAGTTATTACACAAACTTCACAGTAAGGAG TGACAAGTTTATAATAAGGAAGACAAAGTTTAACACCTTCACTCAAGCACTCCACTAATA TATTTACGTTGCATTCAGAAATACTGATGACCTTCATATACGTAGTCTGTATACTCATAG GGAGATGTACTGTATTATATAACATGTAAAGTTGATTTTCTTGTGACAAGAGAACTTCTT TTTTTAACAAGAGGACATGGCATTATTTTAATTTGATTATGGTGAGTTGAATTTAAGACA TGACCATGAAGGCTGCTTGTAGAATTAGTGTATTTTTATTAAACTATTTTTTAAATGTC AAACTTCTATCATGTAAATGGACTTATAGAGAACAAAAAGCTATTTACTTTGGTTTTCTA GAAAGTTGTTACATATCATGGCTGGTTAACTTTTATTTCTTTTGATGAAAATTTTTCCTT TGATAGTACTTGTATTATTGTGCCATTATTTTCTTATGCTCCAAATGTACCAAAGATCTT GAACAGAGTGGATGTTCACAACTGAGTAGAATTTTCCTTTCCTGTGGGCATGCTGTATTC AGACCTGACAGATCTTTGATAGAGGTCAGCTTATTAAAGGGCCAATATTGTTCTTGTTTAG CTACATCACTGTGGTGAATATAGATGGAATTAAGGAAGTAAATGCAGGCCAGGGGGTTGT GATGAGAGGATAGGGGAGATAATATCAGCATCAAATTCTTTGGGTATCTCTCTAAGAATT AAATAATCTTTTCTAGCTTAATATTTTAATTCTAATTCAAACAACTCTGAGGTTTTGGTT TCATTAGTAATAGTTGAGGAATAATATACTAGCAAAGAATGGCCTAATGTTTGTCATAAC TGTTAATGGATGAAATTTTTTAAAGATACAACCATGATAACCATTATAAATGATCTATGA TCAAAATCTAAAGTGATGAATTATTTGTAGGAATGTCTTCCTAATGGGGAAGAATTGCAT AGGAGCATTATGCAAAATCTACACAAGCTTTTATAAATGTTGCTGCTGGGTAGCTCCACAG ATATTTGTTGAGTACTTACGTGTTTATCTAACAGTTCACTTCCATTTTTCTAGTCTGGAT TTTTTGAGTATTTAGGAAAGAGCTATTAAAAACTCTGGGGATTTCTCAATGTGACTAA CTCTAATTTTCTAATTATAACTGCCTTTAATTAACATAATATTAACTTTTGCTGAGGTT TATGAGATTTTCTCACCCCACATCGCTCCCCTTTTTTTAAAAAGGACTGTTTTGCTAGTG TGATAATGAATAGGTAAGATATGAGATAATTGCAACATTGTCCTAGTTCTAGTATGGTAA

FIGURE 2G

CTATTCTTGAAATGGTATTGAAAAATACCGTTAATTCAAATTGACAGAGATTGATAAAAA TCCCTCATTCTTATTACCAGAAAGAGCTTGCAAATAGTTTTACTTTCTTGGCACTGGAAG GGTAGTTCTGGAAAGCTACTTTGTTGAGAGTCTCATTCTTCCCTGGAGTTAATAGAGTGA TTCACAATCTTTGGGGTTTTCTCCTCATCAAAAGCATTTCTTAAGTGCCTATCTAAAAGC AATTAAAGACTGTGTCTGCCCTTTAGAAGCTAAGAATTTGATTCATGATGCAAATTAACT AGATAATTTGCAAAGTACCCTTGAGATTGAATTTTCTCTATTATATATTTCCCATATTTC AGGTGAATAATTTAATTTAAATGACAAAACCCTATCTAGTCAACTGGGCATAATGACATT TTCTTTAAATTAGACTCTATTTTGAATTAAAAGAGTTTTATTATAAACCGTGTGTTTTTG GTTTTTCTAAGTATATAGAAAGCTTGTATAATTCAGATTTATCAATTTCCTGATTTAATG TAGACTTTGACTTTTTTATTAAAAACCTTTGTATTAAAGCAAGTTATGTTATTTTTCTTT TATGCATTATTACTAACATAGCTTTAAATCTTTAAATGTATTGAAGCATTGTGCTGTCT GAAAATAAGGAATTGCTTATAAACCAGCCACTTCTGAATACAATATGTAGCTGATTTAAT GCCTAAGATAGGGTTTCATTTATTTCTATACTTTTTCTGTTTTTTAAACACCTGCATATT ATAAAACCTTAGACAATCAATCAGTCAGTCTTTACTGACAGGAGCAGCAGCTATCTGTCT TTTGCTGATCTACAAATAAATGAATTGAGAATTTAGTCCATAGAGGTCCCTGGCTACCAA ACACATTCTCCTTTGAATTGTTAAAATTCAGAACATTCAAAATAACTGTTTTGCTACAAC CCATGATTATTTTCCTGTTGTGTTTATTTAAATTTACTTTTCTCTTTAGAAGTGCACTTAT TTCTGAAAAATCTTAATGAAACAAACGCTTAGAACAAATATAAATATGAGACACTTGGGA CTACTAGAGATATTTTAGATTTTTATGAAAAAAATGTGAGGGGATATTGCTGCTTTAAAA AGGAATAAAGTAATAAAAATATATCTCAGCTATTTTTTTAAAGCAATATAATTCAGCAAT TGTCTAGAAAAGTAATCATGAGGCTACTGAGTTTGGTGTTCAGTTACTGAGTTTCAAAAA TGTTTTGGTGGCATGAGGACAAAATTTCATTGAAGGTAAGATAAGAATAAAAACTATGTT TAC

SEQ ID NO: 9 AA210825 H

CGCCCCTTCCTCACGGCTCCCGACCGAACTTTTCTCCAACTTCTGCGACTCGTGAGATT CCCTTCTACCCACTCCGGCCCTCGGGACCCCTCTGCCCATCCCCTGGCCGGTCGGGTCCC TGCGAACCCCTTTATCTCTGGAATCCACTCGGTCCCCGACTCAGAGACTCCTGCCCTCCA CCCCAAGGACCCCGCCATCCTCAGGTCCCCTCCGCCTGCCAGATCTTTTCTCGGATCCC CGCTCTCCCACCACCTGCTCACGAGATCCCGCGGATCTAGAACCCAGGGTCCCCCGGGGC $\tt CCCCGGCGGTCCCGGTGGGCTCCAGGCGGCGGTCCCCGGCCTCCCCCATGGCCAC$ CCGGCGCCTAGAGCTGCAGTCGCCGCCACCGCTACTGCCCCAGATCCCGGCCCCGGGTT CCGGGGTCTCCTTTCACATCCAGATCGGGCTGACCCGCGAGTTCGTGCTGTTGCCCGCCG CCTCCGAGCTGGCTCATGTGAAGCAGCTGGCCTGTTCCATCGTGGACCAGAAGTTCCCTG AGTGTGGCTTCTACGGCCTTTACGACAAGATCCTGCTTTTCAAACATGACCCCACGTCGG CCAACCTCCTGCAGCTGGTGCGCTCCGCAGACATCCAGGAGGCCGACCTGGTGGAGG TGCACTCCTATCGGGCGCCTGCCTTCTGTGATCACTGCGGGGAGATGCTCTTCGGCCTAG TGCGCCAGGGCCTCAAGTGCGATGGCTGCGGGCTGAACTACCACAAGCGCTGTGCCTTCA GCATCCCCAACAACTGTAGTGGGGCCCGCAAACGGCGCCTGTCATCCACGTCTCTGGCCA GTGGCCACTCGGTGCGCCTCGGCACCTCCGAGTCCCTGCCCTGCACGGCTGAAGAGCTGA GCCGTAGCACCACCGAACTCCTGCCTCGCCGTCCCCCGTCATCCTCTTCCTCCTCTTCTG CCTCATCGTATACGGGCCGCCCATTGAGCTGGACAAGATGCTGCTCTCCAAGGTCAAGG TGCCGCACACCTTCCTCATCCACAGCTATACACGGCCCACCGTTTGCCAGGCTTGCAAGA AACTCCTCAAGGGCCTCTTCCGGCAGGGCCTGCAATGCAAAGACTGCAAGTTTAACTGTC

FIGURE 2H

ACAAACGCTGCGCCACCCGCGTCCCTAATGACTGCCTGGGGGAGGCCCTTATCAATGGAG ATGTGCCGATGGAGGCCACCGATTTCAGCGAGGCTGACAAGAGCGCCCTCATGGATG AGTCAGAGGACTCCGGTGTCATCCCTGGCTCCCACTCAGAGAATGCGCTCCACGCCAGTG AGGAGGAGGAAGGCGAGGGCAAGGCCCAGAGCTCCCTGGGGTACATCCCCCTAATGA GGGTGGTGCAATCGGTGCGACACACGCGGGAAATCCAGCACCACGCTGCGGGAGGGTT GGGTGGTTCATTACAGCAACAAGGACACGCTGAGAAAGCGGCACTATTGGCGCCTGGACT GCAAGTGTATCACGCTCTTCCAGAACAACACGACCAACAGATACTATAAGGAAATTCCGC TGTCAGAAATCCTCACGGTGGAGTCCGCCCAGAACTTCAGCCTTGTGCCGCCGGGCACCA ACCCACACTGCTTTGAGATCGTCACTGCCAATGCCACCTACTTCGTGGGCGAGATGCCTG GCGGGACTCCGGGTGGGCCAAGTGGGCAGGGGGCTGAGGCCGCCCGGGGGCTGGNNGAGA CAGCCATCCGCCAGGCCTGATGCCGTCATCCTTCAGGACGCACCCAGCGCCCCAGGCC ACGCGCCCACAGACAAGCTTCTCTGAGCATCTCTGTGTCCAACAGTCAGATCCAAGAGA ATGTGGACATTGCCACTGTCTACCAGATCTTCCCTGACGAAGTGCTGGGCTCAGGGCAGT TTGGAGTGGTCTATGGAGGAAAACACCGGAAGACAGGCCGGGACGTGGCAGTTAAGGTCA TTGACAACTGCGCTTCCCTACCAAGCAGGAGAGCCAGCTCCGGAATGAAGTGGCCATTC TGCAGAGCCTGCGGCATCCCGGGATCGTGAACCTGGAGTGCATGTTCGAGACGCCTGAGA **AAGTGTTTGTGGTGATGGAGAAGCTGCATGGGGACATGTTGGAGATGATCCTGTCCAGTG** AGAAGGGCCGGCTGCCTGAGCGCCTCACCAAGTTCCTCATCACCCAGATCCTGGTGGCTT TGAGACACCTTCACTTCAAGAACATTGTCCACTGTGACTTGAAACCAGAAAACGTGTTGC TGGCATCAGCAGACCCATTTCCTCAGGTGAAGCTGTGTGACTTTGGCTTTGCTCGCATCA TCGGCGAGAGTCGTTCCGCCGCTCAGTGGTGGCACCCGGCCTACCTGGCACCCGAGG TGCTGCTCAACCAGGGCTACAACCGCTCGCTGGACATGTGGTCAGTGGGCGTGATCATGT ACGTCAGCCTCAGCGGCACCTTCCCTTTCAACGAGGATGAGGACATCAATGACCAGATCC AGAACGCCGCCTTCATGTACCCGGCCAGCCCCTGGAGCCACATCTCAGCTGGAGCCATTG ACCTCATCAACAACCTGCTGCAGGTGAAGATGCGCAAACGCTACAGCGTGGACAAATCTC TCAGCCACCCTGGTTACAGGAGTACCAGACGTGGCTGGACCTCCGAGAGCTGGAGGGGA AGATGGGAGAGCGATACATCACGCATGAGAGTGACGACGCGCGCTGGGAGCAGTTTGCAG CAGAGCATCCGCTGCCTGGGTCTGGGCTGCCCACGGACAGGGATCTCGGTGGGGCCTGTC CACCACAGGACCACGACATGCAGGGGCTGGCGGAGCGCATCAGTGTTCTCTGAGGTCCTG TGCCCTCGTCCAGCTGCTGCCCTCCACAGCGGTTCTTCACAGGATCCCAGCAATGAACTG TTCTAGGGAAAGTGGCTTCCTGCCCAAACTGGATGGGACACGTGGGGAGTGGGGTGGGGG GAGCTATTTCCAAGGCCCCTCCCTGTTTCCCCAGCAATTAAAACGGACTCATCTCTGGCC CCATGGCCTTGATCTCAGCAAAA

SEQ ID NO: 10 AA127299 H

SEQ ID NO: 11 AA316804 H

ATGTCTGCAAATAATTCCCCTCCATCAGCCCAGAAGTCTGTATTACCCACAGCTATTCCT
GCTGTGCTTCCAGCTGCTTCTCCGTGTTCAAGTCCTAAGACGGGACTCTCTGCCCGACTC
TCTAATGGAAGCTTCAGTGCACCATCACTCACCAACTCCAGAGGCTCAGTGCATACAGTT
TCATTTCTACTGCAAATTGGCCTCACACGGGAGAGTGTTACCATTGAAGCCCAGGAACTG
TCTTTATCTGCTGTCAAGGATCTTGTGTGCTCCATAGTTTATCAAAAGTTTCCAGAGTGT
GGATTCTTTGGCATGTATGACAAAATTCTTCTCTTTTCGCCATGACATGAACTCAGAAAAC
ATTTTGCAGCTGATTACCTCAGCAGATGAAATACATGAAGGAGACCTAGTGGAAGTGGTT

FIGURE 21

CTTTCAGCTTTAGCCACAGTAGAAGACTTCCAGATTCGTCCACATACTCTCTATGTACAT TCTTACAAAGCTCCTACTTTCTGTGATTACTGTGGTGAGATGCTGTGGGGATTGGTACGT CAAGGACTGAAATGTGAAGGCTGTGGATTAAATTACCATAAACGATGTGCCTTCAAGATT CCAAATAACTGTAGTGGAGTAAGAAAGAGACGTCTGTCAAATGTATCTTTACCAGGACCC GGCCTCTCAGTTCCAAGACCCCTACAGCCTGAATATGTAGCCCTTCCCAGTGAAGAGTCA CATGTCCACCAGGAACCAAGTAAGAGAATTCCTTCTTGGAGTGGTCGCCCAATCTGGATG GAAAAGATGGTAATGTGCAGAGTGAAAGTTCCACACACATTTGCTGTTCACTCTTACACC CGTCCCACGATATGTCAGTACTGCAAGCGGTTACTGAAAGGCCTCTTTCGCCAAGGAATG CAGTGTAAAGATTGCAAATTCAACTGCCATAAACGCTGTGCATCAAAAGTACCAAGAGAC TGCCTTGGAGAGGTTACTTTCAATGGAGAACCTTCCAGTCTGGGAACAGATACAGATATA CCAATGGATATTGACAATAATGACATAAATAGTGATAGTCGGGGTTTGGATGACACA GAAGAGCCATCACCCCCAGAAGATAAGATGTTCTTCTTGGATCCATCTGATCTCGATGTG GAAAGAGATGAAGAAGCCGTTAAAACAATCAGTCCATCAACAAGCAATAATATTCCGCTA ATGAGGGTTGTACAATCCATCAAGCACACAAAGAGGGAAGAGCAGCACAATGGTGAAGGAA GGGTGGATGGTCCATTACACCAGCAGGGATAACCTGAGAAAGAGGCATTATTGGAGACTT GACAGCAAATGTCTAACATTATTTCAGAATGAATCTGGATCAAAGTATTATAAGGAAATT CCACTTTCAGAAATTCTCCGCATATCTTCACCACGAGATTTCACAAACATTTCACAAGGC AGCAATCCACACTGTTTTGAAATCATTACTGATACTATGGTATACTTCGTTGGTGAGAAC AATGGGGACAGCTCTCATAATCCTGTTCTTGCTGCCACTGGAGTTGGACTTGATGTAGCA TGCACTTCTCCAGGGCAAGGGAAAGATCACAAAGATTTGTCTACAAGTATCTCTGTATCT AATTGTCAGATTCAGGAGAATGTGGATATCAGTACTGTTTACCAGATCTTTGCAGATGAG GTGCTTGGTTCAGGCCAGTTTGGCATCGTTTATGGAGGAAAACATAGAAAGACTGGGAGG GATGTGGCTATTAAAGTAATTGATAAGATGAGATTCCCCACAAAACAAGAAAGTCAACTC CGTAATGAAGTGGCTATTTTACAGAATTTGCACCATCCTGGGATTGTAAACCTGGAATGT ATGTTTGAAACCCCAGAACGAGTCTTTGTAGTAATGGAAAAGCTGCATGGAGATATGTTG GAAATGATTCTATCCAGTGAGAAAAGTCGGCTTCCAGAACGAATTACTAAATTCATGGTC ACACAGATACTTGTTGCTTTGAGGAATCTGCATTTTAAGAATATTGTGCACTGTGATTTA AAGCCAGAAAATGTGCTGCTTGCATCAGCAGAGCCATTTCCTCAGGTGAAGCTGTGTGAC TTTGGATTTGCACGCATCATTGGTGAAAAGTCATTCAGGAGATCTGTGGTAGGAACTCCA GCATACTTAGCCCCTGAAGTTCTCCGGAGCAAAGGTTACAACCGTTCCCTAGATATGTGG TCAGTGGGAGTTATCATCTATGTGAGCCTCAGTGGCACATTTCCTTTTAATGAGGATGAA GATATAAATGACCAAAATCCAAAATGCTGCATTTATGTACCCACCAAATCCATGGAGAGAA ATTTCTGGTGAAGCAATTGATCTGATAAACAATCTGCTTCAAGTGAAGATGAGAAAACGT TACAGTGTTGACAAATCTCTTAGTCATCCCTGGCTACAGGACTATCAGACTTGGCTTGAC CTTAGAGAATTTGAAACTCGCATTGGAGAACGTTACATTACACATGAAAGTGATGATGCT CGCTGGGAAATACATGCATACACACATAACCTTGTATACCCAAAGCACTTCATTATGGCT CCTAATCCAGATGATATGGAAGAAGATCCTTAA

SEQ ID NO: 12 PKNBETA H

ATGGAGGAGGGGCCCCGCGCAGCCTGGGCCGAGCCAGTGGCCCCCAGAGGATGAGAAG
GAGGTGATCCGCCGGGCCATCCAGAAAGAGCTGAAGATCAAGGAGGGGGTGGAGAACCTG
CGGCGCGTGGCCACAGACCGCCGCCACTTGGGCCATGTGCAGCAGCTGCTGCGGTCCTCC
AACCGCCGCCTGGAGCAGCTGCATGGCGAGCTGCAGGACCCCGAATCCTGCTG
CCCGGCCCTGGGCCCAGCTGAGCCTGTGGCCTCAGGACCCCGGCCGTGGGCAGAG
CAGCTCAGGGCTCGGCACCTAGAGGCTCTCCGGAGGCAGCTGCATGTGGAGCTGAAGGTG
AAACAGGGGGCTGAGAACATGACCCACACGTGCGCCAGTGGCACCCCCAAGGAGAGAAG
CTCCTTGCAGCTGCCCAGCAGATGCTGCGGGACCAGCTGAAGGTGGCCCTGCTGCGG
ATGAAGATCAGCAGCCTGGAGCCAGTTGAGCCCTGAGCTACTGGCG
GAGGAGCTACAGCATCGACTTGAGGCCAGCTGAGCTTGAGCCCCAAGAACGTG

FIGURE 2J

GTGAAACTGCTTAGTAGCCGGAGAACACAGGACCGCAAGGCACTGGCTGAGGCCCAGGCC CAGCTACAGGAGTCCTCTCAGAAACTGGACCTCCTGCGCCTTGGAGCAGCTGCTG GAGCAACTGCCTCCTGCCCACCCTTTGCGCAGCAGAGTGACCCGAGAGTTGCGGGCTGCG GTGCCTGGATACCCCCAGCCTTCAGGGACACCTGTGAAGCCCACCGCCCTAACAGGGACA CTGCAGGTCCGCCTCCTGGGCTGTGAACAGTTGCTGACAGCCGTGCCTGGGCGCTCCCCA GCGCCGCACTGGCCAGCCCCCTCCGAGGGCTGGCTTCGGACCAAGGCCAAGCACCAG CGTGGCCGAGGCGAGCTTGCCAGTGAGGTGCTGCTGTGCTAAAGGTGGACAACCGTGTT GTGGGGCAGACGGCTGGGGCCAGGTGGCCGAACAGTCCTGGGACCAGACCTTTGTCATC CCACTGGAGCGAGCCCGTGAGCTGGAGATTGGGGTACACTGGCGGACTGGCGGCAGCTA TGTGGCGTGGCCTTCCTGAGACTTGAAGACTTCCTGGACAATGCCTGTCACCAACTGTCC $\tt CTCAGCCTGGTACCGCAGGGACTGCTTTTTGCCCAGGTGACCTTCTGCGATCCTGTCATT$ GAGAGGCGGCCCGGCTGCAGAGGCAGGAACGCATCTTCTCTAAACGCAGAGGCCAGGAC TTCCTGAGGCGTTCGCAGATGAACCTCGGCATGGCGGCCTGGGGGCGCCTCGTCATGAAC CTGCTGCCCCCTGCAGCTCCCCGAGCACAATCAGCCCCCCTAAAGGATGCCCTCGGACC CCAACAACACTGCGAGAGGCCTCTGACCCTGCCACTCCCAGTAATTTCCTGCCCAAGAAG ACCCCCTTGGGTGAAGAGATGACACCCCCACCCAAGCCCCCACGCCTCTACCTCCCCCAG GAGCCAACATCCGAGGAGACTCCGCGCACCAAACGTCCCCATATGGAGCCTAGGACTCGA CGTGGGCCATCTCCACCAGCCTCCCCCACCAGGAAACCCCCTCGGCTTCAGGACTTCCGC TGCTTAGCTGTGCTGGGCCGGGGACACTTTGGGAAGGTCCTCCTGGTCCAGTTCAAGGGG ACAGGGAAATACTACGCCATCAAAGCACTGAAGAAGCAGGAGGTGCTCAGCCGGGACGAG ATAGAGAGCCTGTACTGCGAGAAGCGGATCCTGGAGGCTGTGGGCTGCACAGGGCACCCT TTCCTGCTCTCCTTGTCTGCTTCCAGACCTCCAGCCATGCCCGCTTTGTGACTGAG TTTGTGCCTGGTGACCTCATGATGCAGATCCACGAGGATGTCTTCCCCGAGCCCCAG GCCCGCTTCTACGTGGCTTGTTGTTCTTGGGGCTGCAGTTCTTACACGAGAAGAAGATC ATTTACAGGGACCTGAAGTTGGATAACCTTCTGCTGGATGCCCAGGGATTCCTGAAGATC GCAGACTTTGGACTCTGCAAGGAAGGGATCGGCTTCGGGGACCGGACTAGCACCTTCTGT GGCACCCCGGAGTTCCTGGCTCCCGAGGTGCTGACCCAGGAGGCATACACACAGGCCGTC GGGGACACAGAGGAAGAGGTGTTTGACTGCATCGTCAACATGGACGCCCCCTACCCCGGC TTTCTGTCGGTGCAAGGGCTTGAGTTCATTCAGAAGCTCCTCCAGAAGTGCCCGGAGAAG CGCCTCGGGGCAGGTGAGCAGGATGCCGAGGAGATCAAGGTCCAGCCATTCTTCAGGACC ACCAACTGGCAAGCCCTGCTCGCCCGCACCATCCAGCCCCCCTTCGTGCCTACCCTGTGT GGCCCTGCGGACCTGCGCTACTTTGAGGGCGAGTTCACAGGGCTGCCGCCTGCCCTGACC CCACCTGCACCCCACAGCCTCCTCACTGCCCGCCAACAGGCCGCCTTCCGGGACTTCGAC TTTGTGTCAGAGCGATTCCTGGAACCCTGA

SEQ ID NO: 13 AIO21023 M PKNBETA M

FIGURE 2K

TGTCACTGGGCAAAGTGTGTCCCTTCCCCCTCCAGCTCGCCCTCTTCTACCTCCCAGCGA GACCTGGCCCAGAAAGGGTGCCGCAGCAAGGAGTGATATGGTTTGTCTTTTTAAGACTGG ACTTGCTTTATATTAAATTTGTAAAAGTG

SEQ ID NO: 14_H19102_H

GGTGGCAACATCCGGGGTCCCTGGGCCCGAGGCTGGAAGAGCCTCTGGACAGGTTTGGGA ACCATCAGGTCAGATCTGGAAGAACTCTGGGAACTACGGGGGCACCACTATCTGCACCAG GAATCCCTAAAGCCAGCCCCAGTACTGGTAGAGAAGCCTCTGCCAGAGTGGCCAGTGCCT CAGTTCATCAACCTCTTTCTACCAGAGTTTCCCATTAGGCCCCATTAGGGGGCCAGCAGCAG CTGAAGATTTTAGGCCTCGTGGCTAAAGGCTCCTTTGGAACTGTCCTCAAGGTGCTAGAT TGCACCCAGAAAGCTGTATTTGCAGTGAAGGTGCTCCAAGGTAAAGGTCCTACAGAGG GATACCGTGAGGCAGTGCAAAGAGGGGGGTTAGCATCCAGCGACAGATCAACCATCCCTTT GTACACAGCTTGGGGGACAGCTGGCAGGGAAAACGGCACCTTTTCATTATGTGTAGCTAC TGCAGCACAGATCTGTACTCCCTTTGGTCGGCTGTTGGCTGCTTTCCTGAGGCTTCCATC CGTCTCTTTGCTGCCGAGTTGGTGCTGGTACTGTGTTATCTCCATGACTTGGGCATCATG CATCGAGATGTGAAGATGGAGAATATTCTTCTAGATGAACGAGGCCATCTGAAACTGACA GACTTTGGTCTGTCCCGCCACGTGCCCCAGGGAGCTCAAGCCTACACTATCTGTGGCACT ${\tt CTTCAGTACATGGCCCCAGAGGTCCTAAGTGGAGGACCTTACAACCATGCTGCTGATTGG}$ TGGTCCCTGGGTGTCTTGCTTTTCTCTCTGGCGACTGGAAAGTTTCCAGTGGCTGCAGAG AGAGATCATGTGGCCATGTTGGCAAGTGTGACCCACAGTGACTCTGAGATCCCAGCTTCT CTTAACCAGGGCCTCTCACTCCTGCTCCATGAGCTCTTATGCCAGAACCCCCTCCATCGT GAGCTCCTACAGAAGCAGCCAGTGAACTTTGTCACGGAGACACAAGCTACCCAGCCCAGT TCAGCGGAGACCATGCCCTTTGACGACTTTGACTGTGATCTGGAGTCCTTCTTGCTCTAC CCTATCCCTGCTTGA

SEQ ID NO: 15 AA476563 H

ATGGAATTCTTTAGGATAGACAGTAAGGATAGCGCAAGTGAACTCCTGGGACTTGACTTT GGAGAAAATTGTATAGTCTAAAATCAGAACCTTTGAAACCATTCTTTACTCTTCCAGAT GGAGACAGTGCTTCTAGGAGTTTTAATACTAGTGAAAGCAAGGTAGAGTTTAAAGCTCAG GACACCATTAGCAGGGGCTCAGATGACTCAGTGCCAGTTATTTCGTTTAAAGATGCTGCT TTTGATGATGTCAGTGGTACTGATGAAGGAAGACCTGATCTTCTTGTAAATTTACCTGGT GAATTGGAGTCAACAAGAGAAGCTGCAGCAATGGGACCTACTAAGTTTACACAAACTAAT ATAGGGATAATAGAAAATAAACTCTTGGAAGCCCCTGATGTTTTATGCCTCAGGCTTAGT ACTGAACAATGCCAAGCACATGAGGAGAAAGGCATAGAGGAACTGAGTGATCCCTCTGGG CCCAAATCCTATAGTATAACAGAGAAACACTATGCACAGGAGGATCCCAGGATGTTATTT GTAGCAGCTGTTGATCATAGTAGTTCAGGAGATATGTCTTTGTTACCCAGCTCAGATCCT AAGTTTCAAGGACTTGGAGTGGTTGAGTCAGCAGTAACTGCAAACAACACAGAAGAAAGC TTATTCCGTATTTGTAGTCCACTCTCAGGTGCTAATGAATATATTGCAAGCACAGACACT TTAAAAACAGAAGAAGTATTGCTGTTTACAGATCAGACTGATGATTTGGCTAAAGAGGAA CCAACTTCTTTATTCCAGAGAGACTCTGAGACTAAGGGTGAAAGTGGTTTAGTGCTAGAA GGAGACAAGGAAATACATCAGATTTTTGAGGACCTTGATAAAAAATTAGCACTAGCCTCC AGGTTTTACATCCCAGAGGGCTGCATTCAAAGATGGGCAGCTGAAATGGTGGTAGCCCTT GATGCTTTACATAGAGAGGGAATTGTGTGCCGCGATTTGAACCCAAACAACATCTTATTG AATGATAGAGGACACATTCAGCTAACGTATTTTAGCAGGTGGAGTGAGGTTGAAGATTCC TGTGACAGCGATGCCATAGAGAGATGTACTGTGCCCCAGAGGTTGGAGCAATCACTGAA GAAACTGAAGCCTGTGATTGGTGGAGTTTGGGTGCTGTCCTCTTTGAACTTCTCACTGGC AAGACTCTGGTTGAATGCCATCCAGCAGGAATAAATACTCACACTACTTTGAACATGCCA GAATGTGTCTCTGAAGAGGCTCGCTCACTCATTCAACAGCTCTTGCAGTTCAATCCTCTG

FIGURE 2L

 ${\tt GAACGACTTGGTGCTGGAGTTGCTGGTGTTGAAGATATCAAATCTCATCCATTTTTTACC}\\ {\tt CCTGTGGATTGGGCAGAACTGATGAGATGA}\\$

SEQ ID NO: 16_AA626690 H

ATGCTACCATTCGCTCCTCAGGACGAGCCCTGGGACCGAGAAATGGAAGTGTTCAGCGGC GGCGGCGCGAGCAGCGAGGTAAATGGTCTTAAAATGGTTGATGAGCCAATGGAAGAG GGAGAAGCAGATTCTTGTCATGATGAAGGAGTTGTTAAAGAAATCCCTATTACTCATCAT GTTAAGGAAGGCTATGAGAAAGCAGATCCTGCACAGTTTGAGTTGCTCAAGGTTCTTGGT CAGGGGTCATTTGGAAAGGTTTTTCTTGTTAGAAAGAAGACCGGTCCTGATGCTGGGCAG CTCTATGCAATGAAGGTGTTAAAAAAAGCCTCTTTAAAAGTTCGAGACAGAGTTCGGACA AAGATGGAGAGGATATACTGGTGGAAGTAAATCATCCATTTATTGTCAAATTGCACTAT GCCTTTCAGACTGAAGGGAAACTGTACTTAATACTGGATTTTCTCAGGGGAGGAGATGTT TTCACAAGATTATCCAAAGAGGTTCTGTTTACAGAGGAAGATGTGAAATTCTACCTCGCA GAACTGGCCCTTGCTTTGGATCATCTGCACCAATTAGGAATTGTTTATAGAGACCTGAAG CCAGAAAACATTTTGCTTGATGAAATAGGACATATCAAATTAACAGATTTTGGACTCAGC AAGGAGTCAGTAGATCAAGAAAAGAAGGCTTACTCATTTTGTGGTACAGTAGAGTATATG GCTCCTGAAGTAGTAAATAGGAGAGGCCATTCCCAGAGTGCTGATTGGTGGTCATATGGT GTTCTTATGTTTGAAATGCTTACTGGTACTCTGCCATTTCAAGGTAAAGACAGAAATGAG ACCATGAATATGATATTAAAAGCAAAACTTGGAATGCCTCAATTTCTTAGTGCTGAAGCA CAAAGTCTTCTAAGGATGTTATTCAAAAGGAATCCAGCAAATAGATTGGGATCAGAAGGA GTTGAAGAATCAAAAGACATCTGTTTTTTGCAAATATTGACTGGGATAAATTATATAAA AGAGAAGTTCAACCTCCTTTCAAACCTGCTTCTGGAAAACCAGATGATACTTTTTGTTTT GCTCATCAGCTCTTCAAAGGATTCAGCTTTGTTGCAACTTCTATTGCAGAAGAATATAAA ATCACTCCTATCACAAGTGCAAATGTATTACCAATTGTTCAGATAAATGGAAATGCTGCA CAATTTGGTGAAGTATATGAATTGAAGGAGGATATTGGTGTTTGGCTCCTACTCTGTTTGC AAGCGATGCATACATGCAACTACCAACATGGAATTTGCAGTGAAGATCATTGACAAAAGT AAGCGAGACCCTTCAGAAGAGATTGAAATATTGATGCGCTATGGACAACATCCCAACATT ATTACTTTGAAGGATGTCTTTGATGATGGTAGATATGTTTACCTTGTTACGGATTTAATG AAAGGAGGAGAGTTACTTGACCGTATTCTCAAACAAAAATGTTTCTCGGAACGGGAGGCT AGTGATATACTATATGTAATAAGTAAGACAGTTGACTATCTTCATTGTCAAGGAGTTGTT CATCGTGATCTTAAACCTAGTAATATTTTATACATGGATGAATCAGCCAGTGCAGATTCA ATCAGGATATGTGATTTTGGGTTTGCAAAACAACTTCGAGGAGAAAATGGACTTCTCTTA ACTCCATGCTACACTGCAAACTTTGTTGCACCTGAGGTTCTTATGCAACAGGGATATGAT CCATTTGCTAATGGCCCCAATGATACTCCTGAAGAGATACTGCTGCGTATAGGCAATGGA AAATTCTCTTTGAGTGGTGGAAACTGGGACAATATTTCAGACGGAGCAAAGGATTTGCTT TCCCATATGCTTCATATGGACCCACATCAGCGGTATACTGCTGAACAAATATTAAAGCAC TCATGGATAACTCACAGAGACCAGTTGCCAAATGATCAGCCAAAGAGAAATGATGTGTCA CATGTTGTTAAGGGAGCAATGGTTGCAACATACTCTGCCCTGACTCACAAGACCTTTCAA CCAGTCCTAGAGCCTGTAGCTTCAAGCTTAGCCCAGCGACGGAGCATGAAAAAGCGA ACATCAACTGGCCTGTAA

SEQ ID NO: 17_AA215680_H

FIGURE 2M

CCGCTGAGCAGTGGAGCCAGCCCCAGCGCGGGTTTCAGCAGCCTGAGGCTCCGGCCCATT CGCACGCTGAGCTCTGCCGTGGAGCAGCTGAGGGGCTGCAGGGTGGTCGGGGTCATCGAG AAGGTGCAGCTGGTCCAGGACCCGGCAACCGGAGGGACCTTTGTGGTGAAGAGCCTACCC AGGTGCCACATGGTGAGCAGGGAGCGGCTGACCATCATCCCACACGGAGTCCCCTACATG ACGAAGCTGCTCAGGTACTTTGTGAGCGAGGACTCCATCTTCCTGCACCTGGAGCATGTG CAAGGAGGCACTCTCTGGTCCCACCTGCTCTCCCAGGCGCACTCCCGACATTCTGGGCTC AGCTCTGGCTCTACCCAGGAGAGGATGAAGGCTCAGCTCAACCCCCACCTCAACCTCCTG ACCCCAGCGAGGCTTCCCTCAGGCCATGCCCCTGGCCAGGACAGAATCGCCCTGGAGCCT CCTAGGACTTCTCCGAACCTTCTCCTAGCTGGGGAGGCCCCATCCACCAGACCCCAGAGG GAGGCTGAAGGTGAACCCACAGCCAGGACCAGCACCTCTGGCTCCTCGGACCTTCCAAAG GCCCCAGGTGGCCACCTGCACCTTCAAGCTAGGAGGGCTGGCCAGAACTCAGACGCTGGG ACCTGGAGTGTGAGAGGAGCAGGTGAAGCAGTGGGCGGCAGAGATGCTGGTAGCGCTG GAGGCGCTGCACGAGCAGGGGGTGCTGTGCCGGGAACCTCCACCCCGGGAACCTGCTCCTG GACCAGGCAGGTCACATCCGGCTCACATATTTTGGCCAGTGGTCAGAGGTGGAGCCCCAG CTGACGGAAGCCTGTGACTGGTGGAGCTTTGGGTCTCTACTGTATGAACTGCTGACGGGA ATGGCACTGTCCCAGAGCCACCCTTCAGGAATCCAGGCCCACACCCAGCTCCAGCTGCCC GAGTGGCTCAGTCGCCCAGCGGCCTCTCTGCTGACTGAGCTGCAGTTCGAGCCTACC CGGCGCCTGGGCATGGGAAAGTGGTGTCAGCAAACTCAAGTCCCATCCCTTTTTCAGT ACCATCCAATGGAGCAAGCTGGTGGGGTAA

SEQ ID NO: 18 SGK H

ATGACGGTGAAAACTGAGGCTGCTAAGGGCACCCTCACTTACTCCAGGATGAGGGGCATG GTGGCAATTCTCATCGCTTTCATGAAGCAGAGGAGGATGGGTCTGAACGACTTTATTCAG AAGATTGCCAATAACTCCTATGCATGCAAACACCCTGAAGTTCAGTCCATCTTGAAGATC TCCCAACCTCAGGAGCCTGAGCTTATGAATGCCAACCCTTCTCCTCCACCAAGTCCTTCT CAGCAAATCAACCTTGGCCCGTCGTCCAATCCTCATGCTAAACCATCTGACTTTCACTTC TTGAAAGTGATCGGAAAGGCAGTTTTGGAAAGGTTCTTCTAGCAAGACACAAGGCAGAA AAGCATATTATGTCGGAGCGGAATGTTCTGTTGAAGAATGTGAAGCACCCTTTCCTGGTG GGCCTTCACTTCTCTTTCCAGACTGCTGACAAATTGTACTTTGTCCTAGACTACATTAAT GGTGGAGAGTTGTTCTACCATCTCCAGAGGGAACGCTGCTTCCTGGAACCACGGGCTCGT TTCTATGCTGCAAATAGCCAGTGCCTTGGGCTACCTGCATTCACTGAACATCGTTTAT AGAGACTTAAAACCAGAGAATATTTTGCTAGATTCACAGGGACACATTGTCCTTACTGAT TTCGGACTCTGCAAGGAGAACATTGAACACAACAGCACAACATCCACCTTCTGTGGCACG CCGGAGTATCTCGCACCTGAGGTGCTTCATAAGCAGCCTTATGACAGGACTGTGGACTGG TGGTGCCTGGGAGCTGTCTTGTATGAGATGCTGTATGGCCTGCCGCCTTTTTATAGCCGA AACACAGCTGAAATGTACGACAACATTCTGAACAAGCCTCTCCAGCTGAAACCAAATATT ACAAATTCCGCAAGACACCTCCTGGAGGGCCTCCTGCAGAAGGACAGGACAAAGCGGCTC GATGATCTCATTAATAAGAAGATTACTCCCCCTTTTAACCCAAATGTGAGTGGGCCCAAC GAGCTACGGCACTTTGACCCCGAGTTTACCGAAGAGCCTGTCCCCAACTCCATTGGCAAG ${\tt TCCCCTGACAGCGTCCTCGTCACAGCCAGCGTCAAGGAAGCTGCCGAGGCTTTCCTAGGC}$ TTTTCCTATGCGCCTCCCACGGACTCTTTCCTCTGA

SEQ ID NO: 19_AA107515_M

CGGGTCGACCCACGCGTCCGCCGGTTTCACTGCTCCCCTCAGTCTCTTTTGGGCTCTTTCCGGGCATCGGGACGATGACCGTCAAAGCCGAGGCTGCTCGAAGCACCCTTACCTACTCCA

FIGURE 2N

GAATGAGGGGAATGGTAGCGATTCTCATCGCTTTTATGAAACAGAGAAGGATGGGCCTGA CCATTTTGAAAATGTCCCATCCTCAGGAGCCGGAGCTTATGAACGCTAACCCCTCTCCTC CGCCAAGTCCCTCTCAACAATCAACCTGGGTCCGTCCTCCAACCCTCACGCCAAACCCT CCGACTTTCACTTCTTGAAAGTGATCGGAAAGGGCAGTTTTTGGAAAGGTTCTTCTGGCTA GGCACAAGGCAGAAGAAGTATTCTATGCAGTCAAAGTTTTACAGAAGAAAGCCATCCTGA AGAAGAAAGAGGAGAAGCATATTATGTCAGAGCGGAATGTTCTGTTGAAGAATGTGAAGC ACCCTTTCCTGGTGGGCCTTCACTTCTCATTCCAGACCGCTGACAAGCTCTACTTTGTCC TGGACTACATTAATGGTGGAGAGCTGTTCTACCATCTCCAGAGGGAGCGCTGCTTCCTGG AACCACGGGCTCGATTCTACGCAGCTGAAATAGCCAGTGCCCTGGGCTATCTGCACTCCC TAAACATCGTTTATAGAGACTTAAAACCTGAGAATATTCTCCTAGACTCCCAGGGGCACA TCGTCCTCACTGACNTATTTCAGCTGCGTAGAATCGAGCATAACGGGACAACATCTACCT TCTGTGGCACGCCTGAGTATCTGGCTCCTGAGGTCCTCCATAAGCAGCCGTATGACCGGA CGGTGGACTGGTGTCTTGGGGCTGTCCTGTATGAGATGCTCTACGGCCTGCCCCGT TTTATAGCCGGAACACGGCTGAGATGTACGACAATATTCTGAACAAGCCTCTCCAGTTGA AACCAAATATTACAAACTCGGCAAGGCACCTCCTGGAAGGCCTCCTGCAGAAGGACCGGA CCAAGAGGCTGGGTGCCAAGGATGACTTTATGGAGATTAAGAGTCATATTTTCTTCTTT TAATTAACTGGGATGATCTCATCAATAAGAAGATTACACCCCCATTTAACCCAAATGTGA GTGGGCCCAGTGACCTTCGGCACTTCGATCCCGAGTTTACCGAGGAGCCGGTCCCCAGCT ${\tt CCTTCCTCGGCTTCTCCTATGCACCTCCTGTGGATTCCTTCTTGAGTGCTCCCGGGAT}$ GGTTCTGAAGGACTTCCTCAGCGTTTCCTAAAGTGTTTTCGTTAGCCTTTGGTGGAGTTG CCAGCTGACAGAACATTTTAAAAGAATTTGCACACCTGGAAGCTTGGCAGTCTCGCCTGC CCGGCGTGCCGCGCGCGCGCGCTGCTTGATGGGAGCTTTCCGAAGAGCACACCCTC ATGCAGGTCTAAGAGGAATCCCCGCAGGTCTGTCTGAGCTGTGATCAAGAATATTCTGCA ATGTGCCTTTTCTGAGATCGTGTTAGCTCCAAAGCTTTTTCCTATCGCAGAGTGTTCAGT TTGTGTTTGTTTTGTTTTGTTTTGTTTTTCCCTTGGCGGATTTCCCGTGTGCA GTGGCGTGAGTGTGCTATGCCTGATCACAGACGGTTTTGTTGTGAGCATCAATGTGACAC TTGCAGGACACTACAATGTGGGACATTGTTTGTTTCTTCCACATTTGGAAGATAAATTTA TGTGTAGACTGTTTTGTAAGATATAGTTAATAACTAAAACCTATTGAAACGGTCTTGCAA TGACGAGCATTCAGATGCTTAAGGAAAGCATTGCTGCTACAAATATTTCTATTTTTAGAA AGGGTTTTTATGGACCAATGCCCCAGTTGTCAGTCAAAGCCGTTGGTGTTTTCATTGTTT TGCATTCCTGATTATTGTATGTATCGTGTAAAGGAAGTCTGTACATTGGGTTATAACACT AGATATTTAAACTTACAGGCTTATTTGTAAACCATCATTTTAATGTACTGTAATTAACAT GGGTTATAATATGTACAATTCCTCCTCCTTACCACACACTTTTTTTGTGTGCGATAAAC CAATTTTGGTTTGCAATAAAATCTTGAAAACT

SEQ ID NO: 20 AA109508 M

CCACCTGCAGCGGAGCGCCGGTTCCTGGAGCCCCGGGCCAGGTTCTACGCTGCTGAGGT
GGCCAGCGCCATTGGCTACCTGCACTCCCTCAACATCATTTACAGGGATCTGAAACCAGA
GAACATTCTCTTGGACTGCCAGGGACACGTGGTGCTGACGGATTTTGGCCTCTGCAAGGA
AGGTGTAGAGCCTGAAGACACCACATCCACATTCTGTGGTACCCCTGAGTACTTGGCACC
TGAAGTGCTTCGGAAAGAGCCTTATGATCGAGCAGTGGACTGGTGGTGCTTGGGGGCAGT
CCTCTACGAGATGCTCCATGGCCTGCCGCCCTTCTACAGCCAAGATGTATCCCAGATGTA
TGAGAACATTCTGCACCAGCCGCTACAGATCCCCGGAGGCCGGACAGTGGCCGCCTGTGA
CCTCCTGCAAAGCCTTCTCCACAAGGACCAGAGCAGCGCTTCCAAAGCAGACTT
TCTTGAGATTAAGAACCATGTATTCTTCAGCCCCATAAACTGGGATGACCTGTACCACAA

FIGURE 20

SEQ ID NO: 21 AA887783 H

CGGATGCATTTNTTGGTGTGCTCTTGAGGGATTAAATGCAAAGAGATCACACCATGGACT ACAAGGAAAGCTGCCCAAGTGTAAGNATTCCCAGCTCCGATGAACACAGAGAGAAAAAGA AGAGGTTTACTGTTTATAAAGTTCTGGTTTCAGTGGGAAGAAGTGAATGGTTTGTCTTCA CCCTGAAGATTCCTGCCAAGAGAATATTTGGTGATAATTTTGATCCAGATTTTATTAAAC AAAGACGAGCAGGACTAAACGAATTCATTCAGAACCTAGTTAGGTATCCAGAACTTTATA ACCATCCAGATGTCAGAGCATTCCTTCAAATGGACAGTCCAAAACACCAGTCAGATCCAT CTGAAGATGAGGATGAAAGAAGTTCTCAGAAGCTACACTCTACCTCACAGAACATCAACC TGGGACCGTCTGGAAATCCTCATGCCAAACCAACTGACTTTGATTTCTTAAAAGTTATTG CTGTCAAAGTGTTACAGAAAAAAATAGTTCTCAACAGAAAAGAGCAAAAACATATTATGG ATGTTGTCTTAACAGATTTTGGGCTTTGTAAAGAAGGAATTGCTATTTCTGACACCACTA CCACATTTTGTGGGACACCAGAGTATCTTGCACCTGAAGTAATTAGAAAAACAGCCCTATG ACAATACTGTAGATTGGTGGTGCCTTGGGGCTGTTCTGTATGAAATGCTGTATGGATTGC CTCCTTTTTATTGCCGAGATGTTGCTGAAATGTATGACAATATCCTTCACAAACCCCTAA GTTTGAGGCCAGGAGTGAGTCTTACAGCCTGGTCCATTCTGGAAGAACTCCTAGAAAAAG ACAGGCAAAATCGACTTGGTGCCAAGGAAGACTTTCTTGAAATTCAGAATCATCCTTTTT TTGAATCACTCAGCTGGGCTGACCTTGTACAAAAGAAGATTCCACCACCATTTAATCCTA ATGTGGCTGGACCAGATGATATCAGAAACTTTTGACAGCATTTTACAGAAGAAACAGTTC CATATTCTGTGTGTGTATCTTCTGACTATTCTATAGTGAATGCCAGTGTATTGGAGGCAG ATGATGCATTCGTTGGTTTCTCTTATGCACCTCCTTCAGAAGACTTATTTTTGTGAGCAG TTTGCCATTCAGAAACCATTGAGCAAAATAAGTCTATAGATGGGACTGAAACTTCTATTT GTGTGAATATTCAAATATGTATAACTAGTGCCTCATTTTTATATGTAATGATGAAAAC TATGAAAAATGTATTTCTTCTATGTGCAAGAAAAATAGGGCATTTCAAAGAGCTGTTT TGATTAAAATTTATATTCTTGTTTAATAAGCTTATTTTTAAACAATTTAAAAGCTATTAT TCTTAGCATTAACCTATTTTTAAAGAAACCTTTTTTTGCTATTGACTGTTTTTTTCCCTCTA AGTTTACACTAACATCTACCCAAGATAGACTGTTTTTTAACAGTCAATTTCAGTTCAGCT AACATATATTAATACCTTTGTAACTCTTTGCTATGGCTTTTGTTATCACACCAAAACTAT GCAATTGGTACATGGTTGTTTAAGAAGAAACCGTATTTTTCCATGATAAATCACTGTTTG AAATATTTGGTTCATGGTATGATCGAAATGTAAAAGCATAATTAACACATTGGCTGCTAG TTAACAATTGGAATAACTTTATTCTGCAGATCATTTAAGAAGTAACAGGCCGGGCGCGGT GGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCTGAGGCGGCAGATCACCTGAGGTCA

FIGURE 2P

GGAGTTGGAGACCAGCCTGACCAACATGGACAAACCCCGTCTCTACTAAAAATACAAAAT TGGCAGGGTGTGGTGGCACATGCCTATAATCCCAGCTACTTGGGAGGCTAAGGCAGGAGA ATCGCTTGAACCCGGGAGGCGGAGGTTGCAGTGAGCCGAGATCGCACCATTGCACTCCTG CCTGGGCAACAAGAGTGAAACTCCATCTCC

SEQ ID NO: 22 R47805 H

ATGGCGCACCAAACGGGCATCCACGCCACGGAAGAGCTGAAGGAATTCTTTGCCAAGGCA CGGGCTGGCTCTGTGCGGCTCATCAAGGTTGTGATTGAGGACGAGCAGCTCGTGCTGGGT GCCTCGCAGGAGCCAGTAGGCCGCTGGGATCAGGACTATGACAGGGCCGTGCTGCCACTG CTGGACGCCCAGCAGCCCTGCTACCTGCTCTACCGCCTCGACTCACAGAATGCTCAGGGC TTCGAATGGCTCTTCCTCGCCTGGTCGCCTGATAACTCCCCCGTGCGGCTGAAGATGCTG TACGCGGCCACGCGGCCACAGTGAAAAAGGAGTTTGGAGGTGGCCACATCAAGGATGAG CTCTTCGGGACTGTGAAGGATGACCTCTCTTTTGCTGGGTACCAGAAACACCTGTCGTCC TGTGCGGCACCTGCCCCGCTGACCTCGGCTGAGAGAGCTCCAGCAGATCCGCATTAAC GAGGTGAAGACAGAGATCAGTGTGGAAAGCAAGCACCAGACCCTGCAGGGCCTCGCCTTC CCCCTGCAGCCTGAGGCCCAGCGGGCACTCCAGCAGCAGCAGAAAATGGTCAACTAC ATCCAGATGAAGCTGGACCTAGAGCGGGAAACCATTGAGCTGGTGCACACAGAGCCCACG GATGTGGCCCAGCTGCCCTCCCGGGTGCCCCGAGATGCTGCCCGCTACCACTTCTTCCTC TACAAGCACCCCATGAGGGCGACCCCCTTGAGTCTGTAGTGTTCATCTACTCCATGCCG GGGTACAAGTGCAGCATCAAGGAGCGAATGCTCTACTCCAGCTGCAAGAGCCGCCTCCTC GACTCCGTGGAGCAGGACTTCCATCTGGAGATCGCCAAGAAAATTGAGATTGGCGATGGG GCAGAGCTGACGCCAGAGTTCCTCTACGACGAGGTGCACCCCAAGCAACACGCCTTCAAG CAGGCCTTCGCCAAGCCCAAGGGCCCAGGGGGCCAAGCGGGGCCATAAGCGCCTCATCCGC GGCCCGGGTGAAAATGGGGATGACAGCTAG

SEQ ID NO: 23 H60215 H

TGGCTGCGCTGGGAGGCGGCGGTGAGAGGCTCGCACGCCTCCAGCCCGGCCCCCGGCCCCC $\tt CGGGAGGGAGCCGAGCAGCCCCGGCTCTGGGCTACGGACTATGGGCGAATAGCTCTGA$ CCACCCGGCGAAGTGCACACCCCAGAAGCTATGTCCTTCGGCAGTAAAAGTTTTACAGC ACAATATATGTGCTCTGCTCCTCCCGCAATCCTGCTCCAAGAGATCTTAAGCTGGAGG CACCAGGTCTGAATTCCAGACTCCTCCCCACCACCACCACTTCACCTCCAACTGGAGCAT GACCACAGACCCATTCAGGGAGGCTGGCGGACTCTTCATCCTGGACAGTCCCTTACTGTA TGTCAAAGCTGAGAATGAAGCGGAGAGCATCAGACAGAGGAGCTGGGGAAACGTCGGCCA GGGCCAAGGCTCTAGGAAGTGGGATTTCTGGAAATAATGCAAAGAGAGCTGGACCATTCA TCCTTGGTCCCCGTCTGGGCAACTCACCGGTGCCAAGCATAGTGCAGTGTTTGGCGAGGA AAGATGGCACGGATGACTTCTATCAGCTGAAGATCCTGACCCTGGAGGAGAGGGGGGGACC AAGGCATAGAGAGCCAGGAAGAGCGGCAGGGCAAGATGCTGCTGCACACCGAGTACTCAC TGCTGTCTCCTGCACACGCAGGATGGCGTGGTGCACCACCACGGCCTCTTCCAGGACC GCACCTGTGAAATCGTTGAGGACACAGAATCCAGCCGGATGGTTAAGAAGATGAAGAAGC GCATCTGCCTCGTGCTGCTCTGTGCTCATGACTTCAGCGATAAGACCGCTGACC TCATCAACCTGCAGCACTACGTCATCAAGGAGAAGAGGCTCAGCGAGAGGGAGACTGTGG TAATCTTCTACGACGTGGTCCGCGTGGTGGAGGCCCTGCACCAGAAAATATCGTGCACA GAGACCTGAAGCTGGGGAACATGGTGCTCAACAAGAGGACACATCGGATAACCATCACCA ACTTCTGCCTCGGGAAGCATCTGGTGAGCGAGGGGGGACCTGCTGAAGGACCAGAGAGGGA ACATGTGGGCCCTGGGCGTGGTGCTCTTCACCATGCTGTATGGCCAGTTCCCCTTCTACG ACAGCATCCCGCAGGAGCTCTTCCGCAAGATCAAGGCTGCCGAGTATACCATTCCTGAGG ATGGACGGGTTTCTGAGAACACCGTGTGTCTCATCCGGAAGCTGCTGGTCCTTGACCCCC AGCAGCGCCTGGCCGCCGACGTCCTGGAGGCCCTCAGTGCCATCATTGCATCATGGC

FIGURE 20

SEQ ID NO: 24 SGK324 H

GCCGCGATGGCCAGCACCAGGAGTATCGAGCTGGAGCACTTTGAGGAACGGGACAAAAGG CCGCGGCCGGGGTCGCGGAGAGGGGCCCCCAGCTCCTCCGGGGGCAGCAGCAGCTCGGGC CCCAAGGGGAACGGGTCATCCCCAGTCCGGCGCACAGTGCCCACTGCAGCTTCTACCGC ACGCGGACCCTGCAGGCCCTCAGCTCGGAGAAGAAGGCCCAAGAAGGCGCGCTTCTACCGG AACGGGGACCGCTACTTCAAGGGCCTGGTGTTTGCCATCTCCAGCGACCGCTTCCGGTCC TTCGATGCGCTCCTCATAGAGCTCACCCGCTCCCTGTCGGACAACGTGAACCTGCCCCAG GGTGTCCGCACTATCTACACCATCGACGCCAGCCGGAAGGTCACCAGCCTGGACGAGCTG CTGGAAGGTGAGAGTTACGTGTGTGCATCCAATGAACCATTTCGTAAAGTCGATTACACC AAAAATATTAATCCAAACTGGTCTGTGAACATCAAGGGTGGGACATCCCGAGCGCTGGCT GCTGCCTCCTGTGAAAAGTGAAGTAAAAGAAAGTAAAGATTTCATCAAACCCAAGTTA GTGACTGTGATTCGAAGTGGAGTGAAGCCTAGAAAAGCCGTGCGGATCCTTCTGAATAAA AAGACTGCTCATTCCTTTGAACAAGTCTTAACAGATATCACCGAAGCCATTAAACNAGCC TCAGGAGTCGTCAAGAGGCTCTGCACCCTGGATGGAAAGCAGGTGAGAGTTACGTGTGTG CATCTGCCAGACTTTTTTGGTGATGACGATGTTTTTATTGCATGTGGACCAGAAAAATTT CGTTATGCCCAAGATGACTTTGTCCTGGATCATAGTGAATGTCGTGTCCTGAAGTCATCT TATTCTCGATCCTCAGCTGTTAAGTATTCTGGATCCAAAAGCCCTGGGCCCTCTCGACGC AGCCAGATTTCTGCTCATGGCAGATCTTCTTCCAATGTAAACGGTGGACCTGAGCTTGAC CGTTGCATAAGTCCTGAAGGTGTGAATGGAAACAGATGCTCTGAATCATCAACTCTTCTT GAGAAATACAAAATTGGAAAGGTCATTGGTGATGGCAATTTTGCAGTAGTCAAAGAGTGT ATAGACAGGTCCACTGGAAAGGAGTTTGCCCTAAAGATTATAGACAAAGCCAAATGTTGT GGAAAGGAACACCTGATTGAGAATGAAGTGTCAATACTGCGCCGAGTGAAACATCCCAAT ATCATTATGCTGGTCGAGGAGATGGAAACAGCAACTGAGCTCTTTCTGGTGATGGAATTG GGCAGTGCCATGGTGTACAACTTAGCCAATGCCCTCAGGTATCTCCATGGCCTCAGCATC GTGCACAGAGACATCAAACCAGAGAATCTCTTGGTGTGTGAATATCCTGATGGAACCAAG TCTTTGAAACTGGGAGACTTTGGGCTTGCGACTGTGGTAGAAGGCCCTTTATACACAGTC TGTGGCACACCCACTTATGTGGCTCCARAAATCATTGCTGAAACTGGCTATGGCCTGAAG GTGGACATTTGGGCAGCTGGTGTGATCACATACATACTTCTCTGTGGATTCCCACCATTC CGAAGTGAGAACAATCTCCAGGAAGATCTCTTCGACCAGATCTTGGCTGGGAAGCTGGAG TTTCCGGCCCCTACTGGGATAACATCACGGACTCTGCCAAGGAATTAATCAGTCAAATG CTTCAGGTAAATGTTGAAGCTCGGTGTACCGCGGGACAAATCCTGAGTCACCCCTGGGTG TCAGATGATGCCTCCCAGGAGAATAACATGCAAGCTGAGGTGACAGGTAAACTAAAACAG CACTTTAATAATGCGCTCCCCAAACAGAACAGCACTACCACCGGGGTCTCCGTCATCATG

FIGURE 2R

GTGAGTGGAAGGCGGCAGGTCTGGCCTGACTGCGGAGCCGGCCTTGAAGTTTTTGAATTA GGTAGCCGGGAGCTGCCCTCACATGGAAGTTGGTGCCTTCCGTAGTCCTATTTCATATGA AGATTGGCTTGGCATGTGGAGGCACTCATTCGGCAACTCCCAGGCTTTGGGCACTGTGT TCAGAAATAGATTATTAGAGATGTGAATTATTCTTTGAGACTTGGGATAAGAAACAGCCA AAGCTAAACATATTTCAGTTTTAAAAAATCAGTGTTTTATAAAACACAGTTTGGGGCTTT TAAAGGTACATAATCAAGGAAAAAATATATATTCATTTTCAGGGTTGGTAACATTTTA TGAGATGTCAGTGACAACGATGGCCTTATTTTTTTCAGCCTTTTCTTCTTCCAAAATGTT TCTTAAGGCAACTCTCCTAAATACATAAACACAACAAATTAAAATGAAAAGTGACATGAG AGTAAATGAATCAAAAGGAAAAAACATTGAACCAGAGGTGAGGGCAGCACCCCGCAGCA GCTGTCCAGGCCTGAGCCAATGCAACCCTGGGCGGGAAGGCCAGCTCACCGTGAGCAGGT AGAAGCCAGCCAGCCAGGCAGGGACCTTGGTTCTCCCCACACACTCCCAGGAGCAG GGAACAGGGGTGGAGTGGCCTTTCCCAGAGCTGGAGTTGGCTGCAGCAGCTTTCGAATCA GACCTGCCAAGGTGATGGGCGTCTGAGTTTCACATCTGGGCCCCCCGTGACCCCACTGAG TCCTGACAGCTAAGGATGGGCCACCTCCACAGCTCCGTCACTCGTACTTGGGACAGGCCT CTCATCCTCTGGGAAGGTCCTCCTTGTTTCCTACCCAACTAGAAGGGAAACAGTGGCATA CCACACCCCCCACACCCCCACATCCCCACCATAATTACCCCCACCTCCAAATATCTCAT

SEQ ID NO: 25 W30246 M SGK324 M ACCAAGTCCTCCAGCTCCTCCCAACCAGCCCGGGAAGTTTCAGAGGATTGAAGATTTCT GCTCAGGGCAGATCTTCTTCCAACGTAAACGGTGGGCCTGAACTTGACCGTTGCCTGAGC CCTGAAGGTGTGAATGGAAACCGGTGCTCCGAGTCGTTCCCCCTTCTGGAGAAATACAGA ATAGGGAAGGTCATCGGGGACGGCAACTTCGCGGTAGTTAAGGAGTGCGTGGACAGGTAC ACTGGAAAAGAGTTTGCATTAAAGATTATAGACAAAGCCAAATGCTGTGGAAAGGAGCAT CTGATTGAGAACGAAGTGTCAATCCTGCGCCGAGTGAAGCACCCCAACATCATGTTG GTTGAAGAGATGGAAACAGCAACTGACCTCTTTCTAGTGATGGAACTGGTCAAAGGTGGA GTGTACAACCTAGCCAATGCCCTCCGGTACCTGCACAGCCTCAGCATCGTCCACAGGGAC ATCAAGCCTGAGAATCTGCTGGTGTGCGAATACCCAGATGGAACCAAGTCTTTGAAGCTG GGAGACTTTGGGCTGGCGACGCTGTTGAAGGCCCGTTGTACACGGTCTGTGGCACGCCA ACTTATGTGGCACCAGAGATCATAGCTGAAACAGGTTATGGCCTGAAGGTGGATGTTTGG GCAGCTGGTGTGATTACATACATACTTCTCTGTGGATTCCCACCATTCCGGAGTGAGAAC AATCTCCAGGAAGATCTCTTTGACCAGATCTTGGCTGGAAAGCTGGAATTCCCAGCCCCC TACTGGGACAACATTACAGACTCTCCTTGTGTGTGTTTTTAGGAAATGCTTATGAAGCTGG CCCGTGGGCTTCCCAGTGGGACGTGCAGCAGTTCTTGGCAGAGCAGGGCCAGCTCTGCTG TGTCATCTCCAGGGTCTCCCATCACCTCTGCTCTTTGCCATGGCAGGTCTGCTGAGACCC CGCGGGGACGGGGCATGGTGCTCCCTGATTGGCCTGTGACCAACCTTCTGGAAGGCTGC TGGCAGTTTTCCCTGTTTTCCACCACCCCACTCTTTTTAATAATTGTATATAACTGTACT TGTTCTACTTGCTTGTCTTTAAAACAGGGGCCCCCACAGTTCACTCTCACTGTTAGATTT TGCCTTTTCCAGGTATCCCCAACCTGCAATAAACTCTTCCCTCTTCAG

SEQ ID NO: 26_AA383293_H
CCAGCAGCCAAGAGGGTAGTGGTGTACCGGAATGGGGACCCATTCTTCCCAGGCTCCCAG
CTGGTGGTGACTCAACGCCGCTTCCCCACCATGGAGGCCTTCCTCTGCGAGGTGACATCA
GCTGTGCAGGCCCCACTGGCTGCGTGCCTCTACACACCTTGTCATGGCCACCCTGTC
ACCAACCTGGCAGACTTGAAGAACAGAGGGCAGTATGTGGCCGCTGGATTTGAACGATTC



FIGURE 2S

CACAAGCTCCCCCTTACCAGGCTTTTTGTCTCAGTGTGTTCAGGAATGGGGACCTGGTA AAGCTCCTGACTGAGAAGGTCAAGTTGCAGAGTGGGGCTGTGAGACTCTGCACCCTAGAG GGGCTCCCACTGTCAGCAGGGAAGGAGCTGGTAACTGGCCATTACTATGTGGCTGTCGGA GAGGATGAGTTCAAGGACCTTCCCTATCCAGCTCTGTCCACAAGAGGGGCTCCTGGCAGCA GGCAATGAAGCCCACCTGAGGAGTGGAGTGGGGACTGTCGCTGGTTCCCCCAAGCCTCTT GGAAGGAAGGCTAAGAAGGAGACATGCCTAATCGTGACCCTGACCCTGAAATACCAGCAG TCAGAAACAAGCAGAGACGGGCAATCATTCCCATCAGGAGTTATAGGAGTATATGGAGCT CCCCACCGAAGGAAGGAGACAGCGGGGGCCCTGGAAGTAGCAGATGATGAAGACACTCAG ACAGAGGAGCCCTTGGATCAGAGGGCAGCACAGATAGTGGAACAGGTTACTTGTCTGCAA GACTTTTTTGGTGATGACGATGTTTTTATTGCATGTGGACCAGAAAATTTCGTTATGCC TTTGAGAAGCTCCGCAGGACCCGAGGAGAAGAGGAGGAGGAGAAAAAGCCA TGTATGTCTGGAGGCAGAAGGATGACTCTCAGAGATGACCAACCTGCAAAGCTAGAAAAG GAGCCCAAGACGAGGCCAGAAGAAAAGCCAGAGCGGCCCAGCGGTCGGAAGCCACGG CCCATGGGCATCATTGCCGCCAATGTGGAAAAGCATTATGAGACTGGCCGGGTCATTGGG ATGAAGATCATTGACAAGTCCAGACTCAAGGGCAAGGAGGACATGGTGGACAGTGAGATC TTGATCATCCAGAGCCTCTCTCACCCCAACATCGTGAAATTGCATGAAGTCTACGAAACA GACATGGAAATCTACCTGATCCTGGAGTACGTGCAGGGAGGAGACCTTTTTGACGCCATC ATAGAAAGTGTGAAGTTCCCGGAGCCCGATGCTGCCCTCATGATCATGGACTTATGCAAA GCCCTCGTCCACATGCACGACAAGAGCATTGTCCACCGGGACCTCAAGCCGGAAAACCTT TTGGTTCAGCGAAATGAGGACAAATCTACTACCTTGAAATTGGCTGATTTTGGACTTGCA AAGCATGTGGTGAGACCTATATTTACTGTGTGTGGGACCCCAACTTACGTAGCTCCCGAA ATTCTTTCTGAGAAAGGTTATGGACTGGAGGTGGACATGTGGGCTGCTGGCGTGATCCTC TATATCCTGCTGTGTGGCTTTCCCCCATTCCGCAGCCCTGAXXGAGGGGACCAGGACGAG CTCTTTAACATCATCCAGCTGGGCCACTTTGAGTTCCTCCCCCCTTACTGGGACAATATC TCTGATGCTGCTAAAGATCTGGTGAGCCGGTTGCTGGTGGTAGACCCCAAAAAGCGCTAC ACAGCTCATCAGGTTCTTCAGCACCCCTGGATCGAAACAGCTGGCAAGACCAATACAGTG AAACGACAGAAGCAGGTGTCCCCCAGCAGCGATGGTCACTTCCGGAGCCAGCACAAGAGG GTTGTGGAGCAGGTATCATAGTCACCACCTTGGGAATCTGTCCAGCCCCCAGTTCTGCTC AAGGACAGAGAAAAGGATAGAAGTTTGAGAGAAAAACAATGAAAGAGGCTTCTTCACATA ATTGGTGAATCAGAGGGAGAGACACTGAGTATATTTTAAAGCATATTAAAAAAATTAAGT CAATGTTAAATGTCACAACATATTTTTAGATTTGTATATTTAAAGCCTTTAATACATTTT TGGGGGGTAAGCATTGTCATCAGTGAGGAATTTTGGTAATAATGATGTTTTTGCTTCCC CTTTGTAACCAAGTTTATTCTGTACTACAGGAGTGGTGCTTACCAGGGTCTAAACTCCCC CTGTGAGATTAATAAGGTGCATTG

SEQ ID NO: 28 AA197883 M

FIGURE 2T

AGTCACCGCTGTGGGGAGGCAGGAAGCTATAGCGCGGAAATGGAGAGTAAGGCAGTCTCT AGGCATCAGGGCAAGACTTCCACAGTGCTGGCCCCAGAAGACAAGGCGAGGGCCCAGAAG ${\tt TGGGTAAGAGGGAAACAGGAGTCAGAACCTGGTGGCCCGCCTTCACCCGGGGCAGCCACT}$ CAGGAGGAGACTCATGCAAGTGGAGAGAAACATCTGGGGGTGGAGATCGAAAAGACCTCC GGGGAGATTGTCAGATGTGAGAAGTGTAAGAGAGAAAGAGAGCTGCAGTTGGGCCTGCAG AGGGAGCCGTGCCCGCTGGGAACCAGTGAGCTGGACCTGGGGAGAGCTCAGAAGAGGGAT TCCGAGAAGTTGGTGAGGACCAAGAGCTGCAGGAGGCCTTCTAAGGCAAAATTTACAGAT GGAGAGGAAGGGTGAAGGGTGACAGCCATCGGGGCAGTCCCAGGGACCCCCTCAGGAA ATGAGGAGCCCAACAGCAACTCAGACAAGAAAGAGATCAGAGGCTCAGAAAGTCAGGAC AGTTATCCTCAGGGGGCACCCAAGGCCCAGAAGGACTTCGTGGAAGGGCCACCAGCTGTA GCCTGGCTCCGGAGAGCAGCAGGCCGAACCCCCACAGCTCCCCAGAACCCGAGGGGAG GAGAAGCAAGCAGAGCACGAGAAGAAGCCAGGCGGCTTAGGAGAGAGGAGGGCGCCAGAG AAGGAGTCTAAGAGGAAGCTAGAAGAGAGAGGCCAGAACGACCCAGTGGCCGGAAGCCG AGGCCCAAGGGCATCATCTCAGCGGATGTGGAGAAGCACTATGACATAGGTGGGGTCATT GGGGATGGCAACTTTGCCACCGTGAAGGAATGCAGGCACCGAGAGACCAAGCAGGCTTAC GCCATGAAGATGATTGACAAGTCCCAGCTGAAGGGTAAGGAGGACATTGTCGACAGTGAG ATTTTAATCATCCAGAGTCTCTCTCATCCCAACATTGTGAAACTGCATGAGGTCTACGAA ATCGTTGAAAATGTGAAGTTTCCAGAGCCCGAGGCTGCAGTTATGATCACAGACTTGTGT AAGGCCTTCGTCCACATGCACGACAAGAATATCGTCCACCGGGACGTGAAACCAGAAAAC GCCAAATATGTGGTGAGGCCTATATTTACTGTGTGTGGGACGCCAACATATGTAGCTCCT GAAATTCTTTCTGAGAAAGGTTACGGCCTGGAGGTGGACATGTGGGCGGCAGGTGTGATC CTATACATCCTCTTGTGTGGCTTCCCCCCTTTCCGAAGTCCTGAGAGGGACCAAGACGAG TCTGATGCTGCCAAAGATCTGGTGAGAAATTTGCTGGAGGTGGACCCTAAGAAGCGGTAC ACGCCGAACAGGTCCTACAGCATCCCTGGATTGAGATGGTTGGGCATACCAACACAGGG AACTCACAGAAGGAGGAGTCCCCCAACAGTTTAGGTCACTTCCAGAGTCAGCACAAGAAG GTTGCAGAGCAGATGCCATAA

SEQ ID NO: 29 DRAK2 H

CTCCGCTGCTGTCGCCAGGAGTCACTTCACGAGAAGCCAGGTCACAACCGTCGGCCCTTG TCTGGAAAAGTAAAAGTGGATCCTGCCACGTTCGGAGCTCCCTGGCGCCTCGCCCGGCTG GAGCTAGAGAACTCGTCCTGTGGCGGCCCCCGGCGTGGGGCGGGACAGCGGCCCCCTGGA GGGGGCAGTCCCGGGAGAACCTGCGGCGGCGGGGGGGGTAAAAATAAGTGACTAAAGAAG CAGACCTGGGAATCACCTAACATGTCGAGGAGGAGATTTGATTGCCGAAGTATTTCAGGC CTACTAACTACAACTCCTCAAATTCCAATAAAAATGGAAAACTTTAATAATTTCTATATA CTTACATCTAAAGAGCTAGGGAGAGGAAAATTTGCTGTGGTTAGACAATGTATATCAAAA TCTACTGGCCAAGAATATGCTGCAAAATTTCTAAAAAAGAGAAGAAGAGGACAGGATTGT $\tt CGGGCAGAAATTTTACACGAGATTGCTGTGCTTGAATTGGCAAAGTCTTGTCCCCGTGTT$ ATTAATCTTCATGAGGTCTATGAAAATACAAGTGAAATCATTTTGATATTGGAATATGCT GCAGGTGGAGAAATTTTCAGCCTGTGTTTACCTGAGTTGGCTGAAATGGTTTCTGAAAAT GATGTTATCAGACTCATTAAACAAATACTTGAAGGAGTTTATTATCTACATCAGAATAAC ATTGTACACCTTGATTTAAAGCCACAGAATATATTACTGAGCAGCATATACCCTCTCGGG GACATTAAAATAGTAGATTTTGGAATGTCTCGAAAAATAGGGCATGCGTGTGAACTTCGG GAAATCATGGGAACACCAGAATATTTAGCTCCAGAAATCCTGAACTATGATCCCATTACC ACAGCAACAGATATGTGGAATATTGGTATAATAGCATATATGTTGTTAACTCACACATCA CCATTTGTGGGAGAAGATAATCAAGAAACATACCTCAATATTTCTCAAGTTAATGTAGAT TATTCGGAAGAACTTTTTCATCAGTTTCACAGCTGGCCACAGACTTTATTCAGAGCCTT

FIGURE 2U

SEQ ID NO: 30_W44160_M DRAK2 M

CCAGACGCGGCTGCACTTTTCAAACCTCAACTGTAAGAAGCGTCGGTCAGCGTCTGTGCG GTCGCCGCGGGAGTCGCCTCACAGGGGCCTGGCTGACGGCGACCAGCCGTTGTGGGGAA GAGTGCGAGGTAAAAGTCTGCCTAGAGAAGCAGGTCTGGCAGTCATCAACATGTCTCGGA GGAGATTCGATTGCCGAAGTGTCTCAGGCTTGCTAACTACAACCCCTCAAACGCCGATTA AAACAGAGAATTTTAATAATTTCTATACTCTTACCCCAAAAGAACTTGGGAGAGAAAAT TTGCTGTGGTTAGACAATGTATATCAAAATCAACTGGACAAGAGTATGCTGCCAAATCCC TGAAAAAGAGGAGAAGAGGGCAGGATTGCCGGGCGGAAATTCTGCATGAGATAGCTGTGC TGGAGCTGGCCAGGTCTTGTCCCCACGTGATTAATCTGCATGAGGTCTACGAAAATGCAA CGGAAATCATTTTGGTGTTAGAATATGCTGCGGGTGGAGAAATTTTCAACCTGTGTTTAC CTGAGTTAGCCGAAATGGTATCTGAAAATGATGTTATCAGACTCATTAAACAAATCCTTG AAGGAGTTCATTATCTACATCAGAATAACATTGTTCACCTTGATTTAAAGCCACAGAATA TACTTTTGAGCAGTATATACCCACTCGGGGACATAAAAATTGTAGATTTTTGGAATGTCTC GAAAAATTGGGAATGCAAGTGAGCTTCGGGAAATCATGGGAACACCTGAATACTTAGCTC CAGAAATCCTCAACTATGATCCCATTACCACAGCAACAGATATGTGGAATATTGGCATAA TAGCGTATATGTTGTTAACTCATACATCACCATTTGTAGGAGAAGATAATCAAGAAACAT ATCTGAATATTTCTCAAGTGAATGTAGATTATTCAGAAGAAATGTTTTCATCAGTTTCAC AGCTGGCCACAGACTTCATCCAGAGCCTTCTAGTAAAGAACCCAGAGAAAAGACCAACAG CAGAATCCTGCCTATCCCACTCATGGCTGCAGCAGTGGGACTTTGGAAGCTTGTTTCATC CTGAGGAAACTTCAGGCTCCTCTCAAATTCAGGATCTGACTCTCAGGTCCTCTGAAGAGA AGACCTCCAAGTCCTCCTGTAATGGGAGCTGTGGAGCCCGGGAGGACAAGGAGAACATCC CTGAAGATGGCAGCTTAGTTTCTAAAAGATTTCGATTCGATGACTCCTTGCCCAGCCCCC CGGAAATTTGAAATCTCTGGTGTGAGATTGTGTTTGTAGCTTCATATATTATGTTTATAT TATAAATGCACTTCTGCTTAGAAGAACTTAAGGAACAGTTTAAATGCTAGGCTTCTGTTG GCTAGCATATCATTTCTTGTCCTGAAATTGTTTTGCAGAGGAAAATATTTAAGTATATGA CAAAAAATGTAAATTGTGTTTAAGAGAACACATGCAACTGAAAGAACTCAAGTTCAGTCA TTAGTAGGTTCTAAGGTAAGCCCTATACCATAACTCTATTACAGAGAATCTGTTTGGGGA TAGTTGAAAGTATTTCCCAGTTACCAATAATAGCTTGAAACTGTAAGATTTTCTTTGTGT GCCATGTGCTCGGTGAGAGGACACAGTCAACCAGAGCAGGGTTGATCCAGGCTGTTTCTC TGCAAACCGAGTCAAAACTCGACATCATTTCCAGCTCATGTATTTTGTACGTGCATCATA TATCAGATCTAATAAGATCTGGAAGATGGATATGCAAATAAGAGGCCTTTGTCTTCTAGA TTCATAAAGGGAAATGTTAAGTTCTGGCAGCTGACTTAGTGTTGGATGTCTCCTAAGTCT CAGGATAGAAGCCCATCATTAGAGCATAGGCACTTCAGGAATTCTTGTGTAAAATTCTAG CACAACACATGGGAGTGTTCAGTGTTGTCCGTGGTCAATATCTATGTTCAGTCCTGATGG

FIGURE 2V

GAGGGGCCTAGGGACTGCTTTGGAGATTTCCCACTGGTGTCCATTTTAAGGTCTGTAATA
ATGTCATGTTAAGATAACAGATCTCATAAATATGCTACTCTATCAGACTCCGTTGCCAAA
ACAAATTAAAAGCCTGTGTATTGAAGTGGGTGTTAGTCTAACAACCTGTAAATTCTTGAA
ATTGTTACTAAAATTCCAAATTCTTTAGATAACTTTTAAACTATTTAAATTGAGCATTGCT
GTCTTTGTTTGATTAAAGGTTGAGTTCCTTTATATCTGTTATTTTTAAAGGAAAAGTTGT
TTGCCTTTTGTATATGTGTGTGCATATGTGTATGTGTACAGGTATATGTATATGTATT
GATAGATAAAATACAGCCTTTAAACAACTTC

SEQ ID NO: 31 H01248 H, DRAK1 H ATGATCCCTTTGGAGAAGCCAGGCAGCGGCGCCTCCTCCCCAGGCGCCACCTCAGGCTCG GGCCGGGCAGGCCGGGTCTGAGCGGGCCGTGCCGGCCGCCGCCGCCCCCAGGCCCGC GGGCTGCTGACAGAGATACGCGCCGTGGTGCGCACCGAGCCCTTCCAGGACGGCTACAGC CTGTGCCCGGGCCGGGAGCTGGGCAGGGGGAAATTTGCAGTGGTGAGAAAATGTATAAAG AAAGATTCTGGGAAAGAATTTGCTGCAAAGITCATGAGAAAAAGAAGAAAAGGCCAAGAT TGTCGGATGGAAATAATTCATGAGATTGCTGTACTTGAACTAGCACAAGACAATCCTTGG GTCATTAATTTACATGAAGTTTATGAGACTGCATCAGAAATGATCTTAGTTCTGGAATAT AAAGATGTTCAAAGACTTATGCGACAGATTTTAGAAGGTGTTCACTTTTTACACACTCGT GATGTAGTTCATCTTGATTTGAAGCCTCAGAATATTCTGTTGACAAGTGAATCTCCATTG GGTGACATTAAGATTGTTGATTTTGGCCTTTCAAGAATATTGAAGAACAGTGAAGAGCTC CGAGAAATTATGGGTACCCCTGAATATGTGGCTCCTGAAATTCTTAGTTATGATCCTATA AGCATGGCAACAGATATGTGGAGCATTGGAGTGTTAACATATGTCATGCTTACAGGAATA TCACCTTTCTTAGGCAATGATAAACAAGAAACATTCTTAAACATCTCACAGATGAATTTA AGTTATTCTGAGGAAGAATTTGATGTTTTGTCTGAGTCGGCTGTTGATTTCATCAGGACA CTTTTAGTTAAGAAACCTGAAGATCGAGCCACTGCTGAAGAATGTCTAAAGCACCCCTGG TTGACACAGAGCAGTATTCAAGAGCCTTCTTTCAGGATGGAAAAGGCACTAGAAGAAGCA ACCGAGGAATCCATTGTAACCGAAGAGTTAATTGTAGTTACTTCATATACTCTAGGACAA TGCAGACAGTCTGAAAAAGAGAAAATGGAGCAAAAGGCCATTTCCAAACGATTTAAATTT

SEQ ID NO: 32 AA021445 H

GAGGAACCTTTGCTACAAGAAATTCCAGGAGAATTTATCTACTGA

CCCAGCCCGGCCTCCGGGGACCCATGCCCGCCCGTATCGGCTACTACGAGATCGACCG CACCATCGGCAAGGGCAACTTCGCGGTGGTCAAGCGGGCCACGCACCTCGTCACCAAGGC CAAGGTTGCTATCAAGATCATAGATAAGACCCAGCTGGATGAAGAAAACTTGAAGAAGAT TTTCCGGGAAGTTCAAATTATGAAGATGCTTTGCCACCCCCATATCATCAGGCTCTACCA GGTTATGGAGACAGAACGGATGATTTATCTGGTGACAGAATATGCTAGTGGAGGGGAAAT ATTTGACCACCTGGTGGCCCATGGTAGAATGGCAGAAAAGGAGGCACGTCGGAAGTTCAA ACAGATCGTCACAGCTGTCTATTTTTGTCACTGTCGGAACATTGTTCATCGTGATTTAAA AGCTGAAAATTTACTTCTGGATGCCAATCTGAATATCAAAATAGCAGATTTTGGTTTCAG ACCTGAACTCTTTGAAGGAAAAGAATATGATGGGCCCAAAGTGGACATCTGGAGCCTTGG AGTTGTCCTCTACGTGCTTGTGTGCGGTGCCCTGCCATTTGATGGAAGCACACTGCAGAA TCTGCGGGCCCGCGTGCTGAGTGGAAAGTTCCGCATCCCATTTTTTATGTCCACAGAATG TGAGCATTTGATCCGCCATATGTTGGTGTTAGATCCCAATAAGCGCCTCTCCATGGAGCA GATCTGCAAGCACAAGTGGATGAAGCTAGGGGACGCCGATCCCAACTTTGACAGGTTAAT AGCTGAATGCCAACAACTAAAGGAAGAAAGACAGGTGGACCCCCTGAATGAGGATGTCCT CTTGGCCATGGAGGACATGGGACTGGACAAAGAACAGACACTGCAGTCATTAAGATCAGA

FIGURE 2W

TGCCTATGATCACTATAGTGCAATCTACAGCCTGCTGTGTGATCGACATAAGAGACATAA AACCCTGCGTCTCGGAGCACTTCCTAGCATGCCCCGAGCCCTGGCCTTTCAAGCACCAGT CAATATCCAGGCGGAGCAGGTACTGCTATGAACATCAGCGTTCCCCAGGTGCAGCT GATCAACCCAGAGAACCAAATTGTGGAGCCGGATGGGACACTGAATTTGGACAGTGATGA GGGTGAAGAGCCTTCCCCTGAAGCATTGGTGCGCTATTTGTCAATGAGGAGGCACACAGT GGGTGTGGCTGACCCACGCACGGAAGTTATGGAAGATCTGCAGAAGCTCCTACCTGGCTT TCCTGGAGTCAACCCCCAGGCTCCATTCCTGCAGGTGGCCCCTAATGTGAACTTCATGCA CAACCTGTTGCCTATGCAAAACTTGCAACCAACCGGGCAACTTGAGTACAAGGAGCAGTC TCTCCTACAGCCGCCCACGCTACAGCTGTTGAATGGAATGGGCCCCCTTGGCCGGAGGGC ATCAGATGGAGGAGCCAACATCCAACTGCATGCCCAGCAGCTGCTGAAGCGCCCACGGGG ACCCTCTCCGCTTGTCACCATGACACCAGCAGTGCCAGCAGTTACCCCTGTGGACGAGGA GAGCTCAGACGGGGAGCCAGACCAGGAAGCTGTGCAGAGGTACTTGGCAAATAGGTCCAA AAGACATACACTGGCCATGACCAACCCTACAGCTGAGATCCCACCGGACCTACAACGGCA GCTAGGACAGCAGCCTTTCCGTTCCCGGGTCTGGCCTCCTCACCTGGTACCTGATCAGCA TCGCTCTACCTACAAGGACTCCAACACTCTGCACCTCCCTACGGAGCGTTTCTCCCCTGT GCGCCGGTTCTCAGATGGGGCTGCGAGCATCCAGGCCTTCAAAGCTCACCTGGAAAAAAT GGGCAACAACAGCAGCATCAAACAGCTGCAGCAGGAGTGTGAGCAGCTGCAGAAGATGTA CGGGGGCAGATTGATGAAAGAACCCTGGAGAAGACCCAGCAGCAGCATATGTTATACCA GCAGGAGCAGCACCATCAAATTCTCCAGCAACAAATTCAAGACTCTATCTGTCCTCCTCA CCAGAGGTTAAGGATTCAGCCTTCAAGCCCACCCCCAACCACCCCCAACAACCATCTCTT CAGGCAGCCCAGTAATAGTCCTCCCCCCATGAGCAGTGCCATGATCCAGCCTCACGGGGC TGCATCTTCTCCCAGTTTCAAGGCTTACCTTCCCGCAGTGCAATCTTTCAGCAGCAACC TGAGAACTGTTCCTCCTCCCAACGTGGCACTAACCTGCTTGGGTATGCAGCAGCCTGC TCAGTCACAGCAGGTCACCATCCAAGTCCAAGAGCCTGTTGACATGCTCAGCAACATGCC AGGCACAGCTGCAGGCTCCAGTGGGCGCGCATCTCCATCAGCCCCAGTGCTGGTCAGAT GCAGATGCAGCACCGTACCAACCTGATGGCCACCCTCAGCTATGGGCCACCGTCCCTTGTC CAAGCAGCTGAGTGCTGACAGTGCAGAGGCTCACAGCTTGAACGTGAATCGGTTCTCCCC TGCTAACTACGACCAGGCGCATTTACACCCCCATCTGTTTTCGGACCAGTCCCGGGGTTC CCCCAGCAGCTACAGCCCTTCAACAGGAGTGGGGTTCTCTCCAACCCAAGCCCTGAAAGT CCCTCCACTTGACCAATTCCCCACCTTCCCTCCCAGTGCACATCAGCAGCCGCCACACTA TACCACGTCGGCACTACAGCAGGCCCTGCTGTCTCCCACGCCGCCAGACTATACAAGACA CCAGCAGGTACCCCACATCCTTCAAGGACTGCTTTCTCCCCGGCCATTCGCTCACCGGCCA CTCGGACATCCGGCTGCCCCCAACAGAGTTTGCACAGCTCATTAAAAGGCAGCAACA ACGGCAGCAGCAGCAACAGCAGCAACAGCAAGAATACCAGGAACTGTTCAGGCACAT GAACCAAGGGGATGCGGGGAGTCTGGCTCCCAGCCTTGGGGGACAGAGCATGACAGAGCG CCAGGCTTTATCTTATCAAAATGCTGACTCTTATCACCATCACACCAGCCCCCAGCATCT GTATGCTCACCAGCCGGCACTGATGCATTCAGAGAGCATGGAGGAGGACTGCTCGTGTGA GGGGGCCAAGGATGGCTTCCAAGACAGTAAGAGTTCAAGTACATTGACCAAAGGTTGCCA TGACAGCCCTCTGCTCTTGAGTACCGGTGGACCTGGGGACCCTGAATCTTTGCTAGGAAC TGTGAGTCATGCCCAAGAATTGGGGATACATCCCTATGGTCATCAGCCAACTGCTGCATT CAGTAAAAATAAGGTGCCCAGCAGAGAGCCTGTCATAGGGAACTGCATGGATAGAAGTTC TCCAGGACAAGCAGTGGAGCTGCCGGATCACAATGGGCTCGGGTACCCAGCACGCCCCTC CGTCCATGAGCACCACAGGCCCCGGGCCCTCCAGAGACACCACACGATCCAGAACAGCGA CGATGCTTATGTACAGCTGGATAACTTGCCAGGAATGAGTCTCGTGGCTGGGAAAGCACT GTTTCAGGATGGGGAAAATGAGGAATGTGGGGCAAGCCTGGGAGGTCATGAGCACCCAGA CCTGAGTGATGGCAGCCAGCATTTAAACTCCTCTTGCTATCCATCTACGTGTATTACAGA

FIGURE 2X

SEQ ID NO: 33_2R22-5-11 H CTGGGCCGCTGCCGGTCAGGTCGGCCGCCCCTGACAGCTCCGGGAGCCTCAAGCGCGACA GGGCGCCTCACCTCGGGACATCCACACACCGACCGCTCCTGCTCCAGAGGCAACAACCC AGCGCGCCTAGCCTGGCGCGTGCAGCGAAGCCCAAGAGCTGGCCTCGCCACGAAGGTTG GGCTAAAGTGACATTGCAGGGATTAAATCCTTCTTTGGCTGCCTGTGTGACCAGAAGGCT TATTTGCAAGTTTCTTCTTTCCTGGGGTCCAGATTATTAGGTCTCCAGCGCCCTGCAGCT TGACAGAAAGAGAAGCATGAAATGAAGGTCAGAGATGAGATCCCGCAGCAGGGACGTGGG GGCCTCCCAGGGGCATTTACGCACCAGAGTGCAAGATTCTCTGGCCATCAAGGGAAATAG CAAACAGAAGCCTTTGTCCTGGGGCACAGCCACCTACCACAAAGCATCAGACTCCACGTC TGGCCAGAAAGTTCCTGGAGTCCCATCAGGCCAGTGGGTATGTAACATGTGCCTAATTGT CAGCTCCTGGCTGGGCTGGCCAGACTCAGCTACCACGTTCACTGCCTTCCTCACTAAA GCCGAGAGGGGGGCTGCTCAGCTCTCAGGAAAACTCTTTTGAACCCTGGGCACCTGCTGT CCTCAGTTGGCATCTCCCACCCTCTGAGCCTCTTCTGCTCCTGCACAACCTGCCTCTTCG CTGAGATGGAGACGTGAGCCCCCGTGGACGATGACTGCAGTGTATATGAATGGAGGTGGC CTGGTGAACCCCCACTATGCCCGGTGGGATCGGCGCGACAGTGTAGAAAGTGGCTGTCAG ACCGAGAGTAGCAAGGAGGGTGAGGAGGGGACAGCCCCGCCAGCTGACGCCCTTCGAGAAA CTGACACAGGACATGTCCCAGGATGAGAAGGTGGTGAGGGAGATCACGCTGGGGAAACGG ATAGGCTTCTACCGAATTCGAGGGGAAATCGGAAGTGGAAACTTCTCCCAAGTGAAGCTT GGGATTCACTCCCTAACCAAAGAAAAGGTGGCCATTAAGATCCTGGACAAGACCAAGTTA GACCAGAAAACCCAGAGGCTACTATCCCGAGAAATCTCCAGCATGGAAAAGCTGCACCAT CCCAACATCATCCGCCTTTACGAAGTGGTGGAGACCCTATCCAAGCTGCACTTGGTGATG GAGTATGCAGGGGGGGGGGGGGGGGGGGGGGAGCTCTCTGAA CAAATTATTCATAGAGATCTGAAAGCAGAAAATGTATTCTATACCAGTAATACTTGTGTG AAGGTGGGCGATTTTGGATTCAGCACAGTAAGCAAAAAAGGTGAAATGCTGAACACTTTC TGTGGGTCTCCTCCCTACGCTGCGCCTGAACTCTTCCGGGACGAGCACTACATCGGCATT TACGTGGATATCTGGGCCTTGGGGGTGCTTTTGTACTTCATGGTGACTGGCACCATGCCA TTTCGGGCAGAAACCGTGGCCAAACTAAAAAAGAGCATCCTCGAGGGCACATACAGTGTA CCGCCGCACGTGTCAGAGCCCTGCCACCGACTCATCCGAGGAGTCCTTCAGCAGATCCCC ACGGAGAGGTACGGAATCGACTGCATCATGAATGAATGGATGCAAGGGGTGCCATAC CCTACACCTTTGGAACCTTTCCAACTGGATCCCAAACATTTGTCGGAAACCAGCACTCTC AAGGAAGAAAATGAGGTCAAAAGCACTTTAGAACATTTGGGCATTACAGAAGAGCAT ATTCGAAATAACCAAGGGAGAGATGCTCGCAGCTCAATCACAGGGGTCTATAGAATTATT TTACATAGAGTCCAAAGGAAGAAGGCTTTGGAAAGTGTCCCAGTCATGATGCTACCAGAC CCTAAAGAAAGAGACCTCAAAAAAGGGTCCCGTGTCTACAGAGGGATAAGACACACATCC GCTGCTTCTAAATTTTTTCAAGGACAACTTGAGTGGAGACATTTTTGTAATTTTTAAAT AAACTTAAATTTGAGATATGCAAAAAAAAA

SEQ ID NO: 34_R31237_1_H, AAC33487 ATGTCCACTAGGACCCCATTGCCAACGGTGAATGAACGAGACACTGAAAACCACACGTCA CATGGAGATGGGCGTCAAGAAGTTACCTCTCGTACCAGCCGCTCAGGAGCTCGGTGTAGA

FIGURE 2Y

AACTCTATAGCCTCCTGTGCAGATGAACAACCTCACATCGGAAACTACAGACTGTTGAAA ACAATCGGCAAGGGGAATTTTGCAAAAGTAAAATTGGCAAGACATATCCTTACAGGCAGA GAGGTTGCAATAAAAATAATTGACAAAACTCAGTTGAATCCAACAAGTCTACAAAAGCTC TTCAGAGAAGTAAGAATAATGAAGATTTTAAATCATCCCAATATAGTGAAGTTATTCGAA GTCATTGAAACTGAAAAAACACTCTACCTAATCATGGAATATGCAAGTGGAGGTGAAGTA TTTGACTATTTGGTTGCACATGGCAGGATGAAGGAAAAAGAAGCAAGATCTAAATTTAGA CAGATTGTGTCTGCAGTTCAATACTGCCATCAGAAACGGATCGTACATCGAGACCTCAAG GCTGAAAATCTATTGTTAGATGCCGATATGAACATTAAAATAGCAGATTTCGGTTTTAGC AATGAATTTACTGTTGGCGGTAAACTCGACACGTTTTGTGGCAGTCCTCCATACGCAGCA CCTGAGCTCTTCCAGGGCAAGAAATATGACGGGCCAGAAGTGGATGTGTGGAGTCTGGGG GTCATTTTATACACACTAGTCAGTGGCTCACTTCCCTTTGATGGGCAAAACCTAAAGGAA CTGAGAGAGAGAGTATTAAGAGGGAAATACAGAATTCCCTTCTACATGTCTACAGACTGT GAAAACCTTCTCAAACGTTTCCTGGTGCTAAATCCAATTAAACGCGGCACTCTAGAGCAA ATCATGAAGGACAGGTGGATCAATGCAGGGCATGAAGAAGATGAACTCAAACCATTTGTT GAACCAGAGCTAGACATCTCAGACCAAAAAAGAATAGATATTATGGTGGGAATGGGATAT TCACAAGAAGAAATTCAAGAATCTCTTAGTAAGATGAAATACGATGAAATCACAGCTACA TATTTGTTATTGGGGAGAAAATCTTCAGAGCTGGATGCTAGTGATTCCAGTTCTAGCAGC AATCTTTCACTTGCTAAGGTTAGGCCGAGCAGTGATCTCAACAACAGTACTGGCCAGTCT CCTCACCACAAAGTGCAGAGAAGTGTTTCTTCAAGCCAAAAGCAAAGACGCTACAGTGAC CATGCTGGACCAGCTATTCCTTCTGTTGTGGCGTATCCGAAAAGGAGTCAGACAAGCACT GCAGATGGTGACCTCAAAGAAGATGGAATTTCCTCCCGGAAATCAAGTGGCAGTGCTGTT GGAGGAAAGGGAATTGCTCCAGCCAGTCCCATGCTTGGGAATGCAAGTAATCCTAATAAG GCGGATATTCCTGAACGCAAGAAAAGCTCCACTGTCCCTAGTAGTAACACAGCATCTGGT GGAATGACACGACGAAATACTTATGTTTGCAGTGAGAGAACTACAGCTGATAGACACTCA GTGATTCAGAATGGCAAAGAAAACAGCACTATTCCTGATCAGAGAACTCCAGTTGCTTCA ACACACAGTATCAGTAGTGCAGCCACCCCAGATCGAATCCGCTTCCCAAGAGGCACTGCC AGTCGTAGCACTTTCCACGGCCAGCCCCGGGAACGGCGAACCGCAACATATAATGGCCCT CCTGCCTCTCCCAGCCTGTCCCATGAAGCCACCATTGTCCCAGACTCGAAGCCGAGGC TCCACTAATCTCTTTAGTAAATTAACTTCAAAACTCACAAGGAGTCGCAATGTATCTGCT GAGCAAAAAGATGAAAACAAAGAAGCAAAGCCTCGATCCCTACGCTTCACCTGGAGCATG AAAACCACTAGTTCAATGGATCCCGGGGACATGATGCGGGAAATCCGCAAAGTGTTGGAC GCCAATAACTGCGACTATGAGCAGAGGGAGCGCTTCTTGCTCTTCTGCGTCCACGGAGAT GGGCACGCGGAGAACCTCGTGCAGTGGGAAATGGAAGTGTGCAAGCTGCCAAGACTGTCT CTGAACGGGTCCGGTTTAAGCGGATATCGGGGACATCCATAGCCTTCAAAAATATTGCT TCCAAAATTGCCAATGAGCTAAAGCTGTAA

SEQ ID NO: 35 W90839 M

AAAGGCCGTCCTGGTCCAGCCGTTCCCTGGGTGCCCGTTGCCGGAACTCTATCGCTTCC
TGCCCTGAGGAACAACCCCATGTGGGCAACTATAGGCTGCTAAGGACCATCGGGAAGGGC
AACTTCGCCAAAGTCAAGCTGGCTCGGCATATCCTCACGGGCCGGAGGTCGCTATTAAG
ATCATTGATAAGACCCAGCTGAACCCCCAGTAGCTTGCAGAAGCTGTTCAGAGAAGTCCGA
ATTATGAAGGGACTCAACCACCCCAACATCGTGAAGCTTTTTGAGGTGATAGAGACGGAG
AAGACGCTATACCTGGTGATGGAATACGCTAGCGCAGGAGAAGTGTTTGACTACCTCGTG
TCGCACGGCCGCATGAAGGAGAAGAGGCTCGAGCCAAGTTCCGGCAGATCGTGTCAGCC
GTGCACTACTGTCATCAGAAGAACATTGTACACAGGGATCTAAAGGCTGAAAACCTGTTG
CTGGATGCCGAGGCCAACATCAAAATCGCCGACTTCGGCTTCAGCAATGAGTTCACGCTG
GGCTCCAAGCTGGACACCTTCTGTGGGGAGCCCCCCATACGCCGCCCCAGAGCTGTTCCAG
GGCAAGAAGTATGATGGGCCAGAGGTGGACATCTGGAGCCTGGGTGTCATCCTGTACACG
CTGGTCAGCGGCTCCCTGCCCTTCGATGGGCACACCTCAAGGAGCTGCGGGAGCGAGTC
CTCAGAGGAAAGTACCGGGTCCCCTTCTACATGTCTACAGACTGCGAGAGCATTCTGCGG

FIGURE 27.

SEQ ID NO: 36 406786.5 H

GTAGCCGGCTTGGCGTGACCGTCGCCTGATCCAGTTGTTAGAGGTGGAAGCTTGGCAGTT GGCCTCCCTTCTTCCCATGGAGGTCGGGGGCTTAACAGTCTTTGAAGAGGACCAGAGATG CCTTTCCCAGAGCCTCCCCTTGCCAGTGTCAGCAGAGGGCCCAGCTGCACAGACCACTGC TGAGCCCAGCAGGTCGTTTTCCTCAGCCCACAGACACCTGAGCAGAAGGAATGGGCTTTC CAGACTCTGCCAGAGCAGGACGGCGCTCTCTGAAGACAGATGGAGCTCCTATTGTCTATC ATCACTGGCTGCCCAGAATATTTGTACAAGTAAACTGCACTGCCCTGCTGCCCCTGAGCA CTCAGGGTGGTCCTCACCTCTGCTTCCGGCCCCTGTGTGCAACCCTAACAAGGCCATCTT CACGGTGGATGCCAAGACCACAGAGATCCTCGTTGCTAACGACAAAGCTTGCGGGCTCCT TTCTGATGTGGTGGAGGCCCTCAGCGAGGAGCACATGGAGGCCGACGCCACGCTGCGGT GGTGTTTGGCACGGTGGTGACATCACCCGTAGTGGGGAGAAGATTCCAGTGTCTGT GTGGATGAAGAGGATGCGGCAGGAGCGCCCTATGCTGCGTGGTGGTCCTGGAGCCCGT GGAGAGGGTCTCGACCTGGGTCGCTTTCCAGAGCGATGGCACCATCACGTCATGTGACAG ${\tt TCTCTTTGCTCATCTTCACGGGTACGTGTCTGGGGAGGACGTGGCTGGGCAGCATATCAC}$ AGACCTGATCCCTTCTGTGCAGCTCCCTCCTTCTGGCCAGCACATCCCAAAGAATCTCAA GATTCAGAGGTCTGTTGGAAGAGCCAGGGACGGTACCACCTTCCCTCTGAGCTTAAAGCT GAAATCCCAACCCAGCAGCGAGGAGGCGACCACCGGTGAGGCGGCCCCTGTGAGCGGCTA CCGGGCATCTGTCTGGGTGTTCTGCACCATCAGTGGCCTCATCACCCTCCTGCCGGATGG GACCATCCACGGCATCAACCACAGCTTCGCGCTGACACTGTTTGGTTACGGAAAGACGGA GCTCCTGGGCAAGAATATCACTTTCCTGATTCCTGGTTTCTACAGCTACATGGACCTTGC GTACAACAGCTCATTACAGCTCCCAGACCTGGCCAGCTGCCTGGACGTCGGCAATGAGAG TGGGTGTGGGGAGAGCCTTGGACCCGTGGCAGGCCCAGGCCCAGCTGAGGGGGGCCA GGATCCAAGGATTAATGTCGTGCTTGCTGGTGGCCACGTTGTGCCCCGAGATGAGATCCG GAAGCTGATGGAAAGCCAAGACATCTTCACCGGGACTCAGACTGAGCTGATTGCTGGAGG CCAGCTCCTTTCCTGCCTCACCTCAGCCTGCTCCAGGGGTGGACAATGTCCCAGAAGG AAGCCTGCCAGTGCACGGTGAACAGGCGCTGCCCAAGGACCAGCAAATCACTGCCTTGGG GAGAGGGAACCTGTGGCAATAGAGAGCCCCGGACAGGATCTTCTGGGAGAAAGCAGGTC TGAACCAGTGGATGTGAAGCCATTTGCTTCCTGCGAAGATTCTGAAGCTCCAGTCCCAGC TGAGGATGGGGCAGTGATGCTGGCATGTGTGGCCTGTGTCAGAAGGCCCAGCTAGAGCG GATGGGAGTCAGTGGTCCCAGCGGTTCAGACCTTTGGGCTGGGGCTGCCGTGGCCAAGCC CCAGGCCAAGGTCAGCTGGCGGGGGGCAGCCTCCTGATGCACTGCCCTTGCTATGGGAG TGAATGGGGCTTGTGGTGGCGAAGCCAGGACTTGGCCCCCAGCCCCTCTGGGATGGCAGG CCTCTCGTTTGGGACACCTACTCTAGATGAGCCGTGGCTGGGAGTGGAAAACGACCGAGA

FIGURE 2AA

 ${\tt AGAGCTGCAGACCTGCTTGATTAAGGAGCAGCTGTCCCAGTTGAGCCTTGCAGGAGCCCT}$ GGATGTCCCCCACGCCGAACTCGTTCCGACAGAGTGCCAGGCTGTCACCGCTCCTGTGTC GTCCTGCGATCTGGGAGGCAGAGACCTGTGCGGTGGCTGCACGGGCAGCTCCTCAGCCTG $\tt CTATGCCTTGGCCACGGACCTCCCTGGGGGCCCTGGAAGCAGTGGAGGCCCAGGAGGTTGA$ GTCATCAAATTGTTCCTGTGCTACGTCTGAACTCAGAGAGACACCCTCTTCCTTGGCAGT GGGCTCCGATCCAGATGTAGGCAGTCTCCAGGAACAGGGGTCGTGTGTCCTGGATGACAG GGAGCTGTTACTACTGACCGGCACCTGTGTTGACCTTGGCCAAGGCCGACGGTTCCGGGA TGAGGACACGTGCCCATCAGCAGAGGAGCCAAGGCTGAACGTCCAGGTCACCTCCACGCC CGTGATCGTGATGCGCGGGGCTGCTGCCTGCAGCGGAGATCCAGGAGGGTGCCTACTC CGGGAGCTGCTACCATCGAGATGGCTTACGGCTGAGTATACAGTTTGAGGTGAGGCGGGT GGAGCTCCAGGGCCCCACACCTCTGTTCTGCTGCTGGTGAAAGACCTCCTCCACAG CCAACGCGACTCAGCCGCCAGGACCCGCCTGTTCCTTGCCAGCCTGCCCGGCTCCACCCA CTCTACCGCTGCTGAGCTCACCGGACCCAGCCTGGTGGAAGTGCTCAGAGCCAGACCCTG GTTTGAGGAGCCCCCAAGGCTGTGGAACTGGAGGGGTTGGCGGCCTGTGAGGGCGAGTA $\tt CTCCCAAAAGTACCATGAGCCCGCTGGGCAGTGGGGCCTTCGGCTTCGTGTGGAC$ TGCTGTGGACAAGGAAAAAACAAGGAGGTGGTGGTGAAGTTTATTAAGAAGGAGAAGGT ${ t CTTGGAGGATTGTTGGGGATTGGGAAACTTGGGAAAGTTACTTTAGAGATCGCAAT$ TCTATCCAGGGTGGAGCACGCCAATATCATCAAGGTATTGGATATATTTGAAAACCAAGG GTTCTTCCAGCTTGTGATGGAGAAGCACGGCTCCGGCCTAGACCTCTTCGCTTTCATCGA CCGCCACCCCAGGCTGGATGAGCCCCTGGCGAGCTACATCTTCCGACAAGTGAGAGCAGG CCAGAGCCGTCTAGTGTCAGCAGTGGGATACCTGCGCTTGAAGGACATCATCCACCGTGA CATCAAGGATGAGAACATCGTGATCGCTGAGGACTTCACAATCAAGCTGATAGACTTTGG CTCGGCCGCCTACTTGGAAAGGGGAAAATTATTTTATACTTTTTGTGGGACCATCGAGTA $\tt CTGTGCACCGGAAGTTCTCATGGGGAATCCCTACAGAGGGCCGGAGCTGGAGATGTGGTC$ TCTGGGAGTCACTCTGTACACGCTGGTCTTTGAGGAGAACCCCTTCTGTGAGCTGGAGGA GACCGTGGAGGCTGCCATACACCCGCCATACCTGGTGTCCAAAGAACTCATGAGCCTTGT GTCTGGGCTGCTGCAGCCAGTCCCTGAGAGACGCACCACCTTGGAGAAGCTGGTGACAGA CCCGTGGGTAACACAGCCTGTGAATCTTGCTGACTATACATGGGAAGAGGTGTTTCGAGT AAACAAGCCAGAAAGTGGAGTTCTGTCCGCTGCGAGCCTGGAGATGGGGAACAGGAGCCT GAGTGATGTGGCCCAGGCTCAGGAGCTTTGTGGGGGCCCCGTTCCAGGCGAGGCTCCTAA TGGCCAAGGCTGTTTGCATCCCGGGGATCCCCGTCTGCTGACCAGCTAAACACCAATTTC TTCCTGCTTTTCTCCACTTGGTTTGGAAAATCACACAGTTTTCAGGCTCCATCTGTTTG

FIGURE 2BB

SEQ ID NO: 38 AA785735 H

GGCACGAGGCGCCCTGGGCCCTGCGGAGGANGGGAAGGAGCGAAGGA CTCCTGTCCGCCGTGTCTAGCAGCGGGGCCCAGCATGGTCATGGCGGATGGCCCGAGGCA $\tt CTTGCAGCGGGGCCGGTCCGGGTGGGGTTCTACGACATCGAGGGCACGCTGGGCAAGGG$ CAACTTCGCTGTGGTGAAGCTGGGGCGCCACCGGATCACCAAGACGGAGGTGGCAATAAA AATAATCGATAAGTCTCAGCTGGATGCAGTGAACCTTGAGAAAATCTACCGAGAAGTACA AATAATGAAAATGTTAGACCACCCTCACATAATCAAACTTTATCAGGTAATGGAGACCAA AAGTATGTTGTACCTTGTGACAGAATATGCCAAAAATGGAGAAATTTTTGACTATCTTGC TAATCATGGCCGGTTAAATGAGTCTGAAGCCAGGCGAAAATTCTGGCAAATCCTGTCTGC TGTTGATTATTGTCATGGTCGGAAGATTGTGCACCGTGACCTCAAAGCTGAAAATCTCCT GCTGGATAACAACATGAATATCAAAATAGCAGATTTCGGTTTTTGGAAATTTCTTTAAAAG TGGTGAACTGCTGGCAACATGGTGTGGCAGCCCCCCTTATGCAGCCCCAGAAGTCTTTGA AGGGCAGCAGTATGAAGGACCACAGCTGGACATCTGGAGTATGGGAGTTGTTCTTTATGT CCTTGTCTGTGGAGCTCTTGCCCTTTGATGGACCGACTCTTCCAATTTTGAGGCAGAGGGT TCTGGAAGGAAGATTCCGGATTCCGTATTTCATGTCAGAAGATTGCGAGCACCTTATCCG AAGGATGTTGGTCCTAGACCCATCCAAACGGCTAACCATAGCCCAAATCAAGGAGCATAA ATGGATGCTCATAGAAGTTCCTGTCCAGAGACCTGTTCTCTATCCACAAGAGCAAGAAAA TGAGCCATCCATCGGGGAGTTTAATGAGCAGGTTCTGCGACTGATGCACAGCCTTGGAAT AGATCAGCAGAAARCCATTGAGTCTTTGCAGAACAAGAGCTATAACCACTTTGCTGCCAT TTATTTCTTGTTGGTGGAGCGCCTGAAATCACATCGGAGCAGTTTCCCAGTGGAGCAGAG ACTTGATGGCCGCCAGCGTCGGCCTAGCACCATTGCTGAGCAAACAGTTGCCAAGGCACA GACTGTGGGGCTCCCAGTGACCATGCATTCACCGAACATGAGGCTGCTGCGATCTGCCCT CCTCCCCAGGCATCCAACGTGGAGGCCTTTTCATTTCCAGCATCTGGCTGTCAGGCGGA AGCTGCATTCATGGAAGAAGAGTGTGTGGACACTCCAAAGGTCAATGGCTGTCTGCTTGA CCCTGTGCCTCCTGTCCTGGTGCGGAAGGGATGCCAGTCACTGCCCAGCAACATGATGGA GACCTCCATTGACGAAGGGCTGGAGACAGAAGGAGGGCCGAGGAAGACCCCGCTCATGC CCTTGACAGTGTGGACTCTGAGTATGATATGGGGTCTGTTCAGAGGGACCTGAACTTTCT GGAAGACACCCTTCCCTTAAGGACATCATGTTAGCCAATCAGCCTTCACCCCGCATGAC ATCTCCCTTCATAAGCCTGAGACCTACCAACCCAGCCATGCAGGCTCTGAGCTCCCAGAA ACGAGAGGTCCACAACAGGTCTCCAGTGAGCTTCAGAGAGGGCCCGCAGAGCATCAGATAC CTCCCTCACCCAGGGAATTGTAGCATTTAGACAACATCTTCAGAATCTGGCTAGAACCAA AGGAATTCTAGAGTTGAACAAAGTGCAGTTGTTGTATGAACAAATAGGACCGGAGGCAGA CCCTAACCTGGCGCCGGCGCTCCTCAGCTCCAGGACCTTGCTAGCAGCTGCCCTCAGGA AGAAGTTTCTCAGCAGCAGGAAAGCGTCTCCACTCTCCCTGCCAGCGTGCATCCCCAGCT GTCCCCACGGCAGAGCCTGGAGACCCAGTACCTGCAGCACAGACTCCAGAAGCCCAGCCT TCTGTCAAAGGCCCAGAACACCTGTCAGCTTTATTGCAAAGAACCACCGCGGAGCCTTGA

FIGURE 2CC

ACTGCAGGCCTATTTTAATCAGATGCAGATAGCAGAGGCTCCTACCCACAGCCAAGTCA GCAGCTGCCCCTTCCCCGCCAGGAGACTCCACCGCCTTCTCAGCAGGCCCCACCGTTCAG CCTGACCCAGCCCTGAGCCCCGTCCTGGAGCCTTCCTCCGAGCAGATGCAATACAGCCC TTTCCTCAGCCAGTACCAAGAGATGCAGCTTCAGCCCCTGCCCTCCACTTCCGGTCCCCG GGCTGCTCCTCTGCCCACGCAGCTACAGCAGCAGCAGCCGCCACCACCCCCC TCCACCACCACGACAGCCAGGAGCTGCCCCAGCCCCCTTACAGTTCTCCTATCAGACTTG TGAGCTGCCAAGCGCTGCTTCCCCTGCGCCAGACTATCCCACTCCCTGTCAGTATCCTGT GGATGGAGCCCAGCAGACCTAACGGGGCCAGACTGTCCCAGAAGCCCAGGACTGCA AGAGGCCCCCTCCAGCTACGACCCACTAGCCCTCTCTGAGCTACCTGGACTCTTTGATTG TGAAATGCTAGACGCTGTGGATCCACAACACACGGGTATGTCCTGGTGAATTAGTCTCA GCACAGGAATTGAGGTGGGTCAGGTGAAGGAAGAGTGTATGTTCCTATTTTTATTCCAGC CTTTTAAATTTAAAGCTTATTTTCTTGCCCTCTCCCTAACGGGGAGAAATCGAGCCACCC AACTGGAATCAGAGGGTCTGGCTGGGGTGGATGTTGCTTCCTCCTGGTTCTGCCCCACCA CAAAGTTTTCTGTGGCAAGTGCTGGAACATAGTTGTAGGCTGAGGCAGGAGAATGGCGTG AACCCGGGAGGCGGAGCTTGCAGTGAGCCAAGATCGTGCCACTGCACTCCAGCCTGGGCG ACTGAGCAAGACTCCACCTCAAAAAAAAAAAAAAGGACAAGAGCAGTATCATCTGCCTC TGTTTCTAAACTGGACAAAGAGATTTTCTTAAAGTTTCTATCATCTCCCTTCTGACAGGT TCTACAGTGTGGTCTGAAGCACCTGTAATGTCAGAGCCCTTGTCTGGCCCCTTGGTGGCAG GTGAACGAAAGCAGTGGAGCCTCTCACCTTCCAGTAGCCTCTCACATTCTTATTTTACCA TTTTTGTCCTAATTAAGGTAGCCTAGCTGATTCTAGAAGACAGCCATCCTACGTGCACCC CCACCTTGTGTCCACATCTTCTCCAGGCAGGTTTCAACCTATCAGCAGACTCAGGCACAC TTGTACATTAGTTTTACCAAGCACTTTCTCTTCTAACCCTCACAACAATTCTATGAAATT AGCTGGGGAGATACTGTCCTTATTTTCACAGCTGAAGAAACCAAAGCTTTGGGAAGTTT GTGACTTCTCTGAGATCACAGCTGGTGATAGAAGGAGCTGGGACACGCGCTTGGGTTGAC ${\tt TGGCTTCTGGTTTTTGGTTCTTGGCTTCTAGTGCTGGAAGAAGCCCTCTCTTTCCCTTCT}$ CTTTCCTCAGTAGCATCTGACTCTTTTCATAAGCAAACAGCTGTATAAACAAAGCCCCCA TTTTGGTCAAGCACAGGGTGAATGTGATATTGTTCCCACAACCTTATTCTCCACTCAACA GCCGCCTGGCTTTGGGGAAGAGGCCGCCTTCAGGTGACAGTGCAGCTGTCCAGGTGGCCG AGTTAACTGCAGAAGTTTAGGCTCACCTCAAAGATGTCTAGTTTTTCCAAGTTACAATAC AGCAGTTTCCTACAGAACACCCCCTTCCTCAATTGCCAAGGGGCCGCATCGCACGGCATC AGGCCACCACTGCAGGCCAGCAGATTCCACCCCAGGAACGGTCATGAACTCAGCCTTTGT CTCAACGAGGGGCGTAACATTTCCTTACAGTCAAGCCCCATCAACTAGAAGTGCTTATTA CTTTTAGGATTAAAAAAGTAATAACAGACTTTGACTTAATACTCTGTCTTTTCAGAGGCA AAGTGGGTGGGTAGAGGGGGGCTTTAAAAATAGAAGTACAAAACAACATCCTGGAAACAT ATGACCCCAGATGGAATAATGTCACATTCCCCAGTGCAGATAATGGGCTGCTGCTGCTC TGTGGTGTCTGCCAGAAGATTTGCTCAGTCAAGGAAATTCAAGTGGTGAGACCTTTC CACCATGGGTGGTAAGAGAAACCTGCCTTCACCAAAATCTCTGAAGGGGAAAGAAGTGGA GAGAAAGGTTTGCTTCACTTCGGGGACTGCAGTTTGAGAAATAAAAGGGATACAGAGATA TGCTGGATGTTTGGTCTGAAAGAGTTACTTTTGATAAAGTTAATCTAATTGTAGTTATAT AATTTAAATGGGGTAATTTTCTGCAAGGAAAATGTACTGTTTTTATGTTTCCAACCCTCT TGA

FIGURE 2DD

SEQ ID NO: 39_AA207220_H

GCTGTGGCTCCCGTCCTGGTGCGGGACCTGTGCCCCGCGCTTCAGCCCTCCCCGCAAGC CTATTGATTCCCCTGCCGCCCTTGCTCCACCTCCTGCTCGCCATGGAGTCGCTGGTTTTC GCGCGCCCTCCGCCCCACTCCCTCGCCGCAGAGCTAGCCCGGCCGCTGGCGGAAGGG CTGATCAAGTCGCCCAAGCCCCTAATGAAGAAGCAGGCGGTGAAGCGGCACCACAAG CACAACCTGCGCCACCGCTACGAGTTCCTGGAGACCCTGGGCAAAGGCACCTACGGGAAG GTGAAGAGGCGCGGGGGGCGCCTGGTGGCCATCAAGTCAATCCGGAAGGAC CTCAACCACCCTCACATCATTGCCATCCATGAAGTGTTTTGAGAACAGCAGCAAGATCGTG CTCAGTGAGCGCGAAGCTAGGCATTTCTTCCGGCAGATCGTCTCTGCCGTGCACTATTGC CATCAGAACAGAGTTGTCCACCGAGATCTCAAGCTGGAGAACATCCTCTTGGATGCCAAT GGGAATATCAAGATTGCTGACTTCGGCCTCTCCAACCTCTACCATCAAGGCAAGTTCCTG CAGACATTCTGTGGGAGCCCCCTCTATGCCTCGCCAGAGATTGTCAATGGGAAGCCCTAC ACAGGCCCAGAGGTGGACAGCTGGTCCCTGGGTGTTCTCCTCTACATCCTGGTGCATGGC ACCATGCCCTTTGATGGGCATGACCATAAGATCCTAGTGAAACAGATCAGCAACGGGGCC TACCGGGAGCCACCTAAACCCTCTGATTGCCTGNNTGGCCTGATCCGGTGGCTGTTGATG GTGAACCCCACCCGGGGCCACCCTGGAGGATGTGGCCAGTCACTGGTGGGTCAACTGG GGCTACGCCACCCGAGTGGGAGAGCAGGAGGCTCCGCATGAGGGTGGGCACCCTGGCAGT GACTCTGCCCGCGCCTCCATGGCTGACTGGCTCCGGCGTTCCTCCCGCCCCCTCCTGGAG AATGGGGCCAAGGTGTGCAGCTTCTTCAAGCAGCATGCACCTGGTGGGGGAAGCACCACC CCTGGCCTGGAGCGCCAGCATTCGCTCAAGAAGTCCCGCAAGGAGAATGACATGGCCCAG TCTCTCCACAGTGACACGGCTGATGACACTGCCCATCGCCCTGGCAAGAGCAACCTCAAG CTGCCAAAGGGCATTCTCAAGAAGAAGGTGTCAGCCTCTGCAGAAGGGGTACAGGAGGAC CCTCCGGAGCTCAGCCCAATCCCTGCGAGCCCAGGGCAGGCTGCCCCCTGCTCCCCAAG AAGGGCATTCTCAAGAAGCCCCGACAGCGCGAGTCTGGCTACTACTCCTCTCCCGAGCCC AGTGAATCTGGGGAGCTCTTGGACGCAGGCGACGTGTTTGTGAGTGGGGATCCCAAGGAG CAGAAGCCTCCGCAAGCTTCAGGGCTGCTCCTCCATCGCAAAGGCATCCTCAAACTCAAT GGCAAGTTCTCCCAGACAGCCTTGGAGCTCGCGGCCCCCACCACCTTCGGCTCCCTGGAT GAACTCGCCCACCTCGCCCCTGGCCCGGCCAGCCGACCCTCAGGGGCTGTGAGCGAG GACAGCATCCTGTCCTCTGAGTCCTTTGACCAGCTGGACTTGCCTGAACGGCTCCCAGAG CCCCCACTGCGGGGCTGTGTGTCTGTGGACAACCTCACGGGGCTTGAGGAGCCCCCCTCA GAGGGCCCTGGAAGCTGCCTGAGGCGCTGGCGGCAGGATCCTTTGGGGGACAGCTGCTTT TCCCTGACAGACTGCCAGGAGGTGACAGCGACCTACCGACAGGCACTGAGGGTCTGCTCA AAGCTCACCTGAGTGGAGTAGGCATTGCCCCAGCCCGGTCAGGCTCTCAGATGCAGCTGG TTGCACCCGAGGGGAGATGCCTTCTCCCCCACCTCCCAGGACCTGCATCCCAGCTCAGA AGGCTGAGAGGGTTTGCAGTGGAGCCCTGAGCAGGGCTGGATATGGGAAGTAGGCAAATG AAATGCGCCAAGGGTTCAGTGTCTGTCTTCAGCCCTGCTGAACGAAGAGGATACTAAAGA GAGGGGAACGGGAATGCCCGCGACAGAGTCCACATTGCCTGTTTCTTGTGTACATGGAGG GGCCACAGAGA

SEQ ID NO: 40 AA426580 H, MAK V H

FIGURE 2EE

TCCGAAGCCCGCAGATACATCCGACAGCTCATCTCTGCCGTAGAGCACCTGCACCGGGCC GGGGTGGTCCACAGAGACTTGAAGATAGAGAATTTGCTACTAGATGAAGACAATAATATC AAGCTGATTGACTTTGGTTTGAGCAACTGCGCAGGGATCCTGGGTTACTCGGATCCGTTC AGCACACAGTGTGGCAGCCTGCCTACGCTGCACCTGAACTGCTCGCCAGGAAGAAATAC GGCCCCAAAATCGATGTCTGGTCCATAGGTGTGAACATGTATGCCATGTTGACCGGGACG $\tt CTGCCTTTCACGGTGGAGCCTTTCAGCCTGAGGGGCTTTGTACCAGAAGATGGTAGACAAA$ GAAATGAACCCCCTCCCCACTCAGCTCTCCACAGGTGCCATCAGTTTCCTGCGCTCTCTC $\tt CTGGAACCGGATCCTGTGAAGAGGCCAAATATTCAGCAGGCACTGGCGAATCGCTGGCTT$ AATGAGAATTACACGGGCAAAGTGCCCTGTAATGTCACCTATCCCAACAGGATTTCTCTG GAAGATCTGAGCCCGAGCGTCGTGCTGCACATGACCGAGAAGCTGGGTTACAAGAACAGC GACGTGATCAACACTGTGCTCTCCAACCGCGCCTGCCACATCCTGGCCATCTACTTCCTC TTAAACAAGAAACTGGAGCGCTATTTGTCAGGGAAATCTGACATCCAGGACAGCCTCTGC ${ t TACAAGACCCGGCTCTACCAGATAGAAAAGTACAGGGCCCCCAAGGAGTCCTATGAGGCC}$ TCTCTGGACACCTGGACACGAGATCTTGAATTCCATGCCGTGCAGGATAAAAAGCCCAAA GAACAAGAAAAAAGAGGGGATTTTCTTCATCGACCATTCTCCAAGAAGTTGGACAAGAAC CTGCCCTCGCACAAACAGCCCTCAGGCTCGCTTATGACACAGATTCAGAACACCAAAGCC $\tt CTCCTGAAGGACCGGAAGGCCTCCAAGTCCAGCTTCCCCGACAAGATTCCTTTGGCTGC$ CGCAATATTTTCCGCAAAACCTCAGATTCCAATTGTGTGGCTTCTTCTTCCATGGAGTTC ATCCCCGTGCCACCGCCCAGGACCCCGAGGATTGTGAAGAAACCGGAGCCCCATCAGCCA GGGCCCGGAAGCACTGGCATCCCCCACAAGGAAGACCCCCTGATGCTGGACATGGTGCGC AGGATTCTGAACTCCCCGGTCAGCTTGGCTCGCAGAAATTCCAGCGAGAGGACGCTGTCC CCGGGTCTGCCATCCGGAAGCATGTCGCCTCTCCATACTCCTTTGCATCCAACTCTGGTC TCTTTTGCTCACGAAGATAAGAACAGCCCCCCAAAAGAGGGGGCCTGTGTTGCCCACCT CCGGTTCCCAGCAATGGCCCCATGCAGCCTCTGGGGAGCCCCAATTGTGTGAAAAGCCGA GGCCGGTTCCCTATGATGGGCATCGGACAGATGTTAAGGAAGCGCCATCAGAGTCTGCAG CCATCTGCAGATAGGCCCTGGAGGCCAGCCTGCCCCACTGCAGCCCCTAGCCCCTGTG AACCTTGCCTTTGACATGGCCGATGGGGTCAAGACCCAGTGCTAA

SEQ ID NO: 41 Z36720 H

ATGGACACAAAGCTGAACATGCTGAACGAGAAGGTGGACCAGCTCCTGCACTTCCAAGAA GATGTCACAGAGAAGTTGCAGAGCATGTGCCGAGACATGGGCCACCTGGAGCGGGCCTG GACACCCAGGCTGGGTGGCCCGAGGTCCTGGAGCTGGTGAGGGCCATGCAGCAGGATGCG GCCCAGCACGGTGCCAGGCTGGAGGCCCTCTTCAGGATGGTGGCTGCGGTGGACAGGGCC ${ t ATCGCTTTGGTGGGGGCCACGTTCCAGAAATCAAAGGTGGCGGATTTCCTCATGCAGGGG}$ CGTGTGCCCTGGAGGAGGGGGGCCCAGGTGACAGCCCTGAGGAGTGGGTAAAAGAGGAG GAGGTCTGTTTCATGCCTCCAGTTCCCCCAGCTCCGGGGGCAGCAGGACAGAGCCTGCAG AAGGATAAGGGGGAGCTGTCTGCCGAGCAGGGGATCTGGGCCACATTGATGACGCTGGTG GTGCTGAGCACCAGTGGGGTGCAGTCTGATGCCAGGGGAGCCTGGGGAAGAGAGCCAGAAG GCGGACGTGCTGGAGGGGACAGCGGAGAGGCTGCCCCCATCAGAGCGTCAGGGCTGGGA GCTGACCCCGCCCAGGCAGTGGTCTCACCGGGCCAGGGAGATGGTGTTCCTGGCCCAGCC CAGGCATTCCCTGGCCACCTGCCCCTGCCCACAAAGGTGGAAGCCAAGGCTCCTGAGACA CCCAGCGAGAACCTCAGGACTGGCCTGGAATTGGCTCCAGCACCCGGCAGGGTCAATGTG GTCTCCCCGAGCCTGGAGGTTGCACCAGGTGCAGGACAAGGAGCATCGTCCAGCAGGCCT GACCCTGAGCCCTTAGAGGAAGGCACGAGGCTGACTCCAGGGCCTGGCCCTCAGTGCCCA GGGCCTCCAGGGCTGCCAGGCCAGGCCAACCCACAGTGGTGGAGAAACACCTCCA ${\tt AGGGCAGCCCTGCTGAAGGGCGCTGTGGCCCCGGGCTTCTCTCGGAGGGACCTGGTGTTT}$ CCTAGCATCTTCTGCGCCTGCCTAGGGATCTCCATCCACATACAAGAGATGGATACTCCT

FIGURE 2FF

GCAGCTGCCCAGCCAGCCAGCCAGCCCCTCGGGACCGGGCGCTGCCTCCAAGCCCCT GGGACTGAGCCCGGAGAACAGACCCCTGAAGGAGCCAGAGAGCTCTCCCCGCTGCAGGAG AGCAGCAGCCCCGGGGGAGTGAAGGCAGAGGAGGAGCAAAGGGCTGGGGCCGAGCCTGGC ACGAGACCAAGCTTGGCCAGGAGTGACGACAATGACCACGAGGTTGGGGCCCTGGGCCTG CAGCAGGCCAAAAGCCCAGGGGCGGAAACCCTGAGCCTGAGCAGGACTGTGCAGCCAGG GCTCCGGTGAGAGCTGAAGCAGTAAGGAGGATGCCCCCAGGCGCCGAGGCTGGCAGCGTG GTTCTGGATGACAGTCCGGCCCCACCAGCTCCTTTTGAACACCGGGTAGTGAGCGTCAAG GAGACCTCCATCTCTGCGGGTTACGAGGTGTGCCAGCACGAAGTCTTGGGAGGGGGTCGG TTTGGCCAGGTCCACAGGTGCACAGAGAAGTCCACAGGCCTCCCACTGGCTGCCAAGATC ATCAAAGTGAAGACCCCAAGGACCGGGAGGACGTGAAGAACGAGATCAACATCATGAAC ACCCTTGTCATGGAGTACGTGGACGGGGGTGAGCTCTTCGACCGGATCACAGATGAGAAG TACCACCTGACTGAGCTGGATGTGGTCCTGTTCACCAGGCAGATCTGTGAGGGTGTGCAT TACCTGCACCAGCACTACATCCTGCACCTGGACCTCAAGCCGGAGAACATATTGTGCGTC AATCAGACAGGACATCAAATTAAGATCATTGACTTTGGGCTGGCCAGAAGGTACAAGCCT ${\tt CGAGAGAGCTGAAGTTGGGCACTCCTGAGTTCCTGGCCCCAGAAGTCGTCAAT}$ TATGAGTTTGTCTCATTCCCCACAGACATGTGGAGTGTGGGAGTCATCACCTACATGCTA $\tt CTCAGTGGCTTGTCCCCATTTCTAGGGGAAACAGATGCAGAGACCATGAATTTCATTGTA$ AACTGTAGCTGGGATTTTGATGCTGACACCTTTGAAGGGCTCTCGGAGGAGGCCAAGGAC TTTGTTTCCCGGTTGCTGGTCAAAGAGAGAGCTGCAGAATGAGTGCCACACAGTGCCTG AAACACGAGTGGCTGAATAATTTGCCTGCCAAAGCTTCAAGATCCAAAACTCGTCTCAAA TCCCAACTACTGCTGCAGAAATACATAGCTCAAAGAAAATGGAAGAAACATTTCTATGTG GTGACTGCCAACAGGTTAAGGAAATTTCCAACTTCTCCCTAA

SEQ ID NO: 42_SGK088_H GGGGAGATGGCGCTGTTTGAGTG

GGGGAGATGGCGCTGTTTGAGTGCCTGGTGGCGGGCCCACTGACGTGGAGGTGGATTGG $\tt CTGTGCCGTGGCCTGCTGCAGCCTGCACTGCTCAAATGCAAGATGCATTTCGATGGC$ CGCAAATGCAAGCTGCTACTTACATCTGTACATGAGGACGACAGTGGCGTCTACACCTGC AAGCTCAGCACGGCCAAAGATGAGCTGACCTGCAGTGCCCGGCTGACCGTGCGGCCCTCG TTGGCACCCTGTTCACACGGCTGCTGGAAGATGTGGAGGTGTTGGAGGGCCGAGCTGCC CGTTTCGACTGCAAGATCAGTGGCACCCCGCCCCTGTTGTTACCTGGACTCATTTTGGC CACATTGCCCATGTGGGCAGCGAGGACGAGGGGCTCTATGCGGTCAGTGCTGTTAACACC CATGGCCAGGCCCACTGCTCAGCCCAGCTGTATGTAGAAGAGCCCCGGACAGCCGCCTCA GGCCCCAGCTCGAAGCTGGAGAAGATGCCATCCATTCCCGAGGAGCCAGAGCAGGGTGAG CTGGAGCGGCTGTCCATTCCCGACTTCCTGCGGCCACTGCAGGACCTGGAGGTGGGACTG GCCAAGGAGGCCATGCTAGAGTGCCAGGTGACCGGCCTGCCCTACCCCACCATCAGCTGG TTCCACAATGGCCACCGCATCCAGAGCAGCGACGACCGGCGCATGACACAGTACAGGGAT GTCCATCGCTTGGTGTTCCCTGCCGTGGGGCCTCAGCACGCCGGTGTCTACAAGAGCGTC ATTGCCAACAAGCTGGGCAAAGCTGCCTGCTATGCCCACCTGTATGTCACAGATGTGGTC CCAGGCCCTCCAGATGGCGCCCCGCAGGTGGTGGCTGTGACGGGGGAGGATGGTCACACTC ACATGGAACCCCCCCAGGAGTCTGGACATGGCCATCGACCCGGACTCCCTGACGTACACA GTGCAGCACCAGGTGCTGGGCTCGGACCAGTGGACGGCACTGGTCACAGGCCTGCGGGAG CCAGGGTGGGCAGCCACAGGGCTGCGTAAGGGGGTCCAGCACATCTTCCGGGTCCTCAGC ACCACTGTCAAGAGCAGCAGCCACCCCTTCTGAGCCTGTGCAGCTGCTGGAG CACGGCCCAACCCTGGAGGAGGCCCCTGCCATGCTGGACAAACCAGACATCGTGTATGTG GTGGAGGACAGCCTGCCAGCGTCACCGTCACATTCAACCATGTGGAGGCCCAGGTCGTC TGGAGGAGCTGCCGAGGGCCCTCCTAGAGGCACGGGCCGGTGTGTACGAGCTGAGCCAG CCAGATGATGACCAGTACTGTCTTCGGATCTGCCGGGTGAGCCGCCGGGACATGGGGGCC

FIGURE 2GG

CTCACCTGCACCGCCCGAAACCGTCACGGCACACAGACCTGCTCGGTCACATTGGAGCTG GCAGAGGCCCCTCGGTTTGAGTCCATCATGGAGGACGTGGAGGTGGGGGCTGGGGAAACT GCTCGCTTTGCGGTGGTGGTCGAGGGAAAACCACTGCCGGACATCATGTGGTACAAGGAC GAGGTGCTGCTGACCGAGAGCAGCCATGTGAGCTTCGTGTACGAGGAGAATGAGTGCTCC CTGGTGGTGCTCAGCACGGGGGCCCAGGATGGAGGCGTCTACACCTGCACCGCCCAGAAC CTGGCGGTGAGGTCTCCTGCAAAGCAGAGTTGGCTGTGCATTCAGCTCAGACAGCTATG GACATCCACCAGGAGATCGGCAGGGGTGCTTTCTCCTACTTGCGGCGCATAGTGGAGCGT GCGCGTCGGGAGGCCCGGCTGCTGCCAGCCAGCACGACTGTGTCCTCTACTTCCAT GAGGCCTTCGAGAGGCGCCGGGGACTGGTCATTGTCACCGAGCTCTGCACAGAGGAGCTG CTGGAGCGAATCGCCAGGAAACCCACCGTGTGTGAGGTCTGAGATCCGGGCCTATATGCGG CAGGTGCTAGAGGGAATACACTACCTGCACCAGAGCCACGTGCTGCACCTCGATGTCAAG CCTGAGAACCTGCTGGTGTGGGATGGTGCTGCGGGCGAGCAGCAGGTGCGGATCTGTGAC TTTGGGAATGCCCAGGAGCTGACTCCAGGAGAGCCCCAGTACTGCCAGTATGGCACACCT GAGTTTGTAGCACCCGAGATTGTCAATCAGAGCCCCGTGTCTGGAGTCACTGACATCTGG CCTGTGGGTGTTGTTGCCTTCCTCTGTCTGACAGGAATCTCCCCGTTTGTTGGGGAAAAT GACCGGACAACATTGATGAACATCCGAAACTACAACGTGGCCTTCGAGGAGACCACATTC CTGAGCCTGAGCAGGGGGCCCGGGGCTTCCTCATCAAAGTGTTGGTGCAGGACCGGCTG AGACCTACCGCAGAAGAGCCCTAGAACATCCTTGGTTCAAAACTCAGGCAAAGGGCGCA GAGGTGAGCACGGATCACCTGAAGCTATTCCTCTCCCGGCGGAGGTGGCAGCGCTCCCAG ATCAGCTACAAATGCCACCTGGTGCTGCGCCCCATCCCCGAGCTGCTGCGGGCCCCCCCA GAGCGGGTGTGGGTGACCATGCCCAGAAGGCCACCCCCAGTGGGGGGCTCTCATCCTCC TCGGATTCTGAAGAGGAAGAGCTGGAAGAGCTGCCCTCAGTGCCCCGCCCACTGCAGCCC GAGTTCTCTGGCTCCCGGGTGTCCCTCACAGACATTCCCACTGAGGATGAGGCCCTGGGG ACCCCAGAGACTGGGGCTGCCACCCCCATGGACTGGCAGGAGCAGGGAAGGGCTCCCTCT CAGGACCAGGAGGCTCCCAGCCCAGAGGCCCTCCCCCAGGCCAGGAGCCCGCAGCT GGGGCTAGCCCCAGGCGGGAGAGCTCCGCAGGGGCAGCTCGGCTGAGAGCGCCCTGCCC CGGGCCGGGCCGCGGAGCTGGGCCGGGGCCTGCACAAGGCGGCGTCTGTGGAGCTGCCG CAGCGCCGGAGCCCCGGCCCGGGAGCCACCCGCCTGGCCCGGGGAGGCCTGGGTGAGGGC GAGTATGCCCAGAGGCTGCAGGCCCTGCGCCAGCGGTGCTGCGGGGAGGCCCCGAGGAT GGCAAGGTCAGCGGCCTCAGGGGTCCCCTGCTGGAGAGCCTGGGGGGCCCGTGCTCGGGAC AACCGGGGCCTGCAAAAGAGCAGCAGCTTCTCCCAGGGTGAGGCGGAGCCCCGGGGCCGG CACCGCCGAGCGGGGCGCCCCTCGAGATCCCCGTGGCCAGGCTTGGGGCCCGTAGGCTA CAGGAGTCTCCTTCCCTGTCTGCCCTCAGCGAGGCCCAGCCATCCAGCCCTGCACGGCCC AGCGCCCCAAACCCAGTACCCCTAAGTCTGCAGAACCTTCTGCCACCACACCTAGTGAT GCTCCGCAGCCCCGCACCCCAGCCTGCCCAAGACAAGGCTCCAGAGCCCAGGCCAGAA CCAGTCCGAGCCTCCAAGCCTGCACCACCCCCCAGGCCCTGCAAACCCTAGCGCTGCCC TCGCAGGGCCCTGCCGCCCCTTCAGAGCCCAAGCCCCACGCTGCTCTTTTGCCAGG GTGGCCTCCCACCTCCGGGAGCCCCCGAGAAGCGCGTGCCCTCAGCCGGGGGTCCCCCG GTGCTAGCCGAGAAAGCCCGAGTTCCCACGGTGCCCCCCAGGCCAGGCAGCAGTCTCAGT AGCAGCATCGAAAACTTGGAGTCGGAGGCCGTGTTCGAGGCCAAGTTCAAGCGCAGCCGC GAGTCGCCCTGTCGCTGGGGCTGCGGCTGCTGAGCCGTTCGCGCTCGGAGGAGCGCGGC CCCTTCCGTGGGGCCGAGGAGGAGGATGGCATATACCGGCCCAGCCCGGCGGGGACCCCG $\tt CTGGAGCTGGTGCGACGGCTGAGCGCTCACGCTCGGTGCAGGACCTCAGGGCTGTCGGA$ GAGCCTGGCCTCGCCGCCCTCTCGCTGTCACTGTCCCAGCGGCTGCGGCGGACCCCT CCCGCGCAGCGCCACCCGGCCTGGGAGGCCCGCGGGGGGACGGAGAGAGCTCGGAGGGC GGGAGCTCGGCGGGGCTCCCCGGTGCTGGCGATGCGCAGGCGGCTGAGCTTCACCCTG

FIGURE 2HH

GAGCGCTGTCCAGCCGATTGCAGCGCAGTGGCAGCAGCAGCACTCGGGGGGGCGCGTCG GGCCGCAGCACGCCGCTGTTCGGACGGCTTCGCAGGGCCACGTCCGAGGGCGAGAGTCTG CGGCGCCTTGGCCTTCCGCACAACCAGTTGGCCGCCCAGGCCGGCGCCACCACGCCTTCC GCCGAGTCCCTGGGCTCCGAGGCCAGCGCCACGTCGGGCTCCTCAGCCCCAGGGGAAAGC CGAAGCCGGCTCCGCTGGGGCTTCTCTCGGCCGCGGAAGGACAAGGGGTTATCGCCACCA AACCTCTCTGCCAGCGTCCAGGAGGAGTTGGGTCACCAGTACGTGCGCAGTGAGTCAGAC ACCCTGCTCTGCCAGCGGCCTGCCCTGCACCGCACATCTCCTGGATGAAAGACAAG AAGTCCTTGAGGTCAGAGCCCTCAGTGATCATCGTGTCCTGCAAAGATGGGCGGCAGCTG CTCAGCATCCCCGGGCGGGCAAGCGGCACGCCGGTCTCTATGAGTGCTCGGCCACCAAC GTACTGGGCAGCATCACCAGCTCCTGTACCGTGGCTGTGGCCCGAGTCCCAGGAAAGCTA GCTCCTCCAGAGGTAACCCAGACCTACCAGGACACGGCGCTGGTGCTGTGGAAGCCGGGA GACAGCCGGCACCTTGCACGTATACGCTGGAGCGCGAGTGGATGGGGAGTCTGTGTGG CACCCTGTGAGCTCAGGCATCCCCGACTGTTACTACAACGTGACCCACCTGCCAGTTGGC GTGACTGTGAGGTTCCGTGTGGCCTGTGCCAACCGTGCTGGGCAGGGGCCCTTCAGCAAC TCTTCTGAGAAGGTCTTTGTCAGGGGTACTCAAGATTCTTCAGCTGTGCCATCTGCTGCC CACCAAGAGGCCCTGTCACCTCAAGGCCAGCCAGGGCCCGGCCTCCTGACTCTCCTACC TCATCTCCCCCCACACCTCCTAGCCAGGCCTTGTCCTCGCTCAAGGCTGTGGGTCCACCA CCCCAAACCCCTCCACGAGACACAGGGGCCTGCAGGCTGCCCGGCCAGCGGAGCCCACC CTACCCAGTACCCACGTCACCCCAAGTGAGCCCAAGCCTTTCGTCCTTGACACTGGGACC CCGATCCCAGCCTCCACTCCTCAAGGGGTTAAACCAGTGTCTTCCTCTACTCCTGTGTAT GTGGTGACTTCCTTTGTGTCTGCACCACCAGCCCTGAGCCCCCAGCCCCTGAGCCCCCT CCTGAGCCTACCAAGGTGACTGTGCAGAGCCTCAGCCCGGCCAAGGAGGTGGTCAGCTCC CCTGGGAGCAGTCCCCGAAGCTCTCCCAGGCCTGAGGGTACCACTCTTCGACAGGGTCCC CCTCAGAAACCCTACACCTTCCTGGAGGAGAAAGCCAGGGGCCGCTTTGGTGTTGTGCGA GCGTGCCGGGAGAATGCCACGGGGCGAACGTTCGTGGCCAAGATCGTGCCCTATGCTGCC GAGGGCAAGCCGCGGTCCTGCAGGAGTACGAGGTGCTGCGGACCCTGCACCACGAGCGG ATCATGTCCCTGCACGAGGCCTACATCACCCCTCGGTACCTCGTGCTCATTGCTGAGAGC TGTGGCAACCGGGAACTCCTCTGTGGGCTCAGTGACAGGTTCCGGTATTCTGAGGATGAC GTGGCCACTTACATGGTGCAGCTGCTACAAGGCCTGGACTACCTCCACGGCCACCACGTG CTCCACCTAGACATCAAGCCAGACAACCTGCTGCTGGCCCCTGACAATGCCCTCAAGATT GTGGACTTTGGCAGTGCCCAGCCCTACAACCCCCAGGCCCTTAGGCCCCTTGGCCACCGC ACGGGCACGCTGGAGTTCATGGCTCCGGAGATGGTGAAGGGAGAACCCATCGGCTCTGCC ACGGACATCTGGGGAGCGGGTGTGCTCACTTACATTATGCTCAGTGGACGCTCCCCGTTC TATGAGCCAGACCCCCAGGAAACGGAGGCTCGGATTGTGGGGGGCCGCTTTGATGCCTTC CAGCTGTACCCCAATACATCCCAGAGCGCCACCCTCTTCTTGCGAAAGGTTCTCTCTGTA TACCTGATGAAGCTGCGCCGCCAGACGCTCACCTTCACCACCAACCGGCTCAAGGAGTTC CTGGGCGAGCAGCGGCGCCGGGCTGAGGCTGCCACCCGCCACAAGGTGCTGCGC TCCTACCCTGGCGGCCCCTAGAGGCACGACCACAGCCAGGCCTCGGGCTTCAACTGGGG TTCCCACCAATGCCACGGGACATTCCAGGGCCCACGCTGAGCCAGGCGGGCCTGGGGCTT CGGTTACCACCAGCAGCAACATCTGGCTGGGCTCTTACCTCATAGACCTTCAAGGACAGA GACCCAGGGCCTGGACCTGATGCCACCCCAGGCCAAAGCCAGAGTGGGAGACCCATTGG TCAGGCTCAGCAGGGGAACAGGCAGAGGGACAAGAGGGGAATGGAGAAGTGGAGAGGG AAAAGGAATCGAGGGACAGGAAGGGGGGGGGCTCTAGGAAGGTTCTGGGTTGGGGGTCAGT CCAGGTGTCAGGGCAGTAGGCTGGGAGTCAGTGTGGCAAAGCGGGGCCAGGACACAGATA CAGTGGCAGGGCCCAGGGCTGGGACATGAGAGAAGGCAGCGAGGCGCAGAGGGAGAAG AGAGGACTCAGGTGGAGGTGGGGTGGGTCAGCTGTCAGCATCCCTCAGAGGAGAAATGTG

FIGURE 211

SEQ ID NO: 43 AA542015 M SGK088 M GCCACGGACATCTGGGGAGCGGGTGTGCTCACCTACATCATGCTTAGTGGGTACTCCCCA TTCTATGAGCCAGACCCCCAGGAAACAGAGGCTCGGATTGTTGGGGGTCGCTTTGATGCC TTCCAGTTGTATCCTAACACATCCCAGAGTGCCACCCTCTTCTTGAGAAAGGTCCTCTCA GCCTACCTGATGAAGCTGCGCCGCCAGACACTCACCTTCACCACCCAACCGGCTCAAGGAA TTCCTGGGCGAGCAGCGGCGACGTCGGGCTGAGGCTGCTACCCGTCACAAGGTGCTGCTC CGCTCCTACCCTGGCAGCCCCTAGGTGGCACAGACCGCAGCCCGGCCACGGGCTTCAACT TGGGTTCTCACTCGCGCTGCCAAGGGACATTCCAGAGCCCATGCTGAGCTGGACAGGCAG ACCTCATGGACCTAAGAGGACAAGGCCCTGGGGCTTCAGCCGAATGTCACCCCGGCCATA ACCAGAGCAGGAGACCCACTGGCCAGGCTGGGCAAGGGTGAGAGCAGAAAGAGGCAAAGA TAGGCTGGAGTGGAATGCTATATCTCAGGGAGAAGCCAGAAGGGGACATGGCTGAAGAGG AAGAAGGACCCTGTGATGTGGGAATGTGGTGGAGAGGAGGACTGGACATAGAGAGTGTGC CAGGAGCCAGAGCAGAGACATAAGGGAGGGCAGAAGGGTAGAAGGCAACAGGAGTGGGCT AGACGAAAGGCCGCTCCAGCTGGTCTCCTGTCCCAGCCGATGCAGTTCTGGGCGTTCTCC ACTGGCCCAGGGATGTCCTCACTGCTCCTCCATGGCCTTTGCCCTCCTTCCCATTTGTAT TTATTTATTTATTGCCTTTTGTGGAGTTTCCTTTCTATCCAGTCCCTAGTGCCTATGTTG

SEQ ID NO: 44 R19772 H ATGAAGGGCGGCGACAGGCTTACACCCGAGGTCCCTCTTTGGGGTGGCTCTTTGCTAAG TGCTGCTGTTGCTTCCCGTGTAGAGATGCATACTCTCATTCCTCAAGCGAGAATGGAGGC CCGGGTCCCAAGCGCTCCACCAACACTCTTAAGAAGTGGCTGACGAGTCCTGTGCGTCGG CTCAACAGCGGAAGGCAGATGGAAACATCAAAAAGCAGAAGAAAGTTCGCGATGGTCGG AAGAGCTTTGACCTGGGATCTCCCAAGCCTGGGGATGAAACAACCCCTCAGGGAGACAGC GCTGATGAGAGCAAGAAGGTTGGGGTGAAGATGAGCCGGATGAAGAGTCACACACCC CTCCCACCACCTATGAAGATTTTTGACAACGACCCTACACAGGATGAAATGTCCTCCTCT TTGCTAGCAGCCCGGCAGGCTTCCACTGAAGTACCTACTGCTGCAGACCTTGTCAATGCA GAAGAAGAACAGAAAGCCAAGGCCCTGAGAGGCAGGATGTTTGTCCTGAATGAGCTGGTA CAGACAGAGAAAGACTATGTCAAGGATCTGGGCATTGTGGTGGAGGGCTTCATGAAGAGA ATAGAAGAAAAGGGTGTCCCTGAGGATATGCGAGGAAAGGACAAAATCGTGTTTGGAAAT ATTCATCAGATTTATGACTGGCATAAGGATTTTTTCCTGGCGGAACTGGAAAAGTGTATC CAGGAGCAAGACAGATTGGCACAGCTCTTTATTAAGCACGAGCGGAAGCTGCACATCTAC GTGTGGTATTGTCAGAATAAGCCGCGCTCAGAGTACATCGTTGCTGAGTATGACGCCTAC TTTGAGGAGGTAAAACAGGAGATAAATCAGAGGCTGACACTGAGTGACTTCCTCATCAAG CCCATTCAGAGAATAACAAAATACCAGTTGCTCCTCAAGGACTTCCTGAGATACAGTGAG AAGGCTGGTTTGGAGTGTTCAGATATCGAGAAAGCAGTGGAGTTAATGTGCCTTGTTCCC

FIGURE 2JJ

AAACGCTGCAATGACATGATGAATCTAGGACGTCTGCAGGGCTTTGAGGGCACTCTGACT GCTCAGGGGAAGCTACTGCAGCAGGACACATTCTATGTGATCGAGCTGGATGCAGGCATG CAGTCCCGGACCAAAGAGAGGCGCGTGTTCCTCTTCGAGCAGATTGTCATCTTCAGTGAA CTGCTCAGGAAGGGATCCCTCACCCCTGGCTACATGTTCAAAAGGAGCATCAAGATGAAT TACTTGGTCCTGGAGGAGAATGTGGACAATGATCCCTGCAAGTTTGCACTCATGAACAGA GAGACTTCTGAGAGGGTTGTTCTGCAAGCCGCCAACGCTGACATCCAGCAGGCCTGGGTG CAGGACATCAATCAAGTCTTAGAAACACAGCGAGACTTTTTGAATGCACTGCAATCGCCC ATTGAGTATCAACGGAAAGAAAGGAGCACAGCTGTGATGAGGTCTCAACCTGCCAGGCTT CCCCAAGCCAGCCCCAGGCCCTACTCCTCTGTTCCTGCGGGCTCAGAGAAGCCCCCCAAAG GGCTCCAGCTATAACCCACCTCTGCCTCCCCTGAAGATATCTACCTCCAATGGCAGTCCA GGGTTTGAATACCACCAGCCTGGGGACAAGTTCGAAGCCAGCAAGAACGACCTGGGAGGC TGCAATGGGACCTCGTCCATGGCCGTGATCAAAGATTACTATGCACTGAAGGAGAATGAA ATCTGTGTGAGCCAAGGTGAGGTGGTCCAGGTCCTCGCCGTCAACCAGCAGAACATGTGT CTGGTGTACCAGCCTGCCAGCGACCATTCCCCCGCCGCCGAGGGCTGGGTCCCAGGCAGC ATCCTGGCGCCCTCACCAAAGCCACAGCAGCAGAAAGTAGTGACGGGAGCATCAAGAAG AATGAAGCCACAGGGCCTCGTAAACCCAAGGATATTCTGGGCAACAAAGTCTCTGTTAAA GAGACGAACAGTTCCGAGGAATCAGAGTGTGATGATCTTGACCCTAATACTAGCATGGAG **ATCTTAAATCCAAATTTCATCCAAGAAGTGGCCCCAGAATTCCTTGTGCCCTTGGTGGAT** GTGACCTGCTTGCTTGGGGACACAGTGATACTGCAGTGCAAAGTCTGTGGGCGGCCAAAG CCCACCATCACTTGGAAGGGTCCAGACCAGAACATCCTTGACACTGATAACAGCTCAGCC ACATACACGGTCTCCTCTTGTGATTCTGGAGAAATCACCCTGAAGATCTGTAATCTGATG CCCCAAGACAGTGGGATTTATACCTGCATAGCAACAAATGACCACGGGACCACATCAACG TCTGCAACAGTCAAAGTGCAAGGTGTTCCAGCAGCCCCTAACCGCCCCATTGCCCAGGAG AGAAGCTGCACCTCCGTGATTCTCCGCTGGCTGCCCCCCTCCAGCACAGGAAACTGCACT GCTTCGACCTTGGACACTTACCTCGTCATCGAAGACCTTAGTCCCGGGTGTCCTTATCAG TTCAGAGTCAGTGCCAGTAACCCCTGGGGAATCAGCCTTCCCAGCGAGCCCTCGGAGTTT TTTGACTCAGCTTACACTGAGCTGAATGAAATTGGAAGAGGCCGTTTCTCTATAGTAAAG AAATGCATTCACAAAGCTACCCGCAAAGATGTGGCTGTGAAATTTGTTAACAAAAAAATG AAGAAGAAGAACAGGCTGCCCACGAGGCTGCCCTGCTTCAGCACCTACAGCACCCCCAG TACATCACTCTCCATGACACCTATGAGTCCCCCACATCCTACATCCTGATCTTGGAACTG ATGGATGATGGCCGCTCTTAGACTACCTTATGAATCATGATGAACTGATGGAGGAAAAA GTAGCTTTCTATATCCGAGACATCATGGAGGCTCTGCAGTACCTTCACAACTGCAGGGTT GCACATTTGGACATAAAGCCTGAAAACCTGCTCATTGACCTACGGATTCCAGTGCCTCGA GTGAAGCTCATTGACTTGGAGGATGCTGTCCAGATCTCGGGTCACTTCCACATTCACCAC CTGCTGGGGAACCCTGAGTTTGCTGCCCCAGAAGTCATTCAAGGCATCCCCGTCTCCCTG GGGACAGACATCTGGAGCATCGGGGTTCTGACATATGTCATGCTGAGTGGGGTCTCCCCC TTCTTGGATGAGAGCAAAGAGGAGACATGTATCAACGTATGCAGGGTGGATTTCAGCTTC CCCCATGAATACTTCTGTGGTGTGAGCAATGCTGCCAGAGATTTCATCAATGTGATCTTA CAGGAAGATTTTCGGAGGCGGCCCACAGCAGCCACATGCTTGCAGCATCCATGGCTGCAG CCCCATAATGGCAGCTACTCTAAGATCCCCCTGGACACCTCCCGCCTAGCATGCTTCATA GAACGTCGCAAGCACCAGAATGATGTGCGGCCTATCCCCAATGTCAAGAGCTACATTGTC AACCGGGTGAACCAAGGGACGTAG

SEQ ID NO: 45_5R72_8_2_H
CGCCGCTGTTTGTCCTCGCGCGCCCCGTCCACTGCCCTGCGGTTGCTCTGCGGGCTGAA
AAGTTTCTCCCGGTGCAGAATTCCGGGCTCAGCGACAGCCTGCGCCGAGTGTGCGCACCT
GTCGGAGACCCGCCAGTCCGCCGGCCCCGGCTTTGTTCGTGCGGAACTGTAGTGGTGAGA

FIGURE 2KK

TGGGCTGTCACGTGTGAATATGTGTCTAGTGCATCCTTAACCTGAGGACTTCACCAGTTC GAAATTACAGTTTTCACCATCAACTACCTTATCCTTTTTGGCCTGGTTTTCTTCCTCAAA CAGTGGAAACATTTTTAAAGTTGCTTTTGTTGCAGAGTTAAACAAATGGCTGATAGTGGC TTAGATAAAAATCCACAAAATGCCCCGACTGTTCATCTGCTTCTCAGAAAGATGTACTT TGTGTATGTTCCAGCAAAACAAGGGTTCCTCCAGTTTTGGTGGTGGAAATGTCACAGACA AACAGAGATATAACCTCCAGGAAAGATTTGCCCTCAAGAACCTCAAATGTAGAGAGAAAA GCATCTCAGCAACAATGGGGTCGGGGCAACTTTACAGAAGGAAAAGTTCCTCACATAAGG ATTGAGAATGGAGCTGCTATTGAGGAAATCTATACCTTTGGAAGAATATTGGGAAAAGGG AGCTTTGGAATAGTCATTGAAGCGACAGACAAGGAAACAGAAACGAAGTGGGCAATTAAA AAAGTGAACAAAGAAAAGGCTGGAAGCTCTGCTGTGAAGTTACTTGAACGAGGGTGAAC ATTCTGAAAAGTGTAAAACATGAACACATCATACATCTGGAACAAGTATTTGAAACGCCA AAGAAAATGTACCTTGTGATGGAGCTTTGTGAGGATGGAGAACTCAAAGAAATTCTGGAT AGGAAAGGCATTTCTCAGAGAATGAGACAAGGTGGATCATTCAAAGTCTCGCATCAGCT ATAGCATATCTTCACAATAATGATATTGTACATAGAGATCTGAAACTGGAAAATATAATG GTTAAAAGCAGTCTTATTGATGATAACAATGAAATAAACTTAAACATAAAGGTGACTGAT TTTGGCTTAGCGGTGAAGAAGCAAAGTAGGAGTGAAGCCATGCTGCAGGCCACATGTGGG ACTCCTATCTATATGGCCCCTGAAGTTATCAGTGCCCACGACTATAGCCAGCAGTGTGAC ATTTGGAGCATAGGAGTCGTAATGTACATGTTATTACGTGGAGAACCACCCTTTTTGGCA AGCTCAGAAGCGAAGCTTTTTGAGTTAATAAGAAAAGGAGAACTACATTTTGAAAATGCA GTCTGGAATTCCATAAGTGACTGTGCTAAAAGTGTTTTGAAACAACTTATGAAAGTAGAT CCTGCTCACAGAATCACAGCTAAGGAACTACTAGATAACCAGTGGTTAACAGGCAATAAA CTTTCTTCGGTGAGACCAACCAATGTATTAGAGATGATGAAGGAATGGAAAAATAACCCA GAAAGTGTTGAGGAAAACACAACAGAAGAAGAATAAGCCGTCCACTGAAGAAAAGTTG AAAAGTTACCAACCCTGGGGAAATGTCCCTGAGACCAATTACACTTCAGATGAAGAGGAG GAAAAACAGTCTACTGCTTATGAAAAGCAATTTCCTGCAACCAGTAAGGACAACTTTGAT ATGTGCAGTTCAAGTTTCACATCTAGCAAACTCCTTCCAGCTGAAATCAAGGGAGAAATG GAGAAAACCCCTGTGACTCCAAGCCAAGGAACAGCAACCAAGTACCCTGCTAAATCCGGC GCCCTGTCCAGAACCAAAAAGAAACTCTAAGGTTCCCTCCAGTGTTGGACAGTACAAAAA CAAAGCTGCTCTTGTTAGCACTTTGATGAGGGGGGTAGGAGGAGAAGACAGCCCTATG CTGAGCTTGTAGCCTTTTAGCTCCACAGAGCCCCGCCATGTGTTTGCACCAGCTTAAAAT TGAAGCTGCTTATCTCCAAAGCAGCATAAGCTGCACATGGCATTAAAGGACAGCCACCAG TAGGCTTGGCAGTGGGCTGCAGTGGAAATCAACTCAAGATGTACACGAAGGTTTTTTAGG GGGGCAGATACCTTCAATTTAAGGCTGTGGGCACACTTGCTCATTTTTACTTCAAATTCT TATGTTTAGGCACAGCTATTTATAGGGGAAAACAAGAGGCCAAATATAGTAATGGAGGTG CCAAATAATTATGTGCACTTTGCACTAGAAGACTTTGTTAGAAAATTACTAATAAACTTG CCATACGTATTACAGCAGAAGTGCTTCAGTCATTCACATGTGTTCGTGAGATTTTAGGTT GCTATAGATTGTTTAAGACAGCTTATTTTAAATGTAGAAAAATAGGAGATTTTGTAACTG CTTGCCATTAACTTGCTGCTAAATTCCCAATGTATTGATTAAATCAATAAAAAACAGATG TTACTC

SEQ ID NO: 46_SGK309_H

FIGURE 2LL

CATGTGTGCAGGTTCATTGGCTGTGGCAGGAACGAGAAGTTTAACTATGTAGTGATGCAG AGCACCACATTGCGGCTGGGCAAGCAGATCTTGGAGTCCATCGAGGCCATCCACTCTGTG GGCTTCCTGCACCGTGACATCAAGCCTTCAAACTTTGCCATGGGCAGGCTGCCCTCCACC TACAGGAAGTGCTATATGCTGGACTTCGGGCTGGCCCGGCAGTACACCAACACCACGGGG GATGTGCGGCCCCTCGGAATGTGGCCGGGTTTCGAGGAACGGTTCGCTATGCCTCAGTC AATGCCCACAGAACCGGGAGATGGGCCGCCACGACGACCTGTGGTCCCTCTTCTACATG CTGGTGGAGTTTGCAGTGGGCCAGCTGCCCTGGAGGAAGATCAAGGACAAGGAACAGGTA GGGATGATCAAGGAGAAGTATGAGCACCGGATGCTGCTGAAGCACATGCCGTCAGAGTTC CACCTCTTCCTGGACCACATTGCCAGCCTCGACTACTTCACCAAGCCCGACTACCAGTTG ATCATGTCAGTGTTTGAGAACAGCATGAAGGAGGGGGCATTGCCGAGAATGAGGCCTTT GACTGGGAGAAGGCAGGCACCGATGCCCTCTGTCCACGAGCACCTCTACCCCGCCCCCA GCAGAACACCCGGCAGACGCCATGTTTGGGGTGGTCAATGTGACGCCAGTGCCTGG GGACCTGCTCCGGGAGAACACCGCGGATGTGCTACAGGGAGAGCACCTGAGTGACCAGGA GAATGCACCCCAATTCTGCCCGGGAGGCCCTCTGAGGGGCTGGGCCACAGTCCCCACCT TGTCCCCCACCCGGGGGTCCTGAGGCTGAAGTCTGGGAGGAGACAGATGTCAACCGGAA TTTCTCTCACCCCGATTCCCAGCCTTGTGCCCCTGCCCTGTTCCTCCTAAGCACCCTGT CCCCGCCATCTCCCTGCTTGCCCGGCCTCTGTTTCCGGTCCCCTCCCCGGCACTAGCC TCGCTGTGTCTTCCATCATCATCATCCTCTGTCTCCTTCACACTGAGGAGACCATCCGCC

SEQ ID NO: 47 AA234451 H

GGCGCCAGATATCACACGTGCCAAGGGGCTGGCTCAGCGGCGGCGGCGGCAGGAGGGG GAGCAGGTGCTGGCACAAGAGCAGCGGCTTGGGGGAGCCGGCAGCAGCAGTAACAGCAGC AGCAGCCGCCGCCGCCGCCAGTAAACGCGGACCGTACCCCAGGGGACTACCCAGCCG GTGGCGGTCCCGCCGAGGGTTAACCCCCGCCGGTCCCGGTCCTGAGCTGGACCAGA GCCCTCCTCCAGAAACCCCTGCGTCCGCCACGGCCCAGGTTAAATGGAAACCACCCTTGG GAACTGGATGCCTGTTGTAGCTGTTCTACCATATCAGTGTATTGCAATGAGTGGGGGGAGGA GAGCAGCTGGATATCCTGAGTGTTGGAATCCTAGTGAAAGAAGATGGAAAGTGTTGAGA AAGATTGGGGGTGGGGGCTTTGGAGAAATTTACGATGCCTTGGACATGCTCACCAGGGAA AATGTTGCACTGAAGGTGGAATCAGCTCAACAACCAAAACAAGTTCTGAAAATGGAAGTT GCTGTTTTGAAAAAGCTGCAAGGGAAAGACCATGTTTGTAGATTTATTGGCTGTGGGAGG AATGATCGATTCAACTATGTGGTCATGCAGTTGCAGGGTCGGAATCTGGCAGATCTTCGC CGTAGCCAGTCCCGAGGCACATTCACCATTAGTACCACTCTCCGGCTGGGTAGACAGATT TTGGAGTCTATTGAAAGCATTCATTCTGTGGGATCTTGNCATCGAGACATCAAACCGTCG AACTTCGCTATGGGTCGCTTTCCTAGTACATGTAGGAAATGTTACATGCTTGATTTTGGC TTGGCTCGACAATTTACCAATTCCTGTGGTGACGTCAGACCACCTCGAGCTGTGGCAGGT TTTCGAGGGACAGTTCGTTATGCATCAATCAACGCACATCGGAACAGGGAAATGGGAAGA TGGAGAAAATAAAGGACAAGGAGCAAGTAGGCTCTATTAAGGAGAGATATGACCACAGG CTCATGTTGAAACATCTCCCTCCAGAATTCAGCATCTTTCTAGACCATATCTCTTTTG GATTATTTTACAAAACCAGACTACCAGCTTCTTACATCCGTGTTTGACAATAGCATCAAG ACTTTTGGAGTAATTGAGAGTGACCCTTTTGACTGGGAGAGACTGGAAATGATGGCTCC CTAACAACCACCACTACTTCTACCACCCCTCAGTTGCACACTCGCTTGACCCCTGCTGCA ATTGGAATTGCCAATGCTACTCCCATCCCTGGAGACTTGCTTCGAGAAAATACAGATGAG GTATTTCCAGATGAACAGCTTAGCGATGGAGAAAATGGCATCCCTGTTGGTGTCTCACCA GATAAATTGCCTGGATCTCTGGGACACCCCCGTCCCCAGGAGAAGGATGTTTGGGAAGAG ATGGATGCCAACAAAAACAAGATAAAGCTTGGAATTTGTAAGGCTGCTACTGAAGAGGAG AACAGCCATGGCCAGGCAAATGGTCTTCTCAATGCTCCAAGCCTTGGGTCACCAATTCGT

FIGURE 2MM

SEQ ID NO: 48_AA435956_H

ACTTTTACTATATTCTTTGAGATGACTGTTTTTGATTTAGAGGCGAAATCAGCACGTGGT GGCTCAAATCTCCTTATGGATAGTGTTTCTTCCTTCCAGCTTTTCATGTTTCAACTTTTG CGGGGCCTGGCGTACATCCACCACCACACGTTCTTCACAGGGACCTGAAACCTCAGAAC TTACTCATCAGTCACCTGGGAGAGCTCAAACTGGCTGATTTTGGTCTTGCCCGGGCCAAG TCCATTCCCAGCCAGACATACTCTTCAGAAGTCGTGACCCTCTGGTACCGGCCCCCTGAT GCTTTGCTGGGAGCCACTGAATATTCCTCTGAGCTGGACATATGGGGTGCAGGCTGCATC TTTATTGAAATGTTCCAGGGTCAACCTTTGTTTCCTGGGGTTTTCCAACATCCTTGAACAG CTGGAGAAAATCTGGGAGGTGCTGGGAGTCCCTACAGAGGATACTTGGCCGGGAGTCTCC AAGCTACCTAACTACAATCCAGAATGGTTCCCACTGCCTACGCCTCGAAGCCTTCATGTT GTCTGGAACAGGCTGGGCAGGGTTCCTGAAGCTGAAGACCTGGCCTCCCAGATGCTAAAA GGCTTTCCCAGAGACCGCGTCTCCGCCCAGGAAGCACTTGTTCATGATTATTTCAGCGCC CTGCCATCTCAGCTGTACCAGCTTCCTGATGAGGAGTCTTTGTTTACAGTTTCAGGAGTG AGGCTAAAGCCAGAAATGTGTGACCTTTTGGCCTCCTACCAGAAAGGTCACCACCCAGCC CAGTTTAGCAAATGCTGGTGAAAAGAAGGGCGAGATCACCAAGGTTCTTCCAGGGCTGT ATTTCTGCAGTTTCGGTTTTCATTTGCTTCAGCTTACTAAGAAGCTTCAAATCTAACTCC ATACTGAACAAGGGGCTTTATGTCCTCACCTATGACCTGGAATAGTTTAAATATGGTGTT CAAGGCAATAGTACATAATAGTGGAAGAAAATTCAGTGGAAGGTTATTGCTATTGTCATT TGCATAGAATTTAAGTGATTGATTTAAAAAAACTGGACATAAACTAAGTCTAAGAAG

SEQ ID NO: 49 AA626859 H

AAATGGAGTTGCTGATGGAGTGATCAAAAGCGTATTATGGCAAACACTTCAAGCTCTTAA
TTTCTGTCATATACATAACTGTATTCACAGAGATATAAAACCTGAAAATATTCTAATAAC
TAAGCAAGGAATAATCAAGATTTGTGACTTCGGGTTTGCACAAAATTCTGATTCCAGGAGA
TGCCTACACCGATTATGTAGCTACGAGATGGTACCGAGCTCCTGAACTTCTTGTGGGAGA
TACTCAGTATGGTTCTTCAGTCGATATATGGGCTATTGGTTGTTTTTTGCAGAGCTCCT
GACAGGCCAGCCACTGTGGCCTGGAAAATCAGATGTGGACCAACTTTATCTGATAATCAG
AACACTAGGAAAATTAATCCCAAGACATCAATCAATCTTTAAAAGTAACGGGTTTTTCCA
TGGCATCAGTATACCTGAGCCAGAAGACATGGAAACTCTTGAGGAAAAGTTCTCAGATGT
TCATCCTGTGGCTCTGAACTTCATGAAGGGGTTGTCTGAAGATGAATCCAGATGACAGATT
AACCTGTTCCCAACTCCTGGAGAGCTCCTACTTTGATTCTTTTCAAGAGGCCCAAATTAA
AAGAAAAGCACGTAATGAAGGAAGAAACAGAAGACGCCAACAGAATCAACTGTTGCCTCT
CATACCAGGAAGCCACATCTCCCCCACACCTGATGGAAGAAAACAAGTCCTCCAGTTAAA
ATTTGATCACCTTCCAAACATTTAGGAAAATGTTCTTTTCAAATGCAAATGAACTATTAATAT
GTACACATTTTGTACAAGTGAGATAGGAATTCTCAGTGTTTCCAAATGCAAATGAGCCCATA

FIGURE 2NN

 ${\tt TGAAAATTAAGATGCCTTCTAGAATTGGTTTGCTCTGATCATTGCTGATTCCTTTTCCCCA}\\ {\tt TGCTTTTACAT}$

SEQ ID NO: 50 AA061797 M

GAAAATAGCCCTGCGGGAAATCCGTATGCTGAAGTTGAAACACCCCAAACCTCGTGAACCT CATCGAGGTGTTCAGAAGAAGAGAAGATGCATCTAGTTTTTGAGTACTGTGATCACAC ACTGTTAAACGAGCTGGAGAGAAACCCAAACGGAGTTTCTGATGGAGTGATTAAAAGTGT GCTATGGCAAACCCTTCAAGCCCTTAACTTCTGTCACAAGCACAATTGTATTCATCGGGA TGTAAAACCTGAAAACATCCTAATAACCAAGCAAGGGATGATAAAGATTTGTGACTTTGG ATTTGCACGAATTCTAATTCCAGGAGACGCCTACACAGACTATGTTGCCACCAGGTGGTA CCGAGCCCCGAACTTCTCGTGGGAGACACGAAGTACGGTTCCTCTGTAGACGTGTGGGC CGTCGGCTGTGTTTTTGCAGAGCTCCTGACGGGTCAGCCACTCTGGCCGGGAAAATCCGA CGTGGACCAGCTTTACCTGATCATCAGGACGTTGGGGAAGCTGATTCCAAGACACCAGTC TATCTTTAGGAGTAACCAGTTTTTCCGCGGCATCAGCATACCTGAACCAGAGGACATGGA GACTCTTGAAGAAAATTCTCAAATGTTCAGCCTGTGGCTTTAAGTTTCATGAAGGGATG CCTGAAGATGAATCCTGATGAGAGGCTGACCTGTGCCCAGCTGCTGGACAGTGCCTACTT TGAGTCTTTTCAAGAGGATCAAATGAAAAGAAAAGCCCGCAGTGAGGGGAGAAGCCGAAG GCGCCAGCAGAATCAACTGCTGCCTCTTATTCCTGGAAGCCACATCTCCCCCACACCTGA TGGAAGGAAACAAGTCGTCCAGTTAAAGTTCGATCATCTTCCAAACATTTAGGGGACTCA TCCTTCCCAGCACATCCTTTTAATATTGTCTACATAGGAATAAGACGGGAATCCTCAGCA TCTCAAATACAGTGAGCGACGTGAACACCAGGGCACCTCTAATCACCACGGGCTCCTCCC CTGTGCTTTTTCCACGCCAGCTCCATCTCCTAAAACATTCTCTTTAAATGTTGCAGTATC AAAATGGCACATCCGAAAGAGATGCTTCCAGTTTCACCAGAGCCGGGCTTCCTCAGGCAA TCGGTACTGTGCATCTGTGGACTTATGCTCCGACCTAGGGAAAGATTTCCACGTAGCCGT GGAGGGGATGGCCCTGAGCCCTCTCACTGGAGTTTCTTCTCCGTGCAGCCAGGTCTTACT TTAGACTACATTTGTGTTATTGTGGCATGGCAATCGTGAAAGGTGGTCTAGGTTTACCCT TGACTCCACAGCAGATGCTAGTCTCCTTCTCGTGAGGAGCTGACAAGTCTGCTTCTAAAA CGAACTAGAGAAAATTCCAAACGTGACCAGTTAGTGGACAGACTACAAGGAATCGACCAC AGAGGGCGAGAGAAACCTCGTGTGTGAAAATCAAAAGACAGCAGGGCCAGCCTAAG ${\tt CTACATAGCAAGGCCTTTTCTCTACACCCATTCTCTAAGGTTGCTTAAACCCAAGTCCCT}$ GCTGCTGATTGTATAAACTATGAATAAGTTCTACATATGTAGGACATATTGTTGTCATTG TTGAAATATCTAAGGATCTTGGTAGAAGCAGAAGTGTTCTAAATATTCTCCACACTGGTG AGTATCTTGGCATTTCATTTCTGACCTCATCACAGATGAACACATCAAAGGATGAGTATG TATCACTTTGCATCTTAGAATTCTACCTGTTTTAGCTGCGTTAAACCTTGTGAAAGGGCG GGGCCATAACTGAACCTGTGGAGTTCTTGCCTGTGTGCAGGAAACCCTCTGGTTTTGTCT CCAGCATGGAAGAAAACAGCTATAGTCACACCTACCTGAAAGTAGAAATTCAAAGTCACT GTCCTTGACTACATATGCAGTCCAAGGCCACGCTGGGCTACACTTCTCCAGGCATGAAGG TCCGTGTTTGTATCAAGGGCAGGAAAGGAGAGTCCAAGGTCAAGGCCAGCCGAGGCTGC ATAGTGAGTTGAGGCTCTTCAGCAAAAGAAAGCAAACTAATAGGAGTCGTTGAAGGTAG CCACCGGCCATTTCTCTAAATATCATTCTGCTGAAAAGGGGGGCTTAGTTTAGTTTAGAAT GCATTAATGTATGTAGAAGCTGGGCTATTTCAGATTATTTGAAATTGTAGCTATTGTTAA TTAGCACTTAATAACTAACTAGCATTATGGTAGTCTAAACTATTAGAGTTTACTACAAAG AGGTTTTGATTGAATTATATAAACATATAATATGGATTTTAAAAATTTAAGATGTTTAA GAAAGCTATATAAAGATTAAACATTTTTGTGGCTGTATATTTGTGTATATACCTTGGTTG TTCTTTAAATTATTTTAATAAAAGCCAGAAACATT

FIGURE 200

SEQ ID NO: 51_AA397553 H

ATGCCCAATTCAGAGAGACATGGGGGCAAGAAGGACGGGAGTGGAGGAGCTTCTGGAACT TTGCAGCCGTCATCGGGAGGCGGCAGCTCTAACAGCAGAGAGCGTCACCGCTTGGTATCG AAGCACAAGCGGCATAAGTCCAAACACTCCAAAGACATGGGGTTGGTGACCCCCGAAGCA GCATCCCTGGGCACAGTTATCAAACCTTTGGTGGAGTATGATGATATCAGCTCTGATTCC GACACCTTCTCCGATGACATGGCCTTCAAACTAGACCGAAGGGAGAACGACGAACGTCGT GGATCAGATCGGAGCGACCGCCTGCACAAACATCGTCACCACCAGCACAGGCGTTCCCGG GACTTACTAAAAGCTAAACAGACCGAAAAAGAAAAAAGCCAAGAAGTCTCCAGCAAGTCG GGATCGATGAAGGACCGGATATCGGGAAGTTCAAAGCGTTCGAATGAGGAGACTGATGAC TATGGGAAGGCGCAGGTAGCCAAAAGCAGCAGCAAGGAATCCAGGTCATCCAAGCTCCAC AAGGAGAAGACCAGGAAAGAACGGGAGCTGAAGTCTGGGCACAAAGACCGGAGTAAAAGT CATCGAAAAAGGGAAACACCCAAAAGTTACAAAACAGTGGACAGCCCAAAACGGAGATCC AGGAGCCCCACAGGAAGTGGTCTGACAGCTCCAAACAAGATGATAGCCCCTCGGGAGCT TCTTATGGCCAAGATTATGACCTTAGTCCCTCACGATCTCATACCTCGAGCAATTATGAC TCCTACAAGAAAAGTCCTGGAAGTACCTCGAGAAGGCAGTCGGTCAGTCCCCCTTACAAG GAGCCTTCGGCCTACCAGTCCAGCACCCGGTCACCGAGCCCCTACAGTAGGCGACAGAGA TCTGTCAGTCCCTATAGCAGGAGACGGTCGTCCAGCTACGAAAGAAGTGGCTCTTACAGC GGGCGATCGCCCAGTCCCTATGGTCGAAGGCGGTCCAGCAGCCCTTTCCTGAGCAAGCGG TCTCTGAGTCGGAGTCCACTCCCCAGTAGGAAATCCATGAAGTCCAGAAGTAGAAGTCCT GCATATTCAAGACATTCATCTTCTCATAGTAAAAAGAAGAGATCCAGTTCACGCAGTCGT CATTCCAGTATCTCACCTGTCAGGCTTCCACTTAATTCCAGTCTGGGAGCTGAACTCAGT AAGGGTTCACCTGTATTTTTGCCTAGAAAAGAGAACAGTTCAGTAGAGGCTAAGGATTCA GGTTTGGAGTCTAAAAAGTTACCCAGAAGTGTAAAATTGGAAAAATCTGCCCCAGATACT GAACTGGTGAATGTAACACATCTAAACACAGAGGTAAAAAATTCTTCAGATACAGGGAAA GTAAAGTTGGATGAGAACTCCGAGAAGCATCTTGTTAAAGATTTGAAAGCACAGGGAACA AGAGACTCTAAACCCATAGCACTGAAAGAGGAGATTGTTACTCCAAAGGAGACAGAAACA TCAGAAAAGGAGACCCCTCCACCTCTTCCCACAATTGCTTCTCCCCCACCCCCTCTACCA ACTACTACCCCTCCACCTCAGACACCCCCTTTGCCACCTTTGCCTCCAATACCAGCTCTT CCACAGCAACCACCTCTGCCTCCTTCTCAGCCAGCATTTAGTCAGGTTCCTGCTTCCAGT ACTTCAACTTTGCCCCCTTCTACTCACTCAAAGACATCTGCTGTGTCCTCTCAGGCAAAT TCTCAGCCCCCTGTACAGGTTTCTGTGAAGACTCAAGTATCTGTAACAGCTGCTATTCCA CACCTGAAAACTTCAACGTTGCCTCCTTTGCCCCTCCCACCCTTATTACCTGGAGGTGAT AGGACACGTCACTTACTCACAGACCTTCCTCTCCCTCCAGAGCTCCCTGGTGGAGATCTG TCTCCCCCAGACTCTCCAGAACCAAAGGCAATCACACCACCTCAGCAACCATATAAAAAG AGACCAAAAATTTGTTGTCCTCGTTATGGAGAAAGAAGACAAACAGAAAGCGACTGGGGG AAACGCTGTGTGGACAAGTTTGACATTATTGGGATTATTGGAGAAGGAACCTATGGCCAA GTATATAAAGCCAGGGACAAAGACACAGGAGAACTAGTGGCTCTGAAGAAGGTGAGACTA GACAATGAGAAAGAGGGCTTCCCAATCACAGCCATTCGTGAAATCAAAATCCTTCGTCAG TTAATCCACCGAAGTGTTGTTAACATGAAGGAAATTGTCACAGATAAACAAGATGCACTG GATTTCAAGAAGGACAAAGGTGCCTTTTACCTTGTATTTGAGTATATGGACCATGACTTA ATGGGACTGCTAGAATCTGGTTTGGTGCACTTTTCTGAGGACCATATCAAGTCGTTCATG AAACAGCTAATGGAAGGATTGGAATACTGTCACAAAAAGAATTTCCTGCATCGGGATATT AAGTGTTCTAACATTTTGCTGAATAACAGTGGGCAAATCAAACTAGCAGATTTTGGACTT TACCGACCTCCAGAACTACTGCTAGGAGGGAACGTTACACACCAGCCATAGATGTTTGG AGCTGTGGATGTATTCTTGGGGAACTATTCACAAAGAAGCCTATTTTTCAAGCCAATCTG CCTGATGTTATCAAACTGCCCTACTTCAACACCATGAAACCGAAGAAGCAATATCGAAGG

FIGURE 2PP

CGTCTACGAGAAGAATTCTCTTTCATTCCTTCTGCAGCACTTGATTTATTGGACCACATG CTGACACTAGATCCTAGTAAGCGGTGCACAGCTGAACAGACCCTACAGAGCGACTTCCTT AAAGATGTCGAACTCAGCAAAATGGCTCCTCCAGACCTCCCCCACTGGCAGGATTGCCAT GAGTTGTGGAGTAAGAAACGGCGACGTCAGCGACAAAGTGGTGTTGTAGTCGAAGAGCCA CCTCCATCCAAAACTTCTCGAAAAGAAACTACCTCAGGGACAAGTACTGAGCCTGTGAAG AACAGCAGCCCAGCACCTCAGCCTGCTCCTGGCAAGGTGGAGTCTGGGGCTGGGGAT GCAATAGGCCTTGCTGACATCACACACAGCTGAATCAAAGTGAATTGGCAGTGTTATTA AACCTGCTGCAGAGCCAAACCGACCTGAGCATCCCTCAAATGGCACAGCTGCTTAACATC CACTCCAACCCAGAGATGCAGCAGCAGCTGGAAGCCCTGAACCAATCCATCAGTGCCCTG ACGGAAGCTACTTCCCAGCAGCAGGACTCAGAGACCATGGCCCCAGAGGAGTCTTTGAAG GAAGCACCCTCTGCCCAGTGATCCTGCCTTCAGCAGAACAGATGACCCTTGAAGCTTCA AGCACACCAGCTGACATGCAGAATATATTGGCAGTTCTCTTGAGTCAGCTGATGAAAACC CAAGAGCCAGCAGCAGTCTGGAGGAAAACAACAGTGACAAGAACAGTGGGCCACAGGGG CCCCGAAGAACTCCCACAATGCCACAGGAGGAGGCAGCATGTCCTCCTCACATTCTT CCACCAGAGAGAGGCCCCCTGAGCCCCCGGACCTCCACCGCCGCCACCTCCACCCCCT CTGGTTGAAGGCGATCTTTCCAGCGCCCCCAGGAGTTGAACCCAGCCGTGACAGCCGCC TTGCTGCAACTTTTATCCCAGCCTGAAGCAGAGCCTCCTGGCCACCTGCCACATGAGCAC CAGGCCTTGAGACCAATGGAGTACTCCACCCGACCCCGTCCAAACAGGACTTATGGAAAC ACTGATGGGCCTGAAACAGGGTTCAGTGCCATTGACACTGATGAACGAAACTCTGGTCCA GCCTTGACAGAATCCTTGGTCCAGACCCTGGTGAAGAACAGGACCTTCTCAGGCTCTCTG AGCCACCTTGGGGAGTCCAGCAGTTACCAGGGCACAGGGTCAGTGCAGTTTCCAGGGGAC CAGGACCTCCGTTTTGCCAGGGTCCCCTTAGCGTTACACCCGGTGGTCGGGCAACCATTC CTGAAGGCTGAGGGAAGCAGCAATTCTGTGGTACATGCAGAGACCAAATTGCAAAACTAT GGGGAGCTGGGGCCAGGAACCACTGGGGCCAGCAGCTCAGGAGCAGGCCTTCACTGGGG GGCCCAACTCAGTCTTCTGCTTATGGAAAACTCTATCGGGGGCCTACAAGAGTCCCACCA AGAGGGGAAGAGGAGGAGTTCCTTACTAA

SEQ ID NO: 52 AA789239 H

TGAAAATGGAGATGTATGAAACCCTTGGAAAAGTGGGAGAGGGAAGTTACGGAACAGTCA TGAAATGTAAACATAAGAATACTGGGCAGATAGTGGCCATTAAGATATTTTATGAGAGAC CAGAACAATCTGTCAACAAAATTGCGATGAGAGAAATAAAGTTTCTAAAGCAATTTCATC ACGAAAACCTGGTCAATCTGATTGAAGTTTTTTAGACAGAAAAAGAAAATTCATTTGGTAT TTGAATTTATTGACCACACAGTATTAGATGAGTTACAACATTATTGTCATGGACTAGAGA GTAAGCGACTTAGAAAATACCTCTTCCAGATCCTTCGAGCAATTGACTATCTTCACAGTA ATAATGTAATCATCAGGAGATATAAAACCTGAGAATATTTTAGTATCCCAGTCAGGAA TTACTAAGCTCTGTGATTTTGGTTTTGCACGAACACTAGCAGCTCCTGGGGACATTTATA CGGACTATGTGGCCACACGCTGGTATAGAGCTCCCGAATTAGTATTAAAAGATACTTCTT ATGGAAAGTATGTGCCTGTGGATATCTGGGCTTTTGGGCTGTATGATCATTGAGATGGCCA CTGGAAATCCCTATCTTCCTAGTAGTTCTGATTTGGATTTACTCCATAAAATTGTTTTGA AAGTGNGATTCATGCCAGAACTGAAAGCTAAATTACTGCAGGAAGCAAAAGTCAATTCAT TTTATACCAATACACTGCTAAGTAGTTCAGTTTTGGGAAAGGAAATAGAAAAAGAGAAAA AGCCCAAGGAGATCAAAGTCAGAGTTATTAAAGTCAAAGGAGGAAGAGAGATATCTCAG AACCAAAAAGAAAGAGTATGAAGGTGGACTTGGTCAACAGGATGCAAATGAAAATGTTC ATCCTATGTCTCCAGATACAAAACTTGTAACCATTGAACCACCAAACCCTATCAATCCCA GCACTAACTGTAATGGCTTGAAAGAAAATCCACATTGCGGAGGTTCTGTGACAATGCCAC CCATCAATCTAACTAACAGTAATTTGATGGCTGCAAATCTCAGTTCAAATCTCTTTCACC CCAGTGTGAGGTTAACTGAAAGAGCAAAAAAGAGACGCACTTCTTCACAATCTATTGGAC AAGTTATGCCTAATAGCAGGCAAGAGGATCCAGGTCCTATTCAAAGCCAAATGGAGAAGG GTATATTTAATGAGCGAACAGGTCACAGTGACCAAATGGCAAATGAGAACAAAAGGAAGC

FIGURE 2QQ

SEO ID NO: 53 AA124976 M CTGGCAGATATAGTTCATGCTTGTTTACAAATTGATCCTGCTGAGAGGACATCATCTACT GATCTTTTGCGTCACGATTACTTTACTAGAGATGGATTTATTGAGAAATTCATACCAGAG CTGAGAGCTAAATTATTACAGGAAGCAAAGGTTAATTCATTTATAAAGCCAAAAGAGAAT TTTAAAGAAAATGAACCTGTGAGAGATGAGAAGAAATCAGTTTTTACCAACACCCTGCTC TATGGAAATCCATCACTTTATGGCAAGGAAGTGGACAGAGACAAAAGGGCCAAGGAGCTC AAAGTCAGAGTCATTAAGGCCAAAGGGGGCAAAGGAGATGTCCCAGACCAGAAGAAGCCA GAGTATGAAGGCGACCACCGCCAGCAGGGCACAGCTGATGACACACAGCCCTCATCACTG GACAAGAAGCCTTCTGTCTTGGAACTGACAAACCCTCTCAATCCCAGTGAGAATTCTGAC GGTGTCAAAGAAGACCCACACGCTGGGGGTTGTATGATAATGCCACCTATCAACCTGACA AGCAGTAATTTGTTGGCCGCAAATCTCAGTTCAAACCTTTCCCACCCCAATTCACGGTTA ACTGAAAGAACAAAAAAGAGACGCACTTCTTCACAAACTATTGGACAGACTTTGTCTAAT AGCAGACAAGAGGACACAGGTCCCACACAAGTCCAAACAGAGAAAGGTGCATTTAATGAG TGCGACAGGAAAGAATTCCATTTCCCTGAACTGCCATTCACAGTGCAGGCGAAGGAGATG AAAGGGATGGAAGTTAAACAGATAAAAGTGCTGAAGAGAGAATCAAAGAAAACAGATTCA TCTAAAATACCAACTTTACTTAGTATGGACCCAAATCAAGAAAAACAAGAGGGTGGAGAT ACTAGAATGTACATAGGTTGCTGCTAAGATAGCCACCCATCCCATCTGCATCAACATCAT CTATTTTTTGGTTTTGCTAGCAAAATTTTCACAATTTTTCTCTATCTTCCAAAAACTGT CATGATTACTGAGTGGGTAGTCACATGATGTGCCCTGCTCGCACTGCTCTCAGACTGCTG AGACTCAAACCTCATAAGCCAGGGTCTCCTGGGAAGCACTGGCCTCTTCAAGTGGATGC TCGATGAACCTTCTTATCTGTTGTCTTAGTAACCACTCGTTGCCATCACATGATGAAAGA CATTCTATTGTCCCCAGTGAAGCATTTATAGTACTTACATAACATGTTACAGTGATATGA TGTTCCTAGGTTAAACTCCTTGAGATGAAACTATTTCCTGCATTCTCTGACTCCCCTAGT CTAATAGTTCCTTCCATTTAGCCAGAAGAATTTCCTGAAGAAGCGATGCACAACCTGGGA AAGGTTTACTTTCTATCCTGGGCTGTTTTCTGTTGCTAAATAATATAGACTGGGTAGTTA GTTAACAT

SEQ ID NO: 54_AA575635_M CCRK_M

AGCGCCTCAGGCCAGCTCAAGATAGCTGACTTTGGCCTGGCCCGGGTCTTCTCTCCCGGAT

GGTGGTCGCCTCTACACACATCAGGTGGCCACCAGGTGGTACCGAGCTCCTGAACTCCTG

TATGGCGCTCGGCAGTATGACCAGGGCGTTGACCTATGGGCTGTGGGCTGCATCATGGGA

GAGCTGTTGAATGGGTCCCCCCTGTTCCCGGGCGAAAACGACATTGAACAACTGTGCTGT

GTGCTTCGCATCCTGGGTACCCCGAGTCCTCGAGTCTGGCCGGAGATCACAGAGCTGCCT

GACTACAACAAGATCTCCTTCGAGGAGCAGCACCAGTGCCCCTGGAGGAGGTGCTGCCT

GATGCCTCTCCCCCAGGCCTTGGACCTGCTGGGCCAGTTCCTCCTCTACCCTCCACGACAG



FIGURE 2RR

CATCCATCCGAGCTGCCAATTCCTCAGCGCCCCAGGGGGGACCTGCACCCAAGGCTCACCCA GGGCCCCCCATGTCCACGACTTCCATGTGGATCGACCTATTGAGGAGTCACTGTTGAAC CCAGAACTGATTCGGCCCTTCATCCCAGAGGGGTGAGATGCTGGTCCAGGCCTTCCTGCT TGTTCATCCCAGCAGAGAAAGAGACTCACGTCCTACAGACAAAGCCTCCAGAAACTGCTA GCTGTGTCCTCCAGGGCCACCCCTCAGTGGTGCCACCCGGCCTTAGAGATGATTGTC AGGCTCTGTCCCCTCTTCAAGGACATTGGTACTACAGCACCACCTGGTGGAAGCACAGAG TATAAGCTGTCTTCATACTGGGGACACAGCTGGGAAGTCAGACATGTTTTAGTTTTTGGTT ${\tt CCACTGGGTCAGGATTTGAGGTTCATATAAAAGCCCTGGGTGTTTCTGTCTAATTGCACC}$ TTGTCTGTTGCTGTTAGGGAAAGGACAATGGTGGGCCTTGATTCACAGGGGTCAGGTACT ${\tt CAGAAGGGGCCTCCTGTGAAGGCCATTTGGGTCCTCAGGCTTCCCATGCTATTCACGGGA}$ CTTGAGTGCTCATTTGGGAGCGAGGGTCCAGAAGCTGAGGCCCAGGGATGGACAGTCCAG

SEQ ID NO: 55 AA631990 H

GAACAACAATAACAGAATAAGGAAGAAAATCTCATGATTACCTCAATAAGTACAGAGAAA TCTGGTCACACTCACTATCCATTCATGATTACAACTCTTCAATACTATCGCGGCCGAGGA GGGAAGACGCAGTTTGGCGACATTTCTCGGCCGAAGGGCCATTTGCTTTTGCGGAGATG CGGCATTCCAAAAGAACTCACTGTCCTGATTGGGATAGCAGAGAAAGCTGGGGACATGAA AGCTATCGTGGAAGTCACAAGCGGAAGAGGAGATCTCATAGTAGCACACAAGAGAACAGG CATTGTAAACCACATCACCAGTTTAAAGAATCTGATTGTCATTATTTAGAAGCAAGGTCC TTGAATGAGCGAGATTATCGGGACCGGAGATACGTTGACGAATACAGGAATGACTACTGT GAAGGATATGTTCCTAGACATTATCACAGAGACATTGAAAGCGGGTATCGAATCCACTGC AGTAAATCTTCAGTCCGCAGCAGGAGAAGCAGTCCTAAAAGGAAGCGCAATAGACACTGT TCAAGTCATCACGTTCGNATGAAATCGTGGACACTTTGGGTGAAGGAGCCTTTGGC AAAGTTGTAGAGTGCATTGATCATGGCATGGATGGCATGTAGCAGTGAAAATCGTA AAAAATGTAGGCCGTTACCGTGAAGCAGCTCGTTCAGAAATCCAAGTATTAGAGCACTTA AATAGTACTGATCCCAATAGTGTCTTCCGATGTGTCCAGATGCTAGAATGGTTTGATCAT CATGGTCATGTTTGTGTTTTGAACTACTGGGACTTAGTACTTACGATTTCATTAAA GAAAACAGCTTTCTGCCATTTCAAATTGACCACATCAGGCAGATGGCGTATCAGATCTGC CAGTCAATAAATTTTTTTACATCATAATAAATTAACCCATACAGATCTGAAGCCTGAAAAT ATTTTGTTGTGAAGTCTGACTATGTAGTCAAATATAATTCTAAAATGAAACGTGATGAA CGCACACTGAAAAACACAGATATCAAAGTTGTTGACTTTGGAAGTGCAACGTATGATGAT GAACATCACAGTACTTTGGTGTCTACCCGGCACTACAGAGCTCCCGAGGTCATTTTGGCT TTAGGTTGGTCTCAGCCTTGTGATGTTTGGAGCATAGGTTGCATTCTTATTGAATATTAC CTTGGTTTCACAGTCTTTCAGACTCATGATAGTAAAGAGCACCTGGCAATGATGGAACGA ATATTAGGACCCATACCACAACACATGATTCAGAAAACAAGAAAACGCAAGTATTTTCAC CATAACCAGCTAGATTGGGATGAACACAGTTCTGCTGGTAGATATGTTAGGAGACGCTGC AAACCGTTGAAGGAATTTATGCTTTGTCATGATGAAGAACATGAGAAACTGTTTGACCTG GTTCGAAGAATGTTAGAATATGATCCAACTCAAAGAATTACCTTGGATGAAGCATTGCAG CATCCTTTCTTTGACTTATTAAAAAAGAAATGAAATGGGAATCAGTGGTCTTACTATATA CTTCTCTAGAAGAGATTACTTAAGACTGTGTCAGTCAACTAAACATTCTAATATTTTTGT AAACATTAAATTATTTTGTACAGTTAAGTGTAAATATTGTATGTTTTGTATCAATAGCAT TCTTTTTGAAATTACCATTTTTAAATACCTTTGAAATATCCTTTGTGTCCAGTGATAAAT AGGAAATCTTGACTACTTTATATTCTTAAAGGAATATTCTTTATATACTTCAAATTTAGA

FIGURE 2SS

ACTTAACTTTAAAAGTTTTTCTTCTGTAATTGTTGAACGGGTGATTATTATTAACTCTAG
ATAAGCAGGTACTAGAAACCAAAACTCAGAAAATTGTTTACTGTTAGAATTCTATTAAATT
TTAAGTGTTGTATTCTTTTTCATTGGGTGATGTCAGGGTGATAACCAGACATTCATGGAA
AGGCATGCAGTTTGTCCATTGTGACAGTTTGTTTAATAAAACCACATACACACTTTATTT
AAGATTAAAATCTAACTGGAAAGTCAGCTTGGAAAATTGACACATTTCCAAGTATGTTTGGT
GAGTCACAGATATAAAAATAGAAATTCTGATGAGAGGGTTTCAGTTTTTAATACCAAGTCC
TTAGGAGTCTTAACATTGGCCAGCATCTGTTTATCAAATGACATAAATACGTAAACCTAT
AAGAATTAAGTTTATTAATTAGGCAATTTATGTCTGTGATAATTCTTACGGGAGAAAGAG
GATTTGATTGGAAAGCAGTTTGGGAAAAATTCCAAATTTCCAGAATTTAATTGA
TTGGTTACATAAACTTTTTTGACTTCAAT

SEQ ID NO: 56 AA557536 H AGTAAGGCCCCGCGGGCGTCCTGGCCGCCATGTGCACCGTAGTGGACCCTCGCATTGTCC GGAGATACCTACTCAGGCGCAGCTCGGGCAGGGGAGAACATTCCGGGAAATCACGCTCC TCCAGGTGAGTGGCCTGGGCCCTCCAGTCCAATCCCCTTGCCCAGGTACAGATCTCTCCA GACAGGAGAGAAACTGGCCTTCTTGGGCCCCAGAGCACAGCCCCTCCTGGCCTTCCAGCC GCCTCCGACTCTCCCCCAGGAGTTTGGGGACCATCCCAACATCATCAGCCTCCTTGACG TGATCCGGGCAGAGAACGACAGGGACATTTACCTGGTGTTTGAGTTTATGGACACTGACC TGAACGCAGTCATCCGGAAGGGCGGCCTGCTGCAGGACGTCCACGTGCGCTCCATCTTCT ACCAGCTCCTGCGGGCCACCCGGTTCCTCCACTCGGGGCACGTTGTGCACCGGGACCAGA AGCCGTCCAATGTGCTCCTGGATGCCAACTGCACAGTGAAGCTGTGTGACTTTGGCCTGG CCCGCTCCCTGGGCGACCTCCCTGAGGGGCCTGAGGACCAGGCCGTGACAGAGTACGTGG CCACACGCTGGTACCGAGCACCGGAGGTGCTGCTCTTTCGCACCGCTACACCGCTTCCT GCCCAGATACACCCTTGGGGTGGACATGTGGAGTCTGGGCTGTATCCTGGGGGAGATGC TGCGGGGAGACCCCTGTTCCCCGGCACGTCCACCCTCCACCAGCTGGAGCTGATCCTGG AGACCATCCCACCGCCATCTGAGGAGXXXAGGCCACGACAGACGCTGGATGCCCTCCTAC CGCCAGACACCTCCCCAGAGGCCTTGGACCTCCTTAGGCGACTCCTGGTGTTCGCCCCGG ACAAGCGGTTAAGCGCGACCCAGGCACTGCAGCACCCCTACGTGCAGAGGTTCCACTGCC CCAGCGACGAGTGGGCACGAGAGGCAGATGTGCGGCCCCGGGCACACGAAGGGGTCCAGC TCTCTGTGCCTGAGTACCGCAGCCGCGTCTATCAGATGATCCTGGAGTGTGGAGGCAGCA GCGCCACCTCGAGAGAGAGGGCCCGGAGGGTGTCTCCCCAAGCCAGGCACACCTGCACA AACCCAGAGCCGACCCTCAGCTGCCTTCTAGGACACCTGTGCAGGGTCCCAGACCCAGGC CCCAGAGCAGCCCAGGCCATGACCCTGCCGAGCACGAGTCCCCCCGTGCAGCCAAGAACG TTCCCAGGCAGAACTCCGCTCCCCTGCTCCAAACTGCTCTCCTAGGGAATGGGGAAAGGC CCCTGGGGCGAAGGAAGCGCCCCCTTGACACTCTCGCTGGTGAAGCCAAGCGGGAGGG GAGCTGCGCCCTCCCTGACCTCCCAGGCTGCGGCTCAGGTGGCCAACCAGGCCCTGATCC GGCTTCCTCCGGAGGCCCGGCCCGGCCGGAGGATGTTCAGCACCTCTGCCTTGCAGGGTG CCCAGGGGGGTGCCAGGGCTTTGCTTGGAGGCTACTCCCAAGCCTACGGGACTGTCTGCC ACTCGGCACTGGGCCACCTGCCCCTGCTGGAGGGGCACCATGTGTGAGCCGCCCTACTCC CTTCACCTGGCCCTGTTCCTGCCCCAGCNCCTTCCCCAGACCCCTCTCCAGTCTCCTG CACCCCTTAGCCCTCCCTGCTTTGCCTGGCCCGTTGAAGTTCCAGGGAGCTTGCCCGGGT CTCCTCGGGGGAGCAGATGAGGGCCCTGCCC

SEQ ID NO: 57_N28606_H, MOK_H
ATGAAGAACTATAAAGCAATTGGCAAAATAGGAGGGAACGTTTTCTGAAGTTATGAAG
ATGCAAAGCCTGAGAGATGGAAACTACTATGCATGTAAACAAATGAAGCAGCGCTTTGAA
AGTATTGAGCAAGTCAACAACCTACGAGAGATCCAAGCACTGAGGCGCCTGAATCCGCAC
CCAAACATTCTTATGTTGCATGAAGTGGTTTTTGACAGAAAATCTGGTTCTCTTGCACTA
ATATGTGAACTTATGGACATGAATATTTATGAGCTAATACGAGGGGAGAAGATACCCATTA

FIGURE 2TT

TCAGAAAAAAAATTATGCACTATATGTACCAGTTATGTAAGTCCCTGGATCATATTCAC AGAAATGGAATATTTCACAGAGATGTAAAACCAGAAAATATACTAATAAAGCAGGATGTC CTGAAATTAGGGGACTTTGGCTCCTGCCGGAGTGTCTATTCCAAGCAGCCGTACACGGAA TACATCTCCACCCGCTGGTACCGGGCCCCGGAGTGTCTCCTCACTGATGGGTTCTACACG TACAAGATGGACCTGTGGAGCGCCGGCTGTGTTCTACGAGATCGCCAGTCTGCAGCCC CTCTTTCCTGGAGTAAATGAACTGGACCAAATCTCAAAAATCCACGATGTCATCGGCACA CCCGCTCAGAAGATCCTCACCAAGTTCAAACAGTCGAGAGCTATGAATTTTGATTTTCCT TTTAAAAAGGGATCAGGAATACCTCTACTAACAACCAATTTGTCCCCACAATGCCTCTCC CTCCTGCACGCAATGGTGGCCTATGATCCCGATGAGAGAATCGCCGCCCACCAGGCCCTG CAGCACCCCTACTTCCAAGAACAGAGGAAAACAGAGAAGCGGGCTCTGGGCAGCCACAGA AAAGCTGGCTTTCCGGAGCACCCTGTGGCACCGGAACCACTCAGTAACAGCTGCCAGATT TCCAAGGAGGCAGAAAGCAGAAACAGTCCCTAAAGCAAGAGGACCGTCCCAAGAGA CGAGGACCGGCCTATGTCATGGAACTGCCCAAACTAAAGCTTTCGGGAGTGGTCAGACTG TCGTCTTACTCCAGCCCCACGCTGCAGTCCGTGCTTGGATCTGGAACAATGGAAGAGTG CCGGTGCTGAGACCCTTGAAGTGCATCCCTGCGAGCAAGAAGACAGATCCGCAGAAGGAC CTTAAGCCTGCCCGCAGCAGTGTCGCCTGCCCACCATAGTGCGGAAAGGCGGAAGATAA

SEQ ID NO: 58 AB023153 H, ICK_H ATGAATAGATACAACAATCAGGCAGCTCGGGGATGGAACCTACGGTTCCGTCCTGCTG GGAAGAAGCATTGAGTCTGGGGAGCTGATCGCTATTAAAAAAATGAAAAGAAAATTTTAT TCCTGGGAGGAATGCATGAACCAACGGGAGGTTAAGTCTTTAAAGAAGCTCAACCATGCC AATGTAGTCAAATTAAAAGAAGTTATCAGGGAAAATGATCATCTTTATTTTATCTTCGAG TACATGAAGGAAAATCTTTACCAGCTCATTAAAGAGAGAAATAAGTTGTTTCCTGAGTCT GCTATAAGGAATATCATGTATCAGATATTACAAGGACTCGCATTTATTCACAAACTCGGC TTCTTTCATCGAGACTTAAAGCCTGAGAACCTCCTCTGCATGGGACCAGAACTTGTGAAA ATTGCAGACTTTGGTTTGGCCCGAGAAATACGATCAAAACCTCCATATACAGATTATGTA TCTACCAGATGGTACAGGGCTCCAGAAGTACTCCTGAGGTCTACCAACTACAGCTCCCCC ATTGACGTCTGGGCGGTGGGCTGCATCATGGCAGAAGTTTACACCCTCAGGCCACTCTTC CCTGGAGCCAGTGAAATTGACACAATATTCAAAATTTGCCAAGTGCTGGGGACACCAAAA AAGACTGACTGGCCTGAAGGCTATCAACTTTCAAGTGCAATGAACTTCCGTTGGCCACAG TGTGTACCCAATAACTTAAAGACCTTGATTCCCAATGCTAGCAGTGAAGCAGTCCAGCTC CTGAGAGACATGCTTCAGTGGGATCCCAAGAAACGACCAACAGCTAGTCAGGCACTTCGA TATCCTTACTTCCAAGTTGGACACCCACTAGGCAGCACCACACAAAACCTTCAGGATTCA GAAAAACCACAGAAAGGCATCCTGGAAAGGGCAGGCCCACCTCCTTATATTAAGCCAGTC CCACCTGCCCAGCCACCCAAGCCACACACACAATTTCTTCACGACAGCATCAAGCC AGCCAGCCCCTCTGCATCTCACGTACCCCTACAAAGCAGAGGTCTCCAGGACAGATCAC CCAAGCCATCTCCAGGAGGACAAGCCAAGCCCGTTGCTTTTCCCATCCCTCCACAACAAG CATCCACAGTCGAAAATCACAGCTGGCCTGGAGCACAAAAATGGTGAGATAAAGCCAAAG AGTAGGAGAAGGTGGGGTCTTATTTCCAGGTCAACAAAGGATTCAGATGATTGGGCTGAC TTGGATGACTTGGATTTCAGTCCATCCCTCAGCAGGATTGACCTGAAAAACAAGAAAAAGA CAGAGTGATGACACTCTCTGCAGGTTTGAGAGTGTTTTGGACCTGAAGCCCTCTGAGCCT GTGGGCACAGGAAACAGTGCCCCCACCCAGACGTCATATCAGCGGCGAGACACGCCCACC CTGAGATCTGCAGCCAAGCAGCACTATTTGAAGCACTCTCGATACTTGCCTGGGATCAGT ATAAGAAATGGCATACTCTCGAATCCAGGCAAGGAATTTATTCCACCTAATCCATGGTCT AGTTCTGGCTTGTCTGGAAAATCTTCAGGGACAATGTCAGTAATCAGCAAAGTAAATTCA AAAAAAGAAATCGGTTCTGCTATGCAGAGGGTACACCTAGCACCTATTCCAGACCCTTCC CCTGGTTATTCCTCCCTGAAGGCCATGAGACCTCATCCTGGGCGACCATTCTTGGACACC CGGACAGACTGGGCTTCCAAGTACCCATCCCGGCGGTGA

FIGURE 2UU

SEQ ID NO: 59 AA839940 M AGCAGCAACAATGGTGGCATGAGTGCAGAGGAGGAGATAGGGCCTGGGGCTGAGCCTATG AGAGGACCAAGCTTGGCTACAAGGGACTGGAGAGATGAGACTGTTGGGACCACAGACCTG CAGCAAGGCATAGACCCAGGAGCAGTGAGCCCTGAGCCTGGGAAGGACCACGCAGCCCAG GGCCCAGGAAGACTGAAGCTGGAAGGGTATCTTCTGCTGCAGAGGCTGCCATTGTGGTT CTAGATGACAGCGCAGCCCCCAGCCCCTTTTGAACACCGGGTAGTGAGCATCAAAGAT ACCCTGATCTCAGCAGGCTACACGGTATCCCAACATGAAGTCTTAGGAGGGGGTCGGTTT GGCCAGGTGCACAGGTGTACAGAGGGTCTACAGGCCTTGCACTGGCAGCCAAGATCATC AAAGTGAAGAACGTAAAGGACCGGGAGGATGTGAAGAATGAGGTCAACATCATGAACCAG CTCAGCCACGTAAACTTGATCCAACTTTATGATGCGTTTGAGAGCAAGAACAGCTTCACT CTGATCATGGGGTATGTGGATGGAGGCGAACTCTTTGACCGGATCACGGATGAGAAGTAC CACCTCACTGAGTTGGATGTGGTCTTGTTCACGAGGCAGATCTGTGAGGGTGTGCATTAC CTGCATCAGCACTATATCCTGCACCTGGACCTCAAGCCTGAGAACATATTGTGTGTCAGC GAGAAGCTAAAGGTGAACTTTGGTACTCCGGAGTTCCTGGCCCCAGAAGTTGTTAACTAT GAGTTTGTGTCATTTCCAACAGACATGTGGAGTGTGGGAGTTATCACCTACATGCTACTC AGTGGTTTGTCCCCATTTCTAGGGGAGACAGATGCAGAGACCATGAATTTTATTGTGAAC TGCAGCTGGGATTTCGATGCTGATACCTTCAAAGGGCTGTCGGAGGAAGCCAAGGACTTT GTTTCCCGGTTACTGGTCAAAGAGAGAGCTGTAGGATGAGCGCCACACAGTGCCTGAAA CACGAGTGGTTAAATCACCTGCCTGCCAAAGCCTCGGGCTCCAACGTTCGCCTCAGATCC CAACAACTGCTGCAGAAATATATGGCTCAGAGTAAATGGAAGAAACATTTCCACGTGGTG GCTGCAGTCAACAGGCTACGGAAATTTCCAACGTGTCCCTAATCTTCAACTCTGGTGTTC CACTGGGCCTGGGAATTCTTGAGGCAACACGAAGTGGTAATATGAAGAGATTACTCAAGA TTTTATGTAGATTGGCGCTTTGCTATTATTGATTTTCTTATTTTGCAAAGAATGATGGA GGAAACAGGCTACGTTGTTGCTCTTCTTGTAGGTGAAAGTGTTTTTATTAAAAGCCCTAG TTCCTTTTGGTAATAAGAGCAGGCACGCTCAGGATGGGCAGGGAAATCCTACTTGGCTTT GAAGAGGGAGGAATTAGGTCCAACAGTGGGGGATGAATTTGACCGAAACATTGTATAAAA TTCTTAAAGAATTAATAAAATATATTTTTAAAGGAG

SEQ ID NO: 60 AA460132 H GGAACCTCAGGCTTCAGAGAGCCGAAAAGTTGGGAGGCGTAACCACTTACAGGCCGGAAG TGTCCGGGGTGGACGCATTCGGGTAGCCGAAGAAGTCCCAGGATTGCCGAAGAAGTCCCA GGATTTCCGAAGCGAGCCGAAGCATCGCGACAGTTTTCAGAGACAGCTGATCGGTTGGAG CCCGCCCGGAGGCTGAGGCTCTGGCCGCAGCCCGGGAGCGGAGCAGCCGCTTCTTGAGC GGCTGGAGCTGTGAAGCAGGTGCCGAGGCGCGTGTTCCGTGGCCGCTTCCAGGGC CGCGCGGCGTGATCAAGCACCGCTTCCCCAAGGGCTACCGGCACCCGGCGCTGGAGGCG GGAATATCTGCCCCAGTTGTCTTTTTTGTGGACTATGCTTCCAACTGCTTATATATGGAA GAAATTGAAGGCTCAGTGACTGTTCGAGATTATATTCAGTCCACTATGGAGACTGAAAAA ACTCCCCAGGGTCTCTCCAACTTAGCCAAGACAATTGGGCAGGTTTTGGCTCGAATGCAC GATGAAGACCTCATTCATGGTGATCTCACCACCTCCAACATGCTCCTGAAACCCCCCCTG GAACAGCTGAACATTGTGCTCATAGACTTTGGGCTGAGTTTCATTTCAGCACTTCCAGAG GATAAGGGAGTAGACCTCTATGTCCTGGAGAAGGCCTTCCTCAGTACCCATCCCAACACT GAAACTGTGTTTGAAGCCTTTCTGAAGAGCTACTCCACCTCCTCCAAAAAGGCCAGGCCA GTGCTAAAAAATTAGATGAAGTGCGCCTGAGAGGAAGAAGAGGTCCATGGTTGGGTAG AAGAATGTGTATGACAACCACACACAGTGAAGCTCTTTTTTCAAAGTAAATTTGAAGAAA

FIGURE 2VV

WO 00/73469

SEO ID NO: 61 SGK034 H CAGAGAGAGAAGGTAAACCAAGGGAACATGCCAGGGCTTCAGAGCACCTTCCTAGCCATG GACACGGAGGGGGGTAGAGGTGGTGTGGAACGAGCTCCACTTCGGAGACAGGAAGGCC TTCGCGGCGCACGAGGAGAAGATCCAGACCGTGTTCGAGCAGCTGGTGCTGGTGGACCAC CCGAACATCGTGAAGTTGCACAAGTACTGGCTGGATACCTCTGAGGCCTGCGCGAGGGTC ATCTTCATCACAGAGTACGTGTCATCAGGCAGCCTCAAGCAATTCCTCAAAAAGACCAAG AAGAACCACAAGGCCATGAACGCCCGGGCCTGGAAGCGCTGGTGCACGCAGATCCTGTCT GCGCTCAGCTTCCTGCACGCCTGCAGCCCCCAATCATCCACGGGAACCTGACCAGCGAC ACCATCTTCATTCAGCACAACGGCCTCATCAAGATCGGCTCCGTGTGGCACCGAATCTTC TCCAATGCACTTCCAGATGATCTCCGAAGCCCCATCCGCGCTGAGCGAGAGGAACTTCGG AACCTGCACTTCTTCCCCCCAGAGTATGGAGAGGTGGCCGATGGGACCGCTGTGGACATC TTCTCCTTTGGGATGTGTGCGCTGGAGATGGCTGTACTGGAAATCCAGACCAATGGGGAC ACCCGGGTCACAGAGGAGGCCATTGCTCGCGCCAGGCACTCGCTGAGTGACCCCAACATG CGGGAGTTCATCCTTTGCTGCCTGGCCCGGGACCCTGCCCGCCGGCCCTCTGCCCACAGC CTCCTCTTCCACCGCGTGCTCTTCGAGGTGCACTCGCTGAAGCTCCTGGCAGCCCACTGC TTCATCCAGCACCAGTACCTCATGCCTGAGAATGTGGTGGAGGAGAAGACCAAGGCCATG GACCTGCACGCGGTCTTGGCGGAGCTTCCCCGGCCCCGCAGGCCCCCGCTGCAGTGGCGG TACTCGGAAGTCTCCTTCATGGAGCTGGACAAATTCCTGGAGGATGTCAGGAATGGAATC TACCCACTGATGAACTTTGCAGCCACTCGACCCCTGGGGCTGCCCCGTGTGCTGGCCCCA CCCCGGAGGAGGTCCAAAAGGCCAAGACCCCGACGCCAGAGCCCTTTGACTCTGAGACC AGAAAGGTCATCCAGATGCAGTGCAACCTGGAGAGAAGCGAGGACAAGGCGCGCTGGCAT CTCACTCTGCTTCTGGTGCTGGAAGACCGGCTGCACCGGCAGCTGACCTACGACCTGCTC $\tt CCAACGGACAGCCCCAGGACCTCGCCTCGGAGCTCGTGCACTATGGCTTCCTCCACGAG$ GACGACCGGATGAAGCTGGCCGCCTTCCTGGAGAGCACCTTCCTCAAGTACCGTGGGACC CAGGCCTGACCCGGAGCCCCAGCCCCAGGGGACCATGCCGGGGTGCTGCCCGGGCAGGCC ATGTTGGGGAGACTCCAGCACCGTGGGGCTGCCCTCCTCCATGCGCCTGGGAGCACAAAG GCCCCGGTAGTGAAGGAACCCCCCGTCTCCTGAGAGTGGGGCTGACCCTGCCTTGGGCGC CGAGGGGTTGGGGGTGTGGGGGGGGCCGTTAGGCCTCCCAGGTCCTTAGGATCAGG GTTGCCCCCAGAACCCCTTCCCATATCCTCCATTCTCCGCCCTGAGTTCCTACCCAGGCT GCCTGGCTGGGGCCACTGCCTCCTCAGCATGCAGGAGGCTGCCCTGTAGGGAACCCCAGC TCTGGGGCTTGGGGGTGAGGCTCAGCCCTGGACAGACCTCTGCCCAGGGAACTGCTCCAT GGGGTCTGGGAGAGCAGCCATCCCCTGCTGGCACCATAGACCCACACAAGGAGCCTGCAC AGCAAGCCAGCGTGACACCCTGCAGGTGTCAGGCATGGCACTGGGCACAACAGGGACC TGGCAGGAGAACAGACCACAGAGGGTCTGGAGTTGAGGCTGTTGTCAGCAAAGCCCCT AACTTGCAGCCCCTCTGCAGATCTCCTCTGGCCACTGCAGCCCCTCCAATGGGCTTTTTC TCTCATGCATTCCCTGGCCTGGAGGCGTCAGGGACCCCACATCCTCCCTGCTCCTCAGAC TCACAGCCCCTCCATGTTACCTCCCGCACCTCCTCCCTGGGGCAGCTGCTCCCTGGGCCT CTGAGGATGTCAGCTCCTGGCTCCTGCCTCTCTCCCACTCCACTCCTGGCTCAGTCTTA GAGATTTCTATGCCCTCATGGATTCTACCCCTGCCTTCCTGGCCTCTTGATTCTTGGCTT

CATTAGCGCATTCATGCCTTTCTAAACGCATTTCAAATGTCAACCAGGAAGGCACACCAC

FIGURE 2WW

SEQ ID NO: 62 AA103218 M SGK034 M CCACGCGTCCGCACCAGAGTATGGCGAAGTCAATGATGGGACTGGCTTTGTGGACATCTT CTCCTTCGGGATGTGTGCACTGGAGATGGCTGTACTCGAGATCCAAGCCAACGGGGATAC GGAATTCATCCTCCTGCCTGGCCCGGGACCCTGCCCGCCGACCCTCAGCCCACAACCT CCTCTTCCACCGAGTGCTCTTTGAGGTGCACTCGCTGAAGCTGCTGGCAGCTCACTGCTT CATCCAGCACCAGTACCTCATGCCTGAGAATGTGGTAGAGGAAAAGACCAAGGCCATGGA CCTCCATGCAGTTTTGGCTGAGATGCCGCAGCCCCATGGACCCCCAATGCAGTGGCGGTA CTCAGAGGTCTCCTTCTTGGAGCTGGACAAATTCCTAGAGGATGTCAGGAACGGGATCTA TCCACTGATGAACTTTGCGGCTGCTCGGCCCTTGGGGCTTCCCCGTGTGTTGGCCCCACC CCCAGAGGAAGCCCAAAAGGCCAAAACTCCAACGCCAGAACCCTTTGACTCGGAGACCAG GAAGGTGGTCCAGATGCAGTGCAACCTGGAAAGAAGCGAGGACAAGGCTCGGTGGCACCT TACTCTGCTCTTGGTGCTTGAGGACCGGCTACATCGGCAGCTGACCTATGATCTGCTCCC AACGGACAGTGCCCAGGACCTCGCTGCTGAACTAGTGCATTATGGCTTCCTGCACGAGGA TGACAGGACAAAGCTAGCAGCCTTTCTGGAGACCACTTTTCTCAAGTACCGAGGGACGCA AGCGTGACCTTCCCAGTCCTGACGGCCCAGCAGAGATACAGGGGCTCAGGGTTGTCCACT TGGCAAAGAGCCCCCACACTGCTCAAAGCTGCCTTCTGCCTGTGTTCCCTGGAACTGAAC ACAGGCCCTGCTAGTGAAGACACCCCCACCCCCAGCTTTCTGCAGCAGTGTGGGACCCT GGGGTGGTGATGGAGCCTGAGCCTGGACGAGAGTGGATACAGGTCAGTTAGGGGAACCG CTCCATCTGGTACTAGACAACAGCCATGCCTTCAGGTGGCATAGAAACCTAGGGAAGGAG CCTGAACTCAGGTGTCACAGTGCTGGGCATCAGGCAGACCAGACCTGACCTGATTGGAGA ACTGTAGACTAGATAGCTTGGAGTTGAACCCATGGCCAGGGAATTCCTTGGTCCTGCTCA GACCAGTCCTGATCCCTTGCAGACCTGCCTTGAGCCCTCTTTCTGATCTTCCACACTCTT GAGACCAGGACCTGTGTCCTCCCCAAAGCCCTTGGGAAGGATCTTTCTATTCATCATCCC GTTTGAGTTGAGGATGTGGGTTCCTGGCTCCCTCTTTCTCCCCAGCCCAACTTGTCTCTT TCTTACTGGTTTCAAAGTCCTGATGAACGCTTCCCCTCAGAGCCACCCTGGTTTCCTTGG TTCTTGAACTGCCTCTCCCAACTTCAAACCAGGTCTTAAACGTTTTTTAAATGCATAT ATAAATGTAATGCAGTCACGGTCCTTTTTAAACACTTTGTGTATGAAACCAGGAAAGCTC ACTATTGTATTAGGAATAGTTCCACATTGCTGCTGTTAACAGATATCATAAACCCAGTGG TTTGAGACGACACACACACACACACACACACACACAGAGAGAGAGAGAGTTCTGTA CATCAAGTGTGATCCAGGCTCTCACTAGATTAATACCCAGGCTAAGTTCCTTTCTGGAAG CTGGGACTTACCTCCTGCTCCTTCAAGCTATTGGCAGAACTCACTTCCCTGCAATGGTAA GGCAGAAATCCCTATTTTCTCAACAGCTGCCAACTAAGAACCCCTCTCAGCTTCTAGAGG

FIGURE 2XX

CCACCAACTTTTCTTAGTTCTTCTTCTCCCCCCTCAAGACCAGCAGCGTCAAGTTGAAT CTTTGTCCTGGGCTAGCTGACTGGCTTGCCACTGCTGGGAAGAGTTGGGGCCTTTTGTGA GTAGGTTGGACCCACCAGGATAACCGAGGATGATCCCCTTCTCAGGGTCTATAGATGAAC CACACCTGCGCAGTTCCTTCTGCTGTCATCCTGGGCTTTGGTGCTTGGAGAACAGCCGTG GGCGGTGGGTGTTTACTGTGGTACCTACCATGCCATCTTAACCGAAACCAAGACCTAA AATAAAACAGATTTGTCATGGGACATCTAATAAATTAAATGAACTCTG

SEQ ID NO: 63 NEK7 H, N34132 H CACGAATCCGAGCCGCTCGCCTCTCTCCAGCGAACCGACCATGTCTGGCGGCGCCGCAG AGAAGCAGAGCACTCCCGGTTCCCTGTTCCTCTCGCCGCCGGCTCCTGCCCCCAAGA TGACCGGCAGGACCGAGGAGTACAGGCGCCGCCGCCACACTATGGACAAGGACAGCCGTG GGGCGGCCGCGACCACTACCACCACTGAGCACCGCTTCTTCCGCCGGAGCGTCATCTGCG ACTCCAATGCCACTGCACTGGAGCTTCCCGGCCTTCCTCTTTCCCTGCCCCAGCCCAGCA TCCCCGCGGCTGTCCCGCAGAGTGCTCCACCGGAGCCCCACCGGGAAGAGACCGTGACCG CCACCGCCACTTCCCAGGTAGCCCAGCAGCCTCCAGCCGCTGCCGCCCCTGGGGAACAGG CCGTCGCGGGCCCTGCCCCTCGACTGTCCCCAGCAGTACCAGCAAAGACCGCCCAGTGT CCCAGCCTAGCCTTGTGGGGAGCAAAGAGGAGCCGCCGCCGGCGAGAAGTGGCAGCGGCG TGGAGACCAAGGCCGTGGGAATGTCTAACGATGGCCGCTTTCTCAAGTTTGACATCGAAA TCGGCAGAGGCTCCTTTAAGACGGTCTACAAAGGTCTGGACACTGAAACCACCGTGGAAG TCGCCTGGTGTGAACTGCAGGATCGAAAATTAACAAAGTCTGAGAGGCAGAGATTTAAAG AAGAAGCTGAAATGTTAAAAGGTCTTCAGCATCCCAATATTGTTAGATTTTATGATTCCT GGGAATCCACAGTAAAAGGAAAGAAGTGCATTGTTTTGGTGACTGAACTTATGACGTCTG GAACACTTAAAACGTATCTGAAAAGGTTTAAAGTGATGAAGATCAAAGTTCTAAGAAGCT GGTGCCGTCAGATCCTTAAAGGTCTTCAGTTTCTTCATACTCGAACTCCACTTATCATTC ACCGCGATCTTAAATGTGACAACATCTTTATCACCGGCCCTACTGGCTCAGTCAAGATTG GAGACCTCGGTCTGGCAACCCTGAAGCGGGCTTCTTTTGCCAAGAGTGTGATAGGTACCC CAGAGTTCATGGCCCCTGAGATGTATGAGGAGAAATATGATGAATCCGTTGACGTTTATG CTTTTGGGATGTGCATGCTTGAGATGGCTACATCTGAATATCCTTACTCGGAGTGCCAAA TAGCAATTCCTGAAGTGAAGGAAATTATTGAAGGATGCATACGACAAAACAAAGATGAAA GATATTCCATCAAAGACCTTTTGAACCATGCCTTCTTCCAAGAGGAAACAGGAGTACGGG TAGAATTAGCAGAAGAAGATGATGGAGAAAAAATAGCCATAAAATTATGGCTACGTATTG AAGATATTAAGAAATTAAAGGGAAAATACAAAGATAATGAAGCTATTGAGTTTTGTTTTG ATTTAGAGAGAGATGTCCCAGAAGATGTTGCACAAGAAATGGTAGAGTCTGGGTATGTCT GGAAACGAGAGCAGCGCAGTTGGTACGGGAGGAGCAAGAAAACAAAAAGCAGGAAGAGA GCAGTCTCAAACAGCAGGTAGAACAATCCAGTGCTTCCCAGACAGGAATCAAGCAGCTCC CTTCTGCTAGCACCGGCATACCTACTGCTTCTACCACTTCAGCTTCAGTTTCTACACAAG TAGAACCTGAAGAACCTGAGGCAGATCAACATCAACAACTACAGTACCAGCAACCCAGTA TATCTGTGTTATCTGATGGGACGGTTGACAGTGGTCAGGGATCCTCTGTCTTCACAGAAT CTCGAGTGAGCAGCCAACAGACAGTTTCATATGGGTTCCCAANNCATGAACAGGCACATT CTACAGGCACAGTCCCAGGGCATATACCTTCTACTGTCCAAGCACAGTCTCAGCCCCATG GGGTATATCCACCCTCAAGTGTGCAGCAGGGAATACAGCAGACAGCCCCTCCTCAACAGA CAGTGCAGTATTCACTTCACAGACATCAACCTCCAGTGAGGCCACTACTGCACAGCCAG TGAGTCAGCCTCAAGCTCCACAAGTCTTGCCTCAAGTATCAGCTGGAAAACAGAGTACTC AGGGAGTCTCTCAGGTTGCTCCTGCAGAGCCAGTTGCAGTAGCACAGCCCCAAGCTACCC AGCCGACCACTTTGGCTTCCTCTGTAGACAGTGCACATTCAGATGTTGCTTCAGGTATGA

FIGURE 2YY

GGCATTACCGAAAATCTGTAAGGAGTCGCTCTCGACATGAAAAAACTTCACGCCCAAAAT TAAGAATTTTGAATGTTTCAAATAAAGGAGACCGAGTAGTAGAATGTCAATTAGAGACTC ATAATAGGAAAATGGTTACATTCAAATTTGACCTAGATGGTGACAACCCCGAGGAGATAG AAGTGCGAGAAATTATTGAAAAAGCTGATGAAATGCTCAGTGAGGATGTCAGTGTGGAAC CAGAGGGTGATCAGGGATTGGAGAGTCTACAAGGAAAGGATGACTATGGCTTTTCAGGTT CTCAGAAATTGGAAGGAGAGTTCAAACAACCAATTCCTGCGTCTTCCATGCCACAGCAAA TAGGCATTCCTACCAGTTCTTTAACTCAAGTTGTTCATTCTGCGGGAAGGCGGTTTATAG TGAGTCCTGTGCCAGAAAGCCGATTACGAGAATCAAAAGTTTTCCCCAGTGAAATAACAG ATACAGTTGCTGCCTCTACAGCTCAGAGCCCTGGAATGAACTTGTCTCACTCTGCATCAT CCCTTAGTCTACAACAGGCCTTTTCTGAACTTAGACGTGCCCAAATGACAGAAGGACCCA ATACAGCACCTCCAAACTTTAGTCATACAGGACCAACATTTCCAGTAGTACCTCCTTTCT TAAGTAGCATTGCTGGAGTCCCAACCACAGCAGCAGCCACCAGCCACCTGCAACAA GCAGCCCTCCTAATGACATTTCCACATCAGTAATTCAGTCTGAGGTTACAGTGCCCACTG AAGAGGGGATTGCTGGAGTTGCCACCAGCACAGGTGTGGTAACTTCAGGTGGTCTCCCCA TACCACCTGTGTCTGAATCACCAGTACTTTCCAGCGTAGTTTCAAGTATCACAATACCTG CAGTTGTCTCAATATCTACATCCCCGTCACTTCAAGTCCCCACATCCACATCTGAGA TCGTTGTTTCTAGTACAGCACTGTATCCTTCAGTAACAGTTTCAGCAACTTCAGCCTCTG CAGGCAGCACTACTGTGGGAGCCACATTAACATCAGTTTCTACCACCACTTCATTCCCAA GCACAGCTTCACAGCTGTCCATTCAGCTTAGCAGCAGTACTTCTACTCCTACTTTAGCTG AAACCGTGGTAGTTAGCGCACACTCACTAGATAAGACATCTCATAGCAGTACAACTGGAT TGGCTTTCTCCCTCTGCACCATCTTCCTCTTCCTCTCTGGAGCAGGAGTGTCTAGTT ATATTTCTCAGCCTGGTGGGCTGCATCCTTTGGTCATTCCATCAGTGATAGCTTCTACTC CTATTCTTCCCCAAGCAGCAGGACCTACTTCTACACCTTTATTACCCCCAAGTACCTAGTA TCCCACCCTTGGTACAGCCTGTTGCCAATGTGCCTGCTGTACAGCAGACACTAATTCATA GTCAGCCTCAACCAGCTTTGCTTCCCAACCAGCCCCATACTCATTGTCCTGAAGTAGATT CTGATACACAACCCAAAGCTCCTGGAATTGATGACATAAAGACTCTAGAAGAAAAGCTGC GGTCTCTGTTCAGTGAACACAGCTCATCTGGAGCTCAGCATGCCTCTGTCTCACTGGAGA CCTCACTAGTCATAGAGAGCACTGTCACACCAGGCATCCCAACTACTGCTGTTGCACCAA CAGTTGCTTTGCCAGTTACACCAGTGGTCACACCTGGGCAAGTTTCTACCCCAGTCAGCA CGGTGCTGCCAGTGGGTACTGAACTTCCAGCAGGTACTCTACCCAGCGAGCAGCTGCCAC CTTTTCCAGGACCTTCTCTAACCCAGTCCCAGCAACCTCTAGAGGATCTTGATGCTCAAT TGAGAAGAACACTTAGTCCAGAGATGATCACAGTGACTTCTGCGGTTGGTCCTGTGTCCA TGGCGGCTCCAACAGCAATCACAGAAGCAGGAACACAGCCTCAGAAGGGTGTTTCTCAAG TCAAAGAAGGCCCTGTCCTAGCAACTAGTTCAGGAGCTGGTGTTTTTAAGATGGGACGAT TTCAGGTTTCTGTTGCAGCAGACGGTGCCCAGAAAGAGGGGTAAAAATAAGTCAGAAGATG CAAAGTCTGTTCATTTTGAATCCAGCACCTCAGAGTCCTCAGTGCTATCAAGTAGTAGTC CAGAGAGTACCTTGGTGAAACCAGAGCCGAATGGCATAACCATCCCTGGTATCTCTTCAG ATGTGCCAGAGAGTGCCCACAAAACTACTGCCTCAGAGGCAAAGTCAGACACTGGGCAGC CTACCAAGGTTGGACGTTTTCAGGTGACAACTACAGCAAACAAGTGGGTCGTTTCTCTG TATCAAAAACTGAGGACAAGATCACTGACACAAAGAAGAAGAAGGACCAGTGGCATCTCCTC AACTGTCAGAGCCTTCACATCTAAATGGGCCGTCTTCTGACCCGGAGGCCGCTTTTTTAA GTAGGGATGTGGATGGTTCCGGTAGTCCACACTCGCCCCATCAGCTGAGCTCAAAGA GCCTTCCTAGCCAGAATCTAAGTCAAAGCCTTAGTAATTCATTTAACTCCTCTTACATGA GTAGCGACAATGAGTCAGATATCGAAGATGAAGACTTAAAGTTAGAGCTGCGACGACTAC GAGATAAACATCTCAAAGAGATTCAGGACCTGCAGAGTCGCCAGAAGCATGAAATTGAAT

FIGURE 27.7.

CTTTGTATACCAAACTGGGCAAGGTGCCCCCTGCTGTTATTATTCCCCCAGCTGCTCCCC TTTCAGGGAGAGACGACCACTAAAAGCAAAGGCAGCAAATCTAGTCGAAGCAGTT CCTTGGGGAATAAAAGCCCCCAGCTTTCAGGTAACCTGTCTGGTCAGAGTGCAGCTTCAG TCTTGCACCCCAGCAGACCCTCCACCCTCCTGGCAACATCCCAGAGTCCGGGCAGAATC AGCTGTTACAGCCCTTAAGCCATCTCCCTCCAGTGACAACCTCTATTCAGCCTTCACCA GTGATGGTGCCATTTCAGTACCAAGCCTTTCTGCTCCAGGTCAAGGTAATAAAGCAACCA TCATCGTCCAAAAACAATAAAATGGAGATGTTGCCATACCTGGGACAAAAGCCTGTTAAG GCGGGTTGGGAGACTAGCTGACCAGAACACAGCCTGTGTGTTGTACACTGAAGAATCTGG GTGAAAAGGGAAGTGAGTGATAATGAGAATCGGTGGGCTCACTGCTCCCATTAGGTGAA ATTACTTTTTTCAAGGAATTACAGTGAAAAGTTACATCTGTGTGGCCTATATGACTTGC TCATTTGGGATTTGGAACTTAGGCTTTAATATTAGGCTGAGATTTCCTGGATGAAATTCT AAGGTGTTTTAGCAGTTTCTGAAGCTAATACATTTTCTTAGCCATTGTAGAATTTTGTTA CTTTTAAGTATGGGAGTGGCATACTAAAATGAATAACCTTACAATTCAGTTTTTTATCCA TAATCTACTTTCCAAATATAGCTCTGTTTATTAGTGATTGCTGAAAAAATTCCCACAGAG GAAAGAGCTTTTAGTCATATTAGAACAAGAATTGAAAAGACTTGGGCATCTGGGTGAGAA GAATGAAAAAATATAGGTACTGGCTTATGTGCCTTTGCCACAGTTTCACAGAAATTAGA TATTCGAACTAAGAAAAGCTTCCGCATTTTGCAGATGGGTAGAATTAAGACCTAATATTT CATCTCTTACATATCTGACCTTCCCCCCAGAAGCTTGTTCTTCTGTGTGCCATCTTAGTG TCTCTCTGTTCTACCCTGTTTTTCCCCTCTCACAGGCTGTGCGAAGTTTAACTGTGCATC TGAACAGGTGACATTCAAACCTGGTGGCAGGAGGACCCGATTTCTGAGTACGCCCTGCTT GGCTCTTTGTGTGTAACACCTTTACTCCTTCCTTGTCCTTGTGTTTCTGCTGCTTGGATC TGATGTTTCACGCAGTCCATTTTCATTTGTCTCTTTTTTGTATATCATCTACTCAGTGGCT TCAAAATAACAAGTTATCTACAAATTTCAATGTAACTTTCTGGTAGAAGTGCTTCTTCAT GGATCTGTGACAGAGAGTGGATATGGTATCTAGGCAATAGATTGCTGGGTCATTTAGAAT GAGAGAATCAGCCAGACACGGTGGCGTACACCTGTAATCCCAGCACTTTGGGAGGCCGA GGCGGGAAGATTGCTTGAGGCCAGGAGCTCGAGACCAACCCTGGGCAACATGGTGATACC CCATCTCT

SEQ ID NO: 64 BCON3 H

GCGGAGCGCAGCTGTGAGGGAGTCGCTGTGATCCGGGGCCCCGGAACCCGAGCTGGAGCT GGGGGAGTCCCAGACAGTACTTAGCAGTGGCTCAGACCCAAAGGTAGAATCCTCATCTTC AGCTCCTGGCCTGACATCAGTGTCACCTCCTGTGACCTCCACAACCTCAGCTGCTTCCCC AGAGGAAGAAGAAGAAGTGAAGATGAGTCTGAGATTTTGGAAGAGTCGCCCTGTGGGCG CTGGCAGAAGAGGCGAGAAGAGGTGAATCAACGGAATGTACCAGGTATTGACAGTGCATA CCTGGCCATGGATACAGAGGAAGGTGTAGAGGTTGTGTGGAATGAGGTACAGTTCTCTGA ACGCAAGAACTACAAGCTGCAGGAGGAAAAGGTTCGTGCTGTGTTTGATAATCTGATTCA ATTGGAGCATCTTAACATTGTTAAGTTTCACAAATATTGGGCTGACATTAAAGAGAACAA GGCCAGGGTCATTTTTATCACAGAATACATGTCATCTGGGAGTCTGAAGCAATTTCTGAA GAAGACCAAAAAGAACCACAAGACGATGAATGAAAAGGCATGGAAGCGTTGGTGCACACA AATCCTCTCTGCCCTAAGCTACCTGCACTCCTGTGACCCCCCCATCATCCATGGGAACCT GACCTGTGACACCATCTTCATCCAGCACAACGGACTCATCAAGATTGGCTCTGTGGCTCC TGACACTATCAACAATCATGTGAAGACTTGTCGAGAAGAGCAGAAGAATCTACACTTCTT TGCACCAGAGTATGGAGAAGTCACTAATGTGACAACAGCAGTGGACATCTACTCCTTTGG CATGTGTGCACTGGAGATGGCAGTGCTGGAGATTCAGGGCCAATGGAGAGTCCTCATATGT GCCACAGGAAGCCATCAGCAGTGCCATCCAGCTTCTAGAAGACCCATTACAGAGGGAGTT

FIGURE 2AAA

CATTCAAAAGTGCCTGCAGTCTGAGCCTGCTCGCAGACCAACAGCCAGAGAACTTCTGTT CCACCAGCATTGTTTGAAGTGCCCTCGCTCAAACTCCTTGCGGCCCACTGCATTGTGGG ACACCAACACATGATCCCAGAGAACGCTCTAGAGGAGATCACCAAAAACATGGATACTAG TGCCGTACTGGCTGAAATCCCTGCAGGACCAGGAAGAACCAGTTCAGACTTTGTACTC TCAGTCACCAGCTCTGGAATTAGATAAATTCCTTGAAGATGTCAGGAATGGGATCTATCC TCTGACAGCCTTTGGGCTGCCTCGGCCCCAGCAGCCACAGCAGGAGGAGGTGACATCACC TGTCGTGCCCCCTCTGTCAAGACTCCGACACCTGAACCAGCTGAGGTGGAGACTCGCAA GGTGGTGCTGATGCAGTGCAACATTGAGTCGGTGGAGGAGGGGAGTCAAACACCACCTGAC ACTTCTGCTGAAGTTGGAGGACAAACTGAACCGGCACCTGAGCTGTGACCTGATGCCAAA TGAGAATATCCCCGAGTTGGCGGCTGAGCTGGTGCAGCTGGGCTTCATTAGTGAGGCTGA CCAGAGCCGGTTGACTTCTCTGCTAGAAGAGACCTTGAACAAGTTCAATTTTGCCAGGAA CAGTACCCTCAACTCAGCCGCTGTCACCGTCTCCTCTTAGAGCTCACTCGGGCCAGGCCC TGATCTGCGCTGTGGCTGTCCCTGGACGTGCTGCAGCCCTCCTGTCCCTTCCCCCCAGTC AGTATTACCCTGTGAAGCCCCTTCCCTCCTTTATTATTCAGGAGGGCTGGGGGGGCTCCC TGGTTCTGAGCATCATCCTTTCCCCTCCCCTCTCTCCTCCCCTCTGCACTTTGTTTACT TGTTTTGCACAGACGTGGGCCTGGGCCTTCTCAGCAGCCGCCTTCTAGTTGGGGGCTAGT CGCTGATCTGCCGGCTCCCGCCCAGCCTGTGTGGAAAGGAGGCCCACGGGCACTAGGGGA GCCGAATTCTACAATCCCGCTGGGGCGGCCGGGGCGGAGAAAGGTGGTGCTGCAGTG GTGGCCCTGGGGGGCCATTCGATTCGCCTCAGTTGCTGCTGTAATAAAAGTCTACTTTTT GCT

SEQ ID NO: 65 AA711829 M

AAACGCTGGTGTACACAGATCCTCTCTGCCCTAAGCTACCTGCACTCCTGTGACCCTCCC ATCATCCATGGGAACCTGACCTGTGACACCATCTTCATCCAGCACAACGGACTCATCAAG ATTGGCTCTGTGGCTCCTGACACTATCAACAATCACGTGAAGACTTGCCGGGAAGAACAG AAGAACCTACACTTTTTTGCACCAGAGTATGGAGAAGTCACAAACGTGACAACAGCAGTG GACATCTACTCCTTTGGCATGTGCACTGGAGATGGCAGTGCTGGAGATTCAGGGCAAT GGCGAGTCCTCATATGTGCCACAGGAAGCCATCAGCAGTGCCATCCAGCTACTAGAAGAC TCATTACAGAGGGAGTTTATTCAAAAGTGCCTGCAGTCTGAGCCTGCTCGGAGACCAACA GCTCACTGTATCGTGGGGCACCAACACATGATCCCAGAGAACGCTCTAGAGGAGATCACC AAGAACATGGATACCAGTGCTGTACTAGCTGAAATTCCCGCAGGGCCAGGACGAGAACCA GTTCAGACTTTGTACTCTCAGTCACCAGCCCTAGAATTAGACAAATTCCTTGAAGATGTC AGGAATGGGATCTACCCTCTGACAGCCTTTGGGCTACCTCGGCCTCAGCAGCCACAGCAG GAGGAGGTGACATCACCTGTTGTGCCCCCCTCTGTCAAGACTCCAACTCCTGAGCCAGCT GAAGTGGAGACACGAAAGGTGGTGCTGATGCAGTGCAACATCGAATCTGTGGAGGAGGGA GTCAAACACCATCTAACACTTCTGCTGAAGCTGGAGGACAAATTGAACCGGCACCTGAGC TGTGACCTGATGCCAAATGAGAGCATCCCGGACTTGGCAGCTGAGCTGGTGCAGCTGGGC TTCATTAGTGAGGCTGATCAGAGCCGCCTGACTTCTCTGCTGGAGGAGACGCTCAACAAG TTCAACTTCACCAGGAACAGTACACTCAACACAGCCACTGTCACCGTCTCCTCGTAGAGC TCACTTGAGCCAGGCCCCTAGCCAGGCTGTGGCTGTCCCTGGGCATGCTGCAGTCCTCCT GTCCCTTCTCCCCAGTCAGTATTACCCTTCGCGCCCATATTATTTAGGAGGGCTTTAGGG GCTCCCTGGTTGAGTATCACCCTGCCCCTTCCCCTCTCTTCCTCCCCTCTGCACTTTGTT TACTTGTTTTGCACAGACGTGGGCCTGGGCCTTCTCAGCAGCCACCTTCTAGCTGGGGGC TAGTAGCTGACCTGCCTCCTGCCCTACTTGTGTGGACAGGAGGCCCACGGGCACTGG GGAAGCTGAGTTCTACAATCCCGCTGGGGCGCATGGGCAGGAGAAAAGGTGGTGCTGCA GGGGTGGCCCCCGGGGGGGCATTCGAATCACCTCAGTTGCTGCTGTAATAAAGTCTAC TTTTTGCT

FIGURE 2BBB

SEO ID NO: 66 AA099102 H ATGTCATCATGTGTCTCTAGCCAGCCCAGCAGCAACCGGGCCGCCCCCCAGGATGAGCTG GGGGGCAGGGCAGCAGCAGCGAAAGCCAGAAGCCCTGTGAGGCCCTGCGGGGCCTC TCATCCTTGAGCATCCACCTGGGCATGGAGTCCTTCATTGTGGTCACCGAGTGTGAGCCG GGCTGTGCTGGACCTCGGCTTGGCGCGGGACCGGCCCCTGGAGGCCGATGGCCAAGAG GTCCCCCTTGACACCTCCGGGTCCCAGGCCCGGCCCCACCTCTCCGGTCGCAAGCTGTCT CTGCAAGAGCGGTCCCAGGGTGGGCTGGCAGCCGGTGGCAGCCTGGACATGAACGGACGC TGCATCTGCCCGTCCCTGCCCTACTCACCCGTCAGCTCCCCGCAGTCCTCGCCTCGGCTG CCCCGGCGGCCGACAGTGGAGTCTCACCACGTCTCCATCACGGGTATGCAGGACTGTGTG CAGCTGAATCAGTATACCCTGAAGGATGAAATTGGAAAGGGCTCCTATGGTGTCGTCAAG TTGGCCTACAATGAAAATGACAATACCTACTATGCAATGAAGGTGCTGTCCAAAAAGAAG CTGATCCGGCAGGCCGCTTTTCCACGTCGCCCTCCACCCCGAGGCACCCGGCCAGCTCCT GGAGGCTGCATCCAGCCCAGGGGCCCCATTGAGCAGGTGTACCAGGAAATTGCCATCCTC AAGAAGCTGGACCACCCCAATGTGGTGAAGCTGGTGGAGGTCCTGGATGACCCCCAATGAG GACCATCTGTACATGGTGTTCGAACTGGTCAACCAAGGGCCCGTGATGGAAGTGCCCACC CTCAAACCACTCTCTGAAGACCAGGCCCGTTTCTACTTCCAGGATCTGATCAAAGGCATC GAGTACTTACACTACCAGAAGATCATCCACCGTGACATCAAACCTTCCAACCTCCTGGTC GGAGAAGATGGGCACATCAAGATCGCTGACTTTGGTGTGAGCAATGAATTCAAGGGCAGT GACGCGCTCCTCCCAACTACGTGGGCACGCCCGCCTTCATGGCTCCCGAGTCGCTCTCT GAGACCCGCAAGATCTTCTCTGGGAAGGCCAAGGATGTTTGGGCCATGGGTGTGACACTA TACTGCTTTGTCTTTGGCCAGTGCCCATTCATGGACGAGCGGATCATGTGTTTACACAGT AAGATCAAGAGTCAGGCCCTGGAATTTCCAGACCAGCCCGACATAGCTGAGGACTTGAAG GACCTGATCACCCGTATGCTGGACAAGAACCCCGAGTCGAGGATCGTGGTGCCGGAAATC AAGCTGCACCCCTGGGTCACGAGGCATGGGGCGGAGCCGTTGCCGTCGGAGGATGAGAAC TGCACGCTGGTCGAAGTGACTGAAGAGGAGGTCGAGAACTCAGTCAAACACATTCCCAGC TTGGCAACCGTGATCCTGGTGAAGACCATGATACGTAAACGCTCCTTTGGGAACCCATTC GAGGGCAGCCGGCGGAGGAACGCTCACTGTCAGCGCCTGGAAACTTGCTCACCAAAAAA CCAACCAGGGAATGTGAGTCCCTGTCTGAGCTCAAGGAAGCAAGGCAGCGAAGACAACCT CCAGGGCACCGACCCGCCCCCGTGGGGGAGGAGGAAGTGCTCTTGTGAGAGGCAGTCCC CCGGAGGAGGCCATGGAGCCCGAGTAG

SEO ID NO: 67 5R69 17 2 H CCGGGATGTGAGCCTGGTGGTTGGCAGCTGGAGCCACGTCGGAGGGGGAAGTGTCGCAGC ATTCTCTGCAGGCATCACAGACCTGAGGCAGTGGCCTCCGGAGGGCACTGGACAGAAACA GCCATCCAAGTGGCTGAGTGGAGGGACCCTGCTCAAGTGCAGCTGCAGTGGCCGGGGTTT CAGCAGAGTGCAGGGTGCGGGCACCAGGAAAGGGGGGCGCAGGGGAACTCCCGCGGGCCTC GCGTTTGCAAACTTCTCGCCTGGGCAGGAGGCGGTCGTGGGAAAGAAGGTGGAAGAGCGA GCTTTTTGGAACTGTGCACGGGACAGATTGGACGCACACCCCTCGGGAGGCGCGAAGGCA TGGAAAATTTGAAGCATATTATCACCCTTGGCCAGGTCATCCACAAACGGTGTGAAGAGA TGAAATACTGCAAGAAACAGTGCCGGCGCCTGGGCCACCGCGTCCTCGGCCTGATCAAGC CTCTGGAGATGCTCCAGGACCAAGGAAAGAGGAGCGTGCCCTCTGAGAAGTTAACCACAG CCATGAACCGCTTCAAGGCTGCCCTGGAGGAGGCTAATGGGGAGATAGAAAAGTTCAGCA ATAGATCCAATATCTGCAGGTTTCTAACAGCAAGCCAGGACAAAATACTCTTCAAGGACG TGAACAGGAAGCTGAGTGATGTCTGGAAGGAGCTCTCGCTGTTACTTCAGGTTGAGCAAC GCATGCCTGTTTCACCCATAAGCCAAGGAGCGTCCTGGGCACAGGAAGATCAGCAGGATG CAGACGAAGACAGGCGAGCTTTCCAGATGCTAAGAAGAGATAATGAAAAAATAGAAGCTT CACTGAGACGATTAGAAATCAACATGAAAGAAATCAAGGAAACTTTGAGGCAGTGTAAGT TATCATGTGCCCTGCTGTTTCTGATGGCCCCCAAACTAGAAGTCATCAGTTTACTGGGAC

FIGURE 2CCC

CCCAGCCTCCCGCTACCCCTGCATTTGTCCATTTTCTGTGCTGGATGGCTGGAAGCAGCC CACAGGTTTGGGGATCCATTCATGGCTAGCCCAGGCTTCTGTCCATGGAATAACATGTGG AGAGAGCTTCTTGACCAGTAAGATACCTTCTAGCAGCTGTCAAAGTACTTAAAAACCTCT ATGAATAGAATCAAAGCTTCAGTTCAGTTGCTGAATTTCCAAGAAGAAATTCAAATCAAA TTTAAAATGCCCACTCATTCATTCATTCAACAAAACTGTGAGTATCTGGTTTATGCCAGA GGCCATGCAAAGAGGTAACTAAGATGCAGAGAAGGACACTGCCTTCCAGGAGCTCACGGG GTGGAGGAGGAAAGACAGACAGCAACACACAGCAAGGTTACTGAGCTTG AACTATGTCCCTAACTACTAGATCTGAAATGACTACGCCAGATGCCAGATGCTCAAGTGC GGTTAAGGCTGGAGGGACAGGCGGGATTTGAAGAGGAGGGAAAGGAAGTGGATGACACAT TCTGTTAACTGTCCAGCTGTGTCTCTACTGGTCACTCAGAGGCACGGGAGCCGCTCCCTT GGGCTGAGTCCATCAGAAGCCCCAGCCACCACCAGCTCTGGTTCATGTAGTAGAGCTTCC CACTCACACATCACAAATATGCCACCTCCCTTAGGACCCCTTCCTCTGCTCATTGACTCT CCCGCAAGAGCAAATCAAGGAGATCAAGAAGGAGCAGCTTTCAGGATCCCCGTGGATTCT GCTAAGGGAAAATGAAGTCAGCACACTTTATAAAGGAGAATACCACAGAGCTCCAGTGGC CATAAAAGTATTCAAAAAACTCCAGGCTGGCAGCATTGCAATAGTGAGGCAGACTTTCAA TAAGGAGATCAAAACCATGAAGAAATTCGAATCTCCCAACATCCTGCGTATATTTGGGAT TTGCATTGATGAAACAGTGACTCCGCCTCAATTCTCCATTGTCATGGAGTACTGTGAACT CGGGACCCTGAGGGAGCTGTTGGATAGGGAAAAAGACCTCACACTTGGCAAGCGCATGGT CCTAGTCCTGGGGGCAGCCCGAGGCCTATACCGGCTACACCATTCAGAAGCACCTGAACT CCACGGAAAAATCAGAAGCTCAAACTTCCTGGTAACTCAAGGCTACCAAGTGAAGCTTGC AGGATTTGAGTTGAGGAAAACACAGACTTCCATGAGTTTGGGAACTACGAGAGAAAAGAC AGACAGAGTCAAATCTACAGCATATCTCTCACCTCAGGAACTGGAAGATGTATTTTATCA ATATGATGTAAAGTCTGAAATATACAGCTTTGGAATCGTCCTCTGGGAAATCGCCACTGG AGATATCCCGTTTCAAGGTGAAGAATGTGAAGACTGGCTCAGCCAGTGGCTGTAATTCTG AGAAGATCCGCAAGCTGGTGGCTGTGAAGCGGCAGCAGGAGCCACTGGGTGAAGACTGCC CTTCAGAGCTGCGGGAGATCATTGATGAGTGCCGGGCCCATGATCCCTCTGTGCGGCCCT CTGTGGATGAAATCTTAAAGAAACTCTCCACCTTTTCTAAGTAGTGTATCAAAATCTAAA ATCCTTCGGCATTGGGTTATCTATGGGTGCAAGGAGTGGGCACGCTTCTCTGTTACAAAT AGAAAACGATTCCAGTCATACAGGACACATCCCACTCCAAATGATATTTCCAAAAACATA CCTCTGACAGTAACTTTGATAGATGGTTTGTCAAATGTATCTTTCTGGGTATCCACACCT CTTGGCAATGAAATTTGCAGCTCCTCCCTTCCATAAATGAAGTCTCTTTCCCCACCATTT GAATCTGGGCTGGCACTGTGACTTGATTTGATCAATAGAATGTGGAAGAAGTGACTGTAT GCCAGTTCCAAGCCTAGGTTTCAAGAGGCCTTATAAATGTCTGTTGGAACCTTACCCAGC CATGGACATGTTGAGTGAGCATGCTGGAGAATGAGAGCCACATGAAGCAGAAACATGCT TCAAGACCAGAAGAACCACTCAAGCAGATCCCAGCCCAAATTGCCCCATTCACACAATCAG GAGCTAAATAAATTACTGTTGTCTTTT

FIGURE 2DDD

GCACTTCTGTCACCGGGCAAGTCCTCGGCGGACCACAACCTAATGCGTCGAAGCACTG TGAGCCTCCTTGATACCTACCAAAAATGTGGACTCAAGCGTAAGAGCGAGGAGATCGAGA ACACAAGCAGCGTGCAGATCATCGAGGAGCATCCACCCATGATTCAGAATAATGCAAGCG GGGCCACTGTCGCCACTGCCACCGTCTACTGCCACCTCCAAAAACAGCGGCTCCAACA GCGAGGGCGACTATCAGCTGGTGCAGCATGAGGTACTGTGCTCCATGACCAACACCTACG AGGTCTTAGAGTTCTTGGGCCGAGGGACGTTTGGGCAAGTGGTCAAGTGCTGGAAACGGG GCACCAATGAGATCGTAGCCATCAAGATCCTGAAGAACCACCCATCCTATGCCCGACAAG GTCAGATTGAAGTGAGCATCCTGGCCCGGTTGAGCACGGAGAGTGCCGATGACTATAACT TCGTCCGGGCCTACGAATGCTTCCAGCACAAGAACCACACGTGCTTGGTCTTCGAGATGT TGGAGCAGAACCTCTATGACTTTCTGAAGCAAAACAAGTTTAGCCCCCTTGCCCCTCAAAT ACATTCGCCCAGTTCTCCAGCAGGTAGCCACAGCCCTGATGAAACTCAAAAGCCTAGGTC TTATCCACGCTGACCTCAAACCAGAGAACATCATGCTGGTGGATCCATCTAGACAACCAT ACAGAGTCAAGGTCATCGACTTTGGTTCAGCCAGCCACGTCTCCAAGGCTGTGTGCTCCA CCTACTTGCAGTCCAGATATTACAGGGCCCCTGAGATCATCCTTGGTTTACCATTTTGTG AGGCAATTGACATGTGGTCCCTGGGCTGTTATTGCAGAATTGTTCCTGGGTTGGCCGT TATATCCAGGAGATTCGGAGTATGATCAGATTCGGTATATTTCACAAACACAGGGTTTGC CTGCTGAATATTTATTAAGCGCCGGGACAAGACAACTAGGTTTTTCAACCGTGACACGG ACTCACCATATCCTTTGTGGAGACTGAAGACACCAGATGACCATGAAGCAGAGACAGGGA TTAAGTCAAAAGAAGCAAGAAAGTACATTTTCAACTGTTTAGATGATATGGCCCAGGTGA ACATGACGACAGATTTGGAAGGGAGCGACATGTTGGTAGAAAAGGCTGACCGGCGGGAGT TCATTGACCTGTTGAAGAAGATGCTGACCATTGATGCTGACAAGAGAATCACTCCAATCG AAACCCTGAACCATCCCTTTGTCACCATGACACACTTACTCGATTTTCCCCACAGCACAC CGGTGAACCAGAGCAAAACCCCTTTCATCACGCACGTGGCCCCCAGCACGTCCACCAACC TGACCATGACCTTTAACAACCAGCTGACCACTGTCCACAACCAGCCCTCAGCGGCATCCA TGGCTGCAGTGGCCCAGCGGAGCATGCCCCTGCAGACAGGAACAGCCCAGATTTGTGCCC GGCCTGACCCGTTCCAGCAAGCTCTCATCGTGTGTCCCCCCGGCTTCCAAGGCTTGCAGG CCTCTCCCTCTAAGCACGCTGGCTACTCGGTGCGAATGGAAAATGCAGTTCCCATCGTCA ${\tt CTCAAGCCCCAGGAGCTCAGCCTCTTCAGATCCAACCAGGTCTGCTTGCCCAGCAGGCTT}$ AGCTGGCGGACTGGAGAAATACGCATGCTCACGGAAGCCATTATAATCCCATCATGCAGC AGCCTGCACTATTGACCGGTCATGTGACCCTTCCAGCAGCACAGCCCTTAAATGTGGGTG TGGCCCACGTGATGCGGCAGCAGCCAACCAGCACCTCCTCCCGGAAGAGTAAGCAGC ACCAGTCATCTGTGAGAAATGTCTCCACCTGTGAGGTGTCCTCCTCTCAGGCCATCAGCT CCCCACAGCGATCCAAGCGTGTCAAGGAGAACACACCTCCCCGCTGTGCCATGGTGCACA GTAGCCCGGCCTGCAGCACCTCGGTCACCTGTGGGTGGGGCGACGTGGCCTCCAGCACCA CCCGGGAACGGCAGCAGACAATTGTCATTCCCGACACTCCCAGCCCCACGGTCAGCG CTGTCTCCAAGCAAAGAAAAACGTCATCAGCTGTGTCACAGTCCACGACTCCCCCTACT CCGACTCCTCCAGCAACACCAGCCCCTACTCCGTGCAGCAGCGTGCTGGGCACAACAATG CCAATGCCTTTGACACCAAGGGGAGCCTGGAGAATCACTGCACGGGGAACCCCCGAACCA TCATCGTGCCACCCCTGAAAACCCAGGCCAGCGAAGTATTGGTGGAGTGTGATAGCCTGG TGCCAGTCAACACCAGTCACCACTCGTCCTCCTACAAGTCCAAGTCCTCCAGCAACGTGA CCTCCACCAGCGGTCACTCTTCAGGGAGCTCATCTGGAGCCATCACCTACCGGCAGCAGC GGCCGGGCCCCACTTCCAGCAGCAGCAGCCACTCAATCTCAGCCAGGCTCAGCAGCACA TCACCACGGACCGCACTGGGAGCCACCGAAGGCAGCAGGCCTACATCACTCCCACCATGG CCCAGGCTCCGTACTCCTTCCCGCACAACAGCCCCAGCCACGGCACTGTGCACCCGCATC TGGCTGCAGCCGCTGCCGCTGCCCACCTCCCCAGCCCCACCTCTACACCTACACTG CGCCGGCGGCCCTGGGCTCCACCGGCACCGTGGCCCACCTGGTGGCCTCGCAAGGCTCTG

FIGURE 2EEE

SEQ ID NO: 69 DYRK3 H CGGGAGCGAAAGTGCGCTGAGCTGCAGTGTCTGGTCGAGAGTACCCGTGGGAGCGTCGCG CCGCGGAGCCAGCCGTCCCGGCGTAGGTGGCGTGGCCGACCGGACCCCCAACTGGCGCCT CTCCCGAGCGGGGTCCCGAGCTAGGAGATGGGAGGCACAGCTCGTGGGCCTGGGCGGAA GGATGCGGGCCGCCTGGGGCCGGGCTCCCGCCCCAGCAGCGGAGTTGGGGGATGGTGTC TATGACACCTTCATGATGATAGATGAAACCAAATGTCCCCCCTGTTCAAATGTACTCTGC AATCCTTCTGAACCACCTCCACCCAGAAGACTAAATATGACCGCTGAGCAGTTTACAGGA GATCATACTCAGCACTTTTTGGATGGAGGTGAGATGAAGGTAGAACAGCTGTTTCAAGAA TTTGGCAACAGAAAATCCAATACTATTCAGTCAGATGGCATCAGTGACTCTGAAAAATGC TCTCCTACTGTTTCTCAGGGTAAAAGTTCAGATTGCTTGAATACAGTAAAATCCAACAGT TCATCCAAGGCACCCAAAGTGGTGCCTCTGACTCCAGAACAAGCCCTGAAGCAATATAAA GGTCCAAATGCCAAGAAAAGACATGGAGTTATTGGTGGTCCCAATAATGGAGGGTATGAT GATGCAGATGGGGCCTATATTCATGTACCTCGAGACCATCTAGCTTATCGATATGAGGTG CTGAAAATTATTGGCAAGGGGAGTTTTGGGCAGGTGGCCAGGGTCTATGATCACAAACTT CGACAGTACGTGGCCCTAAAAATGGTGCGCAATGAGAAGCGCTTTCATCGTCAAGCAGCT GAGGAGATCCGGATTTTGGAGCATCTTAAGAAACAGGATAAAACTGGTAGTATGAACGTT ATCCACATGCTGGAAAGTTTCACATTCCGGAACCATGTTTGCATGGCCTTTGAATTGCTG AGCATAGACCTTTATGAGCTGATTAAAAAAAAATAAGTTTCAGGGTTTTAGCGTCCAGTTG GTACGCAAGTTTGCCCAGTCCATCTTGCAATCTTTGGATGCCCTCCACAAAAATAAGATT ATTCACTGCGATCTGAAGCCAGAAAACATTCTCCTGAAACACCACGGGCGCAGTTCAACC AAGGTCATTGACTTTGGGTCCAGCTGTTTCGAGTACCAGAAGCTCTACACATATATCCAG TCTCGGTTCTACAGAGCTCCAGAAATCATCTTAGGAAGCCGCTACAGCACAACCAATTGAC ATATGGAGTTTTCGCTGCATCCTTGCAGAACTTTTAACAGGACAGCCTCTCTTCCCTGGA GAGGATGAAGGAGACCAGTTGGCCTGCATGATGGAGCTTCTAGGGATGCCACCAAAA CTTCTGGAGCAATCCAAACGTGCCAAGTACTTTATTAATTCCAAGGGCATACCCCGCTAC TGCTCTGTGACTACCCAGGCAGATGGGAGGGTTGTGCTTGTGGGGGGGTCGCTCACGTAGG GGTAAAAAGCGGGGTCCCCCAGGCAGCAAAGACTGGGGGACAGCACTGAAAGGGTGTGAT GACTACTTGTTTATAGAGTTCTTGAAAAGGTGTCTTCACTGGGACCCCTCTGCCCGCTTG ACCCCAGCTCAAGCATTAAGACACCCTTGGATTAGCAAGTCTGTCCCCAGACCTCTCACC ACCATAGACAAGGTGTCAGGGAAACGGGTAGTTAATCCTGCAAGTGCTTTCCAGGGATTG GGTTCTAAGCTGCCTCCAGTTGTTGGAATAGCCAATAAGCTTAAAGCTAACTTAATGTCA GAAACCAATGGTAGTATACCCCTATGCAGTGTATTGCCAAAACTGATTAGCTAGTGGACA

GAGATATGCCCAGAGATGCATATGTGTATATTTTTATGATCTTACAAACCTGCAAATGGA AAAAATGCAAGCCCATTGGTGGATGTTTTTGTTAGAGTAGACTTTTTTTAAACAAGACAA AACATTTTTATATGATTATAAAAGAATTCTTCAAGGGCTAATTACCTAACCAGCTTGTAT

TGGCCATCTGGAATATGCATTAAATGACTTTTTATAGGTCA

FIGURE 2FFF

SEQ ID NO: 70_AA589241_M DYRK3_M
CCACGCGTCCGGAGTTGCTAGGAATGCCACCGCAGAAACTTCTGGAGCAATCCAAGCGTG
CCAAGTACTTTATTAACTCCAAAGGCTTGCCTCGATACTGCTCCGTATCTACCCAGACGG
ACGGGAGGGTGGTGCTTCTCGGGGGTCGCTCACGCAGGGGTAAAAAGCGAGGCCCGCCAG
GCAGCAAAGACTGGGCAACCGCACTGAAGGGCTGTGGTGACTACTTGTTCATAGAGTTTC
TGAAACGATGCCTCCAGTGGGACCCCTCTGCCCGCCTCACCCCGGCTCAAGCATTAAGAC
ATCCTTGGATTAGCAAGTCTACACCCAAACCTCTCACCATGGACAAGGTGCCAGGGAAGC
GGGTAGTTAACCCTACAAATGCTTTCCAGGGACTGCGTTCCAAGCTGCCTCCAGTCGTTG
GGATAGCCAGTAAGCTTAAAGCTAACCTAATGTCCGAAACCAGTGGTAGTATACCTCTGT
GCAGTGTATTGCCAAAGCTGATTAGCTAGTGGACCACTCAGAGACTGATACATATCATAT
GTATTTTTAATTACCTTGCAAACATGCAAATGGAAAACCGGAATAATTGAAGCCCATTCAC
TGATGGATATGTTTTTTTTTAGACTTTTTTTTAACAAGGCAGAACATTTTTTATATGACTAT
AAAAGAACGCTTCAAGGGCTAATGTCAAACCAGCTTGTATTGGCCATCTGGAGTATACAT

TAAATGACTTTTTCATAGGTC

SEO ID NO: 71 5R72 16 2 H GCCTCCGGAGAGCTACCCGCAACGACAGGACCACGAGCTACAGGCCCTGGAGGCCATCTA CGGCGCGGACTTCCAAGACCTGCGGCCGGACGCTTGCGGACCGGTCAAAGAGCCCCCTGA **AATCAATTTAGTTTTGTACCCTCAAGGCCTAACTGGTGAAGAAGTATATGTAAAAGTGGA** TTTGAGGGTTAAATGCCCACCTACCTATCCAGATGTAGTTCCTGAAATAGAGTTAAAAAA TGCCAAAGGTCTATCAAATGAAAGTGTCAATTTGTTAAAATCTCGCCTAGAAGAACTGGC CAAGAAACACTGTGGGGAGGTGATGATCTTTGAACTGGCTTACCACGTGCAGTCATTTCT CAGCGAGCATAACAAGCCCCCTCCCAAGTCTTTTCATGAAGAAATGCTGGAAAGGCGGGC TCAGGAGGAGCAGCAGAGCTGTTGGAGGCCAAGCGGAAAGAAGAGCAGGAGCAACGTGA AATGGCTAAGCAGGAACGTTTGGAAATTGCTAGTTTGTCAAACCAAGATCATACCTCTAA GAAGGACCCAGGAGGACACAGAACGGCTGCCATTCTACATGGAGGCTCTCCTGACTTTGT AGGAAATGGTAAACATCGGGCAAACTCCTCAGGAAGGTCTAGGCGAGAACGTCAGTATTC TGTATGTAATAGTGAAGATTCTCCTGGCTCTTGTGAAATTCTGTATTTCAATATGGGGAG TCCTGATCAGCTCATGGTGCACAAAGGGAAATGTATTGGCAGTGATGAACAACTTGGAAA ATTAGTCTACAATGCTTTGGAAACAGCCACTGGTGGCTTTGTCTTGTTGTATGAGTGGGT CCTTCAGTGGCAGAAAAAATGGGTCCATTCCTTACCAGTCAAGAAAAAGAGAAGATTGA TAAGTGCAAAAAGCAGATTCAAGGAACAGAAACAGAATTCAACTCACTGGTAAAATTGAG CCATCCAAATGTAGTACGCTACCTTGCAATGAATCTCAAAGAGCAAGACGACTCCATCGT GGTGGACATTTAGTGGAGCACATTAGTGGGGTCTCTCTTGCTGCACACCTGAGCCACTC AGGCCCCATCCCTGTGCATCAGCTTCGCAGGTACACAGCTCAGCTCCTGTCAGGCCTTGA TTATCTGCACAGCAATTCTGTGGTGCATAAGGTCCTGAGTGCATCTAATGTCTTGGTGGA TGCAGAAGGCACCGTCAAGATTACGGACTATAGCATTTCTAAGCGCCTCGCAGACATTTG CAAGGAGGATGTTTTGAGCAAACCCGAGTTCGTTTTAGTGACAATGCTCTGCCTTATAA AACGGGGAAGAAGGAGATGTTTGGCGTCTTGGCCTTCTGCTGCTGTCCCTCAGCCAAGG ACAGGAATGTGGAGAGTACCCTGTGACCATCCCTAGTGACTTACCAGCTGACTTTCAAGA TTTTCTAAAGAAATGTGTGTGCTTGGATGACAAGGAAAGATGGAGTCCCCAGCAGTTGTT GAAACACAGCTTTATAAATCCCCAGCCAAAAATGCCTCTAGTGGAACAAAGTCCTGAAGA TTCTGGAGGACAAGATTATGTTGAGACTGTTATTCCTAGCAACCGGCTACCCAGTGCTGC CTTCTTTAGTGAGACACAGAGACAGTTTTCCCGATACTTCATTGAGTTTGAAGAATTACA ACTTCTTGGTAAAGGAGCTTTTGGAGCTGTCATCAAGGTGCAGAACAAGTTGGACGGCTG CTGCTACGCAGTGAAGCGCATCCCCATCAACCCGGCCAGCCGGCAGTTCCGCAGGATCAA GGGCGAAGTGACACTGCTGTCACGGCTGCACCATGAGAACATTGTGCGCTACTACAACGC CTGGATCGAGCGCACGAGCGGCCGGCGGGACCGGGGACGCCCCCGGACTCCGGGCC

FIGURE 2GGG

CAGCGTAGAGGCCGCCGCCGCCACCCATCCTCAGCAGCTCGGTGGAGTGGAGCACTTC GGGCGAGCGCTCGGCCAGTGCCCGTTTCCCCGCCACCGGCCCGGGCTCCAGCGATGACGA TTCTGAAAGTGATATTATCTTTGACAATGAAGATGAGAACAGTAAAAGTCAGAATCAGGA TGAAGATTGCAATGAAAAGAATGGCTGCCATGAAAGTGAGCCATCAGTGACGACTGAGGC TGTGCACTACCTATACATCCAGATGGAGTACTGTGAGAAGAGCACTTTACGAGACACCAT TGACCAGGGACTGTATCGAGACACCGTCAGACTCTGGAGGCTTTTTCGAGAGATTCTGGA TGGATTAGCTTATATCCATGAGAAAGGAATGATTCACCGGGATTTGAAGCCTGTCAACAT TTTTTTGGATTCTGATGACCATGTGAAAATAGGTGATTTTGGTTTGGCGACAGACCATCT AGCCTTTTCTGCTGACAGCAAACAAGACGATCAGACAGGAGACTTGATTAAGTCAGACCC TTCAGGTCACTTAACTGGGATGGTTGGCACTGCTCTCTATGTAAGCCCAGAGGTCCAAGG AAGCACCAAATCTGCATACAACCAGAAAGTGGATCTCTTCAGCCTGGGAATTATCTTCTT CAGAGATCCCACTTCGCCTAAGTTTCCAGAAGACTTTGACGATGGAGAGCATGCAAAGCA GAAATCAGTCATCTCCTGGCTGTTGAACCACGATCCAGCAAAACGGCCCACAGCCACAGA GCTGCTCAAGAGTGAGCTGCTGCCCCCACCCCAGATGGAGGAGTCAGAGCTGCATGAAGT GCTGCACCACACGCTGACCAACGTGGATGGGAAGGCCTACCGCACCATGATGGCCCAGAT CTTCTCGCAGCGCATCTCCCCTGCCATCGATTACACCTATGACAGCGACATACTGAAGGG CTTTAAAAGACATGGAGCTGTTCAGTTGTGTACTCCACTACTGCTTCCCCGAAACAGACA AATATATGAGCACAACGAAGCTGCCCTATTCATGGACCACAGCGGGATGCTGGTGATGCT TCCTTTTGACCTGCGGATCCCTTTTGCAAGATATGTGGCAAGAAATAATATATTGAATTT AAAACGATACTGCATAGAACGTGTGTTCAGGCCGCGCAAGTTAGATCGATTTCATCCCAA AGAACTTCTGGAGTGTGCATTTGATATTGTCACTTCTACCACCAACAGCTTTCTGCCCAC TGCTGAAATTATCTACACTATCTATGAAATCATCCAAGAGTTTCCAGCACTTCAGGAAAG AAATTACAGTATTTATTTGAACCATACCATGTTATTGAAAGCAATACTCTTACACTGTGG GATCCCAGAAGATAAACTCAGTCAAGTCTACATTATTCTGTATGATGCTGTGACAGAGAA GCTGACGAGGAGAGAGTGGAAGCTAAATTTTGTAATCTGTCTTTGTCTTAATAGTCT GTGTCGACTCTACAAGTTTATTGAACAGAAGGGAGATTTGCAAGATCTTATGCCAACAAT AAATTCATTAATAAAACAGAAAACAGGTATTGCACAGTTGGTGAAGTATGGCTTAAAAGA CCTAGAGGAGGTTGTTGGACTGTTGAAGAAACTCGGCATCAAGTTACAGGTCTTGATCAA TTTGGGCTTGGTTTACAAGGTGCAGCAGCACAATGGAATCATCTTCCAGTTTGTGGCTTT CATCAAACGAAGGCAAAGGGCTGTACCTGAAATCCTCGCAGCTGGAGGCAGATATGACCT GCTGATTCCCCAGTTTAGAGGGCCACAAGCTCTGGGGCCAGTTCCCACTGCCATTGGGGT CAGCATAGCTATAGACAAGATATCTGCTGCTGTCCTCAACATGGAGGAATCTGTTACAAT AAGCTCTTGTGACCTCCTGGTTGTAAGTGTTGGTCAGATGTCTATGTCCAGGGCCATCAA CCTAACCCAGAAACTCTGGACAGCAGGCATCACAGCAGAAATCATGTACGACTGGTCACA GTCCCAAGAGGAATTACAAGAGTACTGCAGACATCATGAAATCACCTATGTGGCCCTTGT GAAGCGTGTGCTGGAGACTGAACTTGTGGACCATGTACTGCAGAAACTGAGGACTAAAGT CACTGATGAAAGGAATGGCAGAGAAGCTTCCGATAATCTTGCAGTGCAAAATCTGAAGGG GTCATTTTCTAATGCTTCAGGTTTGTTTGAAATCCATGGAGCAACAGTGGTTCCCATTGT GAGTGTGCTAGCCCCGGAGAAGCTGTCAGCCAGCACTAGGAGGCGCTATGAAACTCAGGT ACAAACTCGACTTCAGACCTCCCTTGCCAACTTACATCAGAAAAGCAGTGAAATTGAAAT TCTGGCTGTGGATCTACCCAAAGAAACAATATTACAGTTTTTATCATTAGAGTGGGATGC TGATGAACAGGCATTTAACACAACTGTGAAGCAGCTGCTGTCACGCCTGCCAAAGCAAAG ATACCTCAAATTAGTCTGTGATGAAATTTATAACATCAAAGTAGAAAAAAAGGTGTCTGT GCTATTTCTGTACAGCTATAGAGATGACTACTACAGAATCTTATTTTAACCCTAAAGAAC TGTCGTTAACCTCATTCAAACAGACAGAGGCTTATACTGGAATAATGGAATGTTGTACAT

PCT/US00/14842 WO 00/73469

FIGURE 2HHH

TCATCATAATTTAAAATTAAATTCTAAGAAGAGGCTGGGTGCAGTGGCTCACACCTTTAA TCCCAGCACTTTGGGAAGCCAAGGCAGGAAGACTGCTTGAAACCAGGAGTTTGAGACCAG CCT

SEQ ID NO: 73 R43524 H, HRI H

ATGCTGGGGGCAACTCCGGGGTCCGCAAGCGCGAAGAGGGGGGGCGACGGGGCTGGGGCT GTGGCTGCGCCGCCGTCGACTTTCCCGCCGAGGGCCCGGACCCCGAATATGACGAA TCTGATGTTCCAGCAGAAATCCAGGTGTTAAAAGAACCCCTACAACAGCCAACCTTCCCT TTTGCAGTTGCAAACCAACTCTTGCTGGTTTCTTTGCTGGAGCACTTGAGCCACGTGCAT GAACCAAACCCACTTCGTTCAAGACAGGTGTTTAAGCTACTTTGCCAGACGTTTATCAAA ATGGGGCTGTTGTCTTTCACTTGTAGTGACGAGTTTAGCTCATTGAGACTACATCAC GAGGATATTTCTCGTATCCAGAAAATCAGATCAAGGGAAGTAGCCTTGGAAGCACAAACT TCACGTTACTTAAATGAATTTGAAGAACTTGTCATCTTAGGAAAAGGTGGATACGGAAGA GTATACAAGGTCAGGAATAAATTAGATGGTCAGTATTATGCAATAAAAAAATCCTGATT AAGGGTGCAACTAAAACAGTTTGCATGAAGGTCCTACGGGAAGTGAAGGTGCTGGCAGGT CTTCAGCACCCCAATATTGTTGGCTATCACACCGCGTGGATAGAACATGTTCATGTGATT CAGCCACGAGCAGACAGAGCTGCCATTGAGTTGCCATCTCTGGAAGTGCTCTCCGACCAG GAAGAGGACAGAGCAATGTGGTGTTAAAAATGATGAAAGTAGCAGCTCATCCATTATC TTTGCTGAGCCCACCCCAGAAAAAGAAAAACGCTTTGGAGAATCTGACACTGAAAATCAG AATAACAAGTCGGTGAAGTACACCACCAATTTAGTCATAAGAGAATCTGGTGAACTTGAG TCGACCCTGGAGCTCCAGGAAAATGGCTTGGCTGGTTTGTCTGCCAGTTCAATTGTGGAA CAGCAGCTGCCACTCAGGCGTAATTCCCACCTAGAGGAGGTTTCACATCCACCGAAGAA TCTTCCGAAGAAAATGTCAACTTTTTGGGTCAGACAGAGGGCACAGTACCACCTGATGCTG CACATCCAGATGCAGCTGTGAGCTCTCGCTGTGGGATTGGATAGTCGAGAGAAACAAG CGGGGCCGGGAGTATGTGGACGAGTCTGCCTGTCCTTATGTTATGGCCAATGTTGCAACA CGAGATCTGAAGCCAAGAAATATTTTTCTTCATGGCCCTGATCAGCAAGTAAAAATAGGA GACTTTGGTCTGGCCTGCACAGACATCCTACAGAAGAACACAGACTGGACCAACAGAAAC GGGAAGAACACCAACACATACGTCCAGAGTGGGTACTTGTCTGTACGCTTCACCCGAA CAGTTGGAAGGATCTGAGTATGATGCCAAGTCAGATATGTACAGCTTGGGTGTGGTCCTG AGAACTGGTCAGTTGCCGGAATCCCTCCGTAAAAGGTGTCCAGTGCAAGCCAAGTATATC CAGCACTTAACGAGAAGGAACTCATCGCAGAGACCATCTGCCATTCAGCTGCTGCAGAGT GAACTTTTCCAAAATTCTGGAAATGTTAACCTCACCCTACAGATGAAGATAATAGAGCAA GAAAAAGAAATTGCAGAACTAAAGAAGCAGCTAAACCTCCTTTCTCAAGACAAAGGGGTG AGGGATGACGGAAAGGATGGGGGCGTGGGATGA

SEQ ID NO: 74 17000057519457 H

CACAAGAGCCCTTCCTGCAGGGAACCTCAGGCTTCAGAGAGCCGAAAAGTTGGGAGGCGT AACCACTTACAGGCCGGAAGTGTCCGGGGTGGACGCATTCGGGTAGCCGAAGAAGTCCCA GGATTGCCGAAGAAGTCCCAGGATTTCCGAAGCGAGCCGAAGCATCGCGACAGTTTTCAG AGACAGCTGATCGGTTGGAGCTGTTGCGCCGAGCAGTCATGGCGGCGGCCAGAGCTACTA CGCCGGCCGATGGCGAGGCCCGCCCCGGAGGCTGAGGCTCTGGCCGCAGCCCGGGAGC GGAGCAGCCGCTTCTTGAGCGGCCTGGAGCTGGTGAAGCAGGGTGCCGAGGCGCGCGTGT TCCGTGGCCGCTTCCAGGGCCGCGCGGCGGTGATCAAGCACCGCTTCCCCAAGGGCTACC GGCACCCGGCGCTGGAGGCGCGCTTGGCAGACGCCGGACGTGCAGGAGGCCCGGGCGC TCCTCCGCTGTCGCCGCGCTGGAATATCTGCCCCAGTTGTCTTTTTTGTGGACTATGCTT CCAACTGCTTATATATGGAAGAAATTGAAGGCTCAGTGACTGTTCGAGATTATATTCAGT CCACTATGGAGACTGAAAAAACTCCCCAGGGTCTCTCCAACTTAGCCAAGACAATTGGGC

FIGURE 2III

AGGTTTTGGCTCGAATGCACGATGAAGACCTCATTCATGGTGATCTCACCACCTCCAACA TGCTCCTGAAACCCCCCCTGGAACAGCTGAACATTGTGCTCATAGACTTTGGGCTGAGTT TCATTTCAGCACTTCCAGAGGATAAGGGAGTAGACCTCTATGTCCTGGAGAAGGCCTTCC TCAGTACCCATCCCAACACTGAAACTGTGTTTGAAGCCTTTCTGAAGAGCTACTCCACCT CCTCCAAAAAGGCCAGGCCAGTGCTAAAAAAATTAGATGAAGTGCGCCTGAGAGGAAGAA TCAAAGTAAATTTGAAGAAATGCTACAAGTATGAGATGAGATCTAAGTAAAGGTGTTAAG ATATTTTAAGTGGTATGTGATCGTGTCATTATCATCTGCACTTCACTCAAGAGCTTACT ATGTGTCTAAGTCATGTTCTAGGCAGAATTGGGTATTTAAAGTAAATTGAGGACAGGCTT CTCCCAGATTGTGACATGTATATCTCAGATACATGGGTGTGGCATTGAACCACATAATGA GAACATTATTCTCTTTTAGTCCTTGTGAGACAAGGATGAAGTCTCAGTTGCTGATACTC ATTTATTTTGAAACCAGTTTAATGGGATACAACCAGCATTTTAAAAAATGAAATAGAATA GATATGTGCTGAGTTTTGATGTCAAAATATTTTCTCTTTCAGGGTCATGATCAAAAAATG AAAAGTCTGCTTAACTCCAATTTCTCTTTTAAAAAAGCAGACTTACAGCTTTCAGGCAAC TGAAATTCATGTTAACATGTTTTTATTTTTATTGCTTTGTATTTTTTGTGGTTACCTTCTA TTCTATCACAGGCAGTAAGTAGGTAGAGCAAAAATGGTGAAGTGACTTGTGAAGACTGAA GTTTGATGAAGTCTGGTTTAAGGCACAGGTAAACTGAGTGTGGATGCAAAAGTACCAGGA TATTTTGAGTGCCTTTTGTGTTCCTTGGCACCCTGTTGGGTATTGGGTACTTGGCACCCT GTTGGGTATTGGGTACAATGGTGAGCCAGACAGACACAGCGCCTGTCCTTTTGTAAGAAT ATTTATTTTATAAAAAAGTATAAAGTATACAGTGGGATGTTTTGATATACATTATGAAA TGATTGCTACAGCTGAGCTAATTAACACCCATCACCTCACATAGTTACTGTCTTGTTTCT TAATATGGACATTTGCAGCTATGAATTTCCCTCTGCACACTGTTGTCATCACACACTCTC AGTTTTGGTATTTTGTTTTTTTTTTTCATTCATCTCAAAGTATTTTCTAATTTCCCTTG TGATTCTTCTTTGACCCCTTGATTGTTTAGAAATCTGTTAATTTCCACACATTTGTAAA TGTTCCAATTTTTCTTTTGTTATTGCCAGCTTCATTCCATTGTGTTCAGAGATGATACAG TCATTCACCACAGTCAGCATGCCCCAAGTGCCCAGCATGGGGCGGATGGCCAGGAATGAG TGAAAACTTCCCTTCCTGGGTAGTTGTGACTAGTAGAGAGAAAAATAATAATTGCCT GCTTACTGCATGCCAGGCATTGGGCTGGGAATTTTTATATTGGATCTAAAATAACTCTTA AGTTAGGCATTATCCCCATTTTATAGATGGAGAAACTGGCCCCAAAAGGTGGGAACTTGT CCAAGACGTCACAGGTAGCAAGAGGTACTTTTACCTGGCTCCAAATCTGTGTTCTTTCCA CTGACAAATGAGATATGGGATATGGTGCATCTTTACAGTACTATAATAAGTATTGGCGTA TAACATTATTTCAAGGAACTCCAAGGGCCACAGGAGCTGACAGGTTTTTCAATTAATAT TCCCAACATGAATGAGATGCCTCATTCCTCAGTTTCCTCACGTGTACTATAAGGCTAGTA CCTGCTTTGTTGGGGTATGGTTGGCTCGTGTGCATTAAGTCAACAAATCCCTAGT

SEQ ID NO: 75 AA013524 M

FIGURE 2JJJ

SEQ ID NO: 76_17000139801197_H, IRAKM_H ATGGCGGGAACTGTGGGGCCCGCGGCGCTGTCGGCGCACACGCTGCTGTTCGACCTG CCGCCGCGCTGCTCGGAGAGCTCTGCGCTGTTCTGGACAGCTGCGACGGCGCGCTGGGC TATGTAGACCAAGGTAAAAGTGGAACAAGAGAATTACTTTGGTCCTGGGCACAGAAAAAC AAGACCATCGGTGACCTTTTACAGGTCCTCCAGGAGATGGGACATCGTCGAGCTATTCAT TTAATTACAAACTATGGAGCAGTGTTGAGTCCTTCAGAGAAGAGTTATCAGGAAGGTGGA TTTCCAAATATATTATTCAAGGAAACAGCCAATGTCACCGTGGATAATGTTCTTATTCCT GAACATAATGAAAAAGGAGTACTGCTTAAATCTTCCATCAGCTTTCAAAATATCATAGAA GGAACTAGAAATTTCCACAAAGACTTCCTAATTGGAGAAGGAGAGATTTTTGAGGTATAC CAGTGTAAGAAGCATTGGAAGAGGTTTTTATCTGAGCTTGAAGTTTTACTACTGTTTCAT TATCCATACATGAGAAATGGAACACTTTTTGACAGATTGCAGTGTATAGGTGACACGGCC CCACTCCCTTGGCACATTCGAATCGGTATATTAATAGGAATATCCAAAGCCATTCACTAC CTGCACAACGTTCAACCATGCTCGGTCATCTGTGGCAGTATATCAAGTGCAAACATCCTT TTGGATGATCAGTTTCAACCCAAACTAACTGATTTTGCCATGGCACACTTCCGGTCCCAC CTAGAACATCAGAGTTGTACCATAAATATGACCAGCAGCAGCAGTAAACATCTGTGGTAC ATGCCAGAAGAGTACATCAGACAGGGGAAACTTTCCATTAAAACAGATGTCTACAGCTTT GGAATTGTAATAATGGAAGTTCTAACAGGATGTAGAGTAGTGTTAGATGATCCAAAACAT ATCCAGCTGCGGGATCTCCTTAGAGAATTGATGGAGAAGAGAGGCCTGGATTCATGTCTC TCATTTCTAGATAAGAAAGTGCCTCCCTGCCCTCGGAATTTCTCTGCCAAGCTCTTCTGT TTGGCAGGCCGGTGTGCTGCAACGCGGGCAAAGTTAAGACCATCAATGGATGAAGTTTTA AATACTCTTGAAAGTACTCAAGCCAGCTTGTATTTTGCTGAAGATCCTCCCACATCACTA AAGTCCTTCAGGTGTCCTTCTCCTCTATTCCTGGAGAATGTACCAAGTATTCCAGTGGAA GATGATGAAAGCCAGAATAACAATTTACTACCTTCTGATGAAGGCCTGAGGATAGACAGA ATGACTCAGAAAACTCCTTTTGAATGCAGCCAGTCTGAGGTTATGTTTCTGAGCTTGGAC AAAAAGCCAGAGAGCAAGAGAAATGAGGAAGCTTGCAACATGCCCAGTTCTTCTTGTGAA GAAAGTTGGTTCCCAAAGTATATAGTTCCATCCCAGGACTTAAGGCCCTATAAGGTAAAT ATAGATCCTTCTTCAGAAGCTCCAGGGCATTCTTGCAGGAGCAGGCCAGTGGAGAGCAGC TGTTCCTCCAAATTTTCCTGGGATGAATATGAACAGTACAAAAAAGAATAA

SEQ ID NO: 77_AA840598_M IRAKM_M
ATGTGGAAGAGTTTTTATCAGAACTGGAAGTTCTACTCCTGTTCCGTCACCCCACATA
CTAGAGCTGGCTGCATATTTCACGGAGACTGAGAAACTTTGTCTGGTTTATCCCTATATG
AGCAACGGGACGCTTTTCGACAGATTACAGTGCACAAATGGCACAACCCCGCTTTCCTGG
CACGTTCGAATCAGCGTATTGATAGGAATAGCCAAAGCCATCCAATACTTGCACAACACT
CAGCCGTGCGCCGTCATCTGTGGCAACGTTTCCAGTGCAAACATACTCTTGGATGACCAG
CTCCAACCCAAACTAACGGATTTTGCTGCAGCGCACTTCCGACCCAATCTAGAGCAGCAG
AGTTCTACCATAAATATGACCGGCGGTGGCAGGAAACATCTGTGGTACATGCCAGAAGAA

FIGURE 2KKK

TACATCAGACAGGGAAGACTTTCCGTTAAAACTGATGTCTACAGCTTCGGAATCGTGATC ATGGAGGTTCTAACGGGCTGCAAAGTGGTGCTGGATGACCCGAAACACGTTCAGCTGCGG AGGAAGATACCACCCTGTCCTCGGAACTTCTCTGCAAAGCTCTTCTCTCTGGCGGGCCGG TGTGTGGCAACGAAGGCCAAGTTAAGACCCACGATGGACGAAGTCCTGTCCTCTCGGAG AGCACCCAGCCTAGCTTGTATTTTGCAGAAGACCCTCCCACGTCCTTGAAGTCCTTCAGG TGTCCTTCTCCACTGTTCTTGGATAATGTCCCAAGTATTCCAGTAGAAGATGATGAAAAAC CAGAATAACCATTCAGTACCTCCCAAGGAAGTTTTGGGGACAGATAGAGTGACTCAGAAA ACCCCCTTTGAATGCAGCCAGTCTGAGGTCACCTTTCTAGGCTTGGACCGAAACAGAGGG AACAGGGGAAGTGAAGCGGATTGCAACGTGCCCAGTTCTTCTCATGAGGAATGCTGGTCC CCAGAGCTTGTGGCGCCATCCCAGGACTTAAGTCCTACTGTGATCAGTTTGGGCTCGTCT TGGGAAGTACCAGGCCATTCTTATGGGAGCAAGCCAATGGAGAAGAGGTGTTCCTCTGGG CTCTTTTGCAGTGAGCATGAACAGTCCAAAAAGCAGTGAATCCACCAGAAGATCAAGCAA AAAATAAAAGCAAACGTCACTGAAGGCACTGAGCAAATAGCATCCCCGTGAAAAGACACG AGCTCTGAGCTCCGTGAGTACAGCCAAGGGACCAACTGATGGAGAATTTGAATGGTGCAG ATTAGCAGCAAGGAAGTCTATTCCTTCCTCCAAACAGAATAATTTCAAGAGATGCTTTAT TCAAGTGACCGCCTCTCAGTCAAACCTGAGAAGCTAAACTGGAGCCAATCAGAATTATCC AAGATTCCGGGTTCTGACAACCAAAACCTAGCAAAGAGTAGCAGGACAAGTCTCTCTT AAGTCTCTCACTCTCATCATCATCCGAGTGAGATCTTGGTATAGGTGAACAGAGAACCA GCAGCCAGTAGTCACCAGCAGCCAATCATGATACAGTGTCACTCTCCCTCTGCGCATGCC TCTGTTGCGTAGTGTGACTTTGTGGCATGACTTGGTTGTCAGATCATTTGCACAAGAACA AGCGAATACACAACAACAAGCCCACCATCATTACCACCGGCACTTAATGCTAGTCTTTC TGCTAGGGATACTGACAGTCTATTTGCTTCCCATGGTCATAGGGAAGTTGCTCAAATGCA TTTTACAGCCAGTTGCTACTCTTGTTTATCGCTGGTTAACCGGTCTGTCCGGAAGTGAGC CAAGTCATCCTTGCTAGGGCTTTTTCTGTGTAGAGAGGGAATTCCAGTCCAAAGTCTGCT TTATATTAAAGAATTCCAGCACT

SEO ID NO: 78 AA088547 H

ATGGCGAGTGCGGTCAGGGGGTCGAGGCCGTGGCCCCGGCTGGGGCTCCAGCTCCAGTTC GCGGCGCTGCTCGGGACGCTGAGTCCACAGGTTCATACTCTCAGGCCAGAGAACCTC AAGTGGACTCTGAGGGATGATCCCGTCATCGAAGGACCAATGTACGTCACAGAAATGGCC TTTCTCTGTGACCCAGCAGATGGCAGCCTGTACATCTTGGGGACCCAAAAACAACAGGGA TTAATGAAACTGCCATTCACCATCCCTGAGCTGGTTCATGCCTCTCCCTGCCGCAGCTCT GATGGGGTCTTCTACACAGGCCGGAAGCAGGATGCCTGGTTTGTGGTGGACCCTGAGTCA CGAACACAGTATACGGTCACCATGCATGACCCAAGAGCCCCAGCCCTGCGCTGGAACACC ACCTACCGCCGCTACTCAGCGCCCCCCATGGATGGCTCACCTGGGAAATACATGAGCCAC CTGGCGTCCTGCGGGATGGGCCTGCTGCTCACTGTGGACCCAGGAAGCGGGACGGTGCTG TGGACACAGGACCTGGGCGTGCCTGTGATGGGCGTCTACACCTGGCACCAGGACGGCCTG CGCCAGCTGCCGCATCTCACGCTGGCTCGAGACACTCTGCATTTCCTCGCCCTCCGCTGG GGCCACATCCGACTGCCTCAGGCCCCCGGGACACAGCCACCCTCTTCTCTACCTTG GACACCCAGCTGCTAATGACGCTGTATGTGGGGAAGGATGAAACTGGCTTCTATGTCTCT AAAGCACTGGTCCACACAGGAGTGGCCCTGGTGCCTCGTGGACTGACCCTGGCCCCCGCA GATGGCCCCACCACAGATGAGGTGACACTCCAAGTCTCAGGAGAGCGAGAGGGCTCACCC

FIGURE 2LLL

AGCACTGCTGTTAGATACCCCTCAGGCAGTGTGGCCCTCCCAAGCCAGTGGCTGCTCATT GGACACCACGAGCTACCCCCAGTCCTGCACACCATGCTGAGGGTCCATCCCACCCTG GGGAGTGGAACTGCAGAGACAAGACCTCCAGAGAATACCCAGGCCCCAGCCTTCTTCTTG GAGCTATTGAGCCTGAGCCGAGAAAACTTTGGGACTCCGAGCTGCATCCAGAAGAAAAA ACTCCAGACTCTTACTTGGGGCTGGGACCCCAAGACCTGCTGGCAGCTAGCCTCACTGCT GTCCTCCTGGGAGGTGGATTCTCTTTGTGATGAGGCAGGTGGTGGAGAAGCAGCAGGAG ACCCCCTGGCACCTGCAGACTTTGCTCACATCTCCCAGGATGCCCAGTCCCTGCACTCG GACGACCCTGAAGCTGAGCAACTCACCGTAGTGGGGAAGATTTCCTTCAATCCCAAGGAC GTGCTGGGCCGCGGGCAGGCGGGACTTTCGTTTTCCGGGGACAGTTTGAGGGACGGGCA $\tt GTGGCTGTCAAGCGGCTCCTCCGCGAGTGCTTTGGCCTGGTTCGGCGGGAAGTTCAACTG$ CTGCAGGAGTCTGACAGGCACCCCAACGTGCTCCGCTACTTCTGCACCGAGCGGGGACCC CAGTTCCACTACATTGCCCTGGAGCTCTGCCGGGCCTCCTTGCAGGAGTACGTAGAAAAC CCGGACCTGGATCGCGGGGTCTGGAGCCCGAGGTCGTGCTGCAGCAGCTGATGTCTGGC CTGGCCCACCTGCACTCTTTACACATAGTGCACCGGGACCTGAAGCCAGGAAATATTCTC ATCACCGGGCCTGACAGCCAGGGCCTGGGCAGAGTGGTGCTCTCAGACTTCGGCCTCTGC AAGAAGCTGCCTGCTGGCCGCTGTAGCTTCAGCCTCCACTCCGGCATCCCCGGCACGGAA GGCTGGATGGCGCCCGAGCTTCTGCAGCTCCTGCCACCAGACAGTCCTACCAGCGCTGTG GACATCTTCTCTGCAGGCTGCGTGTTCTACTACGTGCTTTCTGGTGGCAGCCACCCCTTT GGAGACAGTCTTTATCGCCAGGCAAACATCCTCACAGGGGCTCCCTGTCTGGCTCACCTG GAGGAAGAGTCCACGACAAGGTGGTTGCCCGGGACCTGGTTGGAGCCATGTTGAGCCCA CTGCCGCAGCCACGCCCTCTGCCCCCCAGGTGCTGGCCCACCCCTTCTTTTGGAGCAGA GAGCCCCTGGTGAGGCCACTGGAGGCGGGAGGCTGCGCAGTGGTCCGGGACAACTGGCAC GAGCACATCTCCATGCCGCTGCAGACAGATCTGAGAAAGTTCCGGTCCTATAAGGGGACA TCAGTGCGAGACCTGCTCCGTGCTGTGAGGAACAAGAAGCACCACTACAGGGAGCTCCCA GTTGAGGTGCGACAGGCACTCGGCCAAGTCCCTGATGGCTTCGTCCAGTACTTCACAAAC CGCTTCCCACGGCTGCTCCTCCACACGCACCGAGCCATGAGGAGCTGCGCCTCTGAGAGC CTCTTCCTGCCCTACTACCCGCCAGACTCAGAGGCCAGGAGGCCATGCCCTGGGGCCACA GGGAGGTGA

SEQ ID NO: 79_HGP_6644466

GGAGGGTTCGAATTGCAACGGCAGCTGCCGGGCGTATGTGTTGGTGCTAGAGGCAGCTGC AGGGTCTCGCTGGGGCCGCTCGGGACCAATTTTGAAGAGGTACTTGGCCACGACTTATT TTCACCTCCGACCTTTCCTTCCAGGCGGTGAGACTCTGGACTGAGAGTGGCTTTCACAAT GGAAGGGATCAGTAATTTCAAGACACCAAGCAAATTATCAGAAAAAAAGAAATCTGTATT ATGTTCAACTCCAACTATAAATATCCCGGCCTCTCCGTTTATGCAGAAGCTTGGCTTTGG TACTGGGGTAAATGTGTACCTAATGAAAAGATCTCCAAGAGGTTTGTCTCATTCTCCTTG GGCTGTAAAAAAGATTAATCCTATATGTAATGATCATTATCGAAGTGTGTATCAAAAGAG ACTAATGGATGAAGCTAAGATTTTGAAAAGCCTTCATCATCCAAACATTGTTGGTTATCG TGCTTTTACTGAAGCCAATGATGGCAGTCTGTGTCTTGCTATGGAATATGGAGGTGAAAA CATAATTTTAAAAGTTGCTTTGAATATGGCAAGAGGGTTAAAGTATCTGCACCAAGAAAA GAAACTGCTTCATGGAGACATAAAGTCTTCAAATGTTGTAATTAAAGGCGATTTTGAAAC AATTAAAATCTGTGATGTAGGAGTCTCTCTACCACTGGATGAAAATATGACTGTGACTGA CCCTGAGGCTTGTTACATTGGCACAGAGCCATGGAAACCCCAAAGAAGCTGTGGAGGAGAA TGGTGTTATTACTGACAAGGCAGACATATTTGCCTTTGGCCTTACTTTGTGGGAAATGAT GACTTTATCGATTCCACACATTAATCTTTCAAATGATGATGATGATGAAGATAAAACTTT TGATGAAAGTGATTTTGATGATGAAGCATACTATGCAGCGTTGGGAACTAGGCCACCTAT TAATATGGAAGAACTGGATGAATCATACCAGAAAGTAATTGAACTCTTCTCTGTATGCAC



PCT/US00/14842

FIGURE 2MMM

SEQ ID NO: 80 AA449542 M ATCTCCAAGAGGGTTGTCTCATTCTCCTTGGGCCGTGAAAAAGATAAGTCTTTTATGCGA TGATCATTATCGAACTGTGTATCAGAAGAGACTAACTGATGAAGCTAAGATTTTAAAAAA CCTTAATCACCCAAACATTATAGGATATCGTGCTTTTACTGAAGCCAGTGATGGTAGTCT GTGCCTTGCTATGGAGTATGGAGGTGAAAAGTCTCTGAATGACTTAATAGAAGAGCGGAA CAAAGACAGTGGAAGTCCTTTTCCAGCAGCTGTAATTCTCAGAGTTGCTTTGCACATGGC CAGAGGGCTAAAGTACCTGCACCAAGAAAAGAAGCTGCTTCATGGAGACATAAAGTCTTC AAATGTTGTAATTAAAGGTGATTTTGAAACAATTAAAATCTGTGATGTAGGAGTCTCTCT GCCATTGGATGAAAATATGACTGTGACTGATCCTGAGGCCTGTTATATTGGTACTGAGCC ATGGAAACCCAAGGAAGCGTTGGAAGAAAATGGCATCATTACTGACAAGGCAGATGTGTT TGCTTTTGGCCTTACTCTGTGGGAAATGATGACTTTATGTATTCCACACGTCAATCTTCC AGATGATGATGATGAAGATGCAACCTTTGATGAGAGTGACTTCGATGATGAAGCATA TTATGCAGCTCTGGGGACAAGGCCATCCATCAACATGGAAGAGCTGGATGACTCCTACCA GAAGGCCATTGAACTCTTCTGTGTGTGCACTAATGAGGATCCTAAAGATCGCCCGTCTGC TGCACACATCGTTGAAGCTTTGGAACTAGATGGCCAATGTTGTGGTCTAAGCTCAAAGCA TTAACTTGTATGGGAACTGTTAACTAGATATATGTAGTTAATATAACTTATGGTAGCTAG ATTCTAGAAGTAGCTTTAACACTAGTGACCCCTGTCTAAGATGACTTAAGAATCAAGGGA CCATTGCTTTGTTACAGATCTTTTTAGATATTCTTGCTTCTTTAGTGGGTTACTAAAAAT TTCACTACGTACATGTGGTACAGATATCTGTCTGCTCATAGTGTCAGTCCTTCAGCTGGC CTGTCAGCCCATGCGCCCTGGGACTTGAGAAGAGTTCATAAACGTAGCTCCTAGGGTGTC TTGCCTCTCTACACTTAGCTTCTAATTTATTACTTTGTTTCTACTGATTGTGTCTTAAGT CTTTTAAAATAAATGTAAGAATAAACAATAAAAGACAGTTTTAGTACCAGG

SEQ ID NO: 82_AA232253_H
ATGTCGTCTCTCGGTGCCTCCTTTGTGCAAATTAAATTTGATGACTTGCAGTTTTTTGAA
AACTGCGGTGGAGAAGTTTTGGGAGTGTTTATCGAGCCAAATGGATATCACAGGACAAG
GAGGTGGCTGTAAAGAAGCTCCTCAAAATAGAGAAAGAGGCAGAAATACTCAGTGTCCTC
AGTCACAGAAACATCATCCAGTTTTATGGAGTAATTCTTGAACCTCCCAACTATGGCATT
GTCACAGAATATGCTTCTCTGGGATCACTCTATGATTACATTAACAGTAACAGAAGTGAG
GAGATGGATATGGATCACATTATGACCTGGGCCACTGATGTAGCCAAAGGAATGCATTAT
TTACATATGGAGGCTCCTGTCAAGGTGATTCACAGAGACCTCAAGTCAAGAAACGTTGTT

FIGURE 2NNN

ATAGCTGCTGATGGAGTATTGAAGATCTGTGACTTTGGTGCCTCTCGGTTCCATAACCAT ACAAGGAGGTCCCCTTTAAAGGTTTGGAAGGATTACAAGTAGCTTGGCTTGTAGTGGAA AAAAACGAGAGATTAACCATTCCAAGCAGTTGCCCCAGAAGTTTTGCTGAACTGTTACAT CAGTGTTGGGAAGCTGATGCCAAGAAACGGCCATCATTCAAGCAAATCATTTCAATCCTG GAGTCCATGTCAAATGACACGAGCCTTCCTGACAAGTGTAACTCATTCCTACACAACAAG GCGGAGTGGAGGTGCGAAATTGAGGCAACTCTTGAGAGGCTAAAGAAACTAGAGCGTGAT CTCAGCTTTAAGGAGCAGGAGCTTAAAGAACGAGAAAGACGTTTAAAGATGTGGGAGCAA GAAGACGATGTGTATTGGTGGGTTCAGCAGCTCGTCAGAAAAGGTGACTCTTCAGCAGAG ATGAGTGTATATGCAAGCTTGTTTAAAGAAAACAACATTACAGGGAAGCGGCTGCTGCTG CTGGAGGAAGAAGACCTGAAAGACATGGGCATTGTCTCCAAGGGGCATATCATTCACTTC **AAGTCAGCCATTGAGAAATTAACCCATGATTACATAAATTTGTTTCACTTCCCACCACTA** ATTAAGGACTCAGGAGGTGAACCTGAAGAAAATTGAGGAAAAAATAGTGAACCTGGAACTG GTTTTTGGTTTTCACTTGAAACCAGGAACTGGCCCACAGGATTGTAAGTGGAAAATGTAT ATGGAGATGGATGGGATGAAATTGCAATAACCTACATAAAAGATGTGACATTCAACACT AACCTACCTGATGCGGAGATTTTAAAGATGACAAAGCCACCATTTGTAATGGAGAAGTGG ATTGTAGGAATAGCAAAAAGTCAGACTGTGGAGTGCACTGTCACATATGAGAGTGATGTT AGAACTCCAAAAAGCACTAAACATGTCCATTTGATTCAGTGGAGTAGAACAAAACCTCAG GATGAAGTGAAAGCAGTCCAACTTGCCATTCAGACATTATTCACCAATTCAGATGGCAAC CCTGGAAGCAGGTCCGACTCAAGTGCTGATTGCCAGTGGTTAGATACTCTGAGGATGCGG CAGATTGCATCCAACACTTCTTTACAGCGTTCCCAGAGCAATCCTATTCTGGGGTCACCG TTCTTCTCACACTTTGATGGCCAGGATTCCTACGCTGCTGCTGTGAGACGGCCCCAGGTG CCCATTAAGTATCAACAGATTACACCTGTGAACCAGTCCAGAAGCTCGTCTCCTACTCAG TATGGACTGACCAAAAACTTCTCTTCCTTACATCTCAACTCTAGGGACAGTGGCTTTTCC TATGGACGTGGTAGTATATCACTCAATTCTTCTCCTAGAGGAAGATACAGTGGAAAGAGT CAGCATTCCACTCCATCAAGAGGAAGATACCCTGGAAAGTTCTACAGGGTTTCTCAGTCA GCACTCAATCCTCACCAGTCGCCTGACTTCAAGAGAAGCCCCAGGGACCTCCACCAACCC AGCAAAGTCAGCGAAGGGGGCTGGACAAAAGTGGAATACCGGAAAAAGCCCCACAGGCCA TGA

SEO ID NO: 83 AI375137 H

ATGGGAAATTATAAATCTAGACCAACCCAAACTTGTACTGATGAATGGAAGAAAAAAAGTC
AGTGAATCATATGTTATCACAATAGAAAGATTAGAAGATGACCTGCAGATCAAGGAAAAA
GAACTGACAGAACTAAGGAATATATTTGGCTCTGATGAAGCCTTCAGTAAAGTCAATTTA
AATTACCGCACTGAAAATGGGCTGTCTCTACTTCATTTATGTTGCATTTGTGGAGCAAG
AAATCACATATTCGAACTCTTATGTTGAAAGGGCTCCGCCCATCTCGACTGACAAGAAAT
GGATTTACAGCCTTGCATTTAGCAGTTTACAAGGATAATGCAGAATTGATCACTTCTCTG
CTTCACAGTGGAGCTGATATACAGCAGGTTGGATACGGTGGCCTCACTGCCCTCCATATT
GCTACAATAGCTGGCCACCTAGAGGCTGCTGATGTGCTGTTGCAACATGGAGCTAATGTC
AATATTCAAGATGCAGTTTTTTTCACTCCATTGCATATTGCAGCGTACTATGGACATGAA
CAGGTAACTCGCCTTCTTTTGAAATTTGGTGCTGATGTAAATGTAAGTGGTGAAGTTGGA
GATAGACCCCTCCACCTAGCATCTGCAAAAGGATTCTTGAATATTGCAAAACTCTTGATG
GAAGAAGGCAGCAAAGCAGATGTGAATGCTCAAGATAATGAAGACCATGTCCCACTCCAT
TTCTGTTCTCGATTTGGACACCATGATATAGGTAAATTTGCAAAAGTGATTTGGAA
GTTCAACCTCATGTTGTTAATATCTATGGAGATACCCCCTTACACCTGGCATGCTACAAT

FIGURE 2000

GGCAAATTTGAAGTTGCCAAGGAAATCATCCAAATATCAGGAACAGAAAGTCTGACTAAG GAAAACATCTTCAGTGAAACAGCTTTTCATAGTGCTTGTACCTATGGCAAGAGCATTGAC CACACTGGATTACACTCTGCTTGCTACCACGGTCACATTCGCCTGGTTCAGTTCTTACTG GATAATGGAGCTGATATGAATCTAGTGGCTTGTGATCCCAGCAGGTCTAGTGGTGAAAAA GATGAGCAGACATGTTTGATGTGGGCTTATGAAAAAGGGCATGATGCCATTGTCACACTC CTGAAGCATTATAAGAGACCACAAGATGAATTGCCCTGTAATGAATATTCTCAGCCTGGA GGAGATGGCTCCTATGTGTCTGTTCCATCACCCTTGGGGAAGATTAAAAGCATGACAAAA GAGAAGGCAGATATTCTCCTCCTAAGAGCTGGATTGCCTTCACATTTCCATCTTCAGCTC TCAGAAATTGAGTTCCATGAGATTATTGGCTCAGGTTCTTTTGGGAAAGTATATAAAGGA CGATGCAGAAATAAAATAGTGGCTATAAAACGTTATCGAGCCAATACCTACTGCTCCAAG TCAGATGTGGATATGTTTTGCCGAGAGGTGTCCATTCTCTGCCAGCTCAATCATCCCTGC TACATATCAGGGGGTTCTCTGTTCTCCCTCCTTCATGAGCAGAAGAGGGATTCTTGATTTG CAGTCTAAATTAATTATTGCAGTAGATGTTGCCAAAGGCATGGAGTACCTTCACAACCTG ACACAGCCAATTATACATCGTGACTTGAACAGTCACAATATTCTTCTCTATGAGGATGGG CATGCTGTGGTGGCAGATTTTGGAGAATCAAGATTTCTACAGTCTCTGGATGAAGACAAC ATGACAAAACAACCTGGGAACCTCCGTTGGATGGCTCCTGAGGTGTTCACGCAGTGCACT GGCGAAATTCCATTCGCTCATCTCAAGCCAGCGGCTGCGGCAGCAGACATGGCTTACCAC CACATCAGACCTCCCATTGGCTATTCCATTCCCAAGCCCATATCATCTCTGCTGATACGA GGGTGGAACGCATGTCCTGAAGGAAGACCCGAATTTTCTGAAGTTGTCATGAAGTTAGAA GAGTGTCTCTGCAACATTGAGCTGATGTCTCCTGCATCAAGTAACAGCAGTGGGTCTCTC TCACCTTCTTCTTCTTGATTGCCTGGTGAACCGGGGAGGACCTGGCCGGAGTCATGTG GCAGCATTAAGAAGTCGTTTCGAATTGGAATATGCTCTAAATGCAAGGTCCTATGCTGCT AGTCTTCAATACACCCCATTGACAAATATGGCTATGTATCCGATCCCATGAGCTCAATG CATTTTCATTCTTGCCGAAATAGTAGCAGCTTTGAGGACAGCAGCTGA

SEQ ID NO: 84 H97685 H

ATGATTTCTTGCCTGTNATAACCTATGCACTCACAAAGATGAACTCTCTGAGAGGGATGA GCAAGAGCTTCAGGAAATCCGAAAGTATTTCTCCTTTTCCTGTATTCTTTTTCAAAGTGCC GAAACTGGGCTCGGAGATAATAGACTCCTCAACCAGGAGAATGGAGAGCGAAAGATCACC GCTTTATCGCCAGCTAATTGACCTGGGCTATCTGAGCAGCAGTCACTGGAACTGTGGGGC TCCTGGCCAGGATACTAAAGCTCAGAGCATGTTGGTGGAACAGAGTGAAAAGCTGAGACA CTTGAGCACATTTTCTCACCAGGTGTTACAGACTCGCCTGGTGGATGCAGCCAAGGCCCT GAACCTGGTGCACTGCCACTGCCTTGACATCTTTATTAACCAGGCATTTGACATGCAGCG GGACCTGCAGATCACTCCCAAACGTCTGGAATATACTCGAAAAAAGGAGAATGAGTTGTA TGAATCATTGATGAATATTGCCAACCGAAAGCAGGAGGAAATGAAGGATATGATTGTTGA GACACTTAATACCATGAAGGAGGAACTTCTGGATGATGCTACTAACATGGAGTTTAAAGA CGTCATTGTCCCTGAGAATGGAGAACCAGTAGGCACCAGAGAGATCAAATGCTGCATCCG ACAGATCCAGGAACTCATCTCCCGACTTAATCAGGCAGTGGCTAATAAGCTGATCAG CTCAGTGGATTACCTGAGGGAAAGCTTCGTCGGAACCCTGGAACGATGTCTGCAGAGCCT GGAGAAGTCTCAGGATGTCTCAGTTCACATCACCAGTAATTATCTCAAACAGATCTTAAA TGCTGCCTATCATGTTGAAGTCACGTTTCACTCAGGGTCGTCAGTTACAAGGATGCTATG GGAGCAAATCAAACAGATCATCCAGCGCATCACATGGGTGAGCCCACCTGCCATCACTCT GGAATGGAAGAGGAAGGTGGCCCAGGAAGCCATTGAGAGCCTCAGCGCCTCCAAATTGGC TAAGAGCATTTGCAGCCAATTCCGGACTCGGCTCAATAGTTCCCACGAGGCTTTTGCAGC CTCCTTGCGGCAGCTGGAAGCTGGCCACTCAGGCCGGTTAGAGAAAACGGAAGATCTATG GCTGAGGGTTCGGAAAGATCATGCTCCCCGCCTGGCCCGCCTTTCTCTGGAAAGCCGTTC

FIGURE 2PPP

TTTACAGGATGTCTTGCTTCATCGTAAACCTAAACTGGGACAGGAACTGGGCCGGGGCCA GTATGGTGTGTATACCTGTGTGACAACTGGGGAGGACACTTCCCTTGTGCCCTCAAATC AGTTGTCCCTCCAGATGAGAAGCACTGGAATGATCTGGCTTTGGAATTTCACTATATGAG GTCTCTGCCGAAGCATGAGCGATTGGTGGATCTCCATGGTTCAGTCATTGACTACAACTA TGGTGGTGGCTCCAGCATTGCTGTGCTCCTCATTATGGAGCGGCTACACCGGGATCTCTA CACAGGGCTGAAGGCTGGCCTGGAGACACGTTTGCAGATAGCACTAGATGTGGT GGAGGGAATCCGCTTCCTGCACAGCCAGGGACTTGTCCATCGTGATATCAAACTGAAAAA TGTGCTGCTGGATAAGCAGAACCGTGCCAAGATCACTGACTTAGGATTCTGCAAGCCAGA GGCCATGATGTCAGGCAGCATTGTGGGGGACACCAATCCATATGGCCCCTGAACTTTTCAC AGGGAAGTACGATAATTCCGTGGATGTCTACGCTTTTGGAATTCTTTTCTGGTATATCTG CTCAGGCTCTGTCAAGCTCCCTGAGGCATTTGAGAGGTGTGCTAGCAAAGACCATCTCTG GAACAATGTGCGGAGGGGGCTCGCCCAGAACGTCTTCCTGTGTTTGATGAGGAGTGCTG ${\tt GCAGTTGATGGAAGCCTGTTGGGATGGCGACCCCTTGAAGAGGCCTCTCTTGGGCATTGT}$ CCAGCCCATGCTCCAGGGCATCATGAATCGGCTCTGCAAGTCCAATTCTGAGCAGCCAAA CAGAGGACTAGATGATTCTACTTGAAAGCAAAGACCTTTCTCTTTCACTCTAGTTATT TCCTTCCCCCTCACCATTTGGCCATGGGGAGAATTTGACATTTATTCACTATAGGACACA TGGACAGTGAAGAGTTGAATGACTGAGCATATTCAGCAGCTCACTGAAGCGCCAAGCTAT CCCTTTAGCAAAAAGTGTCTCAGATGTGTAAAAGCTGAGGAATGTGGTGTTCTGGCTTC ACAAATGAAAAGGAGGCAGATGTT

SEQ ID NO: 85 W20810 M

TTGATGTCAACCTGAAGGCTTCTAAAGCGAGTGATGTCTACAGCTTTGGGATCCTCGTGT GGGCAGTGCTGGCAGAGAAGCTGAGTTGGTAGACAAGACTTCACTAATCCGGGAAA CAGTGTGTGACAGGCAGAGTCGTCCTCCACTGACAGAGCTGCCTCCAGGTAGCCCTGAGA CTCCCGGCTTGGAAAAACTGAAGGAGTTAATGATTCATTGCTGGGGTTCCCAGTCCGAAA ACAGGCCATCCTTCCAGGACTGCGAACCAAAAACCAATGAAGTTTACAATCTGGTAAAGG ACAAGGTAGATGCTGCTGTCTCCGAGGTAAAGCATTATCTGTCTCAGCACAGAAGCAGCG GCAGAAACTTGTCTGCCAGAGAGCCAAGCCAAAGAGGCACAGAAATGGATTGCCCGAGGG AAACCATGGTTTCTAAAATGCTGGACCGCCTGCATTTGGAGGAACCCTCCGGACCAGTTC CTGGAAAATGTCCTGAGAGGCAAGCACAGGACACATCAGTTGGGCCTGCCACACCAGCAA GGACATCTTCTGACCCCGTGGCTGGCACTCCTCAGATTCCACATACTTTACCCTTCAGAG GCACAACACCTGGGCCAGTCTTTACTGAGACTCCCGGTCCTCACCCCCAAAGGAATCAGG GAGATGGAAGACACGGCACTCCTTGGTATCCCTGGACCCCACCGAATCCAATGACAGGGC CACCGGCTCTCGTCTTCAACAACTGTTCTGAAGTGCAGATTGGGAACTACAACTCCTTGG TAGCACCACCAAGAACTACTGCCTCAAGTTCGGCCAAGTATGACCAAGCACAGTTCGGCA GGGGTAGGGGCTGGCAGCCCTTCCACAAGTAGACTTCAGAGAATCACTGCAAGAGCCTGA AGTGTGCCATTCAGCGTGGCAATAAAAAGCACGTTTTAAGCAACCTGGACTGGCTAAGAC AGTCCTTGCCACTTCCTGAAGCTCACAACATTCTGTGAGGACAGTTGGACCTACACCCAA ACTGACTCTTGACCCATCTCCTTAAAGTCAATAAACATAGCATGTTAACTGTG

SEQ ID NO: 86_AA744236_H

FIGURE 2QQQ

CAGTCAATAAGAGACCCAGCATCTATCCCTCCTGAAGAGATGTCTCCAGAATTCACAACT CTCCCAGAGTGTCATGGACATGCCCGGGATGCCTTTTCATTTGGAACATTGGTGGAAAGT TTGCTCACAATCTTAAATGAACAGGTTTCAGCGGATGTTCTCTCCAGCTTTCAACAGACC TTGCACTCAACTTTGCTGAATCCCATTCCAAAATGTCGGCCAGCGCTCTGCACCTTACTA TCTCATGACTTCTTCAGAAATGATTTTCTGGAAGTTGTGAATTTCTTGAAAAGTTTAACA TTGAAGAGTGAAGAGAGAAAACGGAATTCTTTAAATTTCTGCTGGACAGAGTCAGCTGC TTGTCAGAGGAATTGATAGCTTCAAGGTTGGTGCCTCTTCTGCTTAATCAGTTGGTGTTT GCAGAGCCAGTGGCTGTTAAGAGTTTTCTTCCTTATCTGCTTGGCCCCAAAAAAGATCAT GCGCAGGGAGAAACTCCTTGCTTGCTCTCACCAGCCCTGTTCCAGTCACGGGTGATCCCC GTGCTTCTCCAGTTGTTTGAAGTTCATGAAGAGCATGTGCGGATGGTGCTGCTCTCAC ATCGAGGCCTACGTGGAGCACTTCACTCAGGAGCAGCTGAAGAAAGTCATCTTGCCACAG GTTTTGCTGGGCCTGCGTGATACTAGCGATTCCATTGTGGCAATTACTCTGCATAGCCTA GCAGTGCTGGTCTCTCTGCTTGGACCAGAGGTGGTTGTGGGGAGGAGCAACCAAGATC TTCAAACGCACTGCCCCAAGTTTTACTAAAAATACTGACCTTTCTCTAGAAGGCGATCCA TTTTCTCAGCCTATTAAATTTCCCATAAATGGACTCTCAGATGTAAAAAATACTTCGGAG GACAGTGAAAACTTCCCATCAAGTTCTAAAAAGTCTGAGGAGTGGCCTGACTGGAGTGAA CCTGAGGAGCCTGAAAATCAAACTGTCAACATACAGATTTGGCCTAGAGAACCTTGTGAT GATGTCAAGTCCCAGTGCACTACCTTGGATGTGGAAGAGTCATCTTGGGATGACTGCGAG CCCAGCAGCTTAGATACTAAAGTAAACCCAGGAGGTGGAATCACTGCTACAAAACCTGTT TGGAAATCAAGCTTACCCCAAAAGATTAGCCTTGTACAAAGGGGGGATGACGCAGACCAA ATCGAGCCGCCAAAAGTGTCATCACAAGAAAGGCCCCTTAAGGTTCCATCAGAACTTGGT TTAGGAGAGGAATTCACCATTCAAGTAAAAAAGAAGCCAGTAAAAGATCCTGAGATGGAT TGGTTTGCTGATATGATCCCAGAAATTAAGCCTTCTGCTGCTTTTCTTATATTACCTGAA CTGAGGACAGAAATGGTCCCAAAAAAGGATGATGTCTCCCCAGTGATGCAGTTTTCCTCA AAATTTGCTGCAGCAGAAATTACTGAGGGAGAGGCTGAAGGCTGGGAAGAAGAAGGGGGAG CTGAACTGGGAAGATAATAACTGGTGA

SEQ ID NO: 87 AI052250 H

AGCGGCCGCGGGGGGGGGGAGATATGGAGTAAAGCCAGAGTCAGTGGCCAGGCACGAA CCGCCCTCCTGGAAGAAGGAAGAGGTAACTATAACTACCCAATATTGCAGCCATGGAGT CCATGCTTAATAAATTGAAGAGTACTGTTACAAAAGTCACAGCTGATGTCACTAGTGCGG TAATGGGAATTCCTGTCACTAGAGAATTTGATGTTGGTCGACACATTGCCAGTGGTTGCA ATGGGCTAGCTTGGAAGATTTTTAATGGCACAAAAAAGTCAACAAAGCAGGAAGTGGCAG TTTTTGTCTTTGATAAAAACTGATTGACAAGTATCAAAAATTTGAAAAGGATCAAATCA TTGATTCTCTAAAACGAGGAGTCCAACAGTTAACTCGGCTTCGACACCCTCGACTTCTTA CTGTCCAGCATCCTTTAGAAGAATCCAGGGATTGCTTGGCATTTTGTACAGAACCAGTTT TTGCCAGTTTAGCCAATGTTCTTGGTAACTGGGAAAATCTACCTTCCCCTATATCTCCAG ACATTAAGGATTATAAACTTTATGATGTAGAAACCAAATATGGTTTGCTTCAGGTTTCTG AAGGATTGTCATTCTTGCATAGCAGTGTGAAAATGGTGCATGGAAATATCACTCCTGAAA ATATAATTTTGAATAAAAGTGGAGCCTGGAAAATAATGGGTTTTGATTTTTGTGTATCAT CAACCAATCCTTCTGAACAAGAGCCTAAATTTCCTTGTAAAGAATGGGACCCAAATTTAC GGAAACCTATATTTGAAGTCAACAAGCAAGATATTTACAAGAGTTTCAGTAGGCAGTTGG ATCAGTTGAGTCGTTTAGGATCTAGTTCACTTACAAATATACCTGAGGAAGTTCGTGAAC ATGTAAAGCTACTGTTAAATGTAACTCCGACTGTAAGACCAGATGCAGATCAAATGACAA AGATTCCCTTCTTTGATGATGTTGGTGCAGTAACACTGCAATATTTTGATACCTTATTCC AAAGAGATAATCTTCAGAAATCACAGTTTTTCAAAGGACTGCCAAAGGTTCTACCAAAAC

FIGURE 2RRR

SEO ID NO: 88 AA278842 H GACCCGGAGCTAAGGCGCCCGAACCCGCGGCGGCGGTGGGGACGATGTGGTTCTTTGCCC GGGACCCGGTCCGGGACTTTCCGTTCGAGCTCATCCCGGAGCCCCCAGAGGGCGGCCTGC CCGGGCCCTGGGCCTGCACCGCGCCGCAAGAAGGCCACAGGCAGCCCCGTGTCCATCT TCGTCTATGATGTGAAGCCTGGCGCGGAAGAGCAGACCCAGGTGGCCAAAGCTGCCTTCA AGCGCTTCAAAACTCTACGGCACCCCAACATCCTGGCTTACATCGATGGACTGGAGACAG AAAAATGCCTCCACGTCGTGACAGAGGCTGTGACCCCGTTGGGAATATACCTCAAGGCGA GAGTGGAGGCTGGTGGCCTGAAGGAGCTGGAGATCTCCTGGGGGCTACACCAGATCGTGA AAGCCCTCAGCTTCCTGGTCAACGACTGCAGCCTCATCCACAACAATGTCTGCATGGCCG CCGTGTTCGTGGACCGAGCTGGCGAGTGGAAGCTTGGGGGCCTGGACTACATGTATTCGG CCCAGGGCAACGGTGGGGACCTCCCCGCAAGGGGATCCCCGAGCTTGAGCAGTATGACC GGCGCTTGGGCTGCCTCATTTGGGAAGTCTTCAATGGGCCCCTACCTCGGGCAGCAGCCC TACGCAACCCTGGGAAGATCCCCAAAACGCTGGTGCCCCATTACTGTGAGCTGGTGGGAG CAAACCCCAAGGTGCGTCCCAACCCAGCCCGCTTCCTGCAGAACTGCCGGGCACCTGGTG GCTTCATGAGCAACCGCTTTGTAGAAACCAACCTCTTCCTGGAGGAGATTCAGATCAAAG AGCCAGCCGAGAAGCAAAAATTCTTCCAGGAGCTGAGCAAGAGCCTGGACGCATTCCCTG AGGATTTCTGTCGGCACAAGGTGCTGCCCCAGCTGCTGACCGCCTTCGAGTTCGGCAATG CTGGGGCCGTTGTCCTCACGCCCCTCTTCAAGGTGGGCAAGTTCCTGAGCGCTGAGGAGT ATCAGCAGAAGATCATCCCTGTGGTGGTCAAGATGTTCTCATCCACTGACCGGGCCATGC GCATCCGCCTCCTGCAGCAGATGGAGCAGTTCATCCAGTACCTTGACGAGCCAACAGTCA ACACCCAGATCTTCCCCCACGTCGTACATGGCTTCCTGGACACCCAACCCTGCCATCCGGG AGCAGACGGTCAAGTCCATGCTCCTGGCCCCAAAGCTGAACGAGGCCAACCTCAATG TGGAGCTGATGAAGCACTTTGCACGGCTACAGGCCAAGGATGAACAGGGCCCCATCCGCT GCAACACCACAGTCTGCCTGGGCAAAATCGGCTCCTACCTCAGTGCTAGCACCAGACACA GGGTCCTTACCTCTGCCTTCAGCCGAGCCACTAGGGACCCGTTTGCACCGTCCCGGGTTG CGGGTGTCCTGGGCTTTGCTGCCACCCACAACCTCTACTCAATGAACGACTGTGCCCAGA AGATCCTGCCTGTGCTCTGCGGTCTCACTGTAGATCCTGAGAAATCCGTGCGAGACCAGG CCTTCAAGGCCATTCGGAGCTTCCTGTCCAAATTGGAGTCTGTGTCGGAGGACCCGACCC AGCTGGAGGAAGTGGAGAAGGATGTCCATGCAGCCTCCAGCCCTGGCATGGGAGGAGCCG CAGCTAGCTGGGCAGGCTGGCCGTGACCGGGGTCTCCTCACCTCCAAGCTGATCC GTTCGCACCCAACCACTGCCCCAACAGAACCCAACATTCCCCAAAGACCCACGCCTGAAG GAGTTCCTGCCCAGCCCCACCCCTGTTCCTGCCACCCCTACAACCTCAGGCCACTGGG AGACGCAGGAGGACAAGGACACAGCAGGACAGCAGCACTGCTGACAGATGGGACG ACGAAGACTGGGGCAGCCTGGAGCAGGAGGCCGAGTCTGTGCTGGCCCAGCAGGACGACT GGAGCACCGGGGGCCAAGTGAGCCGTGCTAGTCAGGTCAGCAACTCCGACCACAAATCCT CCAAATCCCCAGAGTCCGACTGGAGCAGCTGGGAAGCTGAGGGCTCCTGGGAACAGGGTT GGCAGGAGCCAAGCTCCCAGGAGCCACCTCCTGACGGTACACGGCTGGCCAGCGAGTATA ACTGGGGTGGCCCAGAGTCCAGCGACAAGGGCGACCCCTTCGCTACCCTGTCTGCACGTC

CCAGCACCCAGCCGAGGCCAGACTCTTGGGGTGAGGACAACTGGGAGGGCCTCGAGACTG

FIGURE 2SSS

SEQ ID NO: 89 AA599286 H

ATGGCCTTCATGGAGAGCCGCCAGCCGGCAAGGTGCTGCTGGACGACACGGTGCCGCTG ACAGCAGCCATCGAGGCGAGCCAGAGCCTGCAGTCCCACACGGAATATATTATTCGAGTG CAAGGAGAATTTCTGTGGAAAACAGCTGGCAGATTGTTAGAAGATACAGTGACTTTGAT TTGCTTAACAACAGCTTACAGATTGCAGGCCTAAGTCTACCTCTTCCTCCCAAAAAATTG ATTGGTAACATGGATCGTGAATTCATAGCTGAAAGGCAGAAAGGTCTTCAGAACTATCTC AACGTGATCACAACAATCATATCTTGTCTAATTGTGAGCTGGTTAAGAAGTTTTTAGAT CCAAACAACTATTCCGCAAACTATACTGAGATTGCCTTGCAACAGGTTTCCATGTTCTTC CGATCAGAGCCAAAGTGGGAGGTGGTGGAACCTTTGAAAGACATAGGTTGGAGAATAAGG AAGAAATATTTCTTGATGAAGATTAAAAATCAGCCAAAGGAACGGCTAGTGTTAAGCTGG GCTGACCTTGGCCCAGACAAGTATTTGTCAGATAAAGATTTTCAGTGTCTAATCAAACTT CTGCCTTCTTGTTTGCACCCTTACATCTATCGGGTTACCTTTGCCACAGCTAATGAATCC TCAGCGTTGCTAATTAGGATGTTTAACGAAAAGGGAACATTGAAGGATCTGATCTACAAG GCAAAACCAAAAGACCCATTTCTAAAGAAGTACTGCAACCCTAAGAAGATTCAGGGCCTG GAACTCCAGCAAATAAAAACATATGGACGGCAAATATTAGAGGTACTGAAGTTTCTTCAT GACAAGGGATTCCCTTATGGGCATCTTCACGCCTCCAATGTGATGCTCGATGGGGACACT TTTTCACAATTCAGGAAAATCAATACATTGGAAAGTGTGGATGTCCACTGCTTTGGCCAC TTACTGTATGAAATGACTTATGGACGACCGCCAGACTCGGTGCCTGTGGACTCCTTCCCT CCTGCCCGTCCATGGCTGTGGTGGCCGTGTTGGAGTCTACGCTGTCTTGTGAAGCCTGT AAAAATGGCATGCCTACCATCTCCCGGCTCTTACAGATGCCATTATTCAGCGATGTTTTA CTAACCACTTCTGAAAAACCACAGTTTAAGATCCCTACAAAGTTAAAAGAGGCATTGAGA ATTGCCAAAGAATGTATAGAGAAGAGACTAATTGAGGAACAGAAACAGATTCACCAGCAT ATTTTAGCTCGAAAGAGTCAAAACGATCTGCTCTTGAAAATAGTGAAGAGCATTCAGCG AAGTACAGCAACTCCAATAATTCAGCAGGATCTGGGGCCAGCTCACCTCTCACGTCCCCG TCATCGCCAACTCCACCCTCTACATCAGGGATATCTGCATTACCTCCACCTCCCACCT CCACCACCACCAGCAGCTCCCTTGCCTCCTGCGAGCACCGAGGCACCTGCCCAGCTCTCG AAAGGAACTTTGAGGAAAGCCAAACCTGTGATCACAGTGCTCCGAAGATCGGCTGAAGCT TCCTGTTTACACTTGGAGGGAAAAGTTCTTTTTTATTCCTACTCACCCCTACCCCCAAC TACCCTCTTCCTGGGAAAGTAATTGCTGAGCCAGTACAGCCACAAACAGTACTATTTTGC AGATGCTCATGTAAGCAGCTTTTCGAGAGAAATAATTCTTTAAGCAGAATAAAGTTAGGC TGGCATGCAAAAAAAAAAAAAAAAAAAAAAA

SEQ ID NO: 90 AA425725 H



FIGURE 2TTT

TGCATGGTGCTGGAGGTGCTGGGCCACCAGCTCCTCAAATGGATCATCAAGTCCAACTAC CAGGGCCTGCCCGTGCGTGAAGAGCATCGTGAGGCAGGTGCTGCACGGCCTGGAC TACCTCCACACCAAGTGCAAGATCATCCACACGGACATCAAGCCCGAGAACATCTTGCTG TGTGTGGGGGACGCTTACATCAGGCGCCTGGCTGCCGAGGCCACGGAGTGGCAACAGGCA GGGGCGCCCCCCCCCCCCATAGTCAGCACTGCCCCCAGGAGGTCTTGACCGGT AAGCTGTCCAAAAACAAGAGGAAGAAGATGAGGCGCAAACGGAAACAGCAGAAGCGGCTG CTGGAGGAGCGGCTGCGGACCTGCAGAGGCTGGAGGCCATGGAGGCTGCCACCCAGGCT GAGGACTCTGGCTTGAGACTAGACGGGGGCAGCGGCTCCACATCCTCTCAGGCTTCTCC GGCTCCCTCTTCTCCTGCCTCCTGCTCCATCCTCTCCGGCTCGTCCAATCAGCGAGAG ACCGGGGGCCTCCTGTCGCCTAGCACACCATTCGGTGCCTCGAACCTCCTGGTGAACCCC CTGGAGCCCCAAAATGCAGATAAGATCAAGATCAAGATCGCAGACCTGGGCAACGCCTGC TGGGTGCACAAGCACTTCACGGAAGACATCCAGACTCGGCAGTACCGGGCCGTCGAGGTG CTGATCGGCGCCGAATACGGCCCCCGGCAGACATCTGGAGCACAGCCTGCATGGCCTTC GAGCTGGCCACTGGTGACTACCTGTTCGAGCCGCATTCTGGAGAAGACTACAGTCGTGAT GAGGACCACATCGCTCACATAGTGGAGCTTCTGGGGGGACATCCCCCCAGCCTTCGCCCTC TCAGGCCGCTATTCCCGGGAGTTCTTCAACCGGAGAGGAGAGCTGCGGCACATCCACAAT CTCAAGCACTGGGGCCTGTACGAGGTACTCATGGAAAAGTACGAGTGGCCCCTAGAGCAG GCCACACAGTTCAGCGCCTTTCTGCTGCCCATGATGGAGTACATCCCCGAAAAGCGGGCC AGTGCCGCTGACTGCCTCCAGCACCCCTGGCTCAACCCCTAG

SEQ ID NO: 91 SGK022 H

GGGGGCGCTGCGGATGAAGTCCTTGGGGAGAAAAGGAGCAGGCCAAGGGCGATGGTGGA GTAGAGCTGCCTCTCAGAGGCAGCATGAGCTGAGAGGGTGATAGGAAGGCGGCGCTAGAC AGCATGGAGGACTTTCTGCTCTCCAATGGGTACCAGCTGGGCAAGACCATTGGGGAAGGG ACCTACTCAAAAGTCAAAGAAGCATTTTCCAAAAAACACCAAAGAAAAGTGGCAATTAAA CAAATCGTCCGTACCCTGGACCACAAGAACATCATCCAGGTGTATGAGATGCTGGAGTCT GTGCTGAATGGGGGCCACTGCCTGAAAGCCGGGCCAAGGCCCTCTTCCGTCAGATGGTT GAGGCCATCCGCTACTGCCATGGCTGTGGTGGCCCACCGGGACCTCAAATGTGAGAAC GCCTTGTTGCAGGGCTTCAACCTGAAGCTGACTTTGGCTTTGCCAAGGTGTTGCCC AAGTCACACCGGGAGCTGAGCCAGACCTTCTGCGGCAGTACAGCCTATGCTGCCCCCGAG GTGCTGCAGGCATTCCCCACGATAGCAAAAAAGGTGATGTCTGGAGCATGGGTGTGGTC CTGTATGTCATGCTCTGTGCCAGCCTACCTTTTGACGACACAGACATCCCCAAGATGCTG TGGCAGCAGCAGAAGGGGGTGTCCTTCCCCACTCATCTGAGCATCTCGGCCGATTGCCAG GACCTGCTCAAGAGGCTCCTGGAACCCGATATGATCCTCCGGCCTTCAATTGAAGAAGTT AGTTGGCATCCATGGCAAGCACTTGATAAAAGCAATGGCAAGTGCTCTCCAATAAA GTAGGGGGAGAAAGCAAA

SEQ ID NO: 92_AA060026_M SGK022_M

FIGURE 2UUU

SEQ ID NO: 93 AA399669 H

CTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCGCGCCCGGCCGCACTTCATTCTCAA GTTTTGTGGCCAACGATGGATAGGAGGTGGATTGTGATGTATTCGGAACATGGGACCTTG AGGAGTTCCGTAACCAAAAGGAGAAAGTAACAACAGCCAGTGGAGACAAAAAGAACTGCT TCTCTTTCTTTCCCCCTCCAAGTTCCTAGTGGAGGGCTGAGTCCAGCATCCCAGACTCGT GTGACTATATAGGCAAGCATTTGGGGACCTACTTCACTTTGATACCCTAGCCTTCAGCAG CTCAAGGTGTTGGCCTTTGGATAGGAGGCTTCCAAGTAGTAAAGCTCCCTGCTCTCAGCA ATTCCCTCATGGATGAATATGGTTATGAGGTGGGCAAGGCCATTGGCCATGGCTCCTATG GGTCGGTATATGAGGCTTTCTACACAAAGCAGAAGGTTATGGTGGCAGTCAAGATCATCT CAAAGAAGAAGGCCTCTGATGACTATCTTAACAAGTTCCTGCCCCGTGAAATACAGGTAA TGAAAGTCTTGCGGCACAAGTACCTCATCAACTTCTATCGGGCCATTGAGAGCACATCTC GAGTATACATCATTCTGGAACTGGCTCAGGGTGGTGATGTCCTTGAATGGATCCAGCGCT ACGGGGCCTGCTCTGAGCCCCTTGCTGGCAAGTGGTTCTCCCAGCTGACCCTGGGCATTG CCTACCTGCACAGCAAGAGCATCGTGCACCGGGACTTAAAGTTGGAGAACCTGTTGCTGG ACAAGTGGGAGAATGTGAAGATATCAGACTTTGGCTTTGCCAAGATGGTGCCTTCTAACC AGCCTGTGGGTTGTAGCCCTKCTTACCGCCAAGTGAACTGCTTTTCCCACCTCAGCCAGA CTTTCCTGTCTGACACCTGGAGCATGGGCGTCATCCTTTACACTCTAGTGGTCGCCCATC TGCCCTTTGATGACACCAATCTCAAAAAGCTGCTAAGAGAGACTCAGAAGGAGGTCACTT TCCCAGCTAACCATCCCCAGGAGTGCAAGGTCCAACTGCTCATTGCCTGTGTGG CACAATGGAGAAAAACTCAGGCAAGACCTCTCTCTCTCCCCTGCTCTAGAACCTGATCCTCC AGATGCTACGCCAAGCCACTAAGCGTGCCACCATTCTGGACATCATCAAGGATTCCTGGG TGCTCAAGTTCCAGCCTGAGCAACCCACCCATGAGATCAGGCTGCTTGAGGCCATGTGCC AGCTCCACAACACCACTAAACAGCACCAATCCTTGCAAATTACGACCTGAAAATGGCTGA GGGAGGGGCTAAGAGAGGAGCAAAGCAGGAGGTCTTGGGCTAAAAATCTTTTTTACCAA AAATAAATCTAAGTCTGATTTAGTTTCATCAAAAAA

SEQ ID NO: 94 AA758539 H

FIGURE 2VVV

CATCATGGTCTGCGGCTCCATGCCCTATGACGACTCCGACATCAGGAAGATGCTGCGTAT
CCAGAAGGAGCACCGTGTGGACTTCCCGCGCTCCAAGAACCTGACCTGCGAGTGCAAGGA
CCTCATCTACCGCATGCTGCAGCCCGACGTCAGCCAGCGGCTCCACATCGATGAGATCCT
CAGCCACTCGTGGCTGCAGCCCCCAAGCCCAAAGCCACGTCTTCTGCCTCCTTCAAGAG
GGAGGGGGAGGCCAAGTACCGCGCTGAGTGCAAACTGGACACCAAGACAGGCTTGAGGCC
CGACCACCGGCCCGACCACAAGCTTGGAGCCAAAACCCAGCACCGGCTGCTGGTGGTGCC
CGAGAACGAGAACAGGATGGAGGACAGGCTGGCCGAGACCTCCAGGGCCAAAGACCATCA
CATCTCCGGAGCTGAGGTGGGGGAAAGCACCTAGCATGACAATGGCCCCGTTGTGTG
TGGTGGGGGTCGGGGTTGGGGGGCAAGTACAATTCGTCAATTAAACCACTATTTTGA
TT

SEQ ID NO: 95 AA883975 H

SEQ ID NO: 96_AA905446_H

CTGGTAGAGAACAGGGCTGGTGCCAAGGCCCATGGAGATGAGAAAACGGAAGACAGGGA TCATGGAAAGAATTGTGGGGTCAGGGGACAGTGGCGGGAGGAGCTGGCTCACCACCCTGT GGACAAATCAGGCCTTATAATTTGTGATTCTGTGGCTTTGTCTAAAAGTCCATAAAGCAC CTTGATATCCAGTCTCACAGACTGCTCACAACAGTCCACAAGGCTGGTGGGGAGTGCTTC TTTTGAATGATATACTAACGACAAAAATAATAGAAGTGAACATTCTTTGCAATGTCCAAG CAGCTAGACACTTAAGACCATTAAGAAAGCCAAGAAATAAGACCCAGACAAGGTGGGC AGAAGTTGGAAGGCAGAGACAGGTGTGAGGAGGTGGGCCTTTCTGATCTGCCAGCCCAT CGTCCGTACCCTGGACCACAAGAACATCATCCAGGTGTATGAGATGCTGGAGTCTGCCGA GAATGGGGGCCACTGCCTGAAAGCCGGGCCAAGGCCCTCTTCCGTCAGATGGTTGAGGC CATCCGCTACTGCCATGGCTGTGGTGTGGCCCACCGGGACCTCAAATGTGAGAACGCCTT GTTGCAGGGCTTCAACCTGAAGCTGACTGTTGGCTTTGCCAAGGTGTTGCCCAAGTC ACACCGGGAGCTGAGCCAGACCTTCTGCGGCAGTACAGCCTATGCTGCCCCCGAGGTGCT GCAGGGCATTCCCNNCAAGATGCTGTGGCAGCAGCAGAAGGGGGTGTCCTTCCCCACTCA TCTGAGCATCTCGGCCGATTGCCAGGACCTGCTCAAGAGGCTCCTGGAACCCGATATGAT GCAATGGCAAGTGCTCTCCAATAAAGTAGGGGGAGAAAGCAAACCC

FIGURE 2WWW

SEQ ID NO: 97 H29974 H

CGGGCGCAGCGGGGCCCGGGTGGCGTCAAGAAGATCCGCTGCGACGCCCCCGAGAACGT GGAGCTGGCGCTGAATTCTGGGCCCTCACCAGCCTCAAGCGGCGCCCACCAGAACGT CGTGCAGTTTGAGGAGTGCGTCCTGCAGCGCAATGGGTTAGCCCAGCGCATGAGTCACGG CAACAAGAGCTCGCAGCTTTACCTGCGCCTGGTGGAGACCTCGCTGAAAGGAGAAAGGAT ${\tt CCTGGGTTATGCTGAGGAGCCCTGCTATCTCTGGTTTGTCATGGAGTTCTGTGAAGGTGG}$ AGACCTGAATCAGTATGTCCTGTCCCGGAGGCCAGACCAGCCACCAACAAAGTTTCAT GCTACAGCTGACGAGCGCCATTGCCTTCCTGCACAAAAACCATATTGTGCACAGGGACCT GAAGCCAGACAACATCCTCATCACAGAGCGGTCTGGCACCCCCATCCTCAAAGTGGCCGA CTTTGGACTAAGCAAGGTCTGTGCTGGGCTGGCACCCCGAGGCAAAGAGGGCAATCAAGA CAACAAAAATGTGAATGAATAAGTACTGGCTGTCCTCAGCCTGCGGTTCGGACTTCTA CATGGCTCCTGAAGTCTGGGAGGGACACTACACAGCCAAGGCGGACATCTTTGCCCTGGG CATTATCATCTGGGCAATGATAGAAAGAATCACTTTTATTGACTCTGAGACCAAGAAGGA GCTCCTGGGGACCTACATTAAACAGGGGACTGAGATCGTCCCTGTTGGTGAGGCGCTGCT AGAAAACCCAAAGATGGAGTTGCACATCCCCCAAAAACGCAGGACTTCCATGTCTGAGGG GATCAAGCAGCTCTTGAAAGATATGTTAGCTGCTAACCCACAGGACCGGCCTGATGCCTT TGAACTTGAAACCAGAATGGACCAGGTCACATGTGCTGCTTAAAATTCAGGGCTAAGCAT AGAGGACGCAGAGGGTACAGGTGGTGGCCTGGCCGGTTGGCGATCTCCCGACAGCTGGA TCCGGCAATGTGAAGCTTTTGTTTGGGTTTCCCCGCTTCTTTTTAGTTTTGCTTTATTTN TNNCCTTTTCTTTTTTTTTTTTTTTCCACNTNCCTTTTTTTAAATTTAAACCATTGAG ACTTCAGAAGAGCAGGACACAATGCTGTGGACAGGCACCAATTTCTTTAAAGAAATTCAA TGTGGGCAAGGCATATGTGTAAATTTCACTTTTACTTTTATAAGGGGTTAGGGAGCTAT TTTTGGTTTTGTCCTTCACTTTCCCTCTGTCTTCTTTATACTTTTCTCAGTTCTAC TTATGACACCTCACTTCCCTAGAGAAGGCCTGCCTCCCCATAGGGAATCTGGGGGTANCT TCTGGAACGGGCGTGAGGANACAAGGAGCCTCTGGGCCACNCCTCCCTACCAGATGCAG GAACTCCTGGACTCCTTGGTGGGCTGGCCCTGGCTAGCCCTTGGGCCTCGGAGATGATCA GAGGTGAAGAACCGCC

SEQ ID NO: 98 AA498104 M H29974 M

CCGTTGCTGCTCCCCCCCCCCCCCCCCAGCCATGGAAACGGGGAAAGAGAACGGAGCCCGC AGAGGGACAAAAAGCCCGGAGCGGAAAAGGCGAAGCCCAGTCCAGCGGGTACTGTGCGAG AAGCTGAGGCCGGCCCAGGCCATGGATCCGGCTGGGGCCGAGGTCCCGGGCGAGGCC TTCCTGGCCCGGCGGCGGATGGCGGCGGGGGATGTTCCTGCACGGCCGCGCTAC AGCCTCTTGGCGGAGATCGGGCGGCGCGCAGCTACGGCGTGGTTTATGAGGCTGTGGCTGGG CGCAGTGGGGCCAGGTGGCAGTCAAGAAGATCCGCTGCGACGCTCCCGAGAACGTGGAG TTGGCACTAGCAGAATTCTGGGCCCTCACCAGTCTCAAGCGGCGGCACCAGAATATCGTG CAGTTTGAGGAGTGCGTCCTACAGCGCAACGGGTTAGCCCAGCGCATGAGTCACGGCAAC AAGAACTCACAGCTTTACCTGCGCCTGGTGGAGACCTCGCTCAAAGGAGAAAGGATCCTG GGCTATGCTGAGGAGCCCTGCTATCTCTGGTTTGTCATGGAGTACTGTGAAGGTGGAGAC CTCAATCAGTATGTCCTGTCCCGGAGACCTGACCCAGCCACCAACAAAGTTTCATGCTA CAGCTTACAAGCGCCATTGCCTTCCTGCATAAAAACCACATCGTGCACAGGGACCTAAAG CCAGACAACATCCTGATCACAGAGCGGTCTGGCACCCCCATCCTCAAGGTGGCAGACTTT GGACTGAGCAAGGTCTGTGCAGGGCTGGCACCCCGAGGCAAAGAGGGCAATCAAGATAAC AAAAATGTGAATGAATAAATACTGGCTGTCCTCAGCTTGTGGCTCAGACTTCTACATG GCTCCCGAAGTCTGGGAGGGACACTATACAGCCAAGGCGGACATCTTTGCTCTGGGCATT ATCATCTGGGCAATGATAGAAAGAATTACCTTTATTGACTCTGAAACCAAGAAGGAGCTC CTGGGGACCTACATTAAGCAAGGGACTGAGATCGTCCCTGTTGGTGAGGCGCTGCTAGAA AACCCAAAGATGGAGTTGCATATCCCCCAGAAACGTAGGACTTCCATGTCTGAGGGGGTC

FIGURE 2XXX

SEQ ID NO: 99_AA215311_H

CGRCCGCGCTACGGAAAGCCGGAGGGGGGGGGGGGGGGCGTCGGCGTAAGGGGGTGTGTCCGC GCGCACCACGGGGCGCGCCGCCTGCTGACTGGAGGCGGCGCGCGGAGCGCGAGC TGCCCGATAATGGCGGCCTGCAGAGCCCATGAGAGGGGAGAAGCGGCAGCGTCTACCCTGA GAAACCTCGACCTTGAAGATGGTGAGTAGCCAGCCAAAGTACGATCTAATACGGGAGGTA GGCCGAGGTAGTTACGGTGTTGTGTATGAAGCAGTCATCAGAAAGACCTCTGCACGGGTG GCAGTGAAGAAATTCGATGTCACGCACCTGAAAATGTTGAACTAGCCCTTCGTGAGTTC TGGGCACTAAGCAGTATCAAGAGCCAACATCCAAATGTGATTCACTTGGAGGAATGCATC CAGCTTGTAGAAACTTCATTAAAAGGAGAAATTGCCTTTGATCCCAGAAGCGCCTATTAT AAGCCCAATCGTAAAACTAACACCAGCTTCATGCTTCAGCTGAGCAGTGCCCTGGCTTTC TTGCATAAAAACCAGATCATCCACCGAGATCTTAAGCCTGATAACATCCTGATTTCTCAA ACCAGGTTGGATACCAGTGACTTGGAACCTACCCTCAAAGTGGCTGATTTTGGTCTAAGT AAAGTTTGTTCAGCCTCTGGGCAGAACCCAGAAGAACCTGTCAGTGTAAACAAGTGTTTC $\tt CTTTCCACAGCATGTGGAACAGATTTTTACATGGCTCCTGAAGTTTGGGAAGGACATTAC$ ACAGCAAAAGCTGACATCTTTGCTCTGGGGATTATCATCTGGGCAATGCTGGAAAGGATC ACATTCATAGACACAGAGACAAAGAAGGAACTCTTGGGGAGTTATGTAAAACAAGGAACT GAGATTGTGCCTGTTGGGGAGGCACTTCTGGAAAATCCCAAAATGGAACTTCTCATTCCT AACCCTCAGGATCGTCCAGATGCTTTTGAACTAGAACTCAGATTAGTACAAATTGCATTT AAAGATAGCAGCTGGGAAACGTGACACATATTATTTGCAAATACCATGGATGATATGCTG CTTCTGTTTAACAGTGATGCAACATTATGTGGCTGAAAAAGAATATAAAAAGCTAGACTC AAGTTGGCCGTTTTATTAGTATGTTTCAAATGTGTATTACCAATGTGGGTGTAAATTTTT AAAAAATGATTATTGATAGAAGTTTGGCAGGAAAATTCTTTAAGAGCTAACAAGAGAAGA GAGTCCAGTTTTCTGGAAATATGTCTTTAAGTATTTTAGACATTCCTCGTCAGTATTAGG AATTTCCATGGGAAAAGAGGTTTGCATGCTGGTAATGCAACCTTTGAAACTTTGTAAAGG AAACATATATGTATATTTATGTATATGTAAGTATGTGAATGTGCGCATTTTGCATTCC ATATGAAAAAATGCCACGTCTGTTTAAATTATTTGATGTAGGTTTTGGGTTTTTGAGATT TGCTGGTGAAGTCAGTGACGAAAAATAAACCTTCCCTTATCTTCCTACTCTGCCCCTCCC TAAGGCATCATTTTCGAGGGTCTAAAATTATCTGGTAAAACAAATGAAATTAAGTGATCC AAAGCTGCTGAAGTATGTTTGAACTCTCCAGTGCCCTATAGCTGCAAGAGTTGAATTAGT CATGCAGTCATATGGCAGCAGGTTGGTGATT

SEQ ID NO: 100 AA018361 H

FIGURE 2YYY

GGTAGCCATAAAGTGTGTAGCCAAGAAAAGTCTGAACAAGGCATCGGTGGAGAACCTCCT CACGGAGATTGAGATCCTCAAGGGCATTCGACATCCCCACATTGTGCAGCTGAAAGACTT TCAGTGGGACAGTGACAATATCTACCTCATCATGGAGTTTTTGCGCAGGGGGGCGACCTGTC ${\tt TCGCTTCATCCATACCCGCAGGATTCTGCCTGAGAAGGTGGCGCGTGTCTTCATGCAGCA}$ ATTAGCTAGCGCCCTGCAATTCCTGCATGAACGGAATATCTCTCACCTGGATCTGAAGCC ACAGAACATTCTACTGAGCTCCTTGGAGAAGCCCCACCTAAAACTGGCAGACTTTGGTTT CGCACAACACTGTCCCCGTGGGATGAGAAGCACGTGCTCCGTGGCTCCCCCCTCTACAT GGCCCCGAGATGGTGTGCCAGCGGCAGTATGACGCCCGCGTGGACCTCTGGTCCATGGG ${\tt GGTCATCCTGTATGAAGCCCTCTTCGGGCAGCCCCCCTTTGCCTCCAGGTCGTTCTCGGA}$ GCTGGAAGAGAAGATCCGTAGCAACCGGGTCATCGAGCTCCCCTTGCGGCCCCTGCTCTC CCGAGACTGCCGGGACCTACTGCAGCGGCTCCTGGAGCGGGACCCCAGCCGTCGCATCTC CTTCCAGGACTTCTTTGCGCACCCCTGGGTGGACCTGGAGCACATGCCCAGTGGGGAGAG TCTGGGGCGAGCAACCGCCCTGGTGGTGCAGGCTGTGAAGAAGACCAGGAGGGGGATTC AGCAGCCGCCTTATCACTCTACTGCAAGGCTCTGGACTTCTTTGTACCTGCCCTGCACTA TGAAGTGGATGCCCAGCGGAAGGAGGCAATTAAGGCAAAGGTGGGGCAGTACGTGTCCCG GGCTGAGGAGCTCAAGGCCATCGTCTCCTCTTCCAATCAGGCCCTGCTGAGGCAGGGGAC CTCTGCCCGAGACCTGCTCAGAGAGATGGCCCGGGACAAGCCACGCCTCCTAGCTGCCCT GGACCTGTACCAGCACAGCCTGGGGGAGCTACTGCTGTTGCTGCGGAGCCCCCGGGCCGG AGGCGGGAGCTGCTTCACACTGAGGTTCAGAACCTCATGGCCCGAGCTGAATACTTGAAG GAGCAGATGAGGGAATCTCGCTGGGAAGCTGACACCCTGGACAAAGAGGGGACTGTCGGAA TCTGTTCGTAGCTCTTGCACCCTTCAGTGACCCTAGAAGAATGATTGGACAGATGTGAGC CATCTGGAGCAGAGGGCACTAACCCAGGCTGACGCCAAGAATGAAGTGGCCCACTGCAG CCCTGGCGAGCAGGCTTCTTGGATGGACAGTGCTGAGACCCCCATATCCCAGAGTCCCCA GCCTCCCTCAGGTTACTCTGCACCCCACAGATGGTTTGATGGCTGTGTGTATACTGGAG GGGAGGCAGGACTCTGGGAGAACAGCACTTCTTTCATGAGACCTTTGTTACTCGGTGGT TACTGGGTCCTGTGCCTGTCCGTTTTGGGGCATGCAGCCCTCTATCATTTTTGGCTCCGA GAAGAGGCCAAGGGCCCCCGCAGGGTACTTCTGTGCTTGCCCTCGCCCTGCCAGCAGGC AGCTGTGCCCTTGCCTTCCCGGGACCCCTTATTCCAACTCAGCTCCTCTTTGCA CTGGAATGGGGCACTCCAACACCCCTCAGGGACCACCCTCCCCACAGTATGCACTCAGCC CCACAGAACCCACCAGTCTTTCTGGGAACTCACACCTGCCCGCCATCTTGGTACTTTAGG TTAATCCCTCAAGCATGAAAGCTGGATCTTTTGGGGTTTAAGAAGCCCAAGCCTTGTTCC TGCCCTGGCCTAGGGAGCACTCAGGAGGGTTCCTTGGTCCTCATCTCTCCCACCTCCGTT CCCTCTGGGCCCCACACTAGCCACAGCGCGGCCTTGTGCTGGAGTTTGAGCCTGGGACA CTGCCCTGCGCGTGGAGCCCTGGGCAAGCTCTTTCCCCTTTCTGGGCCTGGGTCTCCC CATCTCTTCAATGGGGCTGATACCTTCACAGCCCACAGCATGGGCACTTATGAGGACAAA GTGAATTTAACCTGGAAAAGAATGTATTTGAGAGTTTCTTTTAAATAATCAGCGGGTGTT TGCAGGAGGCTGAGTGTGAAGAGTATCATTCATTGTTTCTCTATTAAATTATTTTCTCT

SEQ ID NO: 101 AA311714 H

TGGACCTGTCCTGAGGCAGAGGCCGAGATGCGCGCAACCGCGGAGCAGCCAAGTGGACT
GGACTCTTTTCTTGACTTAGCTACCAGGAGCTAGAGATGCTGTTATTCTATCGTATGTGA
GAAGTCGGCCCAGAGATGGAAAACTTTATTCTGTATGAGGAGATCGGAAGAGGAAGCAAG
ACTGTTGTCTATAAAGGGCGACGGAAGGGAACAATCAATTTTGTAGCCATTCTTTGTACT
GATAAGTGCAGAAGGCCTGAAATAACCAACTGGGTCCGTCTCACCCGTGAAATAAAACAC
AAGAATATTGTAACTTTTCATGAATGGTATGAAACAAGCAACCACCTCTGGCTAGTGXAT
GAAAACCTCCCAGAAGATGTTGTGAGAGAAATTTGGAATTGACCTGATTAGTGGATTACAT
CATCTTCATAAACTTGGCATTCTCTTTTTTTTGTGACATTTCTCCTAGGAAGATACTCTTTGGAA

FIGURE 2ZZZ

GGGCCTGGCACACTGAAGTTTAGCAACTTTTGCTTGGCAAAAGTGGAAGGTGAAAATTTG GAAGAGTTCTTTGCTTTGGTGGCAGCAGGAGGAGGAGGAGGTGATAATGGGGAAAATGTC CTGAAGAAAAGCATGAAAAGTAGAGTCAAAGGATCTCCTGTATATACAGCACCAGAAGTT GTGAGGGGTGCTGACTTTTCCATCTCCAGTGACCTCTGGTCTTTGGGCTGTCTGCTTTAT GAAATGTTTTCAGGAAAACCTCCATTCTTCTCAGAAAGTGTTTCAGAATTAACTGAAAAG ATCTTATGTGAAGATCCTTTGCCACCTATTCCGAAAGATTCTTCTCGTCCTAAAGCTTCT ${ t TCAGATTTTATTAATTTGCTTGATGGGTTACTTCAAAGAGATCCTCAGAAAAGATTGACT$ ${ t TGGACAAGGCTACTGCAGCATTCATTTTGGAAGAAAGCTTTTGCTGGAGCAGATCAGGAA$ TCAAGCGTCGAAGATCTCAGTCTCAGCAGAAACACTATGGAGTGTTCTGGGCCACAAGAT TCCAAGGAGCTTTTGCAGAACTCTCAGAGTAGACAAGCAAAAGGGCACAAGAGTGGTCAA CCACTAGGTCACTCTTTCAGACTAGAAAATCCAACTGAGTTTCGGCCTAAGAGTACTCTT GAGGGTCAATTGAATGAATCCATGTTTCTTCTCAGTTCTCGTCCTACTCCCAGAACTAGC ACTGCAGTGGAAGTAAGTCCTGGTGAGGATATGACTCACTGTTCACCACAGAAGACTTCT CCTCTGACCAAGATTACAAGTGGACACCTGAGTCAGCAGGACCTGGAATCCCAGATGAGA GAGCTTATCTACACGGACTCAGATCTTGTTGTCACCCCCATTATCGACAATCCAAAGATA ATGAAACAGCCACCAGTTAAATTTGATGCAAAAATATTGCATCTACCAACATATTCAGTG GATAAGTTATTATTTCTGAAAGATCAAGATTGGAATGACTTTTTGCAACAAGTGTGCTCG CAGATCGACTCCACTGAGAAGAGCATGGGGGCCTCCCGAGCCAAGCTGAATCTCCTTTGC TATTTGTGCGTGGTGGCTGGTCACCAGGAGGTGGCCACCAGGCTCCTCCATTCCCCCCTG TTCCAATTGCTAATCCAGCATTTGCGGATAGCTCCAAACTGGGATATACGGGCCAAGGTT GCTCACGTGATTGGTTTACTGGCTTCGCACACAACTGAGCTCCAGGAAAATACACCTGTT GTTGAGACTACAAGCTCCATTGGAATCGGGATTTTGAACTGTCTTGTTCAACACTCCACT **AAACTGTATCAGCATT**

SEQ ID NO: 102_SGK384_H
TCTTTGGCCCACGTGCTGAGGGCGCGGCAGATCCTGACGGAGCCAGAAGTGCGCGACTAC
CTGCGGGGCCTGGTCAGCGGCCTGCGCTACCTGCACCAGCGGTGCATCCTGCACCGC

SEQ ID NO: 103 AA210451 M SGK384 M GGTCTGCTGCATGGATAATGGACTGGAACACAGAAAGACCATGCAGGGTTCGGCTGTAGA AGGCCAGTATCTCCAGAGGCCAGAAGACACCATCAGATCTCCTGGGACTGGAGTTATAGA AACCCTGCTGGGAGAAAAAAGAAACTGCTGAAGGGACTGACATGGGACAGCAACATGGAA CCAGGAATGGTCTCACGCATAGAGAGCTCCCCCGGGGCGTGGGGCTGCTGCTCGCCATGG CCCTTATGAACGTGGCGCTCTACCTCTGCCTTGATCAGCTTTTCATCTCCCCTGGACGAT CCACCGCGGACTCTAGGCGCTGTCCTCCGGGCTACTTCAGAATGGGGCGGATGAGAAACT GCTCACGCTGGCTGTCCTGTGAAGAGCTGAGGACAGAAGTCAGGCAGCTGAAGCGCGTTG CCCGGCTCACCAGGCTGGAGATGAAGGAGGACTTCCTGCATGGGCTGCAGATGCTGAAGT $\tt CTCTACAGAGTGAGCACGTGGTCACGCTGGTGGGCTACTGTGAGGAAGATGGCACTATTC$ TCACCGAATATCACCCCTTAGGTTCCTTGAGCAACCTGGAAGAACACTAAACCTTTCAA AGTACCAAGACGTGAACACTTGGCAGCACAGGCTGCAGCTGGCCATGGAGTACGTCAGCA TCATTAACTATCTGCATCACAGCCCCCTGGGCACGAGGGTCATGTGTGACTCTAACGACC TGCCCAAAACATTGTCCCAGTACCTGCTAACAAGTAACTTCAGCATTGTGGCAAACGACC TGGACGCTCTGCCCCTGGTAGACCATGACTCTGGGGTACTTATAAAGTGTGGCCACAGAG ${f AGCTCCATGGGGATTTTGTGGCTCCAGAGCAGCTGTGGCCCTACGGAGAAGACACGCCCT}$ ${ t TCCAAGACGATCTCATGCCTTCCTACAATGAGAAGGTTGACATCTGGAAGATTCCAGATG$ ATATCCATAAGGCGTGCAAGAGCCAGATCCCGGCAGAAAGACCCACTGCTCAGAACGTGC

FIGURE 2AAAA

TAGACGCTTACCAGAGGGTTTTCCATTCACTCCGAGACACTGTGATGTCGCAGACGAAAG AAATGCTGTAAAAATGAGCCATCGAGTGACGTGCTTGATGGCTGAATGGCATCCCAGCTG ACGTAGGCCTCCTCTACGTCTGCCTGCATGTTTGAGTGTTCTGCTCTCCTGGCAGCCCGG ATGGAAGCTGCCAAGCGAGAAAGCCTGGCTTCAGGATGCTCCCTGGTGAAGATGCAGAGG ATTCTGGATCTGCATAGTTTCAAGGGAGTGATCAAACGGTGACCTTGAAGACATGCTGCC TGCCTTGGTAACTTTTATAGACTAGTAGGAAACAGAAATCTTTTGGGGGAGGGGGGGAC AACCCACTAGTTCCTCAGAGACAATTTCTTCTCATTCAGAAAGCCCTGTTGGAAGCTGGG GATGTTTTAACTCCGTGGCAGGGCACTTGCCTAGTTGTGTGCAAAGCCTTGGATCTGACC CATGGCATGTGCACACACAAATGCTCAAAGAAAATCCCAGACGCCAGAAGTGTGCCCC $\tt CTGACTCGTGTCACTGAGCCAAGTGTGCATGGTCGTTAGCTACTTTGTGGGTTCTTCTTT$ AAGGAAAGTGGGCACTGTTATATTGTTGGACGACTTCTTGCTGATTAAGGGGTGTCGAGT TCCTTGGAGCAATGATCTTTGCTGCCAAGATATCTCATTTCTTCTTGTTTCTTCTTCGCC CACGACCACTTCACAAACACCGACCAACAGCAAACAACCACCCCGCTTCTCGGGGG CCCTAGCACTTATGTACTTCTGAAAAGTCCCCAGAAATTCCAATCATCACACACTCAGAG AAACTGTCTGCTGCCAAAACTACACCCCTGCTAGAGCATGAGGCAAATCATAGTCAG CTGCTGTGGACAGTCTGAAGCAGCCTGGCATCCCACACCTGAGATTAAAACAAAAACATT CTTACCTGTGTTTTGTTTTTTAAGAAACCAAAGTGCACCAAGATAGCATGCTCTTG AGATTGTGGCTGTCTAGAGATTTTTGGAACAGCAAGTTGAAGGAACTTTCTTACCTGCCT TGAATGGTGCTTTGAACTTCCTGCTGACCTGGAGTTTCTGTGTGAATATTTCTATCCAGT GTCCCCCTGTACCGGAAAGTACAAAGTCTGCTCTGGGCTTGCATGCCTGAACACTTTAAA ACACTGTGGAGCCAGGAATAATGGTACCCACCTGTAATCCCAGCACCTGGGAGACAGGAG GAACCAGGAGTTCAGGGTTATCCTGGGCTATATACCGTGACCCTGTCTACCCCCACACCC CAATAAAAAAACAAAAAGGTC

SEQ ID NO: 104 SGK071 2 H

GAGGTGGTGGCTGTGCAGATGATGGTGGAATGCATGATGACCATTACGCCAGTCAGGCC $\tt CTGGAGGAGCTGATGCCACTGCTGAAGCTGCGGCACGCCCACATCTCTGTGTACCAGGAG$ $\tt CTGTTCATCACGTGGAATGGGGAGATCTCTTCTCTGTACCTCTGCCTGGTGATGGAGTTC$ AATGAGCTCAGCTTCCAGGAGGTCATTGAGGATAAGAGGAAGGCAAAGAAAATCATTGAC TCTGAGTGGATGCAGAATGTGCTGGGCCAGGTGCTGGACGCGCTGGAATACCTGCACCAT TTGGACATCATCCACAGGAATCTCAAACCCTCCAACATCATCCTCATCAGCAGTGACCAC CGTGCGGAGGAAGACCCCTTTCGTAAGTCCTGGATGGCCCCTGAAGCCCTCAACTTCTCC TTCAGCCAGAAATCAGACATCTGGTCCCTGGGCTGCATCATTCTGGACATGACCAGCTGC TCCTTCATGGATGGCACAGAAGCCATGCATCTGCGGAAGTCCCTCCGCCAGAGCCCAGGC AGCCTGAAGGCCGTCCTGAAGACAATGGAGGAGAAGCAGATCCCGGATGTGGAAACCTTC AGGAATCTTCTGCCCTTGATGCTCCAGATCGACCCCTCGGATCGAATAACGATAAAGGAC GTGGTGCACATCACCTTCTTGAGAGGCTCCTTCAAGTCCTCGTGCGTCTCTCTGACCCTG ${\tt CACCGGCAGATGGTGCCTGCGTCCATCACCGACATGCTGTTAGAAGGCAACGTGGCCAGC}$ ATTTTAGGTGATGCTGGGGACACAAAGGGGGGAGCGTGCCCTGAAGCTCCTGTCCATGGCC ATGCACGACCAGTGGCTCAGCTGTGACCAGGACAGAGTCCCTGGGAAGAGAGACTTTGCC TCCCTGGGGAAACTAGGGAAGCTGTTGGGCCCCATCCCAAAGGGTCTGCCGTGGCCCCCG GAGCTGGTGGAGGTGGTCACGACCATGGAGCTACATGACAGGGTCCTCGATGTCCAG CTGTGTGCCTGCTGCTGCTGCACCTCCTGGGCCAAGCGCTGGTGCACCACCCGGAA GCCAAGGCTCCCTGCAACCAAGCCATCACCTCCACCCTGCTGAGTGCTCTTCAGAGCCAC CCCGAGGAGGAGCCACTTCTTGTCATGGTCTACAGCCTGCTAGCCATCACCACAACCCAG

FIGURE 2BBBB

SEQ ID NO: 105 AA118352 M SGK071 M CAGAAGAAGACCCCTGCCAGAAGTCCTGGATGGCTCCTGAAGCTCTCAAATTCTCCTTCT CCACCAAATCCGACATCTGGTCTCTGGGCTGCATCATTCTAGACATGGCCACTTGCTCCT TCCTGAACGACACAGAAGCCATGCAACTGCGGAAGGCCATCCGCCATCATCCAGGCAGCC TGAAGCCCATCCTGAAAACCATGGAGGAGAAGCAAATCCCTGGTACAGATGTCTACTATT TGCTTCTGCCCTTCATGTTGCATATCAACCCCTCCGATCGACTGGCAATCAAGGATGTGA TGCAAGTCACCTTCATGAGCAACTCCTTCAAAAGCTCCTCTGTTGCGCTGAATATGCAGC GGCAGAAGGTCCCCATCTTCATCACTGACGTGCTGCTTGAAGGCAACATGGCCAACATCT TAGGCAGCTGGCTGTGCTTCCTTTGTGAACGACAGCAGCACTGTGACTCAGGGATTG GCTCGCAGAGACTTGGGTTTGATTTTCAGTCAGTCTCTTGGACAGAGCACCCTCTGAAAG ATGTCATGCAGAATTTCTCCAGTCGACCAGAGGTCCAGCTCAGAGCCATTAACAAGTTGT TGACAATGCCAGAGGACCAGCTAGGGCTGCCATGGCCCACAGAGCTGCTGGAAGAGGTGA TCAGCATCATAAAGCAGCATGGGCGGATCCTGGATATTCTGCTCAGCACCTGCTCCCTTC TGCTGCGTGTTCTTGGCCAAGCACTGGCAAAGGACCCAGAAGCTGAGATCCCAAGGAGCA GTTTGATCATCTCCTTCCTGATGGATACCTTGCGGAGCCATCCTAACTCTGAAAGGCTTG TTAATGTGGTCTACAACGTGCTTGCCATTATTTCCAGCCAAGGACAGATCTCAGAAGAGC TGGAAGAGGAGGGTTGTTTCAGCTTGCCCAAGAGAACCTGGAGCACTTCCAAGAGGACA GGGACATCTGCCTCTATCCTGAGCCTGCTCTGGTCCCTCCTGGTAGATGTTGTCACTG TGGACAAAGAGCCCTTGGAGCAGCTCTCTGGCATGGTCACCTGGGTGCTGGCTACTCATC CGGAGGACGTGGAAATAGCAGAGGCTGGCTGTGCGGTGCTCTGGCTGTCCTTGTTGG GCTGCATAAAGGAGAGTCAGTTTGAGCAGGTGGTAGTGCTCCTGAGAAGCATCCAGC TGTGCCCTGGCAGAGTACTGCTGGTGAACAATGCATTCCGTGGCTTGGCCAGCCTCGCAA AGGTGTCCGAACTGGTGGCCTTCCGAATAGTACTGGAAGAGGGCAGCAGCGGCCTCC ACCTCATCCAAGATATCTACAAGCTCTACAAGGATGACCCTGAGGTGGTGGAGAACCTCT GCATGCTGTTGGCCCATCTGACCTCCTACAAGGAGATCCTGCCAGAGATGGAGTCTGGAG GCATCAAAGACCTAGTCCAGGTGATCCGGGGGCGCTTTACCTCCAGCCTGGAGCTGATTT CTTACGCTGATGAGATACTCCAGGTACTGGAAGCAAATGCACAACCTGGCCTCCAGGAGG ATCAGCTTGAGCCTCCTGCAGGGCAGGAAGCCCCACTGCAGGGAGAGCCCCTCTTCAGGC CCTGACATGCTGCCCTTCTGGTCCTGTGGTAAGAGAAAGTATCACTAGGTCCAGTATTAA TTTCGTACCCCATGGTGACTAATAAAAGAAGCCCTAGGCTGTTTCTGGC

FIGURE 2CCCC

CGCCTCCTTCCTGCTGGGCTCCGTCCTCAACGTGCTCTTCGCTCCGGGTCGGAGCCTCCG AGGCCAGGCCAGTCCCCTGAGCCTTCGCCGGCCCCCGGGTGCGGGCCGTCGCGGGGGCCGC GGGGAGCTGGCCCGGCAGATCCGGGCGCGCTACGAGGAGGTGCAGCGCTATTCCCGCGGG GGCCCGGGCCCGGGCGGGCCGGCCGGAGCGGCGCCTGATGGACCTGGCTCCGGGC GGGCCCGGCCTGCCGCCCCCGGCCCCTTGGGCCCCCTGTCCGACGGCGCCCCA GGCTGGCCCCGGCTCCCGGCCCAGGCTCCCCCGGGCCCGGGCCCGCGCCTGGGCTGCGCC CACAAGCTGCTTAAGGAGATGGTGCTGCTGGAGCGGCTGCGGCACCCCAACGTGCTGCAG GAGCTGGGCGCCCCTGTAGAAATGATCCAGCTGCTGCAAACTTCCTGGGAGGATCGATTC CGAATCTGCCTGAGCCTGGGCCGCCTCCTCCACCACCTGGCCCACTCCCCACTGGGCTCC GTCACTCTGCTGGACTTCCGCCCTCGGCAGTTTGTGCTGGTGGATGGGGAGCTCAAAGTG ACGGACCTGGATGACGCACGTGTGGAGGAGCGCCGTGTGCAGGCACCACCGACTGCATA ${\tt ATGAACGAGAAGCGGAACCTCTATAATGCCTACAGGTTTTTCTTCACATACCTCCTGCCT}$ $\tt CTCGCCTGGGGGGGGGGACGACCCTGGCCCAGCTGGAGAAGGTGCTGCACCTGTACCGG$ AGCGGGCAGTATCTGCAGAACTCCACGGCAAGCAGCAGTACCGAGTACCAGTGTATCCCA GACAGCACCATCCCCCAGGAAGACTACCGCTGCTGGCCATCCTACCACCACGGGAGCTGC CTCCTTTCAGTGTTCAACCTGGCTGAGGCTGTGGATGTCTGTGAGAGCCATGCCCAGTGT CGGGCCTTTGTGGTCACCAACCAGACCACCTGGACAGGTCGGCAGCTGGTCTTTTTCAAG ACTGGATGGAGCCAAGTGGTCCCTGATCCCAACAAGACCACATATGTGAAGGCCTCTGGC TGACCTATCTGAGGGCTCGGCTGACCAGCTGACTATCCTCAGCAGCTGGGCTTGCCTGTG GAGGGAGTGACTTGCACTGGCAGCACTGCATGTCACCTGGGAACCCCTGCAGACAAAGCT AACATCCCAGACAGACAGATGTGACCAGGACAAACGTGCAATAATGCCAAATGTTAAAAT GTGAGTTTACCAGCCTAGCTATGGGACTGCTGGCTCCTAGTCCAGGAATCATGGGGGTAT GACTGCCTCTCCAACCCTGTGGGCTGTAAGCAAGCTCAGGCTAGTCTCCCCACTGGGGGC TGTGCCCCTCCCTGGGACGGTTCCGTGGGCAGCCCCATCACTGTGTTCAATAGTGTGAGA ATGTAGCTAAAGCCCCTGCTGCTGCTGCACATGCCACAGCAGGCGGTGGGGGCTGCG TGGGGACAATCCATCGTGGAGTGTTCTCTCAGCTTAGGTCTGGACAGGAGACTTGGCGGG AGATGCTCCAGGATGTGGGTGATTCTGTACCTGGGGAGGCTATCTCTGACCTCCCGACAG GGGACACTCCCAGGCCAGCCCAGGGGTCAGGGGCAGAGGTGCACACCTCAGCATGAGCCA GGCCTTTCTGCCTCATTTGCTTTCAATGAAAGCCTCAAAGCAGCCAAAACCAGGCTTTCC CCCTTCCTCGAGTTTGAATATCCAGAATCTTTTGTACTTCTTGTTGGTTAAATTGTTTAT TTTTGTAAAAATAAAATTAGTTAATAAAATGATGTTTCACAGCAAACTCTTCCC Т

FIGURE 2DDDD

CCCAGGGCTGGTGCGAGGGCATGAATGAGAAACGGAACCTCTACAATGCCTACAGGTTCT TCTTCACATACCTCCTGCCACACAGTGCCCCGCCTTCCCTCCGACCTCTCCTGGATAGCA TCGTCAATGCCACGGGAGAGCTCGCCTGGGGGGGGGGTGGATGAGACCCTGGCCCAGCTGGAGA CAGCGCTACACTTGTTCCGAAGTGGGCAGTACCTGCAGAACTCTACAAGCAGCAGGGCTG AGTACCAGCGCATCCCGGACAGTGCCATCACACAGGAGGACTATCGCTGCTGGCCATCCT ATCACCACGGCGGCTGCCTCTGTCCGTGTTCAACCTGGCTGAGGCTATAGATGTCTGTG AGCTGGTCTTTTTTAAGACTGGATGGAACCAAGTGGTCCCTGATGCCGGCAAGACCACAT ATGTGAAGGCCCCTGGTTGACTGGTTGTGGGCTCAGCTGACCAGCTGGGCTTGCCTGCTG CTGATGTGACCAGGACAAAACGTGCAATATGCAAAAATGTTAAAATGTGAGTTTGCCAGC TTCAGTCCCAGACTGGTTGGAACCCGATTGCCTCTCTGGAGCTGTAGGCTGTGAGCAGGG $\tt CTCAGGCTGGTCTTAACTGGGACAGTCCCGTGGGCAGCCCATTACTGCATTCATGCTTTG$ AGAATGTAGCCAGAACACTGCTGCTGCATAAGCCACCGTGGGCAGGAGCTGCCTGGGGAC AACCAGTCTCAGAGTGCTCTCAGCTCAGCTCCGCTCCAAATGGAGAGCGCGGGATGCG GAGATGTGAGTGAACCAGCACTGGGAAGAAGGCTCTCGGGCCTCTCCCTAGAGGTTGCTC CTAGGCCAGCCCCGAGGCCGTGGGCAGCAGTGCTCGCATCCATATGAGCCAAGACTAGAG TGGAGGAGCAGATTGCATTTGAGCCAGGACTGGGGTGGGGGTAGGGTCGGGGCCTCTCTG CCTCATTTGCTTTCAGTGAAAGCCAGGGAGCAGCCGCAGCCAGGCTCCTCCTGG AGGCCAGGCTCCTCCCCCTCCTGGAGGCCAGGCTCCTCCCCCCTCCTGGAGTTTGCGTACC CAATTAATAAAATGATGTTTTGTGAC

SEQ ID NO: 108 VRK3 H

ATGATCTCCTTCTGTCCAGACTGTGGCAAAAGTATCCAAGCGGCATTCAAATTCTGCCCC TACTGTGGAAATTCTTTGCCTGTAGAGGAGCATGTAGGGTCCCAGACCTTTGTCAATCCA CATGTGTCATCCTTCCAAGGCTCAAAGAGAGGGCTGAACTCCAGTTTTGAAACCTCTCCT AAGAAAGTGAAATGGTCCAGCACCGTCACCTCTCCCCGATTATCCCTCTTCTCAGATGGT GACAGTTCTGAGTCTGAAGATACTCTGAGTTCCTCTGAGAGATCCAAAGGCTCCGGGAGC AGACCCCCAACCCCCAAAAGCAGCCCTCAGAAGACCAGGAAGAGCCCTCAGGTGACCAGG GGTAGCCCTCAGAAGACCAGCTGTAGCCCTCAGAAGACCAGGCAGAGCCCTCAGACGCTG AAGCGGAGCCGAGTGACCACCTCACTTGAAGCTTTGCCCACAGGGACAGTGCTGACAGAC AAGAGTGGGCGACAGTGGAAGCTGAAGTCCTTCCAGACCAGGGACAACCAGGGCATTCTC TATGAAGCTGCACCCACCCTCACCTGTGACTCAGGACCACAGAAGCAAAAGTTC TCACTCAAACTGGATGCCAAGGATGGGCGCTTGTTCAATGAGCAGAACTTCTTCCAGCGG GCCGCCAAGCCTCTGCAAGTCAACAAGTGGAAGAAGCTGTACTCGACCCCACTGCTGGCC ATCCCTACCTGCATGGGTTTCGGTGTTCACCAGGACAAATACAGGTTCTTGGTGTTACCC AGCCTGGGGAGGAGCCTTCAGTCGGCCCTGGATGTCAGCCCAAAGCATGTGCTGTCAGAG AGGTCTGTGCTGCAGGTGGCCTGCCGGCTGCTGGATGCCCTGGAGTTCCTCCATGAGAAT GAGTATGTTCATGGAAAATGTGACAGCTGAAAATATCTTTGTGGATCCAGAGGACCAGAGT CAGGTGACTTTGGCAGGCTATGGCTTCGCCTTCCGCTATTGCCCAAGTGGCAAACACGTG GCCTACGTGGAAGGCAGCAGGAGCCCTCACGAGGGGGACCTTGAGTTCATTAGCATGGAC CTGCACAAGGGATGCGGGCCTCCCGCCGCGGGCGACCTCCAGAGCCTGGGCTACTGCATG $\tt CTGAAGTGGCTCTACGGGTTTCTGCCATGGACAAATTGCCTTCCCAACACTGAGGACATC$ ATGAAGCAAAAACAGAAGTTTGTTGATAAGCCGGGGCCCTTCGTGGGACCCTGCGGTCAC TGGATCAGGCCCTCAGAGACCCTGCAGAAGTACCTGAAGGTGGTGATGGCCCTCACGTAT GAGGAGAAGCCGCCCTACGCCATGCTGAGGAACAACCTAGAAGCTTTGCTGCAGGATCTG CGTGTGTCTCCATATGACCCCATTGGCCTCCCGATGGTGCCCTAG

FIGURE 2EEEE

SEQ ID NO: 109 S71575 M VRK3 M CCATCCCCACCTGTATCGGCTTTGGCATTCACCAGGACAAGTACAGGTTCCTAGTATTCC CCAGCCTGGGGAGGAGCCTTCAGTCAGCCCTGGATGACAACCCAAAGCATGTGGTATCAG AGAGATGTGTGCTTCAGGTGGCCTGCAGGCTGCTGGATGCTCTGGAGTATCTCCATGAAA ATGAGTATGTTCACGGGAACCTGACAGCTGAGAATGTCTTTGTGAATCCAGAGGATCTGA GCCAGGTGACCCTGGTGGGCTATGGCTTCACCTACCGATACTGCCCAGGTGGCAAACACG TGGCCTACAAAGAAGGCAGCAGGAGTCCACACGATGGGGACTTGGAGTTCATTAGCATGG ACCTGCACAAGGGATGCGGACCCTCCCGCCGCAGCGATCTCCAGACCTTGGGCTACTGTA TGCTCAAGTGGCTTTATGGGTCCCTGCCATGGACAAATTGCCTTCCCAACACCGAAAAGA TAACTAGGCAGAAGCAGAAGTATCTGGACAGCCCCGAGCGCCTCGTGGGACTGTGTGGCC GCTGGAACAAGGCCTCAGAGACCCTGCGGGAGTACCTGAAGGTGGTGATGGCCCTCAATT ATGAGGAGAAGCCACCCTATGCCACGCTGAGGAACAGCCTAGAAGCTCTGCTGCAGGATA TGCGGGTGTCACCCTATGACCCTCTGGACCTCCAGATGGTGCCTTAGATGGAATCCAGAG CTTCCGACTTGCAGCTTGAAGTAGAACATGAAGTAGTGTGACTGGAGGCCTGTTTGAACT CATAGCTCCTAAAAGAATCCCTTGAATGTGCATTCTCACCGCTCCCTTAGGACATATGAA TCAGCACTTGTGTTGGGGAACCTGAGTCATGTCATGTAATGTGAAACTCCTCCCTGTCTC AGCTCTGGCAGCTGTGGATGGAGGTAAGTGGATGCTGGCGGCGGCGGCGGCAGCAGCCAC TCCACTCCCTATGGCATTTCTGTGATGGCATAATAAACTGTTTTTAATC

SEQ ID NO: 110 AA45427 H

ATGGGCCACGCGCTGTGTCTCTCGCGGGGAACTGTCATCATTGACAATAAGCGCTAC $\tt CTCTTCATCCAGAAACTGGGGGGGGGGGGTTCAGCTATGTGGACCTAGTGGAAGGGTTA$ CATGATGGACACTTCTACGCCCTGAAGCGAATCCTGTGTCACGAGCAGCAGGACCGGGAG GAGGCCCAGCGAGAAGCCGACATGCATCGCCTCTTCAATCACCCCAACATCCTTCGCCTC GTGGCTTACTGTCTGAGGGAACGGGGTGCTAAGCATGAGGCCTGGCTGCTACCATTC TTCAAGAGAGGTACGCTGTGGAATGAGATAGAAAGGCTGAAGGACAAAGGCAACTTCCTG ACCGAGGATCAAATCCTTTGGCTGCTGCTGGGGATCTGCAGAGGCCCTTGAGGCCATTCAT GCCAAGGGTTATGCCCACAGAGACTTGAAGCCCACCAATATATTGCTTGGAGATGAGGGG CGCCAGGCTCTGACCCTGCAGGACTGGGCAGCCCAGCGGTGCACCATCTCCTACCGAGCC ${\tt CCAGAGCTCTTCTCTGTGCAGAGTCACTGTGTCATCGATGAGCGGACTGATGTCTGGTCC}$ ${ t CTAGGCTGCGTGCTATATGCCATGATGTTTGGGGAAGGCCCTTATGACATGGTGTTCCAA}$ AAGGGTGACAGTGTGGCCCTTGCTGTGCAGAACCAACTCAGCATCCCACAAAGCCCCAGG CATTCTTCAGCATTGCGGCAGCTCCTGAACTCGATGATGACCGTGGACCCGCATCAGCGT CCTCACATTCCTCCTCCTCAGTCAGCTGGAGGCGCTGCAGCCCCCAGCTCCTGGCCAA CATACTACCCAAATCTGA

SEQ ID NO: 111 H05721 H

WO 00/73469

FIGURE 2FFFF

 ${\tt GGGGGCCCTGCCTTGGCCATCAAGATGATGTGGAACATCTCGGCAGGTTCCTC}$ ${\tt CAGCGAAGCCATCTTGAACACAATGAGCCAGGAGCTGGTCCCAGCGAGCCGAGTGGCCTT}$ GGCTGGGGAGTATGGAGCAGTCACTTACAGAAAATCCAAGAGAGGTCCCAAGCAACTAGC CCCTCACCCCAACATCATCCGGGTTCTCCGCGCCTTCACCTCTTCCGTGCCGCTGCTGCC AGGGGCCCTGGTCGACTACCCTGATGTGCTGCCCTCACGCCTCCACCCTGAAGGCCTGGG CCATGGCCGGACGCTGTTCCTCGTTATGAAGAACTATCCCTGTACCCTGCGCCAGTACCT TTGTGTGAACACCCAGCCCCGCCTCGCCGCCATGATGCTGCAGCTGCTGGAAGG CGTGGACCATCTGGTTCAACAGGGCATCGCGCACAGAGACCTGAAATCCGACAACATCCT TGTGGAGCTGGACCCAGACGGCTGCCCCTGGCTGGTGATCGCAGATTTTGGCTGCTGCCT GGCTGATGAGAGCATCGGCCTGCAGTTGCCCTTCAGCAGCTGGTACGTGGATCGGGGCGG AAACGGCTGTCTGATGGCCCCAGAGGTGTCCACGGCCCGTCCTGGCCCCAGGGCAGTGAT TGACTACAGCAAGGCTGATGCCTGGGCAGTGGGAGCCATCGCCTATGAAATCTTCGGGCT TGTCAATCCCTTCTACGGCCAGGGCAAGGCCCACCTTGAAAGCCGCAGCTACCAAGAGGC TCAGCTACCTGCACTGCCCGAGTCAGTGCCTCCAGACGTGAGACAGTTGGTGAGGGCACT GCTCCAGCGAGAGGCCAGCAAGAGACCATCTGCCCGAGTAGCCGCAAATGTGCTTCATCT AAGCCTCTGGGGTGAACATATTCTAGCCCTGAAGATCTGAAGTTAGACAAGATGGTTGG CTGGCTCCTCCAACAATCGGCCGCCACTTTGTTGGCCAACAGGCTCACAGAGAAGTGTTG TGTGGAAACAAAATGAAGATGCTCTTTCTGGCTAACCTGGAGTGTGAAACGCTCTGCCA GGCAGCCCTCCTCCTCTGCTCATGGAGGGCAGCCCTGTGATGTCCCTGCATGGAGCTGGT GAATTACTAAAAGAACATGGCATCCTCTGTGTCGTGATGGTCTGTGAATGGTGAGGGTGG GAGTCAGGAGACAAGACAGCGCAGAGAGGGCTGGTTAGCCGGAAAAGGCCTCGGGCTTGG CAAATGGAAGACTTGAGTGAGAGTTCAGTCTGCAGTCCTCTCTCACAGACATCTGAAA AGTGAATGGCCAAGCTGGTCTAGTAGATGAGGCTGGACTGAGGAGGGGGTAGGCCTGCATC CACAGAGAGGATCCAGGCCAAGGCACTGGCTGTCAGTGGCAGAGTTTGGCTGTGACCTTT GCCCCTAACACGAGGAACTCGTTTGAAGGGGGCAGCGTAGCATGTCTGATTTGCCACCTG GATGAAGGCAGACATCAACATGGGTCAGCACGTTCAGTTACGGGAGTGGGAAATTACATG AGGCCTGGGCCTCTGCGTTCCCAAGCTGTGCGTTCTGGACCAGCTACTGAATTATTAATC GGTTTCCCTCCTGACTAGCCTCTCTTACAGGAATTGTGAAATATTAAATGCAAATTTACA ACTGCAGATGACGTATGTGCCTTGAACTGAATATTTGGCTTTAAGAATGATTCTTCTTAT ACTCTGAAGGTGAGAATATTTTGTGGGCAGGTATCAACATTGGGGGAAGAGATTTCATGTC TAACTAACTAACTTTATACATGATTTTTAGGAAGCTATTGCCTAAATCAGCGTCAACATG CAGTAAAGGTTGTCTTCAACTGACAAAA

SEQ ID NO: 112 AI086865 H

AATGAGATGGAGAAGTACGAGCGGATCCGAGTGGTGGGGAGAGGTGCCTTCGGGATTGTG
CACCTGTGCCTGCGAAAGGCTGACCAGAAGCTGGTGATCATCAAGCAGATTCCAGTGGAA
CAGATGACCAAGGAAGAGCGGCAGCAGCCCAGAATGAGTGCCAGGTCCTCAAGCTGCTC
AACCACCCCAATGTCATTGAGTACTACGAGAACTTCCTGGAAGACAAAGCCCTTATGATC
GCCATGGAATATGCACCAGGCGGCACTCTGGCTGAGTTCATCCAAAAGCGCTGTAATTCC
CTGCTGGAGGAGGAGACCATCCTGCACTTCTTCGTGCAGATCCTGCTTGCACTGCATCAT
GTGCACACCCACCTCATCCTGCACCGAGACCTCAAGACCCAGAACATCCTGCTTGACAAA
CACCGCATGGTCGTCAAGATCGGTGATTTCGGCATCTCCAAGATCCTTAGCAGCAAGAGC
ACCCCATGCTATATCTCCCCTGAGCTGTGTGAGGGCAAGCCCTACAACCAGAAGAGTGAC
ATCTGGGCCCTGGGCTGTGTCCTCTACGAGCTGGCCAGCCTCAAGAGGGCTTTCGAGGCT
GCGAACTTGCCAGCACTGGTGCTGAAGATCATGAGTGGCACCTTTTGCACCTATCTCTGAC
CGGTACAGCCCTGAGCTTCGCCAGCTGGTCCTGAGTCTACTCCAGGCCTGGAGCCTCCAG
CGGCCACCACTCAGCCACATCATGGCACAGCCCCTCTGCATCCTCCAACCTC
CACACCGACGGCAGAGAAGTCCGTGGCCCCCCAGCAACACAGGGAGCCACCACCAGTGT
CCGCTGCAGAGAGAGCCCTTAGGCCCCCCCAGCAACACACAGGGACCACCACCAGTGT
CCGCTGCAGAGAGAGTCCGTGGCCCCCCAGCAACACAGGGAGCAGACCACCAGTGT
CCGCTGCAGAGAGAGCCCTTAGGCCACCCCCTCTGCATCCCTCAACCTC
CACACCGACGGCAGAGAAGTCCGTGGCCCCCCAGCAACACAGGGAGCAGACCACCAGTGT
CCGCTGCAGAGAGAGCCCTTAGGCCACACCACCAGTGT

FIGURE 2GGGG

GGCAGCCTCACTGACATCAGCCAGCCCACCATTGTGGAGGCTTTGTTGGGCTATGAAATG GGTGTGGCGTCCAGCACTGATGTGTCTACCTTCTCTGAAGGTGACTGCAAGGAGCCTGAC AAGTGCTGCTGGAGACACAAGCAGTGCACTGGGCACATCATCTACCCTTTCGCCTCTGAC TGTGTCCGCCACAGCCTGCACCTACACTCTGTCAACCACTGCAACTGTAATTCTAGGCTG ${\tt AAGGACTCTTCAGAGGATAGCAGCTCCCGGGGCGCGGGCCCAACCTGCTCCCATGTC}$ ATCGAGTCCCCTTGCTTTGAGCTCACACCGGAGGAGGAGCATGTGGAGCGATTCCGGTAT GGCTGGTGCAAAAGCTACAGACCTGTCTCTGTGGCAGTGATCCACCATCCACTCTACCAT GAGTGTGGGGCAGATGATCTAAATGXXAAGAAGAGGAAGAGGAGGAGGAGGAAAAGCAAG CCCCCATCCCGACACAGGTGGGGCCCGCCACCGCCTCCCCTGACCTAGGCACCAGCATG GCCACTGGTACCCCTGACTCCACAGCGCCCATCACCATCTGGCGCTCTGAGAGCCCCACA GGGAAGGGTCAGGGCAGCAAGGTGATCAAGAAGGTAAAGAAGAAAAAGGAAAAAGAGAAA GACAAGGAGGAGATGGATGAGAAGGCAAAGCTGAAGAAAAAAGCCAAGAAAGGCCAGTTG ACTAAGAAGAAAAGCCCGGTTAAATTGGAGCCTTCCCCGCCAGACGTGAGCCGATCATTA AGCGCAAGACAGCTGGCCAGGATGTCCGAGTCCAGCCCAGAAAGCCGGGAAGAGCTGGAG AGCGAGGACAGTTACAATGGCCGGGGGCAGGAGAACTGTCCAGCGAGGATATTGTGGAA TCATCATCGCCCAGGAAGAGAGAGACACAGTCCAGGCCAAAAAGACAGGGGCAAAGCCC TCACAAGCCAGGAAGGTAAACAAGAGAAAATCTCCCCCAGGATCAAACCCCAACCTCAGT TGCTGTTCTCTCCCTCCAACCTGGCTGTTTCTTGCGGGGCAAGGGGTGGGCTCAGGGCTG ${\tt CAGGGGTTTCTCAAAGGCAATCCAGCTTTCACAAAGGAAGCCCATGGGAAGGCAGGTGGG}$ AGGGAAAGGAAGGCCCCTATTTCTTCCTACCTGCTAGGACAAGGTGGAAGAGTG TATCTGGGGTGGGAAGGAGGCTTCCCCTCTCTGCTGCGAGAGACTGGTCTGTGAAAT CCACTTCTGGGACAGGCAGTACTGTCTGCAGCGATACCCCCAATAAACGGAACTTTTTAA CCC

SEQ ID NO: 113 AA836348 H

GAGTCCGGGGGTTGCGGGGACTCGAGTCCGGGGCCTAGCGCCAGTCAGGGGCCGCGAGCC GGCGCCTTCGGGGAAGCCACGCTGTACCGCCGCACCGAGGATGACTCACTGGTTGTGG AAGGAAGTCGATTTGACCCGGCTGTCTGAGAAGGAACGTCGTGATGCCTTGAATGAGATA AATACCACGCTGCTGATTGAGCTGGAATATTGTAATGGAGGGAACCTGTATGACAAAATC $\tt CTTCGTCAGAAGGACAAGTTGTTTGAGGAAGAGATGGTGGTGGTACCTATTTCAGATT$ GTTTCAGCAGTGAGCTGCATCCATAAAGCTGGAATCCTTCATAGAGATATAAAGACATTA AATATTTTTCTGACCAAGGCAAACCTGATAAAACTTGGAGATTATGGCCTAGCAAAGAAA CTTAATTCTGAGTATTCCATGGCTGAGACGCTTGTGGGAACCCCATATTACATGTCTCCA GAGCTCTGTCAAGGAGTAAAGTACAATTTCAAGTCTGATATCTGGGCAGTTGGCTGCGTC ATTTTTGAACTGCTTACCTTAAAGAGGACGTTTGATGCTACAAACCCACTTAACCTGTGT TTGATCCAAATGGTTCATTCGTGCCTTGACCAGGATCCTGAGCAGAGACCTACTGCAGAT GAACTTCTAGATCGCCCTCTTCTCAGGAAACGCAGGAGGTCAAGCACTGTGACTGAAGCA $\tt CCCATTGCTGTAGTAACATCACGAACCAGTGAAGTCTATGTTTGGGGTGGGAAAATCC$ ACCCCCAGAAACTGGATGTTATCAAGAGTGGCTGTAGTGCCCGGCAGGTCTGTGCAGGG AATACCCACTTTGCTGTGGTCACAGTGGAGAAGGAACTGTACACTTGGGTGAACATGCAA GGAGGCACTAAACTCCATGGTCAGCTGGGCCATGGAGACAAAGCCTCCTATCGACAGCCA AAGCATGTGGAAAAGTTGCAAGGCAAAGCTATCCGTCAGGTGTCATGTGGTGATGATTTC

FIGURE 2HHHH

ACTGTCTGTGTGACTGATGAGGGTCAGCTCTATGCCTTCGGATCAGATTATTATGGCTGC ATGGGGGTGGACAAAGTTGCTGGCCCTGAAGTGCTAGAACCCATGCAGCTGAACTTCTTC CTCAGCAATCCAGTGGAGCAGGTCTCCTGTGGAGATAATCATGTGGTGGTTCTGACACGA AACAAGGAAGTCTATTCTTGGGGCTGTGGCGAATATGGACGACTGGGTTTGGATTCAGAA GAGGATTATTATACACCACAAAAGGTGGATGTTCCCAAGGCCTTGATTATTGTTGCAGTT CAATGTGGCTGTGATGGGACATTTCTGTTGACCCAGTCAGGCAAAGTGCTGGCCTGTGGA CTCAATGAATTCAATAAGCTGGGTCTGAATCAGTGCATGTCGGGAATTATCAACCATGAA GCATACCATGAAGTTCCCTACACAACGTCCTTTACCTTGGCCAAACAGTTGTCCTTTTAT AAGATCCGTACCATTGCCCCAGGCAAGACTCACACAGCTGCTATTGATGAGCGAGGCCGG $\tt CTGCTGACCTTTGGCTGCAACAAGTGTGGGCAGCTGGGCGTTGGGAACTACAAGAAGCGT$ CTGGGAATCAACCTGTTGGGGGGACCCCTTGGTGGGAAGCAAGTGATCAGGGTCTCCTGC GGTGATGAGTTTACCATTGCTGCCACTGATGAGAAAGTATTGAATTCTAAGACCATCCGT GGCGGGGGGGGGTGGTGAAGAAGAGAGGACAGTCAGCAGGAATCTGAAACTCCTGACCCA AGTGGAGGCTTCCGAGGAACAATGGAAGCAGACCGAGGAATGGAAGGTTTAATCAGTCCC GAGCTGGAAAATGCAGAATTTATCCCCATGCCTGACAGCCCATCTCCTCTCAGTGCAGCG TTTTCAGAATCTGAGAAAGATACCCTGCCCTATGAAGAGCTGCAAGGACTCAAAGTGGCC TCTGAAGCTCCTTTGGAACACAAACCCCAAGTAGAAGCCTCGGTAACTGAGCTTTTTGCC TTTGAATCACAACTAGTCACCTCGGCTGAATCCTGCAGTAACCTGTGCTGGGAAGGGAAC ACCACTGACTCCTCCTGCGTGTGCGTGCAGCTCTCTGCAGGTGGAGGTTGA

SEQ ID NO: 114_R86668_H, MKK6_H

ATGAACTTGCTGCTCCTACCGCGATGTGCAGGACTACTCGGCCATCATTGAGCTGGTG GAGACGCTGCAGGCCTTGCCCACCTGTGATGTGGCCGAGCAGCATAATGTCTGCTTCCAC $\tt CTGCTGCCGCTGGTACAGCTTGAGGGCTCTGTGGCGCCCGATCTGTACTGCATGTGTGGC$ GCCTATCACTGGTATCGCAAGGCTTTTGACGTAGAGCCCAGCCTTCACTCAGGCATCAAT GCAGCTGTGCTCCTCATTGCTGCCGGGCAGCACTTTGAGGATTCCAAAGAGCTCCGGCTA ATAGGCATGAAGCTGGGCTGCCTGCTGGCCCGCAAAGGCTGCGTGGAGAAGATGCAGTAT GTGCTGGCTGCAGAGCAGCTGTATAAGCTCAATGCCCCCATATGGTACCTGGTGTCCGTG ATGGAGACCTTCCTGCTCTACCAGCACTTCAGGCCCACGCCAGAGCCCCCTGGAGGGCCA CCACGCCGTGCCCACTTCTGGCTCCACTTCTTGCTACAGTCCTGCCAACCATTCAAGACA GCCTGTGCCCAGGGCGACCAGTGCTTGGTGCTGGTCCTGGAGATGAACAAGGTGCTGCTG CCTGCAAAGCTCGAGGTTCGGGGTACTGACCCAGTAAGCACAGTGACCCTGAGCCTGCTG GAGCCTGAGACCCAGGACATTCCCTCCAGCTGGACCTTCCCAGTCGCCTCCATATGCGGA GTCAGCGCCTCAAAGCGCGACGAGCGCTGCTGCTTCCTCTATGCACTCCCCCCGGCTCAG GACGTCCAGCTGTGCTTCCCCAGCGTAGGGCACTGCCAGTGGTTCTGCGGCCTGATCCAG ATGTTGGAGTTTGATTATGAGTACACGGAGACGGGCGAGCGGCTGGTGCTGGGCAAGGGC ACGTATGGGGTGGTACGCGGGCCGCGATCGCCACACGAGGGTGCGCATCGCCATCAAG GAGATCCCGGAGCGGACAGCAGGTTCTCTCAGCCCCTGCATGAAGAGATCGCTCTTCAC AGACGCCTGCGCCACAAGAACATAGTGCGCTATCTGGGCTCAGCTAGCCAGGGCGGCTAC TGGGGACCCCTGAAGGACAACGAGAGCACCATCAGTTTCTACACCCGCCAGATCCTGCAG GGACTTGGCTACTTGCACGACAACCACATCGTGCACAGGGACATAAAAGGGGACAATGTG CTGATCAACACCTTCAGTGGGCTGCTCAAGATTTCTGACTTCGGCACCTCCAAGCGGCTG GCAGGCATCACACCTTGCACTGAGACCTTCACAGGAACTCTGCAGTATATGGCCCCAGAA

FIGURE 2IIII

ATCATTGACCAGGGCCCACGCGGGTATGGGAAAGCAGCTGACATCTGGTCACTGGGCTGC ACTGTCATTGAGATGGCCACAGGTCGCCCCCCTTCCACGAGCTCGGGAGCCCACAGGCT GCCATGTTTCAGGTGGGTATGTACAAGGTCCATCCGCCAATGCCCAGCTCTCTGTCGGCC GAGGCCCAAGCCTTCCCCGAACTTTTGAGCCAGACCCCCGCCTCCGAGCCAGCGCC CAGACACTGCTGGGGACCCCTTCCTGCAGCCTGGGAAAAGGAGCCGCAGCCCCAGCTCC CCACGACATGCTCCACGGCCCTCAGATGCCCCTTCTGCCAGTCCCACTCCTTCAGCCAAC GCGGCCGAGGAGCCTGCGTCTCCGGAGGAGAGTTCGGGGCTGAGCCTGCTGCACCAGGAG AGCAAGCGTCGGCCATGCTGGCCGCAGTATTGGAGCAGGAGCTGCCAGCGCTGGCGGAG AATCTGCACCAGGAGCAGAAGCAAGAGCAGGGGCCCGTCTGGGCAGAAACCATGTGGAA GAGCTGCTGCGCTCGGGGCACACATCCACACTCCCAACCGCCGGCAGCTCGCCCAG GAGCTGCGGGCGCTGCAAGGACGGCTGAGGGCCCAGGGCCTTGGGCCTTCTGCAC AGACCGCTGTTTGCCTTCCCGGATGCGGTGAAGCAGATCCTCCGCAAGCGCCAGATCCGT CCACACTGGATGTTCGTTCTGGACTCACTGCTCAGCCGTGCTGTGCGGGCAGCCCTGGGT GTGCTAGGACCGGAGGTGGAGAAGGAGGCGGTCTCACCGAGGTCAGAGGAGCTGAGTAAT GAAGGGGACTCCCAGCAGAGCCCAGGCAGCAGCACTTCCGGTGGAGCCCGAGCAG GGCCCGCTCCTGATGGTGCAGCTGAGCCTCTTGAGGGCAGAGACTGATCGGCTGCGC GAAATCCTGGCGGGAAGGAACGGGGTACCAGGCCCTGGTGCAGCGGGCTCTACAGCGG CTGAATGAGGAAGCCCGGACCTATGTCCTGGCCCCAGAGCCTCCAACTGCTCTTTCAACG GACCAGGGCCTGGTGCAGTGGCTACAGGAACTGAATGTGGATTCAGGCACCATCCAAATG CTGTTGAACCATAGCTTCACCCTCCACACTCTGCTCACCTATGCCACTCGAGATGACCTC ATCTACACCCGCATCAGGGGAGGGATGGTATGCCGCATCTGGAGGGCCATCTTGGCACAG CGAGCAGGATCCACCACCAGTCACCTCTGGACCCTGA

SEQ ID NO: 115 PAK6 H

ATGTTTGGGAAGAAAAAGAAAAGATTGAAATATCTGGCCCGTCCAACTTTGAACACAGG GTTCATACTGGGTTTGATCCACAAGAGCAGAAGTTTACCGGCCTTCCCCAGCAGTGGCAC AGCCTGTTAGCAGATACGGCCAACGGCCAAAGCCTATGGTGGACCCTTCATGCATCACA TCCATCAACGGCCTGCTAGAGGATTTTGACAACATCTCGGTGACTCGCTCCAACTCCCTA AGGAAAGAAAGCCCACCCACCCCAGATCAGGGAGCCTCCAGCCACGGTCCAGGCCACGCG GAAGAAAATGGCTTCATCACCTTCTCCCAGTATTCCAGCGAATCCGATACTACTGCTGAC TACACGACCGAAAAGTACAGGGAGAGAGTCTCTATGGAGATGATCTGGATCCGTATTAT AGAGGCAGCCACGCAAGCAAAATGGGCACGTAATGAAAATGAAGCACGGGGAGGCC TACTATTCTGAGGTGAAGCCTTTGAAATCCGATTTTGCCAGATTTTCTGCCGATTATCAC TCACATTTGGACTCACTGAGCAAACCAAGTGAATACAGTGACCTCAAGTGGGAGTATCAG AGAGCCTCGAGTAGCTCCCCTCTGGATTATTCATTCCAATTCACACCTTCTAGAACTGCA GGGACCAGCGGGTGCTCCAAGGAGAGCCTGGCGTACAGTGAAAGTGAATGGGGACCCAGC CTGGATGACTATGACAGGAGGCCAAAGTCTTCGTACCTGAATCAGACAAGCCCTCAGCCC ACCATGCGGCAGAGGTCCAGGTCAGGCTCGGGACTCCAGGAACCGATGATGCCATTTGGA GCAAGTGCATTTAAAACCCATCCCCAAGGACACTCCTACAACTCCTACACCTACCCTCGC TTGTCCGAGCCCACATGTGCATTCCAAAGGTGGATTACGATCGAGCACAGATGGTCCTC AGCCCTCCACTGTCAGGGTCTGACACCTACCCCAGGGGCCCTGCCAAACTACCTCAAAGT CAAAGCAAATCGGGCTATTCCTCAAGCAGTCACCAGTACCCGTCTGGGTACCACAAAGCC ACCTTGTACCATCACCCCTCCCTGCAGAGCAGTTCGCAGTACATCTCCACGGCTTCCTAC CTGAGCTCCCTCAGCCTCTCATCCAGCACCTACCCGCCGCCCAGCTGGGGCTCCTCCTCC GACCAGCAGCCCTCCAGGGTGTCCCATGAACAGTTTCGGGCCGCCCTGCAGCTGGTGGTC AGCCCAGGAGACCCCAGGGAATACTTGGCCAACTTTATCAAAATCGGGGAAGGCTCAACC GGCATCGTATGCATCGCCACCGAGAAACACACAGGGAAACAAGTTGCAGTGAAGAAAATG

FIGURE 2JJJJ

SEQ ID NO: 116 SURTK106 H

ATGAATGATAGGAATGAGATTCAAATGGAAGCCAAACTCCAAAGTCTTACCATTATAGCA CAGGAAATTCTATGCAGATTCTTTATTACCCTTAGGAGACATGCACGTTTCCTGCTCACT AAACTAGGAAGGCAAGGAATGGCAAGGTCAGGAATTACTCACAGCTGTGCTGTGTGCATT CTCTGTGGGCCTAGCAGGGAAGGGGACAGCCCTGTGGCAATGGGCATGACACGGATGCTC $\tt CTGGAATGCAGTCTCAGTGACAAGTTGTGTGTCATCCAGGAGAAGCAGTATGAAGTGATT$ ATCGTCCCAACTTTGTTGGTTACTATCTTCCTCATCCTTCTTGGGGTCATCCTGTGGCTT TTTATCAGAGAACAAAGAACTCAACAGCAGCGTTCTGGACCTCAAGGCATTGCCCCTGTT CCTCCACCTAGGGACCTAAGCTGGGAAGCAGGACATGGAGGAAATGTGGCTTTGCCACTT AAGGAGACATCCGTGGAAAACTTTCTGGGAGCTACCACACCTGCCCTGGCTAAGCTGCAG GTGCCGCGGGAGCAACTCTCTGAAGTTCTGGAGCAGATTTGCAGTGGTAGCTGTGGGCCC ATCTTTCGAGCCAATATGAACACTGGGGACCCTTCTAAGCCCAAGAGTGTTATTCTCAAG GCTTTAAAAGAACCAGCTGGGCTCCATGAGGTACAAGATTTCTTAGGGCGAATCCAATTC CATCAATACCTGGGGAAACACAAAAACCTGGTGCAGCTGGAAGGCTGCTGCACTGAAAAG CTGCCACTCTATATGGTGTTGGAGGATGTGGCCCAGGGGGACCTGCTCGGCTTTCTCTGG ACCTGTCGGCGGGATGTGATGACTATGGATGGTCTTCTCTATGATCTCACAGAAAAACAA GTATATCACATCGGAAAGCAAGTCCTTTTGGCGCTGGAATTCCTGCAGGAGAAGCATTTG TTCCATGGGGATGTGGCAGCCAGGAATATTCTGATGCAAAGTGATCTCACTGCTAAGCTC TGTGGATTAGGCCTGGCTTATGAAGTTTACACCCGAGGGGCCATCTCCTCTACTCAAACC ATACCTCTCAAGTGGCTTGCCCCAGAACGGCTTCTCCTGAGACCTGCTAGCATCAGAGCA GATGTCTGGTCTTTTGGGATCCTGCTCTATGAGATGGTGACTCTAGGAGCACCACCGTAT CCTGAAGTCCCTCCTACCAGCATCCTAGAGCATCTCCAAAGAAGGAAAATCATGAAGAGA CCCAGTAGCTGCACATACCATGTACAGTATCATGAAGTCCTGCTGGCGCTGGCGTGAG GCTGACCGCCCTCACCTAGAGAGCTGCGCTTGCGCCTAGAAGCTGCCATTAAAACTGCA GATGACGAGGCTGTGTTACAAGTACCAGAGTTGGTGGTACCTGAACTGTATGCAGCTGTG GCCGGCATCAGAGTGGAGAGCCTCTTCTACAACTATAGCATGCTTTGAAGAGTCTCGGGC AAGAAACATTCATGCATGAGTATATGTTCTTGGAATCAATTCCTCTAAGAACAGAGAATG GTCTTTCCCAGGGACACAAAGGGAGAAATGGGACATGGATTCTTGATCTTCCTTTACACA TTTCTCGGGAAATCTGAAATGATGCTGGATGGGACTCTACACATCCTGAGCTAAGACATA CTGTCAGTCTCACTTCTGCTGTCCCAGTCCTAGAAATCCTGGGTAGAAGTGGTGGACCTG TGCAAAGGAGGTTTTAGAACTCTGCAGTATTTGTTGGGGCATGGCACAAATAAGCTCATC CCTCCCGTCCGAGGCTAGTTTCCTCTGGAACCACATTTTTATCTAGATGAAAATTTGGAA CTTGCTCAGGATTACAGATATGGACCAACACCTCCTTCAAGAAAAGGTGGTAGGACACAA AGTTCTTCAGTCCTGAGCCCTACATGTGGGGGCTGGAGGAGAACTATAACGGAAAAACCTC TGAGTTTCACCTTAGGTATAGATAAAAGAAGGTGGTCCCCTTTTATCTGATTCTGAGAC AGGTAAATTCTGTTTGTTACTACGTTTAATTAGAAGGTGGAGGAGTCATTTCATGATTAA

FIGURE 2KKKK

SEQ ID NO: 117 AA098024 M

 $\tt CTGCAGGAGAAGCACCTGTTTCATGGGGATGTGGCTGCCAGGAACATCCTGATCCAAAGT$ GACCTGACTCCCAAACTTTGTCATCTGGGCCTGGCTTATGAAGTTCATGCCCATGGGGCC ATCTCCTCTGCTCGATCCAGCACCATCCCTCTCAAGTGGCTTGCTCCAGAAAGGCTTCTC CTGAGACCTGCAAGCATCAGGGGAGATATTTGGTCCTTTGGGATCCTGCTTTATGAGATG GTGACTCTAGGAGCACCACCATACCCTGAAGTCCCTCCCACCAGCATCCTACAATATCTT CAGAGAAAAAATCATGAAGAGACCCAGCAGCTGCTCACATGCCATGTACAACATCATG AAGTGCTGTTGGCGCTGGAGTGAGGACAGCCGCCCCTTACTTGTTCAGCTGCTCCAGCGC CTAGAAGCTGCTTCTAGATCTGCCGATGACAAGGCTGTGTTGCAAGTGCCAGAGTTGGTG GTGCCTGAACTGTATGCAGATGTGGCTGGCATCAGGGCAGAAAGCATTTCCTATAGCTTC AGTGTCCTTTGAAGATGGTCCTAGACAAATGACTATATATGGGTGGAATTAGTTCCTTCA AGAACAGAGAGAAGGAACTTTCTGTGGCCCACCAAGGGAGAAAAAAGGACATGGATCTTG CATCTTTCCCTAAACATTTTCCTAGACATCTGAAATGCTGCTGGATGAAGCTCTACCTCT ACATACCATGTACTCTTGAGCTAAGAATCACCATCAATTGTAGTTTGCTTTCCAGTCCCA AGGGCTGAAGTATAAGTGGTGGACCGTGTCATTCTAAAGGAGGTTTTTAAAATCTGCAAT AAACTAGTTTTTCTTTTTTTTTTTAAGTTAAACTATTACAGAGTAAAAATAAACCAG ATGGGCATGAATGAACACCTTCTAATTTTTAACCATGAATTGAATATTGGAATTCATGAG AAAGAAAATTCTAGGTTCTTTTTGCTAAGAGGTGTTAAGGTGAGTCAATATATCCTTCAA GGAAAGGCTTTGTCTCATCTATGTTGACGGGACGTAAAAGTCCTCGTCCCGTTATGAAGA TCCTTTCATTGAACTCTGAGGCAGGTGGACCATGCATGATACTAAGTTTAATTAGAAGCA GTATAACAAATAGGAAGCATGAAAGTCGAGCAAGAAGACTTAGTAACCCAGGTGGTCATT GTTATTTTACTAGGAAAATTAGAGAACCTATAGTTTCCAAAAAGAGATTCTTTATGTGCA AAATGAGATAACTCTCTACCTCACAGGGTTGGTGTGAGGAACAATGAGAATATGTATTTG TGTATTATGTAGAATATAATATTCTCAATAAATACTAGTTTTTCCCCCTTTC

SEQ ID NO: 118_SGK2ALPHA H

FIGURE 2LLLL

TCCACATTCTGTGGTACCCCTGAGTACTTGGCACCTGAAGTGCTTCGGAAAGAGCCTTAT GATCGAGCAGTGGACTGGTGGTGCTTGGGGGCAGTCCTCTACGAGATGCTCCATGGCCTG CCGCCCTTCTACAGCCAAGATGTATCCCAGATGTATGAGAACATTCTGCACCAGCCGCTA CAGATCCCCGGAGGCCGGACAGTGGCCGCCTGTGACCTCCTGCAAAGCCTTCTCCACAAG GACCAGAGGCAGCGGCTGGGCTCCAAAGCAGACTTTCTTGAGATTAAGAACCATGTATTC TTCAGCCCCATAAACTGGGATGACCTGTACCACAAGAGGCTAACTCCACCCTTCAACCCA AATGTGACAGGACCTGCTGACTTGAAGCATTTTGACCCAGAGTTCACCCAGGAAGCTGTG TCCAAGTCCATTGGCTGTACCCCTGACACTGTGGCCAGCAGCTCTGGGGCCTCAAGTGCA ACCTGTGAAACTACTGAGGCCAGCTGGTATTAGTAAGGAATTACCTTCAGCTGCTAGGAA GAGCGACTCAAACTAACAATGGCTTCAACGAGAAGCAGGTTTATTTTTTCCAGCACATAA AAGAAAAATAATGTTTCGGAGTCCAGGACTGGCAGGACAGGTCATCAGATACTCAGAGGC TGTATCTCTGCCCTGCCAACCTTGACAAATGGCTTCCAATGTTAGGTTTGCTACAAGATG GTTACTGGAGCTCTAGCTGCCTATTTTGTGTTTAGGGAAGGGAAAATGGAGGAAAGGGGA GAAGAGCAAAGGGCGCTTTTAAAGAGCTTTCCCAAAAGCTCCCCCAATGACTTTTGCTT CCATCTCACTAACCACCCCCCCCCCCCCGGAATGGAGGCTGGGAAATGTGGCTTATTTGC TGGGTACGTGACTATCCCTAATAACAAAGGGGTTTTGACCCTAAGACATTAGGGGAGAAT GTTGGGTAGGCAGCCAGCCCTCTTTTACCATAGGGCCTCCTGGTGTTTTGGATTTTGATCT CAATGTGTAAAATGACAGAGATGTAACAAGCTCATAGGGTATCAATATCTCTTATTGTTC TATGTTGAAAAA

SEQ ID NO: 120 CCRK H

ATGGACCAGTACTGCATCCTGGGCCGCATCGGGGAGGGCGCCCCACGGCATCGTCTTCAAG GCCAAGCACGTGGAGACTGGCGAGATAATTGCCCTCAAGAAGGTGGCCCTAAGGCGGTTG GAAGACGGCTTCCCTAACCAGGCCCTGCGGGAGATTAAGGCTCTGCAGGAGATGGAGGAC AATCAGTATGTGGTACAACTGAAGGCTGTGTTCCCACACGGTGGAGGCTTTGTGCTGGCC TTTGAGTTCATGCTGGCGGATCTGGCCGAGGTGGTGCGCCATGCCCAGAGGCCACTAGCC CAGGCACAGGTCAAGAGCTACCTGCAGATGCTCCAAGGGTGTCGCCTTCTGCCATGCC AACAACATTGTACATCGGGACCTGAAACCTGCCAACCTGCTCATCAGCGCCTCAGGCCAG $\tt CTCAAGATAGCGGACTTTGGCCTGGCTCGAGTCTTTTCCCCAGACGGCAGCCGCCTCTAC$ ACACACCAGGTGGCCACCAGGTCTGTGGGCTGCATCATGGGGGGAGCTGTTGAATGGGTCC CCCCTTTTCCCGGGCAAGAACGATATTGAACAGCTTTGCTATGTGCTTCGCATCTTGGGC ACCCCAAACCCTCAAGTCTGGCCGGAGCTCACTGAGCTGCCGGACTACAACAAGATCTCC TTTAAGGAGCAGGTGCCCATGCCCCTGGAGGAGGTGCTGCCTGACGTCTCTCCCCAGGCA TTGGATCTGCTGGGTCAATTCCTTCTCTACCCTCCTCACCAGCGCATCGCAGCTTCCAAG ATTCCTCAGCGTCTAGGGGGACCTGCCCCCAAGGCCCATCCAGGGCCCCCCCACATCCAT GACTTCCACGTGGACCGGCCTCTTGAGGGAGTCGCTGTTGAACCCAGAGCTGATTCGGCC TCAGTCCACCTGTTCCTCTGCCACCTGCCTGGCTTCACCCTCCAAGGCCTCCCCATGGCC ACAGTGGGCCCACACCACACCTTGCCCCTTAGCCCTTGCGAGGGTTGGTCTCGAGGCAGA GGTCATGTTCCCAGCCAAGAGTATGAGAACATCCAGTCGAGCAGAGGAGATTCATGGCCT GTGCTCGGTGAGCCTTACCTTCTGTGTGCTACTGACGTACCCATCAGGACAGTGAGCTCT GAGTGCTGCCTCCTGGTCAAGGAGAAGTGCAGAGAGTAA

SEQ ID NO: 121 TESK2 H

FIGURE 2MMMM

CCCACCGCCTCCGCAGGCTAAGGAGCCGCTGCCACCAACGAGCTGTGAGGGTTACTATGC TCCCTCTTTGCCGCCGTCTCCTCTCTTGCCCGCGCAGGCACCCCTCTGGCTGCTCAGTC CTGCCTCAGTGTCAAACCAGAAGAAGTAAAATTCAACAAAAATTTATGTGTGGAGTTC CTTCTTAAAAGAAAAAAAGTGATTATTTAGACTATGGATCGGAGCAAACGGAATTCAA TTGCAGGATTTCCTCCACGTGTGGAGCGTCTTGAAGAGTTTGAAGGAGGTGGTGGAGGAG AAGGAAATGTGAGCCAGGTGGGAAGAGTTTGGCCATCTTCGTATCGAGCTCTTATAAGTG CCTTTTCCAGACTGACGCGTTTGGATGATTTCACCTGTGAAAAAATAGGGTCTGGCTTCT TTTCTGAAGTGTTCAAGGTACGACACCGAGCTTCTGGTCAGGTGATGGCTCTTAAGATGA ACACATTGAGCAGTAACCGGGCAAACATGCTGAAAGAAGTACAGCTCATGAATAGACTCT CCCATCCCAACATCCTTAGGTATATCAACTCCGGGAACCTGGAACAGTTGCTAGACAGTA ACCTGCATTTGCCTTGGACTGTGAGGGTAAAACTGGCCTATGACATAGCAGTGGGCCTCA GCTACCTTCACTCCAAAGGCATTTTTCATCGGGACCTCACATCTAAGAACTGCCTGATAA AGAGGGATGAGAATGGTTACTCTGCAGTGGTAGCTGACTTTGGCCTGGCTGAGAAGATCC CCGATGTCAGCATGGGGAGTGAGAAGCTGGCCGTGGTGGGTTCCCCATTCTGGATGGCAC CTGAGGTTCTCCGAGATGAGCCCTATAATGAAAAGGCAGATGTGTTCTCTTATGGTATCA TCCTCTGCGAGATCATCGCCCGCATCCAGGCCGATCCGGACTATCTTCCCCGCACAGAGA ATTTCGGGCTGGACTATGATGCTTTCCAGCACATGGTGGGAGACTGTCCCCCAGATTTTC TGCAACTTACTTTCAACTGCTGTAACATGGATCCCAAACTGCGCCCATCTTTTGTGGAGA GGAAGCTGCAGCCCACAGCCAGGGGACTCTTGGAGAAAGCACCTGGGGTGAAGCGACTAA GCTCACTGGATGACAAGATCCCCCACAAGTCACCATGCCCAAGACGTACCATCTGGCTGT CATACTACCGGCCACGAGATGGTGCTGCCCGCACCCCCAAAGTCAACCCTTTTAGTGCTC GCCAGGACCTCATGGGGGGCAAGATCAAGTTTTTTGACCTGCCCAGCAAGTCTGTCATCT CTCTGGTATTTGACCTGGATGCACCAGGGCCCGGAACTATGCCCCTGGCTGACTGGCAGG AGCCCTGGCCCCACCTATTCGCCGGTGGCGTTCCTTGCCTGGTTCGCCTGAGTTCTTGC ATCAAGAGGCTTGTCCATTTGTGGGCCGGGAAGAATCGCTATCTGATGGGCCCCCACCAC GCCTAAGTAGTCTCAAGTACAGAGTTAAAGAGATCCCACCATTCCGGGCATCTGCCCTAC CAGCTGCTCAAGCCCATGAGGCTATGGACTGCTCCATTCTCCAGGAAGAAAATGGTTTTG GGTCCAGGCCCCAGGGGACCAGTCCATGCCCTGCGGGTGCTTCTGAGGAGATGGAGGTAG AAGAAAGGCCAGCAGCTCAACTCCAGCCACCTTCTCCACCTCAGGCATAGGCCTGCAAA CCCAGGGAAAGCAGGATGGGTGAGGGGGTTTAGTCCCTGCCTCACCTTGGGGATGGACCT TCAGCTGAAACCATATGGCCCCCTAGGTGCACAGCCTTGATTCTTCCCTGGAGCCTACAG AGCAGGCAGGCTAGGCCAAGCCAGGCTCAACTTCTGGGCTCCCAGTGCCCATTGGCTGTG TATGACGGGAGGCAGCAGTGAGAGGCCTTCCTAGTTAGGGCCAACAGCTGATACCAAGCC TCTGAAATCCAGCAAGGAGGTCTGCCTCCCACCAGACCCTCTCCAGTGTACTTCCCCAGA TCCCCACCCCAGGTCTGTCTTTGCCTTTTCTTGGGGCATATAAGCTACTGAGTGGAACA TGGAGCTGATCAAGAGGCCGTAATGGTCATGGCTGTTTCCAGACCTGAATATTGGGTGCT TCTTGCCAGTATTCTAAGACATTTGAGTAATTGCTGTTTTGCACTTACTGCATGGTCAGAC CACGTCACTACATTCTATGCAAGGGGACAGCAAGGCAGCGTGGTGGTCATGGCTCTTAG CTAACCTATTCAAAGACCTTTTCCTGTTGATTAATCTATTTTCATATTTATAAAGGAGTC TTAATGTTCTGCCCCATAAGACTTTCAACCTTGTGGTTGGGAGTGGGGCTGGTTTTGTAG GCCCTAGGGCCTGCTTCTATGTATTTATCAACATGTGATACATTCAATTGGTTAAATGGT TTATACAGGGACTGATTTGCTTCCCTTCCTGCCATGGCTGGAGCTTTGGGAACAGTCTGT CCTTACAGAGCTGCAATAAGAAATAACCAAAGATGAAGCTGGTCAAATATTTTCATAACT TGCTTCTGTTGATTTTTTTTTTTTGTAAAACTTTCCCAAGACATTTTCAGACTTAAAAATAA AGTCAGTGTTACAGGT